## Taejun Yoon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8208967/publications.pdf Version: 2024-02-01

1684188 1588992 21 79 5 8 citations h-index g-index papers 21 21 21 110 all docs docs citations times ranked citing authors

Τλειμίν Υρον

#	Article	IF	CITATIONS
1	Punicalagin Ameliorates Lupus Nephritis via Inhibition of PAR2. International Journal of Molecular Sciences, 2020, 21, 4975.	4.1	14
2	Serum chitinase-3-like 1 protein is a useful biomarker to assess disease activity in ANCA-associated vasculitis: an observational study. Arthritis Research and Therapy, 2021, 23, 77.	3.5	8
3	Atializumab, a humanized anti-aminoacyl-tRNA synthetase-interacting multifunctional protein-1 (AIMP1) antibody significantly improves nephritis in (NZB/NZW) F1 mice. Biomaterials, 2019, 220, 119408.	11.4	7
4	Serum Aminoacyl-tRNA Synthetase-Interacting Multifunctional Protein-1 Can Predict Severe Antineutrophil Cytoplasmic Antibody-Associated Vasculitis: A Pilot Monocentric Study. BioMed Research International, 2019, 2019, 1-6.	1.9	7
5	Serum Mannose-Binding Lectin Levels Are Correlated with the Disease Activity of Antineutrophil Cytoplasmic Antibody-Associated Vasculitis: A Single-Center Study. Tohoku Journal of Experimental Medicine, 2020, 251, 117-123.	1.2	7
6	GeTe Nanosheets as Theranostic Agents for Multimodal Imaging and Therapy of Inflammatory Bowel Disease. Advanced Functional Materials, 2022, 32, 2107433.	14.9	7
7	Serum interleukin-16 significantly correlates with the Vasculitis Damage Index in antineutrophil cytoplasmic antibody-associated vasculitis. Arthritis Research and Therapy, 2020, 22, 73.	3.5	6
8	Serum interleukin-21 positivity could indicate the current activity of antineutrophil cytoplasmic antibody-associated vasculitis: a monocentric prospective study. Clinical Rheumatology, 2019, 38, 1685-1690.	2.2	5
9	Serum Amyloid A Is a Biomarker of Disease Activity and Health-Related Quality-of-Life in Patients with Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. Disease Markers, 2020, 2020, 1-9.	1.3	4
10	Serum Clusterin Level Could Reflect the Current Activity of Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. Yonsei Medical Journal, 2021, 62, 1016.	2.2	3
11	Predictive Ability of Serum IL-27 Level for Assessing Activity of Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. Mediators of Inflammation, 2021, 2021, 1-8.	3.0	2
12	Soluble Lectin-Like Oxidized Low-Density Lipoprotein Receptor 1 Is Inversely Correlated with the Activity of ANCA-Associated Vasculitis. Yonsei Medical Journal, 2020, 61, 720.	2.2	2
13	Serum soluble programmed cell death protein 1 could predict the current activity and severity of antineutrophil cytoplasmic antibody-associated vasculitis: a monocentric prospective study. Clinical and Experimental Rheumatology, 2019, 37 Suppl 117, 116-121.	0.8	2
14	Association Between Serum Alarmin Levels and Disease-specific Indices in Patients With Anti-neutrophil Cytoplasmic Antibody-associated Vasculitis. In Vivo, 2021, 35, 1761-1768.	1.3	1
15	Correlation between serum cysteine-rich protein 61 and disease activity of antineutrophil cytoplasmic antibody–associated vasculitis. Clinical Rheumatology, 2021, 40, 3703-3710.	2.2	1
16	Serum adipokine profiles in patients with microscopic polyangiitis and granulomatosis with polyangiitis: An exploratory analysis. PLoS ONE, 2021, 16, e0254226.	2.5	1
17	Serum progranulin as a predictive marker for high activity of antineutrophil cytoplasmic antibodyâ€associated vasculitis. Journal of Clinical Laboratory Analysis, 2021, 35, e24048.	2.1	1
18	Serum galectin-9 could be a potential biomarker in assessing the disease activity of antineutrophil cytoplasmic antibody-associated vasculitis. Clinical and Experimental Rheumatology, 0, , .	0.8	1

#	Article	IF	CITATIONS
19	Association between follistatin-related protein 1 and the functional status of patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. Chinese Medical Journal, 2021, 134, 1168-1174.	2.3	0
20	Serum granzyme B is associated with otorhinolaryngological, pulmonary, and renal involvement of antineutrophil cytoplasmic antibody-associated vasculitis. Journal of Investigative Medicine, 2021, 69, 91-95.	1.6	0
21	Serum galectin-9 could be a potential biomarker in assessing the disease activity of antineutrophil cytoplasmic antibody-associated vasculitis. Clinical and Experimental Rheumatology, 2021, , .	0.8	0