

# C Helguera-Repetto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/820990/publications.pdf>

Version: 2024-02-01

21  
papers

485  
citations

840776

11  
h-index

752698

20  
g-index

21  
all docs

21  
docs citations

21  
times ranked

760  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global Adaptation to a Lipid Environment Triggers the Dormancy-Related Phenotype of Mycobacterium tuberculosis. MBio, 2014, 5, e01125-14.	4.1	102
2	Prevalence of Depression, Anxiety, and Perceived Stress in Postpartum Mexican Women during the COVID-19 Lockdown. International Journal of Environmental Research and Public Health, 2021, 18, 4627.	2.6	48
3	Cellular and molecular mechanisms of viral infection in the human placenta. Pathogens and Disease, 2017, 75, .	2.0	47
4	Hypoxia Is Not a Main Stress When Mycobacterium tuberculosis Is in a Dormancy-Like Long-Chain Fatty Acid Environment. Frontiers in Cellular and Infection Microbiology, 2018, 8, 449.	3.9	35
5	Prolactin decreases LPS-induced inflammatory cytokines by inhibiting TLR-4/NF $\kappa$ B signaling in the human placenta. Molecular Human Reproduction, 2019, 25, 660-667.	2.8	34
6	Molecular Insights into the Thrombotic and Microvascular Injury in Placental Endothelium of Women with Mild or Severe COVID-19. Cells, 2021, 10, 364.	4.1	33
7	Transcription of Genes Involved in Sulfolipid and Polyacyltrehalose Biosynthesis of Mycobacterium tuberculosis in Experimental Latent Tuberculosis Infection. PLoS ONE, 2013, 8, e58378.	2.5	27
8	Microbiological Quality of Ready-to-Eat Vegetables Collected in Mexico City: Occurrence of Aerobic-Mesophilic Bacteria, Fecal Coliforms, and Potentially Pathogenic Nontuberculous Mycobacteria. BioMed Research International, 2015, 2015, 1-9.	1.9	25
9	Mycobacterium mucogenicum and other non-tuberculous mycobacteria in potable water of a trauma hospital: a potential source for human infection. Journal of Hospital Infection, 2012, 80, 74-76.	2.9	23
10	Neonatal Sepsis Diagnosis Decision-Making Based on Artificial Neural Networks. Frontiers in Pediatrics, 2020, 8, 525.	1.9	22
11	Evidence of possible <scp>SARSâ€CoV</scp>â€2 vertical transmission according to World Health Organization criteria in asymptomatic pregnant women. Ultrasound in Obstetrics and Gynecology, 2021, 58, 900-908.	1.7	16
12	COVID-19 Infection in Pregnancy: PCR Cycle Thresholds, Placental Pathology, and Perinatal Outcomes. Viruses, 2021, 13, 1884.	3.3	14
13	Progesterone suppresses the lipopolysaccharide-induced pro-inflammatory response in primary mononuclear cells isolated from human placental blood. Immunological Investigations, 2018, 47, 181-195.	2.0	9
14	Bacteriological quality of bottled water obtained from Mexico City small water purification plants: Incidence and identification of potentially pathogenic nontuberculous mycobacteria species. International Journal of Food Microbiology, 2019, 306, 108260.	4.7	9
15	The Immune Response in Adipocytes and Their Susceptibility to Infection: A Possible Relationship with Infectobesity. International Journal of Molecular Sciences, 2022, 23, 6154.	4.1	9
16	The pathogen Mycobacterium marinum, a faster growing close relative of Mycobacterium tuberculosis, has a single rRNA operon per genome. FEMS Microbiology Letters, 2004, 235, 281-288.	1.8	7
17	Prolactin selectively inhibits the LPS-induced chemokine secretion of human foetal membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 4083-4089.	1.5	6
18	Clinical characteristics and risk factors for SARS-CoV-2 infection in pregnant women attending a third level reference center in Mexico City. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 5927-5931.	1.5	6

#	ARTICLE	IF	CITATIONS
19	Cord Blood SARS-CoV-2 IgG Antibodies and Their Association With Maternal Immunity and Neonatal Outcomes. <i>Frontiers in Pediatrics</i> , 0, 10, .	1.9	6
20	Active tuberculosis patients have high levels of IgA anti-alpha-crystallin and isocitrate lyase proteins. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016, 20, 1681-1688.	1.2	4
21	The BeWo cell line derived from a human placental choriocarcinoma is permissive for respiratory syncytial virus infection. <i>Virus Genes</i> , 2019, 55, 406-410.	1.6	3