## C Helguera-Repetto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/820990/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical characteristics and risk factors for SARS-CoV-2 infection in pregnant women attending a third level reference center in Mexico City. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 5927-5931.	1.5	6
2	The Immune Response in Adipocytes and Their Susceptibility to Infection: A Possible Relationship with Infectobesity. International Journal of Molecular Sciences, 2022, 23, 6154.	4.1	9
3	Molecular Insights into the Thrombotic and Microvascular Injury in Placental Endothelium of Women with Mild or Severe COVID-19. Cells, 2021, 10, 364.	4.1	33
4	Prevalence of Depression, Anxiety, and Perceived Stress in Postpartum Mexican Women during the COVID-19 Lockdown. International Journal of Environmental Research and Public Health, 2021, 18, 4627.	2.6	48
5	COVID-19 Infection in Pregnancy: PCR Cycle Thresholds, Placental Pathology, and Perinatal Outcomes. Viruses, 2021, 13, 1884.	3.3	14
6	Evidence of possible <scp>SARSâ€CoV</scp> â€2 vertical transmission according to World Health Organization criteria in asymptomatic pregnant women. Ultrasound in Obstetrics and Gynecology, 2021, 58, 900-908.	1.7	16
7	Prolactin selectively inhibits the LPS-induced chemokine secretion of human foetal membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 4083-4089.	1.5	6
8	Neonatal Sepsis Diagnosis Decision-Making Based on Artificial Neural Networks. Frontiers in Pediatrics, 2020, 8, 525.	1.9	22
9	Bacteriological quality of bottled water obtained from Mexico City small water purification plants: Incidence and identification of potentially pathogenic nontuberculous mycobacteria species. International Journal of Food Microbiology, 2019, 306, 108260.	4.7	9
10	Prolactin decreases LPS-induced inflammatory cytokines by inhibiting TLR-4/NFήB signaling in the human placenta. Molecular Human Reproduction, 2019, 25, 660-667.	2.8	34
11	The BeWo cell line derived from a human placental choriocarcinoma is permissive for respiratory syncytial virus infection. Virus Genes, 2019, 55, 406-410.	1.6	3
12	Progesterone suppresses the lipopolysaccharide-induced pro-inflammatory response in primary mononuclear cells isolated from human placental blood. Immunological Investigations, 2018, 47, 181-195.	2.0	9
13	Hypoxia Is Not a Main Stress When Mycobacterium tuberculosis Is in a Dormancy-Like Long-Chain Fatty Acid Environment. Frontiers in Cellular and Infection Microbiology, 2018, 8, 449.	3.9	35
14	Cellular and molecular mechanisms of viral infection in the human placenta. Pathogens and Disease, 2017, 75, .	2.0	47
15	Active tuberculosis patients have high levels of IgA anti-alpha-crystallin and isocitrate lyase proteins. International Journal of Tuberculosis and Lung Disease, 2016, 20, 1681-1688.	1.2	4
16	Microbiological Quality of Ready-to-Eat Vegetables Collected in Mexico City: Occurrence of Aerobic-Mesophilic Bacteria, Fecal Coliforms, and Potentially Pathogenic Nontuberculous Mycobacteria. BioMed Research International, 2015, 2015, 1-9.	1.9	25
17	Global Adaptation to a Lipid Environment Triggers the Dormancy-Related Phenotype of Mycobacterium tuberculosis. MBio, 2014, 5, e01125-14.	4.1	102
18	Transcription of Genes Involved in Sulfolipid and Polyacyltrehalose Biosynthesis of Mycobacterium tuberculosis in Experimental Latent Tuberculosis Infection. PLoS ONE, 2013, 8, e58378.	2.5	27

#	Article	IF	CITATIONS
19	Mycobacterium mucogenicum and other non-tuberculous mycobacteria in potable water of a trauma hospital: a potential source for human infection. Journal of Hospital Infection, 2012, 80, 74-76.	2.9	23
20	The pathogen Mycobacterium marinum, a faster growing close relative of Mycobacterium tuberculosis, has a single rRNA operon per genome. FEMS Microbiology Letters, 2004, 235, 281-288.	1.8	7
21	Cord Blood SARS-CoV-2 IgG Antibodies and Their Association With Maternal Immunity and Neonatal Outcomes. Frontiers in Pediatrics, 0, 10, .	1.9	6