
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8210241/publications.pdf Version: 2024-02-01



DEDELLE MANCIN

#	Article	IF	CITATIONS
1	Feasibility Study of a Systematic Approach for Discontinuation of Multiple Medications in Older Adults. Archives of Internal Medicine, 2010, 170, 1648-54.	4.3	433
2	A metaâ€analysis of "hospital in the home― Medical Journal of Australia, 2012, 197, 512-519.	0.8	290
3	Challenges and Enablers of Deprescribing: A General Practitioner Perspective. PLoS ONE, 2016, 11, e0151066.	1.1	148
4	International Group for Reducing Inappropriate Medication Use & Polypharmacy (IGRIMUP): Position Statement and 10 Recommendations for Action. Drugs and Aging, 2018, 35, 575-587.	1.3	141
5	Beyond diagnosis: rising to the multimorbidity challenge. BMJ, The, 2012, 344, e3526-e3526.	3.0	120
6	Preventive health care in elderly people needs rethinking. BMJ: British Medical Journal, 2007, 335, 285-287.	2.4	95
7	Making patient values visible in healthcare: a systematic review of tools to assess patient treatment priorities and preferences in the context of multimorbidity. BMJ Open, 2016, 6, e010903.	0.8	82
8	Maintenance or Discontinuation of Antidepressants in Primary Care. New England Journal of Medicine, 2021, 385, 1257-1267.	13.9	75
9	DEFEAT-polypharmacy: deprescribing anticholinergic and sedative medicines feasibility trial in residential aged care facilities. International Journal of Clinical Pharmacy, 2019, 41, 167-178.	1.0	70
10	The Quality and Outcomes Framework: what have you done to yourselves?. British Journal of General Practice, 2007, 57, 435-7.	0.7	63
11	Protocol for a Delphi consensus exercise to identify a core set of criteria for selecting health related outcome measures (HROM) to be used in primary health care. BMC Family Practice, 2018, 19, 152.	2.9	59
12	Clinical Care and Health Disparities. Annual Review of Public Health, 2012, 33, 89-106.	7.6	56
13	Enduring sexual dysfunction after treatment with antidepressants, 5α-reductase inhibitors and isotretinoin: 300 cases. International Journal of Risk and Safety in Medicine, 2018, 29, 125-134.	0.3	56
14	Quality of Chronic Kidney Disease Management in Canadian Primary Care. JAMA Network Open, 2019, 2, e1910704.	2.8	56
15	General practitioners' insight into deprescribing for the multimorbid older individual: a qualitative study. International Journal of Clinical Practice, 2016, 70, 261-276.	0.8	48
16	Prevalence and Demographics of CKD inÂCanadian Primary Care Practices: AÂCross-sectional Study. Kidney International Reports, 2019, 4, 561-570.	0.4	44
17	Multimorbidity Frameworks Impact Prevalence and Relationships with Patientâ€Important Outcomes. Journal of the American Geriatrics Society, 2019, 67, 1632-1640.	1.3	43
18	One hundred and twenty cases of enduring sexual dysfunction following treatment. International Journal of Risk and Safety in Medicine, 2014, 26, 109-116.	0.3	41

#	Article	IF	CITATIONS
19	Deprescribing Is an Essential Part of Good Prescribing. American Family Physician, 2019, 99, 7-9.	0.1	41
20	Multimorbidity, eHealth and implications for equity: a cross-sectional survey of patient perspectives on eHealth. BMJ Open, 2019, 9, e023731.	0.8	40
21	Combining volunteers and primary care teamwork to support health goals and needs of older adults: a pragmatic randomized controlled trial. Cmaj, 2019, 191, E491-E500.	0.9	40
22	A protocol for a pragmatic randomized controlled trial using the Health Teams Advancing Patient Experience: Strengthening Quality (Health TAPESTRY) platform approach to promote person-focused primary healthcare for older adults. Implementation Science, 2015, 11, 49.	2.5	31
23	Self-efficacy for medication management: a systematic review of instruments. Patient Preference and Adherence, 2018, Volume 12, 1279-1287.	0.8	29
24	Legacy Drug-Prescribing Patterns in Primary Care. Annals of Family Medicine, 2018, 16, 515-520.	0.9	26
25	Disconnected relationships between primary care and community-based health and social services and system navigation for older adults: a qualitative descriptive study. BMC Family Practice, 2020, 21, 69.	2.9	25
26	Bedtime versus morning use of antihypertensives for cardiovascular risk reduction (BedMed): protocol for a prospective, randomised, open-label, blinded end-point pragmatic trial. BMJ Open, 2022, 12, e059711.	0.8	23
27	Chlamydia trachomatis Testing Sensitivity in Midstream Compared With First-Void Urine Specimens. Annals of Family Medicine, 2012, 10, 50-53.	0.9	20
28	The comparative risk of new-onset diabetes after prescription of drugs for cardiovascular risk prevention in primary care: a national cohort study. BMJ Open, 2013, 3, e003475.	0.8	20
29	Deprescribing anticholinergic and sedative medicines: protocol for a Feasibility Trial (DEFEAT-polypharmacy) in residential aged care facilities. BMJ Open, 2017, 7, e013800.	0.8	20
30	Diagnostic criteria for enduring sexual dysfunction after treatment with antidepressants, finasteride and isotretinoin. International Journal of Risk and Safety in Medicine, 2022, 33, 65-76.	0.3	18
31	Clinical judgments, not algorithms, are key to patient safety—an essay by David Healy and Dee Mangin. BMJ: British Medical Journal, 2019, 367, I5777.	2.4	16
32	Effect of multimorbidity on health service utilisation and health care experiences. Journal of Primary Health Care, 2018, 10, 44.	0.2	15
33	Examining Interprofessional teams structures and processes in the implementation of a primary care intervention (Health TAPESTRY) for older adults using normalization process theory. BMC Family Practice, 2020, 21, 63.	2.9	15
34	Machine learning for identification of frailty in Canadian primary care practices. International Journal of Population Data Science, 2021, 6, 1650.	0.1	15
35	Recommendations for outcome measurement for deprescribing intervention studies. Journal of the American Geriatrics Society, 2022, 70, 2487-2497.	1.3	15
36	The ethics of randomized placebo controlled trials of antidepressants with pregnant women. International Journal of Risk and Safety in Medicine, 2010, 22, 7-16.	0.3	14

#	Article	IF	CITATIONS
37	Feasibility study of goal setting discussions between older adults and volunteers facilitated by an eHealth application: development of the Health TAPESTRY approach. Pilot and Feasibility Studies, 2018, 4, 184.	0.5	14
38	Team approach to polypharmacy evaluation and reduction: study protocol for a randomized controlled trial. Trials, 2021, 22, 746.	0.7	14
39	Pandemic influenza A(H1N1)pdm09: risk of infection in primary healthcare workers. British Journal of General Practice, 2013, 63, e416-e422.	0.7	13
40	†I think this medicine actually killed my wife': patient and family perspectives on shared decision-making to optimize medications and safety. Therapeutic Advances in Drug Safety, 2019, 10, 204209861983879.	1.0	13
41	Do Residents Need All Their Medications? A Cross-Sectional Survey of RNs' Views on Deprescribing and the Role of Clinical Pharmacists. Journal of Gerontological Nursing, 2017, 43, 13-20.	0.3	12
42	Post-SSRI sexual dysfunction: Patient experiences of engagement with healthcare professionals. International Journal of Risk and Safety in Medicine, 2019, 30, 167-178.	0.3	12
43	A randomised controlled trial assessing the use of citalopram, sertraline, fluoxetine and mirtazapine in preventing relapse in primary care patients who are taking long-term maintenance antidepressants (ANTLER: ANTidepressants to prevent reLapse in dEpRession): study protocol for a randomised controlled trial. Trials. 2019. 20. 319.	0.7	12
44	Risk communication methods in hip fracture prevention: a randomised trial in primary care. British Journal of General Practice, 2011, 61, e469-e476.	0.7	11
45	Ninety-three cases of alcohol dependence following SSRI treatment. International Journal of Risk and Safety in Medicine, 2014, 26, 99-107.	0.3	11
46	Perceptions of older adults in Ontario, Canada on the implementation and impact of a primary care programme, Health Teams Advancing Patient Experience: Strengthening Quality (Health TAPESTRY): a descriptive qualitative study. BMJ Open, 2019, 9, e026257.	0.8	11
47	GeriMedRisk, a telemedicine geriatric pharmacology consultation service to address adverse drug events in long-term care: a stepped-wedge cluster randomized feasibility trial protocol (ISRCTN17219647). Pilot and Feasibility Studies, 2018, 4, 116.	0.5	10
48	Health TAPESTRY Ontario: protocol for a randomized controlled trial to test reproducibility and implementation. Trials, 2020, 21, 714.	0.7	10
49	Multimorbidity and Quaternary Prevention (P4). Revista Brasileira De Medicina De FamÃ l ia E Comunidade, 2015, 10, 1-5.	0.1	10
50	Developing and testing an electronic medication administration monitoring device for community dwelling seniors: a feasibility study. Pilot and Feasibility Studies, 2017, 3, 5.	0.5	9
51	A national surveillance project on chronic kidney disease management in Canadian primary care: a study protocol. BMJ Open, 2017, 7, e016267.	0.8	9
52	Pilot randomized controlled trial of a complex intervention for diabetes self-management supported by volunteers, technology, and interprofessional primary health care teams. Pilot and Feasibility Studies, 2019, 5, 118.	0.5	9
53	Antidepressant medication to prevent depression relapse in primary care: the ANTLER RCT. Health Technology Assessment, 2021, 25, 1-62.	1.3	9
54	Pill for this and a pill for that: A crossâ€sectional survey of use and understanding of medication among adults with multimorbidity. Australasian Journal on Ageing, 2019, 38, 91-97.	0.4	8

#	Article	IF	CITATIONS
55	Prevalence of polypharmacy and associated adverse health outcomes in adult patients with chronic kidney disease: protocol for a systematic review and meta-analysis. Systematic Reviews, 2021, 10, 198.	2.5	8
56	Strategies for working across Canadian practice-based research and learning networks (PBRLNs) in primary care: focus on frailty. BMC Family Practice, 2021, 22, 220.	2.9	8
57	Commentary: The Once and Future Psychiatry. Academic Medicine, 2009, 84, 418-420.	0.8	7
58	Foreword to the first special collection: Addressing the invisible iatrogenic epidemic: the role of deprescribing in polypharmacy and inappropriate medication use. Therapeutic Advances in Drug Safety, 2019, 10, 204209861988315.	1.0	7
59	Gabapentin misuse. Cmaj, 2019, 191, E47-E47.	0.9	7
60	Strategies to Mitigate Anxiety and Pain in Intrauterine Device Insertion: A Systematic Review. Journal of Obstetrics and Gynaecology Canada, 2020, 42, 1138-1146.e2.	0.3	7
61	Development and persistence of patient-reported visual problems associated with serotonin reuptake inhibiting antidepressants. International Journal of Risk and Safety in Medicine, 2022, 33, 37-47.	0.3	7
62	Increased rates of trimethoprim resistance in uncomplicated urinary tract infection: cause for concern?. New Zealand Medical Journal, 2005, 118, U1726.	0.5	7
63	Proposed new industry code on unhealthy food marketing to children and young people: will it make a difference?. New Zealand Medical Journal, 2017, 130, 94-101.	0.5	7
64	Opinion: Direct-to-consumer advertising of prescription medicines: a counter argument. Future Medicinal Chemistry, 2009, 1, 1555-1560.	1.1	6
65	Urinary tract infection in primary care. BMJ: British Medical Journal, 2010, 340, c657-c657.	2.4	6
66	Nortriptyline for pain in knee osteoarthritis: a double-blind randomised controlled trial in New Zealand general practice. British Journal of General Practice, 2021, 71, e538-e546.	0.7	6
67	The impact of advertising prescription medicines directly to consumers in New Zealand: lessons for Australia. Australian Prescriber, 2006, 29, 30-32.	0.5	6
68	Cost-Utility Analysis of Discontinuing Antidepressants in England Primary Care Patients Compared with Long-Term Maintenance: The ANTLER Study. Applied Health Economics and Health Policy, 2022, 20, 269-282.	1.0	6
69	Influence of drug safety advisories on drug utilisation: an international interrupted time series and meta-analysis. BMJ Quality and Safety, 2022, 31, 179-190.	1.8	6
70	Ethical issues related to health checks. BMJ, The, 2014, 349, g4787-g4787.	3.0	5
71	The shipwreck of the singular. Social Studies of Science, 2014, 44, 518-523.	1.5	5
72	Nortriptyline in knee osteoarthritis (NortIKA Study): study protocol for a randomised controlled trial. Trials. 2015. 16. 448.	0.7	5

#	Article	IF	CITATIONS
73	A healthy lifestyle app for older adults with diabetes and hypertension: usability assessment. International Journal of Healthcare Technology and Management, 2017, 16, 250.	0.1	5
74	Exploration of volunteers as health connectors within a multicomponent primary careâ€based program supporting selfâ€management of diabetes and hypertension. Health and Social Care in the Community, 2020, 28, 734-746.	0.7	5
75	An international perspective on the basis for payment for performance. Quality in Primary Care, 2010, 18, 399-404.	0.8	5
76	Demonstrating a Technology-Mediated Intervention to Support Medication Adherence in Community-Dwelling Older Adults in Primary Care: A Feasibility Study. Gerontology and Geriatric Medicine, 2019, 5, 233372141984517.	0.8	4
77	Embedding "Smart―Disease Coding Within Routine Electronic Medical Record Workflow: Prospective Single-Arm Trial. JMIR Medical Informatics, 2020, 8, e16764.	1.3	4
78	A walking stick in one hand and a chainsaw in the other: patients' perspectives of living with multimorbidity. New Zealand Medical Journal, 2017, 130, 65-76.	0.5	4
79	Understanding how context and culture in six communities can shape implementation of a complex intervention: a comparative case study. BMC Health Services Research, 2022, 22, 221.	0.9	4
80	Evidence of net benefit is lacking. BMJ: British Medical Journal, 2007, 335, 1170.3-1170-b.	2.4	3
81	Paroxetine is associated with malformation during pregnancy. BMJ: British Medical Journal, 2011, 343, d5060-d5060.	2.4	3
82	Diagnosis, Pathophysiology, and Management of Mood Disorders in Pregnant and Postpartum Women. Obstetrics and Gynecology, 2011, 118, 708.	1.2	3
83	Data based medicine and clinical judgement. International Journal of Risk and Safety in Medicine, 2013, 25, 111-121.	0.3	3
84	The use of inhaled corticosteroids in early-stage COVID-19. Lancet, The, 2021, 398, 818-819.	6.3	3
85	Deprescribing to reduce polypharmacy: study protocol for a randomised controlled trial assessing deprescribing of anticholinergic and sedative drugs in a cohort of frail older people living in the community. Trials, 2021, 22, 766.	0.7	3
86	Adherence to evidence-based guidelines is the key to improved health outcomes for general practice patients: NO. Journal of Primary Health Care, 2012, 4, 158-60.	0.2	3
87	Understanding volunteer retention in a complex, communityâ€centred intervention: A mixed methods study in Ontario, Canada. Health and Social Care in the Community, 2022, 30, 2259-2269.	0.7	3
88	Lessons Learned Through Two Phases of Developing and Implementing a Technology Supporting Integrated Care: Case Study. JMIR Formative Research, 2022, 6, e34899.	0.7	3
89	The implementation and validation of the NoMAD during a complex primary care intervention. BMC Medical Research Methodology, 2022, 22, .	1.4	3
90	The future of national health systems. British Journal of General Practice, 2011, 61, 319-320.	0.7	2

#	ARTICLE	IF	CITATIONS
91	Polypharmacy and mobility outcomes. Mechanisms of Ageing and Development, 2020, 192, 111356.	2.2	2
92	Women should give informed consent before starting SSRIs. BMJ: British Medical Journal, 2009, 339, b4292-b4292.	2.4	2
93	Clinical guidelines: what happens when people have multiple conditions?. New Zealand Medical Journal, 2018, 131, 73-81.	0.5	2
94	Community Volunteers and Primary Care Providers Supporting Older Adults in System Navigation: A Mixed Methods Study. International Journal of Integrated Care, 2022, 22, 18.	0.1	2
95	Hydroxyzine Initiation Following Drug Safety Advisories on Cardiac Arrhythmias in the UK and Canada: A Longitudinal Cohort Study. Drug Safety, 2022, , 1.	1.4	2
96	Urinary tract infection in primary care. BMJ: British Medical Journal, 2007, 334, 597-598.	2.4	1
97	Sudden cardiac death & The Reverse Dodo Verdict. International Journal of Risk and Safety in Medicine, 2014, 26, 71-79.	0.3	1
98	Comparative risk of new-onset diabetes following commencement of antipsychotics in New Zealand: a population-based clustered multiple baseline time series design. BMJ Open, 2019, 9, e022984.	0.8	1
99	The impact of post-market regulatory safety advisories on patients, prescribers, and the healthcare system. The Cochrane Library, 2019, , .	1.5	1
100	Deprescribing Antidepressants in Older People ―Breaking Up Can Be Hard to Do. , 2021, 36, 228-237.		1
101	A Primary Care Perspective on Prescribing for Women. , 2015, , 403-432.		1
102	All people over 75 years with a five-year CVD risk of ≥15% should be treated with statins unless specifically contraindicated: no. Journal of Primary Health Care, 2010, 2, 333-5.	0.2	1
103	The impact of multimorbidity on people's lives: a cross-sectional survey. New Zealand Medical Journal, 2018, 131, 78-90.	0.5	1
104	Management of uncertainty. BMJ: British Medical Journal, 2006, 333, 693.	2.4	0