

Sren Knudsen Kr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8211128/soren-knudsen-kaer-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

4,779
citations

39
h-index

63
g-index

171
ext. papers

5,639
ext. citations

5.4
avg, IF

6.15
L-index

#	Paper	IF	Citations
161	The role of effectiveness factor on the modeling of methanol steam reforming over CuO/ZnO/Al ₂ O ₃ catalyst in a multi-tubular reactor. <i>International Journal of Hydrogen Energy</i> , 2022 , 47, 8700-8715	6.7	0
160	Electrothermally balanced operation of solid oxide electrolysis cells. <i>Journal of Power Sources</i> , 2022 , 523, 231040	8.9	1
159	Energy analysis and surrogate modeling for the green methanol production under dynamic operating conditions. <i>Fuel</i> , 2022 , 307, 121924	7.1	3
158	Characterization of the Compressive Load on a Lithium-Ion Battery for Electric Vehicle Application. <i>Machines</i> , 2021 , 9, 71	2.9	1
157	Thermal Characterizations of a Lithium Titanate Oxide-Based Lithium-Ion Battery Focused on Random and Periodic Charge-Discharge Pulses. <i>Applied System Innovation</i> , 2021 , 4, 24	2.4	1
156	A detailed computational fluid dynamics model on biomass pellet smoldering combustion and its parametric study. <i>Chemical Engineering Science</i> , 2021 , 231, 116247	4.4	3
155	Applying Different Configurations for the Thermal Management of a Lithium Titanate Oxide Battery Pack. <i>Electrochem</i> , 2021 , 2, 50-63	2.9	
154	Investigating low and high load cycling tests as accelerated stress tests for proton exchange membrane water electrolysis. <i>Electrochimica Acta</i> , 2021 , 370, 137748	6.7	3
153	A Thermodynamic Analysis of an Air-Cooled Proton Exchange Membrane Fuel Cell Operated in Different Climate Regions. <i>Energies</i> , 2020 , 13, 2611	3.1	5
152	A detailed pyrolysis model for a thermally large biomass particle. <i>Fuel</i> , 2020 , 278, 118397	7.1	13
151	Design and Simulation of Internal Flowing Twisted Conduits for Cooling of Lithium-Ion Batteries through Thermal Characterization. <i>Batteries</i> , 2020 , 6, 31	5.7	0
150	A comparative study on three reactor types for methanol synthesis from syngas and CO ₂ . <i>Chemical Engineering Journal</i> , 2020 , 393, 124632	14.7	27
149	A Review of The Methanol Economy: The Fuel Cell Route. <i>Energies</i> , 2020 , 13, 596	3.1	56
148	Modeling and Design of a Multi-Tubular Packed-Bed Reactor for Methanol Steam Reforming over a Cu/ZnO/Al ₂ O ₃ Catalyst. <i>Energies</i> , 2020 , 13, 610	3.1	10
147	The effects of cationic impurities on the performance of proton exchange membrane water electrolyzer. <i>Journal of Power Sources</i> , 2020 , 473, 228617	8.9	5
146	Log-Linear Model for Predicting the Lithium-ion Battery Age Based on Resistance Extraction from Dynamic Aging Profiles. <i>IEEE Transactions on Industry Applications</i> , 2020 , 56, 6937-6948	4.3	7
145	Thermal Simulation of Phase Change Material for Cooling of a Lithium-Ion Battery Pack. <i>Electrochem</i> , 2020 , 1, 439-449	2.9	1

144	Thermal Analysis of Cold Plate with Different Configurations for Thermal Management of a Lithium-Ion Battery. <i>Batteries</i> , 2020 , 6, 17	5.7	5
143	Effect of Current Rate and Prior Cycling on the Coulombic Efficiency of a Lithium-Ion Battery. <i>Batteries</i> , 2019 , 5, 57	5.7	5
142	Thermodynamic Analyses of a Moderate-Temperature Process of Carbon Dioxide Hydrogenation to Methanol via Reverse Water-Gas Shift with In Situ Water Removal. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 10559-10569	3.9	18
141	Long-term contamination effect of iron ions on cell performance degradation of proton exchange membrane water electrolyser. <i>Journal of Power Sources</i> , 2019 , 434, 226755	8.9	12
140	The effect of Fe ³⁺ contamination in feed water on proton exchange membrane electrolyzer performance. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 12952-12957	6.7	10
139	Impact of iron and hydrogen peroxide on membrane degradation for polymer electrolyte membrane water electrolysis: Computational and experimental investigation on fluoride emission. <i>Journal of Power Sources</i> , 2019 , 420, 54-62	8.9	24
138	Simulation of Thermal Behaviour of a Lithium Titanate Oxide Battery. <i>Energies</i> , 2019 , 12, 679	3.1	7
137	An Electrical Equivalent Circuit Model of a Lithium Titanate Oxide Battery. <i>Batteries</i> , 2019 , 5, 31	5.7	39
136	Fault Characterization of a Proton Exchange Membrane Fuel Cell Stack. <i>Energies</i> , 2019 , 12, 152	3.1	21
135	The disordering-enhanced performances of the Al-MOF/graphene composite anodes for lithium ion batteries. <i>Nano Energy</i> , 2019 , 65, 104032	17.1	38
134	An Experimental Analysis of Entropic Coefficient of a Lithium Titanate Oxide Battery. <i>Energies</i> , 2019 , 12, 2685	3.1	8
133	Hydrogen mass transport resistance changes in a high temperature polymer membrane fuel cell as a function of current density and acid doping. <i>Electrochimica Acta</i> , 2019 , 317, 521-527	6.7	9
132	Influence of the operation mode on PEM water electrolysis degradation. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 29889-29898	6.7	29
131	Analyzing Discharging and Charging Performance of a Lithium-Ion Battery. <i>ECS Transactions</i> , 2019 , 95, 37-45	1	
130	Thermal Analysis of an Indirect Liquid Cooling with Different Geometries for a Lithium-Ion Battery. <i>ECS Transactions</i> , 2019 , 95, 105-112	1	1
129	Towards uniformly distributed heat, mass and charge: A flow field design study for high pressure and high current density operation of PEM electrolysis cells. <i>Electrochimica Acta</i> , 2019 , 293, 476-495	6.7	34
128	Model-supported characterization of a PEM water electrolysis cell for the effect of compression. <i>Electrochimica Acta</i> , 2018 , 263, 228-236	6.7	27
127	. <i>IEEE Transactions on Industry Applications</i> , 2018 , 54, 517-525	4.3	53

126	The influence of phosphoric acid migration on the performance of high temperature polymer electrolyte fuel cells. <i>Journal of Power Sources</i> , 2018 , 399, 151-156	8.9	9
125	Review of Parameter Determination for Thermal Modeling of Lithium Ion Batteries. <i>Batteries</i> , 2018 , 4, 20	5.7	19
124	Influence of Battery Parametric Uncertainties on the State-of-Charge Estimation of Lithium Titanate Oxide-Based Batteries. <i>Energies</i> , 2018 , 11, 795	3.1	5
123	Experimental and numerical study of flow in expanded metal plate for water electrolysis applications. <i>Journal of Power Sources</i> , 2018 , 397, 334-342	8.9	5
122	Model-Supported Analysis of Degradation Phenomena of a PEM Water Electrolysis Cell under Dynamic Operation. <i>ECS Transactions</i> , 2018 , 85, 37-45	1	2
121	On the Effect of Clamping Pressure and Methods on the Current Distribution of a Proton Exchange Membrane Water Electrolyzer. <i>ECS Transactions</i> , 2018 , 85, 995-1004	1	2
120	Thermodynamic analysis of steam reforming and oxidative steam reforming of propane and butane for hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 13009-13021	6.7	24
119	Heat Loss Measurement of Lithium Titanate Oxide Batteries under Fast Charging Conditions by Employing Isothermal Calorimeter. <i>Batteries</i> , 2018 , 4, 59	5.7	9
118	On the Effect of Bipolar Plate Mechanical Properties on the Current Distribution of Proton Exchange Membrane Water Electrolysis. <i>ECS Transactions</i> , 2018 , 86, 683-693	1	2
117	Modelling and Experimental Analysis of a Polymer Electrolyte Membrane Water Electrolysis Cell at Different Operating Temperatures. <i>Energies</i> , 2018 , 11, 3273	3.1	20
116	Thermal Modelling of a Lithium Titanate Oxide Battery. <i>ECS Transactions</i> , 2018 , 87, 315-326	1	5
115	Investigation of the Effect of State-of-Charge and C-Rates on the Heat Loss and Efficiency of a Lithium-Ion Battery. <i>ECS Transactions</i> , 2018 , 87, 51-58	1	4
114	Effect of Bad Connection on Surface Temperature of Lithium-Ion Batteries by Using Infrared Thermography. <i>ECS Transactions</i> , 2018 , 87, 39-50	1	3
113	A Review of Different Electric Equivalent Circuit Models and Parameter Identification Methods of Lithium-Ion Batteries. <i>ECS Transactions</i> , 2018 , 87, 23-37	1	13
112	Study of Temperature Impacts on a Lithium-Ion Battery Thermal Behaviour by Employing Isothermal Calorimeter. <i>ECS Transactions</i> , 2018 , 87, 295-305	1	5
111	From rotating disk electrode to single cell: Exploration of PtNi/C octahedral nanocrystal as practical proton exchange membrane fuel cell cathode catalyst. <i>Journal of Power Sources</i> , 2018 , 406, 118-127	8.9	7
110	Investigating different break-in procedures for reformed methanol high temperature proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 14691-14700	6.7	6
109	Two-dimensional thermal analysis of radial heat transfer of monoliths in small-scale steam methane reforming. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 11952-11968	6.7	11

108	Experimental study to distinguish the effects of methanol slip and water vapour on a high temperature PEM fuel cell at different operating conditions. <i>Applied Energy</i> , 2017 , 192, 422-436	10.7	20
107	VOF modelling of gas-liquid flow in PEM water electrolysis cell micro-channels. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 16333-16344	6.7	35
106	An EIS alternative for impedance measurement of a high temperature PEM fuel cell stack based on current pulse injection. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 15851-15860	6.7	16
105	Fault detection and isolation of high temperature proton exchange membrane fuel cell stack under the influence of degradation. <i>Journal of Power Sources</i> , 2017 , 359, 37-47	8.9	25
104	A review of thermal management and safety for lithium ion batteries 2017 ,		4
103	New load cycling strategy for enhanced durability of high temperature proton exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 27230-27240	6.7	10
102	Towards an Ultimate Battery Thermal Management System: A Review. <i>Batteries</i> , 2017 , 3, 9	5.7	50
101	Lithium-ion battery dynamic model for wide range of operating conditions 2017 ,		12
100	In-situ experimental characterization of the clamping pressure effects on low temperature polymer electrolyte membrane electrolysis. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 21597-21606	6.7	13
99	Impedance characterization of high temperature proton exchange membrane fuel cell stack under the influence of carbon monoxide and methanol vapor. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 21901-21912	6.7	15
98	On the Experimental Investigation of the Clamping Pressure Effects on the Proton Exchange Membrane Water Electrolyser Cell Performance. <i>ECS Transactions</i> , 2017 , 77, 1409-1421	1	2
97	The discharge behavior of lithium-ion batteries using the Dual-Potential Multi-Scale Multi-Dimensional (MSMD) Battery Model 2017 ,		4
96	Electrothermal impedance spectroscopy as a cost efficient method for determining thermal parameters of lithium ion batteries: Prospects, measurement methods and the state of knowledge. <i>Journal of Cleaner Production</i> , 2017 , 155, 63-71	10.3	19
95	Evolution of Surface Temperature of a 13 Amp Hour Nano Lithium-Titanate Battery Cell under Fast Charging. <i>ECS Transactions</i> , 2017 , 81, 271-279	1	2
94	Analysing Gas-Liquid Flow in PEM Electrolyser Micro-Channels Using a Micro-Porous Ceramic as Gas Permeable Wall. <i>ECS Transactions</i> , 2017 , 80, 1107-1115	1	4
93	Cooling Simulation and Thermal Abuse Modeling of Lithium-Ion Batteries Using the Newman, Tiedemann, Gu, and Kim (NTGK) Model. <i>ECS Transactions</i> , 2017 , 81, 261-270	1	5
92	Modeling and experimental validation of water mass balance in a PEM fuel cell stack. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 3079-3092	6.7	45
91	A numerical study of the gas-liquid, two-phase flow maldistribution in the anode of a high pressure PEM water electrolysis cell. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 52-68	6.7	48

90	High Temperature PEM Fuel Cell Systems, Control and Diagnostics 2016 , 459-486		1
89	Generalized Characterization Methodology for Performance Modelling of Lithium-Ion Batteries. <i>Batteries</i> , 2016 , 2, 37	5.7	46
88	Determination of the behavior and performance of commercial Li-Ion pouch cells by means of isothermal calorimeter 2016 ,		4
87	Multiphysics based thermal modeling of a pouch lithium-ion battery cell for the development of pack level thermal management system 2016 ,		4
86	A comprehensive review of PBI-based high temperature PEM fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 21310-21344	6.7	221
85	Experimental study of cell reversal of a high temperature polymer electrolyte membrane fuel cell caused by H ₂ starvation. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 6672-6680	6.7	21
84	Modeling and optimization of a heat-pump-assisted high temperature proton exchange membrane fuel cell micro-combined-heat-and-power system for residential applications. <i>Applied Energy</i> , 2015 , 147, 569-581	10.7	38
83	. <i>IEEE Transactions on Industry Applications</i> , 2015 , 51, 3453-3461	4.3	60
82	On the complex ageing characteristics of high-power LiFePO ₄ /graphite battery cells cycled with high charge and discharge currents. <i>Journal of Power Sources</i> , 2015 , 286, 475-487	8.9	96
81	Experimental investigation of carbon monoxide poisoning effect on a PBI/H ₃ PO ₄ high temperature polymer electrolyte membrane fuel cell: Influence of anode humidification and carbon dioxide. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 14932-14941	6.7	31
80	System model development for a methanol reformed 5 kW high temperature PEM fuel cell system. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 13080-13089	6.7	21
79	The Effect of PFSA Membrane Compression on the Predicted Performance of a High Pressure PEM Electrolysis Cell. <i>ECS Transactions</i> , 2015 , 68, 99-116	1	2
78	Estimating Important Electrode Parameters of High Temperature PEM Fuel Cells by Fitting a Model to Polarisation Curves and Impedance Spectra. <i>ECS Transactions</i> , 2015 , 68, 13-34	1	7
77	The AC Impedance Characteristic of High Power Li ₄ Ti ₅ O ₁₂ -Based Battery Cells. <i>ECS Transactions</i> , 2015 , 70, 291-300	1	1
76	Investigation of Multidimensional Electrothermal Impedance Spectroscopy Measurement on Lithium Ion Battery Cell. <i>ECS Transactions</i> , 2015 , 70, 305-310	1	2
75	Performance Degradation Tests of Phosphoric Acid Doped Polybenzimidazole Membrane Based High Temperature Polymer Electrolyte Membrane Fuel Cells. <i>Journal of Fuel Cell Science and Technology</i> , 2015 , 12,		20
74	Analysis of accelerated degradation of a HT-PEM fuel cell caused by cell reversal in fuel starvation condition. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 2833-2839	6.7	52
73	Performance and endurance of a high temperature PEM fuel cell operated on methanol reformat. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 18343-18350	6.7	30

72	Energy management strategy based on short-term generation scheduling for a renewable microgrid using a hydrogen storage system. <i>Energy Conversion and Management</i> , 2014 , 87, 820-831	10.6	151
71	Influence of anodic gas recirculation on solid oxide fuel cells in a micro combined heat and power system. <i>Sustainable Energy Technologies and Assessments</i> , 2014 , 8, 99-108	4.7	14
70	Comparative study of the break in process of post doped and sol-gel high temperature proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 14959-14968	6.7	18
69	Test of hybrid power system for electrical vehicles using a lithium-ion battery pack and a reformed methanol fuel cell range extender. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 1856-1863	6.7	29
68	Thermal modeling and temperature control of a PEM fuel cell system for forklift applications. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 8410-8420	6.7	69
67	Parametric Sensitivity Tests European Polymer Electrolyte Membrane Fuel Cell Stack Test Procedures. <i>Journal of Fuel Cell Science and Technology</i> , 2014 , 11,		5
66	Parametric Sensitivity Tests European PEM Fuel Cell Stack Test Procedures 2014 ,		1
65	Performance Degradation Tests of Phosphoric Acid Doped PBI Membrane Based High Temperature PEM Fuel Cells 2014 ,		1
64	Optimization of a thermoelectric generator subsystem for high temperature PEM fuel cell exhaust heat recovery. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 6637-6645	6.7	25
63	Thermal Management Optimization of a Thermoelectric-Integrated Methanol Evaporator Using a Compact CFD Modeling Approach. <i>Journal of Electronic Materials</i> , 2013 , 42, 2035-2042	1.9	10
62	Optimization of a High Temperature PEMFC micro-CHP System by Formulation and Application of a Process Integration Methodology. <i>Fuel Cells</i> , 2013 , 13, 238-248	2.9	11
61	Control and experimental characterization of a methanol reformer for a 350 W high temperature polymer electrolyte membrane fuel cell system. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 1676-1684	6.7	42
60	Ejector design and performance evaluation for recirculation of anode gas in a micro combined heat and power systems based on solid oxide fuel cell. <i>Applied Thermal Engineering</i> , 2013 , 54, 26-34	5.8	31
59	Application of an improved operational strategy on a PBI fuel cell-based residential system for Danish single-family households. <i>Applied Thermal Engineering</i> , 2013 , 50, 704-713	5.8	25
58	Estimation of membrane hydration status for standby proton exchange membrane fuel cell systems by complex impedance measurement: Constant temperature stack characterization. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 4054-4066	6.7	7
57	Comprehensive Study of Ignition and Combustion of Single Wooden Particles. <i>Energy & Fuels</i> , 2013 , 27, 1061-1072	4.1	27
56	Experimental Study on Effects of Particle Shape and Operating Conditions on Combustion Characteristics of Single Biomass Particles. <i>Energy & Fuels</i> , 2013 , 27, 507-514	4.1	58
55	Estimation of membrane hydration status for standby proton exchange membrane fuel cell systems by impedance measurement: First results on variable temperature stack characterization 2013 ,		1

54	Low stoichiometry operation of a proton exchange membrane fuel cell employing the interdigitated flow field DA modeling study. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 8477-8489	6.7	11
53	Numerical model of a thermoelectric generator with compact plate-fin heat exchanger for high temperature PEM fuel cell exhaust heat recovery. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 8490-8498	6.7	44
52	Numerical simulation of effect of catalyst wire-mesh pressure drop characteristics on flow distribution in catalytic parallel plate steam reformer. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 9485-9495	6.7	1
51	Large-eddy simulations of the non-reactive flow in the Sydney swirl burner. <i>International Journal of Heat and Fluid Flow</i> , 2012 , 36, 47-57	2.4	19
50	Experimental Characterization of the Poisoning Effects of Methanol-Based Reformate Impurities on a PBI-Based High Temperature PEM Fuel Cell. <i>Energies</i> , 2012 , 5, 4251-4267	3.1	35
49	Investigating the effects of methanol-water vapor mixture on a PBI-based high temperature PEM fuel cell. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 18231-18242	6.7	31
48	Comparison of Reynolds averaged Navier-Stokes based simulation and large-eddy simulation for one isothermal swirling flow. <i>Journal of Thermal Science</i> , 2012 , 21, 154-161	1.9	11
47	Potential Usage of Thermoelectric Devices in a High-Temperature Polymer Electrolyte Membrane (PEM) Fuel Cell System: Two Case Studies. <i>Journal of Electronic Materials</i> , 2012 , 41, 1838-1844	1.9	18
46	Towards a better understanding of biomass suspension co-firing impacts via investigating a coal flame and a biomass flame in a swirl-stabilized burner flow reactor under same conditions. <i>Fuel Processing Technology</i> , 2012 , 98, 65-73	7.2	19
45	Modeling and optimization of a 1kW _e HT-PEMFC-based micro-CHP residential system. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 2470-2481	6.7	46
44	The Effect of Inhomogeneous Compression on Water Transport in the Cathode of a Proton Exchange Membrane Fuel Cell. <i>Journal of Fuel Cell Science and Technology</i> , 2012 , 9,		10
43	Vapor Delivery Systems for the Study of the Effects of Reformate Gas Impurities in HT-PEM Fuel Cells. <i>Journal of Fuel Cell Science and Technology</i> , 2012 , 9,		2
42	A Transient Fuel Cell Model to Simulate HTPEM Fuel Cell Impedance Spectra. <i>Journal of Fuel Cell Science and Technology</i> , 2012 , 9,		23
41	Experimental and Numerical Evaluation of the Bypass Flow in a Catalytic Plate Reactor for Hydrogen Production. <i>Journal of Fuel Cell Science and Technology</i> , 2012 , 9,		2
40	High temperature PEM fuel cell performance characterisation with CO and CO ₂ using electrochemical impedance spectroscopy. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 9815-9830	6.7	114
39	Analysis of the impact of heat-to-power ratio for a SOFC-based mCHP system for residential application under different climate regions in Europe. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 13715-13726	6.7	40
38	Modeling and off-design performance of a 1kW _e HT-PEMFC (high temperature-proton exchange membrane fuel cell)-based residential micro-CHP (combined-heat-and-power) system for Danish single-family households. <i>Energy</i> , 2011 , 36, 993-1002	7.9	69
37	Performance comparison between partial oxidation and methane steam reforming processes for solid oxide fuel cell (SOFC) micro combined heat and power (CHP) system. <i>Energy</i> , 2011 , 36, 4216-4226	7.9	128

36	Estimation of membrane hydration status for standby proton exchange membrane fuel cell systems by impedance measurement: First results on cell characterization 2011 ,		1
35	Chemistry and radiation in oxy-fuel combustion: A computational fluid dynamics modeling study. <i>Fuel</i> , 2011 , 90, 2519-2529	7.1	93
34	Boundary model-based reference control of blower cooled high temperature polymer electrolyte membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 5030-5037	6.7	7
33	Modeling and parametric study of a 1kW _e HT-PEMFC-based residential micro-CHP system. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 5010-5020	6.7	62
32	Water balance simulations of a polymer-electrolyte membrane fuel cell using a two-fluid model. <i>Journal of Power Sources</i> , 2011 , 196, 6305-6317	8.9	27
31	Low Stoichiometry Operation of a Polymer Electrolyte Membrane Fuel Cell Employing the Interdigitated Flow Field Design. <i>ECS Transactions</i> , 2011 , 41, 1897-1908	1	1
30	Water Balance Simulations of a PEM Fuel Cell Using a Two-Fluid Model. <i>ECS Transactions</i> , 2010 , 33, 1503-1513		5
29	Particle Image Velocimetry and Computational Fluid Dynamics Analysis of Fuel Cell Manifold. <i>Journal of Fuel Cell Science and Technology</i> , 2010 , 7,		15
28	Flow and Pressure Distribution in Fuel Cell Manifolds. <i>Journal of Fuel Cell Science and Technology</i> , 2010 , 7,		15
27	New Weighted Sum of Gray Gases Model Applicable to Computational Fluid Dynamics (CFD) Modeling of OxyFuel Combustion: Derivation, Validation, and Implementation. <i>Energy & Fuels</i> , 2010 , 24, 6275-6282	4.1	165
26	System Modeling and Validation of a Thermoelectric Fluidic Power Source: Proton Exchange Membrane Fuel Cell and Thermoelectric Generator (PEMFC-TEG). <i>Journal of Electronic Materials</i> , 2010 , 39, 1593-1600	1.9	42
25	A study of multi-phase flow through the cathode side of an interdigitated flow field using a multi-fluid model. <i>Journal of Power Sources</i> , 2010 , 195, 4842-4852	8.9	32
24	Thin film thermocouples for in situ membrane electrode assembly temperature measurements in a polybenzimidazole-based high temperature proton exchange membrane unit cell. <i>Journal of Power Sources</i> , 2010 , 195, 4835-4841	8.9	19
23	Quantification of in situ temperature measurements on a PBI-based high temperature PEMFC unit cell. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 9943-9953	6.7	29
22	Co-firing straw with coal in a swirl-stabilized dual-feed burner: modelling and experimental validation. <i>Bioresource Technology</i> , 2010 , 101, 4169-78	11	75
21	A Computational Analysis of Multiphase Flow Through PEMFC Cathode Porous Media Using the Multifluid Approach. <i>Journal of the Electrochemical Society</i> , 2009 , 156, B1301	3.9	26
20	Dynamic Model of the High Temperature Proton Exchange Membrane Fuel Cell Stack Temperature. <i>Journal of Fuel Cell Science and Technology</i> , 2009 , 6,		26
19	Characterisation and Modelling of a High Temperature PEM Fuel Cell Stack using Electrochemical Impedance Spectroscopy. <i>Fuel Cells</i> , 2009 , 9, 463-473	2.9	64

18	Electrochemical characterization of a polybenzimidazole-based high temperature proton exchange membrane unit cell. <i>Journal of Power Sources</i> , 2009 , 191, 289-296	8.9	82
17	Operation Strategy for Solid Oxide Fuel Cell Systems for Small-Scale Stationary Applications. <i>International Journal of Green Energy</i> , 2009 , 6, 583-593	3	7
16	Mathematical Modeling and Experimental Study of Biomass Combustion in a Thermal 108 MW Grate-Fired Boiler. <i>Energy & Fuels</i> , 2008 , 22, 1380-1390	4.1	111
15	Experimental Evaluation of a Pt-based Heat Exchanger Methanol Reformer for a HTPEM Fuel Cell Stack. <i>ECS Transactions</i> , 2008 , 12, 571-578	1	3
14	Part two: Control of a novel HTPEM-based micro combined heat and power fuel cell system. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 1921-1931	6.7	44
13	Grate-firing of biomass for heat and power production. <i>Progress in Energy and Combustion Science</i> , 2008 , 34, 725-754	33.6	336
12	Part one: A novel model of HTPEM-based micro-combined heat and power fuel cell system. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 1909-1920	6.7	62
11	Modelling and evaluation of heating strategies for high temperature polymer electrolyte membrane fuel cell stacks. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 4655-4664	6.7	79
10	Directly connected series coupled HTPEM fuel cell stacks to a Li-ion battery DC bus for a fuel cell electrical vehicle. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 7137-7145	6.7	49
9	Physical characterization of biomass fuels prepared for suspension firing in utility boilers for CFD modelling. <i>Biomass and Bioenergy</i> , 2007 , 31, 318-325	5.3	24
8	400 W High Temperature PEM Fuel Cell Stack Test. <i>ECS Transactions</i> , 2007 , 5, 197-207	1	12
7	Modeling and Experiments of Biomass Combustion in a Large-scale Grate Boiler 2007 , 1173-1179		1
6	Towards a CFD-based mechanistic deposit formation model for straw-fired boilers. <i>Fuel</i> , 2006 , 85, 833-848	4.8	56
5	Experimental characterization and modeling of commercial polybenzimidazole-based MEA performance. <i>Journal of Power Sources</i> , 2006 , 162, 239-245	8.9	121
4	Straw combustion on slow-moving grates? a comparison of model predictions with experimental data. <i>Biomass and Bioenergy</i> , 2005 , 28, 307-320	5.3	46
3	Numerical modelling of a straw-fired grate boiler. <i>Fuel</i> , 2004 , 83, 1183-1190	7.1	89
2	Use of numerical modeling in design for co-firing biomass in wall-fired burners. <i>Chemical Engineering Science</i> , 2004 , 59, 3281-3292	4.4	85
1	Modelling the motion of cylindrical particles in a nonuniform flow. <i>Chemical Engineering Science</i> , 2003 , 58, 3489-3498	4.4	105

