

Zhi-Qiang Ling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8212711/publications.pdf>

Version: 2024-02-01

60
papers

1,817
citations

304743

22
h-index

276875

41
g-index

60
all docs

60
docs citations

60
times ranked

3554
citing authors

#	ARTICLE	IF	CITATIONS
1	DEC1 promotes progression of <i>Helicobacter pylori</i> -positive gastric cancer by regulating Akt/NF- κ B pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 1943-1954.	3.6	3
2	The role of KMT2 gene in human tumors.. <i>Histology and Histopathology</i> , 2022, , 18447.	0.7	0
3	Oxidative stress-mediated AMPK inactivation determines the high susceptibility of LKB1-mutant NSCLC cells to glucose starvation. <i>Free Radical Biology and Medicine</i> , 2021, 166, 128-139.	2.9	17
4	A Potential Oncogenic Role for PFKFB3 Overexpression in Gastric Cancer Progression. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00377.	2.5	15
5	Circulating methylated <i>THBS1</i> DNAs as a novel marker for predicting peritoneal dissemination in gastric cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23936.	2.1	14
6	Intermittent administration of a fasting-mimicking diet reduces intestinal inflammation and promotes repair to ameliorate inflammatory bowel disease in mice. <i>Journal of Nutritional Biochemistry</i> , 2021, 96, 108785.	4.2	16
7	Polyamine synthesis enzyme AMD1 is closely associated with tumorigenesis and prognosis of human gastric cancers. <i>Carcinogenesis</i> , 2020, 41, 214-222.	2.8	18
8	Autocrine <i>INSL</i> 5 promotes tumor progression and glycolysis via activation of <i>STAT</i> 5 signaling. <i>EMBO Molecular Medicine</i> , 2020, 12, e12050.	6.9	12
9	Acetylation Stabilizes Phosphoglycerate Dehydrogenase by Disrupting the Interaction of E3 Ligase RNF5 to Promote Breast Tumorigenesis. <i>Cell Reports</i> , 2020, 32, 108021.	6.4	35
10	<p>Characterization of the Golgi scaffold protein PAQR3, and its role in tumor suppression and metabolic pathway compartmentalization</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 353-362.	1.9	11
11	Expression of Concern: shRNA-mediated silencing of ZFX attenuated the proliferation of breast cancer cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 85, 1183-1183.	2.3	1
12	Validation study of susceptibility loci for esophageal squamous cell carcinoma identified by GWAS in a Han Chinese subgroup from Eastern China. <i>Journal of Cancer</i> , 2019, 10, 3624-3631.	2.5	1
13	Identification and validation of circulating exosomes-based liquid biopsy for esophageal cancer. <i>Cancer Medicine</i> , 2019, 8, 3566-3574.	2.8	29
14	Effect of p-PAQR3 ^{Thr32} on PD-L1 expression and immune evasion in gastric cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15571-e15571.	1.6	0
15	Soft-shelled turtle peptide modulates microRNA profile in human gastric cancer AGS cells. <i>Oncology Letters</i> , 2018, 15, 3109-3120.	1.8	6
16	Acetylation accumulates PFKFB3 in cytoplasm to promote glycolysis and protects cells from cisplatin-induced apoptosis. <i>Nature Communications</i> , 2018, 9, 508.	12.8	127
17	PAQR4 has a tumorigenic effect in human breast cancers in association with reduced CDK4 degradation. <i>Carcinogenesis</i> , 2018, 39, 439-446.	2.8	24
18	Antitumor properties of Salvianolic acid B against triple-negative and hormone receptor-positive breast cancer cells via ceramide-mediated apoptosis. <i>Oncotarget</i> , 2018, 9, 36331-36343.	1.8	24

#	ARTICLE	IF	CITATIONS
19	Potential role of NDRG2 in reprogramming cancer metabolism and epithelial-to-mesenchymal transition. <i>Histology and Histopathology</i> , 2018, 33, 655-663.	0.7	12
20	Genomic analysis of oesophageal squamous-cell carcinoma identifies alcohol drinking-related mutation signature and genomic alterations. <i>Nature Communications</i> , 2017, 8, 15290.	12.8	195
21	Biochemical changes of salivary gland adenoid cystic carcinoma cells induced by SGI-1776. <i>Experimental Cell Research</i> , 2017, 352, 403-411.	2.6	3
22	Expression of PIM-1 in salivary gland adenoid cystic carcinoma: Association with tumor progression and patients' prognosis. <i>Oncology Letters</i> , 2017, 15, 1149-1156.	1.8	5
23	MiR-124 acts as a tumor suppressor by inhibiting the expression of sphingosine kinase 1 and its downstream signaling in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 25005-25020.	1.8	47
24	ICT1 knockdown inhibits breast cancer cell growth via induction of cell cycle arrest and apoptosis. <i>International Journal of Molecular Medicine</i> , 2017, 39, 1037-1045.	4.0	10
25	Chemoprevention of Low-Molecular-Weight Citrus Pectin (LCP) in Gastrointestinal Cancer Cells. <i>International Journal of Biological Sciences</i> , 2016, 12, 746-756.	6.4	36
26	A High Content Screening Assay to Identify Compounds with Anti-Epithelial-Mesenchymal Transition Effects from the Chinese Herbal Medicine Tong-Mai-Yang-Xin-Wan. <i>Molecules</i> , 2016, 21, 1340.	3.8	10
27	Cell-Free RNA Content in Peripheral Blood as Potential Biomarkers for Detecting Circulating Tumor Cells in Non-Small Cell Lung Carcinoma. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1845.	4.1	16
28	RRM1 *151A>T, RRM1 756T>C, and RRM1 585T>G is associated with increased susceptibility of lung cancer in Chinese patients. <i>Cancer Medicine</i> , 2016, 5, 2084-2090.	2.8	8
29	Additive antiangiogenesis effect of ginsenoside Rg3 with low-dose metronomic temozolomide on rat glioma cells both in vivo and in vitro. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 32.	8.6	49
30	Tectonic 1 accelerates gastric cancer cell proliferation and cell cycle progression in vitro. <i>Molecular Medicine Reports</i> , 2015, 12, 5897-5902.	2.4	11
31	PAQR3 expression is downregulated in human breast cancers and correlated with HER2 expression. <i>Oncotarget</i> , 2015, 6, 12357-12368.	1.8	20
32	SIRT3-dependent GOT2 acetylation status affects the malate-aspartate shuttle activity and pancreatic tumor growth. <i>EMBO Journal</i> , 2015, 34, 1110-1125.	7.8	152
33	The Endoplasmic Reticulum Stress Sensor IRE1 α in Intestinal Epithelial Cells Is Essential for Protecting against Colitis. <i>Journal of Biological Chemistry</i> , 2015, 290, 15327-15336.	3.4	54
34	miR-21 regulates tumor progression through the miR-21-PDCD4-Stat3 pathway in human salivary adenoid cystic carcinoma. <i>Laboratory Investigation</i> , 2015, 95, 1398-1408.	3.7	41
35	PHD3 Stabilizes the Tight Junction Protein Occludin and Protects Intestinal Epithelial Barrier Function. <i>Journal of Biological Chemistry</i> , 2015, 290, 20580-20589.	3.4	53
36	Elevated levels of preoperative circulating CD44+ lymphocytes and neutrophils predict poor survival for non-small cell lung cancer patients. <i>Clinica Chimica Acta</i> , 2015, 439, 172-177.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Role of isocitrate dehydrogenase 1/2 (IDH 1/2) gene mutations in human tumors. <i>Histology and Histopathology</i> , 2015, 30, 1155-60.	0.7	14
38	<i>Ndr2</i> promoter hypermethylation triggered by helicobacter pylori infection correlates with poor patients survival in human gastric carcinoma. <i>Oncotarget</i> , 2015, 6, 8210-8225.	1.8	22
39	Epigenetic silencing of HIC1 promotes epithelial-mesenchymal transition and drives progression in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 38151-38165.	1.8	20
40	Circulating miRNAs as a potential marker for gefitinib sensitivity and correlation with EGFR mutational status in human lung cancers.. <i>Journal of Clinical Oncology</i> , 2015, 33, e18500-e18500.	1.6	1
41	Circulating miRNAs is a potential marker for gefitinib sensitivity and correlation with EGFR mutational status in human lung cancers. <i>American Journal of Cancer Research</i> , 2015, 5, 1692-705.	1.4	26
42	Pim-1 acts as an oncogene in human salivary gland adenoid cystic carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 114.	8.6	23
43	Methylated TIMP-3 DNA in Body Fluids Is an Independent Prognostic Factor for Gastric Cancer. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 1466-1473.	2.5	42
44	Circulating Methylated MINT2 Promoter DNA Is a Potential Poor Prognostic Factor in Gastric Cancer. <i>Digestive Diseases and Sciences</i> , 2014, 59, 1160-1168.	2.3	27
45	Regulation of G6PD acetylation by KAT9/SIRT2 modulates NADPH homeostasis and cell survival during oxidative stress. <i>EMBO Journal</i> , 2014, 33, 1304-20.	7.8	205
46	The role of TET family proteins and 5-hydroxymethylcytosine in human tumors. <i>Histology and Histopathology</i> , 2014, 29, 991-7.	0.7	15
47	EGFR, KRAS, BRAF, PTEN, and PIK3CA mutation in plasma of small cell lung cancer patients.. <i>Journal of Clinical Oncology</i> , 2014, 32, e18552-e18552.	1.6	0
48	Epigenetic silencing of <i>Ndr2</i> synergizes with deregulated p53 to promote gastric cancer metastasis.. <i>Journal of Clinical Oncology</i> , 2014, 32, e22042-e22042.	1.6	0
49	Enhanced serum methylated p16 DNAs is associated with the progression of gastric cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 1553-62.	0.5	15
50	Circulating Methylated XAF1 DNA Indicates Poor Prognosis for Gastric Cancer. <i>PLoS ONE</i> , 2013, 8, e67195.	2.5	58
51	Genetic analysis of the separate morphologic components in combined small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 7590-7590.	1.6	1
52	PAQR3 Plays a Suppressive Role in the Tumorigenesis of Colorectal Cancers. <i>Carcinogenesis</i> , 2012, 33, 2228-2235.	2.8	51
53	Heterogeneity of chemosensitivity in esophageal cancer using ATP-tumor chemosensitivity assay. <i>Acta Pharmacologica Sinica</i> , 2012, 33, 401-406.	6.1	15
54	Unfavorable clinical implications of circulating CD44+ lymphocytes in patients with nasopharyngeal carcinoma undergoing radiochemotherapy. <i>Clinica Chimica Acta</i> , 2012, 413, 213-218.	1.1	12

#	ARTICLE	IF	CITATIONS
55	CDH1 methylation in preoperative peritoneal washes is an independent prognostic factor for gastric cancer. <i>Journal of Surgical Oncology</i> , 2012, 106, 765-771.	1.7	34
56	Stepwise cumulation of <i>RUNX3</i> methylation mediated by <i>Helicobacter pylori</i> infection contributes to gastric carcinoma progression. <i>Cancer</i> , 2012, 118, 5507-5517.	4.1	67
57	Triple probe FISH approach for detecting EML4-ALK gene rearrangement in Chinese patients with NSCLC.. <i>Journal of Clinical Oncology</i> , 2012, 30, e21080-e21080.	1.6	0
58	Aberrant Methylation of Different DNA Repair Genes Demonstrates Distinct Prognostic Value for Esophageal Cancer. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2992-3004.	2.3	31
59	Functional Cooperation of RKTG with p53 in Tumorigenesis and Epithelial-Mesenchymal Transition. <i>Cancer Research</i> , 2011, 71, 2959-2968.	0.9	48
60	Novel statistical framework to identify differentially expressed genes allowing transcriptomic background differences. <i>Bioinformatics</i> , 2010, 26, 1431-1436.	4.1	8