

# Phui-Ly Liew

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8213409/publications.pdf>

Version: 2024-02-01

19  
papers

251  
citations

933447

10  
h-index

940533

16  
g-index

20  
all docs

20  
docs citations

20  
times ranked

437  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gallbladder Disease among Obese Patients in Taiwan. <i>Obesity Surgery</i> , 2007, 17, 383-390.	2.1	32
2	GATA3 as a master regulator and therapeutic target in ovarian high-grade serous carcinoma stem cells. <i>International Journal of Cancer</i> , 2018, 143, 3106-3119.	5.1	31
3	Combined genetic mutations and DNA-methylated genes as biomarkers for endometrial cancer detection from cervical scrapings. <i>Clinical Epigenetics</i> , 2019, 11, 170.	4.1	28
4	Prognostic and predictive values of Nrf2, Keap1, p16 and E-cadherin expression in ovarian epithelial carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 5642-9.	0.5	28
5	Nerve growth factor interacts with CHRM4 and promotes neuroendocrine differentiation of prostate cancer and castration resistance. <i>Communications Biology</i> , 2021, 4, 22.	4.4	25
6	Rapid Staining and Immediate Interpretation of Fine-Needle Aspiration Cytology for Palpable Breast Lesions: Diagnostic Accuracy, Mammographic, Ultrasonographic and Histopathologic Correlations. <i>Acta Cytologica</i> , 2011, 55, 30-37.	1.3	19
7	High HMGA2 Expression Correlates with Reduced Recurrence-free Survival and Poor Overall Survival in Oral Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2017, 37, 1891-1899.	1.1	18
8	Distinct methylation profile of mucinous ovarian carcinoma reveals susceptibility to proteasome inhibitors. <i>International Journal of Cancer</i> , 2018, 143, 355-367.	5.1	12
9	Hypermethylation and decreased expression of TMEM240 are potential early-onset biomarkers for colorectal cancer detection, poor prognosis, and early recurrence prediction. <i>Clinical Epigenetics</i> , 2020, 12, 67.	4.1	12
10	Epigenetic loss of heparan sulfate 3-O-sulfation sensitizes ovarian carcinoma to oncogenic signals and predicts prognosis. <i>International Journal of Cancer</i> , 2018, 143, 1943-1953.	5.1	11
11	DEF6 expression in ovarian carcinoma correlates with poor patient survival. <i>Diagnostic Pathology</i> , 2016, 11, 68.	2.0	9
12	Complete remission of heavily treated ovarian clear cell carcinoma with ARID1A mutations after pembrolizumab and bevacizumab combination therapy: a case report. <i>Journal of Ovarian Research</i> , 2020, 13, 143.	3.0	9
13	Clinicopathologic and Prognostic Significance of Thymopoietin-1 Overexpression in Gastric Cancer. <i>Journal of Cancer</i> , 2019, 10, 5099-5107.	2.5	5
14	Nasal dissemination of a single-clone IgH-rearranged conjunctival MALT lymphoma through the nasolacrimal duct: A case report. <i>Oncology Letters</i> , 2016, 12, 1007-1010.	1.8	3
15	Roles of hepatic progenitor cells activation, ductular reaction proliferation and Notch signaling in morbid obesity. <i>Hepato-Gastroenterology</i> , 2012, 59, 1921-7.	0.5	3
16	Epigenomic Analysis Reveals the KCNK9 Potassium Channel as a Potential Therapeutic Target for Adenomyosis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5973.	4.1	3
17	BHLHE22 Expression Is Associated with a Proinflammatory Immune Microenvironment and Confers a Favorable Prognosis in Endometrial Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7158.	4.1	2
18	Hepatic tumor necrosis factor-1, leptin and adiponectin expression in morbid obese patients: Clinicopathological correlations. <i>Obesity Research and Clinical Practice</i> , 2012, 6, e55-e62.	1.8	1

#	ARTICLE	IF	CITATIONS
19	Epigenetic biomarker and drug development in gynecological cancers. , 2022, , 223-255.		0