

Stephen Hamilton-Dutoit

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8214283/stephen-hamilton-dutoit-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137 papers	5,283 citations	35 h-index	71 g-index
141 ext. papers	5,957 ext. citations	5.6 avg, IF	5.09 L-index

#	Paper	IF	Citations
137	Effect of HPV-associated p16INK4A expression on response to radiotherapy and survival in squamous cell carcinoma of the head and neck. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1992-8	2.2	482
136	Identifying distinct classes of bladder carcinoma using microarrays. <i>Nature Genetics</i> , 2003 , 33, 90-6	36.3	401
135	Characteristics of Hodgkin's lymphoma after infectious mononucleosis. <i>New England Journal of Medicine</i> , 2003 , 349, 1324-32	59.2	290
134	Analysis of circulating tumour DNA to monitor disease burden following colorectal cancer surgery. <i>Gut</i> , 2016 , 65, 625-34	19.2	285
133	Existing data sources for clinical epidemiology: the Danish National Pathology Registry and Data Bank. <i>Clinical Epidemiology</i> , 2010 , 2, 51-6	5.9	181
132	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010 , 42, 1126-1130	36.3	158
131	HPV-associated p16-expression and response to hypoxic modification of radiotherapy in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2010 , 94, 30-5	5.3	155
130	Tumor-infiltrating macrophages correlate with adverse prognosis and Epstein-Barr virus status in classical Hodgkin's lymphoma. <i>Haematologica</i> , 2011 , 96, 269-76	6.6	149
129	Increased Risk of Colorectal Cancer Development Among Patients With Serrated Polyps. <i>Gastroenterology</i> , 2016 , 150, 895-902.e5	13.3	136
128	Undifferentiated carcinoma of the salivary gland in Greenlandic Eskimos: demonstration of Epstein-Barr virus DNA by in situ nucleic acid hybridization. <i>Human Pathology</i> , 1991 , 22, 811-5	3.7	136
127	Interactions between immunity, proliferation and molecular subtype in breast cancer prognosis. <i>Genome Biology</i> , 2013 , 14, R34	18.3	131
126	Infectious mononucleosis, childhood social environment, and risk of Hodgkin lymphoma. <i>Cancer Research</i> , 2007 , 67, 2382-8	10.1	121
125	XIAP-mediated caspase inhibition in Hodgkin's lymphoma-derived B cells. <i>Journal of Experimental Medicine</i> , 2003 , 198, 341-7	16.6	112
124	The association of Epstein-Barr virus (EBV) with T cell lymphoproliferations and Hodgkin's disease: two new developments in the EBV field. <i>Advances in Cancer Research</i> , 1993 , 62, 179-239	5.9	109
123	Loss of B cell identity correlates with loss of B cell-specific transcription factors in Hodgkin/Reed-Sternberg cells of classical Hodgkin lymphoma. <i>Oncogene</i> , 2002 , 21, 4908-20	9.2	105
122	Genotype-guided tamoxifen therapy: time to pause for reflection?. <i>Lancet Oncology</i> , 2009 , 10, 825-33	31.7	103
121	Expression of Epstein-Barr virus replicative proteins in AIDS-related non-Hodgkin's lymphoma cells. <i>Journal of Pathology</i> , 1991 , 165, 289-99	9.4	93

120	HLA-A alleles and infectious mononucleosis suggest a critical role for cytotoxic T-cell response in EBV-related Hodgkin lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 6400-5	11.5	88
119	Sentinel lymph nodes in malignant melanoma: extended histopathologic evaluation improves diagnostic precision. <i>Cancer</i> , 2004 , 100, 1683-91	6.4	88
118	Placebo-controlled, randomised clinical trial: high-dose resveratrol treatment for non-alcoholic fatty liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 456-64	2.4	86
117	CYP2D6 inhibition and breast cancer recurrence in a population-based study in Denmark. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 489-500	9.7	76
116	Breast cancer recurrence risk related to concurrent use of SSRI antidepressants and tamoxifen. <i>Acta Oncologica</i> , 2010 , 49, 305-12	3.2	73
115	Proteomic analysis identifies galectin-1 as a predictive biomarker for relapsed/refractory disease in classical Hodgkin lymphoma. <i>Blood</i> , 2011 , 117, 6638-49	2.2	71
114	Resveratrol up-regulates hepatic uncoupling protein 2 and prevents development of nonalcoholic fatty liver disease in rats fed a high-fat diet. <i>Nutrition Research</i> , 2012 , 32, 701-8	4	70
113	Microvessel density and expression of vascular endothelial growth factor and its receptors in diffuse large B-cell lymphoma subtypes. <i>American Journal of Pathology</i> , 2007 , 170, 1362-9	5.8	70
112	Urea cycle dysregulation in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018 , 69, 905-915	13.4	66
111	Hepatic macrophage activation and the LPS pathway in patients with alcoholic hepatitis: a prospective cohort study. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1749-56	0.7	65
110	Patterns of angiogenesis in nonsmall-cell lung carcinoma. <i>Cancer</i> , 2001 , 91, 1500-1509	6.4	64
109	HIV-associated lymphoma: histopathology and association with Epstein-Barr virus genome related to clinical, immunological and prognostic features. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 1416-23		61
108	The association between Epstein-Barr virus and Chinese Hodgkin's disease. <i>International Journal of Cancer</i> , 1993 , 55, 359-63	7.5	56
107	Serum YKL-40 and interleukin 6 levels in Hodgkin lymphoma. <i>Clinical Cancer Research</i> , 2008 , 14, 6974-8	12.9	48
106	p16 as a diagnostic marker of cervical neoplasia: a tissue microarray study of 796 archival specimens. <i>Diagnostic Pathology</i> , 2009 , 4, 22	3	46
105	Laser-assisted microdissection of membrane-mounted paraffin sections for polymerase chain reaction analysis: identification of cell populations using immunohistochemistry and in situ hybridization. <i>Journal of Molecular Diagnostics</i> , 2001 , 3, 105-10	5.1	45
104	The combined role of biomarkers and interim PET scan in prediction of treatment outcome in classical Hodgkin's lymphoma: a retrospective, European, multicentre cohort study. <i>Lancet Haematology</i> , 2016 , 3, e467-e479	14.6	44
103	Molecular profiling reveals immunogenic cues in anaplastic large cell lymphomas with rearrangements. <i>Blood</i> , 2018 , 132, 1386-1398	2.2	44

102	Comparative analysis of three- and two-antibody cocktails to AMACR and basal cell markers for the immunohistochemical diagnosis of prostate carcinoma. <i>Diagnostic Pathology</i> , 2012 , 7, 81	3	33
101	Improved diagnosis of mycobacterial infections in formalin-fixed and paraffin-embedded sections with nested polymerase chain reaction. <i>Apmis</i> , 2005 , 113, 586-93	3.4	32
100	Tumour-associated mast cells in classical Hodgkin's lymphoma: correlation with histological subtype, other tumour-infiltrating inflammatory cell subsets and outcome. <i>European Journal of Haematology</i> , 2016 , 96, 252-9	3.8	32
99	High intratumoral macrophage content is an adverse prognostic feature in anaplastic large cell lymphoma. <i>Histopathology</i> , 2014 , 65, 490-500	7.3	31
98	Increased sensitivity of KRAS mutation detection by high-resolution melting analysis of COLD-PCR products. <i>Human Mutation</i> , 2010 , 31, 1366-73	4.7	31
97	Cytochrome P-450 2D6 (CYP2D6) Genotype and Breast Cancer Recurrence in Tamoxifen-Treated Patients: Evaluating the Importance of Loss of Heterozygosity. <i>American Journal of Epidemiology</i> , 2017 , 185, 75-85	3.8	27
96	Occurrence and prognostic relevance of CD30 expression in post-transplant lymphoproliferative disorders. <i>Leukemia and Lymphoma</i> , 2015 , 56, 1677-85	1.9	26
95	High proportions of PD-1 and PD-L1 leukocytes in classical Hodgkin lymphoma microenvironment are associated with inferior outcome. <i>Blood Advances</i> , 2017 , 1, 1427-1439	7.8	26
94	Chronic hepatitis caused by persistent parvovirus B19 infection. <i>BMC Infectious Diseases</i> , 2010 , 10, 246	4	26
93	The influence of immunohistochemistry on mRNA recovery from microdissected frozen and formalin-fixed, paraffin-embedded sections. <i>Diagnostic Molecular Pathology</i> , 2004 , 13, 224-33		26
92	Pulmonary cryptosporidiosis occurring in a bone marrow transplant patient. <i>Scandinavian Journal of Infectious Diseases</i> , 1987 , 19, 581-4		26
91	Cigarette smoking and risk of Hodgkin lymphoma: a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1561-6	4	24
90	Liver regeneration is dependent on the extent of hepatectomy. <i>Journal of Surgical Research</i> , 2016 , 205, 76-84	2.5	24
89	The natural history of liver regeneration in rats: description of an animal model for liver regeneration studies. <i>International Journal of Surgery</i> , 2013 , 11, 903-8	7.5	23
88	Soluble CD163 and mannose receptor associate with chronic hepatitis B activity and fibrosis and decline with treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 484-491	4	22
87	In situ detection of non-polyadenylated RNA molecules using Turtle Probes and target primed rolling circle PRINS. <i>BMC Biotechnology</i> , 2007 , 7, 69	3.5	22
86	Pathologic assessment of melanoma sentinel nodes: a role for molecular analysis using quantitative real-time reverse transcription-PCR for MART-1 and tyrosinase messenger RNA. <i>Clinical Cancer Research</i> , 2005 , 11, 1425-33	12.9	22
85	Epstein-Barr virus (EBV) in Chinese pediatric Hodgkin disease: Hodgkin disease in young children is an EBV-related lymphoma. <i>Cancer</i> , 2001 , 92, 1621-31	6.4	22

84	Functional polymorphisms in UDP-glucuronosyl transferases and recurrence in tamoxifen-treated breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1937-43	4	21
83	Human immunodeficiency virus-associated malignant lymphoma in eastern Denmark diagnosed from 1990-1996: clinical features, histopathology, and association with Epstein-Barr virus and human herpesvirus-8. <i>European Journal of Haematology</i> , 2000 , 64, 368-75	3.8	21
82	Non-alcoholic fatty liver disease causes dissociated changes in metabolic liver functions. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019 , 43, 551-560	2.4	20
81	Stage migration after minor changes in histologic estimation of tumor burden in sentinel lymph nodes: the protocol trap. <i>Cancer</i> , 2009 , 115, 2177-87	6.4	19
80	Concordance of metabolic enzyme genotypes assayed from paraffin-embedded, formalin-fixed breast tumors and normal lymphatic tissue. <i>Clinical Epidemiology</i> , 2010 , 2, 241-6	5.9	16
79	Developmental regulation of tissue transglutaminase during human placentation and expression in neoplastic trophoblast. <i>Journal of Pathology</i> , 1997 , 181, 106-10	9.4	16
78	Epstein-Barr virus-associated familial Hodgkin lymphoma: paediatric onset in three of five siblings. <i>British Journal of Haematology</i> , 2005 , 129, 615-7	4.5	16
77	HER2/neu (c-erbB-2) gene amplification and protein expression are rare in uterine cervical neoplasia: a tissue microarray study of 814 archival specimens. <i>Apmis</i> , 2009 , 117, 737-45	3.4	15
76	Influence of Epstein-Barr virus encoded latent membrane protein 1 on the expression of CD23 antigen, ICAM-1 and LFA-3 in Hodgkin and Reed-Sternberg cells. A morphometric analysis. <i>Leukemia and Lymphoma</i> , 1993 , 9, 95-101	1.9	15
75	Metastatic melanoma volume in sentinel nodes: objective stereology-based measurement predicts disease recurrence and survival. <i>Histopathology</i> , 2009 , 54, 796-803	7.3	14
74	TERT promoter mutated circulating tumor DNA as a biomarker for prognosis in hepatocellular carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 1433-1440	2.4	14
73	Post-transplant lymphoproliferative disorder following kidney transplantation: a population-based cohort study. <i>Transplant International</i> , 2016 , 29, 483-93	3	14
72	Correlation between liver cell necrosis and circulating alanine aminotransferase after ischaemia/reperfusion injuries in the rat liver. <i>International Journal of Experimental Pathology</i> , 2016 , 97, 133-8	2.8	13
71	Quantification of microRNA-21 and microRNA-125b in melanoma tissue. <i>Melanoma Research</i> , 2017 , 27, 417-428	3.3	11
70	Expression of tissue transglutaminase in human bladder carcinoma. <i>Journal of Pathology</i> , 1997 , 183, 398-403	9.4	11
69	Validity of Danish Breast Cancer Group (DBCG) registry data used in the predictors of breast cancer recurrence (ProBeCaRe) premenopausal breast cancer cohort study. <i>Acta Oncologica</i> , 2017 , 56, 1155-1160	3.2	10
68	Stanniocalcin Expression as a Predictor of Late Breast Cancer Recurrence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 653-659	4	10
67	BRCA-associated pancreatico-biliary neoplasms: Four cases illustrating the emerging clinical impact of genotyping. <i>Acta Oncologica</i> , 2016 , 55, 377-81	3.2	10

66	Epstein-Barr virus-associated gastric carcinoma among patients with pernicious anemia. <i>International Journal of Cancer</i> , 2011 , 129, 2756-60	7.5	10
65	Modification of tamoxifen response: what have we learned?. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1764-5; author reply 1765-6	2.2	10
64	Cohort Profile: the Predictors of Breast Cancer Recurrence (ProBe CaRE) Premenopausal Breast Cancer Cohort Study in Denmark. <i>BMJ Open</i> , 2018 , 8, e021805	3	9
63	Automated digital volume measurement of melanoma metastases in sentinel nodes predicts disease recurrence and survival. <i>Histopathology</i> , 2011 , 59, 433-40	7.3	9
62	Preserved liver regeneration capacity after partial hepatectomy in rats with non-alcoholic steatohepatitis. <i>World Journal of Hepatology</i> , 2018 , 10, 8-21	3.4	9
61	Anti-CD163-dexamethasone protects against apoptosis after ischemia/reperfusion injuries in the rat liver. <i>Annals of Medicine and Surgery</i> , 2015 , 4, 331-7	2	8
60	Factors associated with concordant estrogen receptor expression at diagnosis and centralized re-assay in a Danish population-based breast cancer study. <i>Acta Oncologica</i> , 2012 , 51, 254-61	3.2	8
59	Demonstration of B. burgdorferi-DNA in two cases of nodal lymphoma. <i>Leukemia and Lymphoma</i> , 2004 , 45, 1721-3	1.9	8
58	Usability of Immunohistochemistry in Forensic Samples With Varying Decomposition. <i>American Journal of Forensic Medicine and Pathology</i> , 2018 , 39, 185-191	1	7
57	Fas ligand expression in metastatic renal cell carcinoma during interleukin-2 based immunotherapy: no in vivo effect of Fas ligand tumor counterattack. <i>Clinical Cancer Research</i> , 2004 , 10, 7911-6	12.9	7
56	Sorafenib inhibits liver regeneration in rats. <i>Hpb</i> , 2013 , 15, 944-50	3.8	7
55	Pazopanib-Induced Liver Toxicity in Patients With Metastatic Renal Cell Carcinoma: Effect of UGT1A1 Polymorphism on Pazopanib Dose Reduction, Safety, and Patient Outcomes. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 62-68.e2	3.3	7
54	Focal skeletal FDG uptake indicates poor prognosis in cHL regardless of extent and first-line chemotherapy. <i>British Journal of Haematology</i> , 2019 , 186, 431-439	4.5	6
53	The effect of 14-3-3 ξ expression on tamoxifen resistance and breast cancer recurrence: a Danish population-based study. <i>Breast Cancer Research and Treatment</i> , 2017 , 165, 633-643	4.4	6
52	Human papillomavirus and the incidence of nonmelanoma and melanoma skin cancer using cervical conization as a surrogate marker: a nationwide population-based Danish cohort study. <i>Annals of Epidemiology</i> , 2015 , 25, 293-296.e2	6.4	6
51	The Impact of Upfront Autologous Transplant on the Survival of Adult Patients with ALCL and PTCL-NOS According to Their ALK, DUSP22 and TP63 Gene Rearrangement Status - a Joined Nordic Lymphoma Group and Mayo Clinic Analysis. <i>Blood</i> , 2017 , 130, 822-822	2.2	6
50	Niemann-Pick type C2 protein supplementation in experimental non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2018 , 13, e0192728	3.7	6
49	Comment on 'Impact of CYP2D6*10 on recurrence-free survival in breast cancer patients receiving adjuvant tamoxifen therapy'. <i>Cancer Science</i> , 2008 , 99, 1706-7	6.9	5

48	Apolipoprotein D expression does not predict breast cancer recurrence among tamoxifen-treated patients. <i>PLoS ONE</i> , 2017 , 12, e0171453	3.7	5
47	Glycolytic biomarkers predict transformation in patients with follicular lymphoma. <i>PLoS ONE</i> , 2020 , 15, e0233449	3.7	5
46	Proteomic profiling identifies outcome-predictive markers in patients with peripheral T-cell lymphoma, not otherwise specified. <i>Blood Advances</i> , 2018 , 2, 2533-2542	7.8	5
45	A new technique for accelerated liver regeneration: An experimental study in rats. <i>Surgery</i> , 2017 , 162, 233-247	3.6	4
44	High intratumoral expression of vimentin predicts histological transformation in patients with follicular lymphoma. <i>Blood Cancer Journal</i> , 2019 , 9, 35	7	4
43	Proteomic profiling of pretreatment serum from HIV-infected patients identifies candidate markers predictive of lymphoma development. <i>Aids</i> , 2016 , 30, 1889-98	3.5	4
42	Pancreas specific expression of oncogenes in a porcine model. <i>Transgenic Research</i> , 2017 , 26, 603-612	3.3	4
41	Manganese superoxide dismutase and breast cancer recurrence: a Danish clinical registry-based case-control study, and a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e87450	3.7	4
40	Advanced hepatocellular carcinoma in adolescence associated with congenital cholestasis: a case description. <i>Case Reports in Oncology</i> , 2013 , 6, 98-103	1	4
39	Leiomyosarcoma of the scrotum. <i>Journal of Surgical Oncology</i> , 1987 , 34, 176-8	2.8	4
38	SensiScreen [®] KRAS exon 2-sensitive simplex and multiplex real-time PCR-based assays for detection of KRAS exon 2 mutations. <i>PLoS ONE</i> , 2017 , 12, e0178027	3.7	4
37	Pak1, adjuvant tamoxifen therapy, and breast cancer recurrence risk in a Danish population-based study. <i>Acta Oncologica</i> , 2016 , 55, 734-41	3.2	4
36	Multi-drug resistance protein 2 (MRP2) expression, adjuvant tamoxifen therapy, and risk of breast cancer recurrence: a Danish population-based nested case-control study. <i>Acta Oncologica</i> , 2019 , 58, 168-174	3.2	4
35	Anti-inflammatory liposomes have no impact on liver regeneration in rats. <i>Annals of Medicine and Surgery</i> , 2015 , 4, 452-61	2	3
34	HLA Associations and Risk of Posttransplant Lymphoproliferative Disorder in a Danish Population-Based Cohort. <i>Transplantation Direct</i> , 2015 , 1, e25	2.3	3
33	Nodal distribution, stage migration due to diameter measurement and the prognostic significance of metastasis volume in melanoma sentinel lymph nodes: a validation study. <i>Apmis</i> , 2014 , 122, 968-75	3.4	3
32	Internal gallbladder drainage prevents development of acute cholecystitis in a pig model: a randomized study. <i>Annals of Surgical Innovation and Research</i> , 2010 , 4, 4		3
31	Low Interleukin-22 Binding Protein Is Associated With High Mortality in Alcoholic Hepatitis and Modulates Interleukin-22 Receptor Expression. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00197	4.2	3

30	PD-1 Expression in Pre-Treatment Follicular Lymphoma Predicts the Risk of Subsequent High-Grade Transformation. <i>OncoTargets and Therapy</i> , 2021 , 14, 481-489	4.4	3
29	Adaptive growth changes in the liver remnant are affected by the size of hepatectomy in rats. <i>International Journal of Experimental Pathology</i> , 2018 , 99, 150-157	2.8	3
28	Long-Term Ethanol Exposure Decreases the Endotoxin-Induced Hepatic Acute Phase Response in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 562-570	3.7	2
27	Predictive pharmacogenetic biomarkers for breast cancer recurrence prevention by simvastatin. <i>Acta Oncologica</i> , 2020 , 59, 1009-1015	3.2	2
26	Adult Presentation of Noncirrhotic Portal Hypertension and Ascites following Treatment for Wilms' Tumor in Childhood. <i>Case Reports in Gastroenterology</i> , 2018 , 12, 56-62	1	2
25	In Response:. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 129-131	6.7	2
24	Metabolic Pathway Analysis and Effectiveness of Tamoxifen in Danish Breast Cancer Patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 582-590	4	2
23	Hypoxia-inducible factor-1 α expression and breast cancer recurrence in a Danish population-based case control study. <i>Breast Cancer Research</i> , 2021 , 23, 103	8.3	2
22	17 β -Hydroxysteroid dehydrogenase 1:2 and breast cancer recurrence: a Danish population-based study. <i>Acta Oncologica</i> , 2020 , 59, 329-333	3.2	2
21	Bayesian Pathway Analysis for Complex Interactions. <i>American Journal of Epidemiology</i> , 2020 , 189, 1610-1622	3.622	2
20	Postoperative but not preoperative treatment with sorafenib inhibits liver regeneration in rats. <i>Journal of Surgical Research</i> , 2014 , 191, 331-8	2.5	1
19	Digital Image Analysis of Ki-67 Stained Tissue Microarrays and Recurrence in Tamoxifen-Treated Breast Cancer Patients. <i>Clinical Epidemiology</i> , 2020 , 12, 771-781	5.9	1
18	Expression of survivin does not appear to influence breast cancer recurrence risk. <i>Acta Oncologica</i> , 2019 , 58, 154-161	3.2	1
17	Programmed cell death ligand-1 expression and survival in a cohort of patients with non-small cell lung cancer receiving first-line through third-line therapy in Denmark. <i>Cancer Epidemiology</i> , 2021 , 73, 101976	2.8	1
16	Shared Genomic Alterations in Patients with Co-Existing Myeloproliferative Neoplasms and Angioimmunoblastic T-Cell Lymphoma. <i>Blood</i> , 2019 , 134, 2776-2776	2.2	0
15	Potassium deficiency decreases the capacity for urea synthesis and markedly increases ammonia in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, G474-G483	5.1	0
14	PD-L1 expression, EGFR and KRAS mutations and survival among stage III unresected non-small cell lung cancer patients: a Danish cohort study. <i>Scientific Reports</i> , 2021 , 11, 16892	4.9	0
13	Intratumoral expression of CD38 in patients with post-transplant lymphoproliferative disorder. <i>Acta Oncologica</i> , 2021 , 60, 1637-1642	3.2	0

12	CD38 is a potential treatment target in lymphoma patients concurrently infected with human immunodeficiency virus.. <i>Leukemia and Lymphoma</i> , 2022 , 1-5	1.9
11	A Multiplex PCR for Detection of Genetic Aberrations in Non-Hodkin's Lymphoma.. <i>Blood</i> , 2004 , 104, 4554-4554	2.2
10	RNA-Binding Protein VICKZ Is Expressed in a Germinal Center Associated Pattern among Lymphoma Subtypes.. <i>Blood</i> , 2005 , 106, 1909-1909	2.2
9	The Oncoprotein LMO2 Is Expressed in a Germinal Center B-Cell-Associated Pattern and Predicts Survival in Patients with Diffuse Large B-Cell Lymphoma.. <i>Blood</i> , 2006 , 108, 810-810	2.2
8	Correlation between Intratumoral Cellular Microenvironment, Clinicopathological Parameters and Prognosis in Hodgkin Lymphoma.. <i>Blood</i> , 2007 , 110, 2273-2273	2.2
7	Glycolytic Biomarkers Predictive of Transformation in Patients with Follicular Lymphoma. <i>Blood</i> , 2019 , 134, 2805-2805	2.2
6	Novel, simplex and multiplex assays for BRAF mutation detection.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e23257-e23257	2.2
5	Novel, sensitive simplex and multiplex assays for KRAS and NRAS mutation detection.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e23269-e23269	2.2
4	High Intratumoral Expression of Galectin-1 Correlates with Superior Outcome in HIV-Associated DLBCL. <i>Blood</i> , 2016 , 128, 4142-4142	2.2
3	Programmed cell death receptor ligand 1 (PD-L1) expression: Epidermal growth factor receptor (EGFR) and Kirsten RAS (KRAS) mutations in second-line therapy (2L) non-small cell lung cancer (NSCLC) patients: A Danish cohort study.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e20523-e20523	2.2
2	Abstract P3-13-06: Single nucleotide polymorphisms and mortality after docetaxel-based chemotherapy in premenopausal breast cancer: A population-based cohort study in Denmark. <i>Cancer Research</i> , 2022 , 82, P3-13-06-P3-13-06	10.1
1	Single-nucleotide polymorphisms and the effectiveness of taxane-based chemotherapy in premenopausal breast cancer: a population-based cohort study in Denmark.. <i>Breast Cancer Research and Treatment</i> , 2022 , 1	4.4