

Stephen Hamilton-Dutoit

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8214283/stephen-hamilton-dutoit-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137 papers	5,283 citations	35 h-index	71 g-index
141 ext. papers	5,957 ext. citations	5.6 avg, IF	5.09 L-index

#	Paper	IF	Citations
137	CD38 is a potential treatment target in lymphoma patients concurrently infected with human immunodeficiency virus.. <i>Leukemia and Lymphoma</i> , 2022 , 1-5	1.9	
136	Abstract P3-13-06: Single nucleotide polymorphisms and mortality after docetaxel-based chemotherapy in premenopausal breast cancer: A population-based cohort study in Denmark. <i>Cancer Research</i> , 2022 , 82, P3-13-06-P3-13-06	10.1	
135	Single-nucleotide polymorphisms and the effectiveness of taxane-based chemotherapy in premenopausal breast cancer: a population-based cohort study in Denmark.. <i>Breast Cancer Research and Treatment</i> , 2022 , 1	4.4	
134	Hypoxia-inducible factor-1 α expression and breast cancer recurrence in a Danish population-based case control study. <i>Breast Cancer Research</i> , 2021 , 23, 103	8.3	2
133	Potassium deficiency decreases the capacity for urea synthesis and markedly increases ammonia in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, G474-G483	5.1	0
132	PD-1 Expression in Pre-Treatment Follicular Lymphoma Predicts the Risk of Subsequent High-Grade Transformation. <i>OncoTargets and Therapy</i> , 2021 , 14, 481-489	4.4	3
131	Programmed cell death ligand-1 expression and survival in a cohort of patients with non-small cell lung cancer receiving first-line through third-line therapy in Denmark. <i>Cancer Epidemiology</i> , 2021 , 73, 101976	2.8	1
130	PD-L1 expression, EGFR and KRAS mutations and survival among stage III unresected non-small cell lung cancer patients: a Danish cohort study. <i>Scientific Reports</i> , 2021 , 11, 16892	4.9	0
129	Intratumoral expression of CD38 in patients with post-transplant lymphoproliferative disorder. <i>Acta Oncologica</i> , 2021 , 60, 1637-1642	3.2	0
128	Predictive pharmacogenetic biomarkers for breast cancer recurrence prevention by simvastatin. <i>Acta Oncologica</i> , 2020 , 59, 1009-1015	3.2	2
127	Metabolic Pathway Analysis and Effectiveness of Tamoxifen in Danish Breast Cancer Patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 582-590	4	2
126	Glycolytic biomarkers predict transformation in patients with follicular lymphoma. <i>PLoS ONE</i> , 2020 , 15, e0233449	3.7	5
125	17 β -Hydroxysteroid dehydrogenase 1:2 and breast cancer recurrence: a Danish population-based study. <i>Acta Oncologica</i> , 2020 , 59, 329-333	3.2	2
124	Bayesian Pathway Analysis for Complex Interactions. <i>American Journal of Epidemiology</i> , 2020 , 189, 1610-1622	3.622	2
123	Digital Image Analysis of Ki-67 Stained Tissue Microarrays and Recurrence in Tamoxifen-Treated Breast Cancer Patients. <i>Clinical Epidemiology</i> , 2020 , 12, 771-781	5.9	1
122	TERT promoter mutated circulating tumor DNA as a biomarker for prognosis in hepatocellular carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 1433-1440	2.4	14
121	Low Interleukin-22 Binding Protein Is Associated With High Mortality in Alcoholic Hepatitis and Modulates Interleukin-22 Receptor Expression. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00197	4.2	3

120	Pazopanib-Induced Liver Toxicity in Patients With Metastatic Renal Cell Carcinoma: Effect of UGT1A1 Polymorphism on Pazopanib Dose Reduction, Safety, and Patient Outcomes. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 62-68.e2	3.3	7
119	Focal skeletal FDG uptake indicates poor prognosis in cHL regardless of extent and first-line chemotherapy. <i>British Journal of Haematology</i> , 2019 , 186, 431-439	4.5	6
118	High intratumoral expression of vimentin predicts histological transformation in patients with follicular lymphoma. <i>Blood Cancer Journal</i> , 2019 , 9, 35	7	4
117	Shared Genomic Alterations in Patients with Co-Existing Myeloproliferative Neoplasms and Angioimmunoblastic T-Cell Lymphoma. <i>Blood</i> , 2019 , 134, 2776-2776	2.2	0
116	Glycolytic Biomarkers Predictive of Transformation in Patients with Follicular Lymphoma. <i>Blood</i> , 2019 , 134, 2805-2805	2.2	
115	Non-alcoholic fatty liver disease causes dissociated changes in metabolic liver functions. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019 , 43, 551-560	2.4	20
114	Multi-drug resistance protein 2 (MRP2) expression, adjuvant tamoxifen therapy, and risk of breast cancer recurrence: a Danish population-based nested case-control study. <i>Acta Oncologica</i> , 2019 , 58, 168-174	3.2	4
113	Expression of survivin does not appear to influence breast cancer recurrence risk. <i>Acta Oncologica</i> , 2019 , 58, 154-161	3.2	1
112	Adult Presentation of Noncirrhotic Portal Hypertension and Ascites following Treatment for Wilms' Tumor in Childhood. <i>Case Reports in Gastroenterology</i> , 2018 , 12, 56-62	1	2
111	Stanniocalcin Expression as a Predictor of Late Breast Cancer Recurrence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 653-659	4	10
110	Soluble CD163 and mannose receptor associate with chronic hepatitis B activity and fibrosis and decline with treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 484-491	4	22
109	Cohort Profile: the Predictors of Breast Cancer Recurrence (ProBe CaRE) Premenopausal Breast Cancer Cohort Study in Denmark. <i>BMJ Open</i> , 2018 , 8, e021805	3	9
108	Urea cycle dysregulation in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018 , 69, 905-915	13.4	66
107	Usability of Immunohistochemistry in Forensic Samples With Varying Decomposition. <i>American Journal of Forensic Medicine and Pathology</i> , 2018 , 39, 185-191	1	7
106	Niemann-Pick type C2 protein supplementation in experimental non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2018 , 13, e0192728	3.7	6
105	Preserved liver regeneration capacity after partial hepatectomy in rats with non-alcoholic steatohepatitis. <i>World Journal of Hepatology</i> , 2018 , 10, 8-21	3.4	9
104	Molecular profiling reveals immunogenic cues in anaplastic large cell lymphomas with rearrangements. <i>Blood</i> , 2018 , 132, 1386-1398	2.2	44
103	Adaptive growth changes in the liver remnant are affected by the size of hepatectomy in rats. <i>International Journal of Experimental Pathology</i> , 2018 , 99, 150-157	2.8	3

102	Proteomic profiling identifies outcome-predictive markers in patients with peripheral T-cell lymphoma, not otherwise specified. <i>Blood Advances</i> , 2018 , 2, 2533-2542	7.8	5
101	Long-Term Ethanol Exposure Decreases the Endotoxin-Induced Hepatic Acute Phase Response in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 562-570	3.7	2
100	A new technique for accelerated liver regeneration: An experimental study in rats. <i>Surgery</i> , 2017 , 162, 233-247	3.6	4
99	Quantification of microRNA-21 and microRNA-125b in melanoma tissue. <i>Melanoma Research</i> , 2017 , 27, 417-428	3.3	11
98	Validity of Danish Breast Cancer Group (DBCG) registry data used in the predictors of breast cancer recurrence (ProBeCaRe) premenopausal breast cancer cohort study. <i>Acta Oncologica</i> , 2017 , 56, 1155-1160	3.2	10
97	Cytochrome P-450 2D6 (CYP2D6) Genotype and Breast Cancer Recurrence in Tamoxifen-Treated Patients: Evaluating the Importance of Loss of Heterozygosity. <i>American Journal of Epidemiology</i> , 2017 , 185, 75-85	3.8	27
96	The effect of 14-3-3 σ expression on tamoxifen resistance and breast cancer recurrence: a Danish population-based study. <i>Breast Cancer Research and Treatment</i> , 2017 , 165, 633-643	4.4	6
95	Pancreas specific expression of oncogenes in a porcine model. <i>Transgenic Research</i> , 2017 , 26, 603-612	3.3	4
94	High proportions of PD-1 and PD-L1 leukocytes in classical Hodgkin lymphoma microenvironment are associated with inferior outcome. <i>Blood Advances</i> , 2017 , 1, 1427-1439	7.8	26
93	The Impact of Upfront Autologous Transplant on the Survival of Adult Patients with ALCL and PTCL-NOS According to Their ALK, DUSP22 and TP63 Gene Rearrangement Status - a Joined Nordic Lymphoma Group and Mayo Clinic Analysis. <i>Blood</i> , 2017 , 130, 822-822	2.2	6
92	Apolipoprotein D expression does not predict breast cancer recurrence among tamoxifen-treated patients. <i>PLoS ONE</i> , 2017 , 12, e0171453	3.7	5
91	SensiScreen \square KRAS exon 2-sensitive simplex and multiplex real-time PCR-based assays for detection of KRAS exon 2 mutations. <i>PLoS ONE</i> , 2017 , 12, e0178027	3.7	4
90	Programmed cell death receptor ligand 1 (PD-L1) expression: Epidermal growth factor receptor (EGFR) and Kirsten RAS (KRAS) mutations in second-line therapy (2L) non-small cell lung cancer (NSCLC) patients: A Danish cohort study.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e20523-e20523	2.2	
89	Proteomic profiling of pretreatment serum from HIV-infected patients identifies candidate markers predictive of lymphoma development. <i>Aids</i> , 2016 , 30, 1889-98	3.5	4
88	Analysis of circulating tumour DNA to monitor disease burden following colorectal cancer surgery. <i>Gut</i> , 2016 , 65, 625-34	19.2	285
87	Placebo-controlled, randomised clinical trial: high-dose resveratrol treatment for non-alcoholic fatty liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 456-64	2.4	86
86	Increased Risk of Colorectal Cancer Development Among Patients With Serrated Polyps. <i>Gastroenterology</i> , 2016 , 150, 895-902.e5	13.3	136
85	BRCA-associated pancreatico-biliary neoplasms: Four cases illustrating the emerging clinical impact of genotyping. <i>Acta Oncologica</i> , 2016 , 55, 377-81	3.2	10

84	Novel, simplex and multiplex assays for BRAF mutation detection.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e23257-e23257	2.2	
83	Novel, sensitive simplex and multiplex assays for KRAS and NRAS mutation detection.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e23269-e23269	2.2	
82	High Intratumoral Expression of Galectin-1 Correlates with Superior Outcome in HIV-Associated DLBCL. <i>Blood</i> , 2016 , 128, 4142-4142	2.2	
81	Tumour-associated mast cells in classical Hodgkin's lymphoma: correlation with histological subtype, other tumour-infiltrating inflammatory cell subsets and outcome. <i>European Journal of Haematology</i> , 2016 , 96, 252-9	3.8	32
80	Correlation between liver cell necrosis and circulating alanine aminotransferase after ischaemia/reperfusion injuries in the rat liver. <i>International Journal of Experimental Pathology</i> , 2016 , 97, 133-8	2.8	13
79	Post-transplant lymphoproliferative disorder following kidney transplantation: a population-based cohort study. <i>Transplant International</i> , 2016 , 29, 483-93	3	14
78	Pak1, adjuvant tamoxifen therapy, and breast cancer recurrence risk in a Danish population-based study. <i>Acta Oncologica</i> , 2016 , 55, 734-41	3.2	4
77	Liver regeneration is dependent on the extent of hepatectomy. <i>Journal of Surgical Research</i> , 2016 , 205, 76-84	2.5	24
76	The combined role of biomarkers and interim PET scan in prediction of treatment outcome in classical Hodgkin's lymphoma: a retrospective, European, multicentre cohort study. <i>Lancet Haematology</i> , 2016 , 3, e467-e479	14.6	44
75	Occurrence and prognostic relevance of CD30 expression in post-transplant lymphoproliferative disorders. <i>Leukemia and Lymphoma</i> , 2015 , 56, 1677-85	1.9	26
74	Anti-inflammatory liposomes have no impact on liver regeneration in rats. <i>Annals of Medicine and Surgery</i> , 2015 , 4, 452-61	2	3
73	HLA Associations and Risk of Posttransplant Lymphoproliferative Disorder in a Danish Population-Based Cohort. <i>Transplantation Direct</i> , 2015 , 1, e25	2.3	3
72	Anti-CD163-dexamethasone protects against apoptosis after ischemia/reperfusion injuries in the rat liver. <i>Annals of Medicine and Surgery</i> , 2015 , 4, 331-7	2	8
71	Human papillomavirus and the incidence of nonmelanoma and melanoma skin cancer using cervical conization as a surrogate marker: a nationwide population-based Danish cohort study. <i>Annals of Epidemiology</i> , 2015 , 25, 293-296.e2	6.4	6
70	Hepatic macrophage activation and the LPS pathway in patients with alcoholic hepatitis: a prospective cohort study. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1749-56	0.7	65
69	Manganese superoxide dismutase and breast cancer recurrence: a Danish clinical registry-based case-control study, and a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e87450	3.7	4
68	Nodal distribution, stage migration due to diameter measurement and the prognostic significance of metastasis volume in melanoma sentinel lymph nodes: a validation study. <i>Apmis</i> , 2014 , 122, 968-75	3.4	3
67	High intratumoral macrophage content is an adverse prognostic feature in anaplastic large cell lymphoma. <i>Histopathology</i> , 2014 , 65, 490-500	7.3	31

66	Postoperative but not preoperative treatment with sorafenib inhibits liver regeneration in rats. <i>Journal of Surgical Research</i> , 2014 , 191, 331-8	2.5	1
65	Interactions between immunity, proliferation and molecular subtype in breast cancer prognosis. <i>Genome Biology</i> , 2013 , 14, R34	18.3	131
64	The natural history of liver regeneration in rats: description of an animal model for liver regeneration studies. <i>International Journal of Surgery</i> , 2013 , 11, 903-8	7.5	23
63	Advanced hepatocellular carcinoma in adolescence associated with congenital cholestasis: a case description. <i>Case Reports in Oncology</i> , 2013 , 6, 98-103	1	4
62	Sorafenib inhibits liver regeneration in rats. <i>Hpb</i> , 2013 , 15, 944-50	3.8	7
61	Comparative analysis of three- and two-antibody cocktails to AMACR and basal cell markers for the immunohistochemical diagnosis of prostate carcinoma. <i>Diagnostic Pathology</i> , 2012 , 7, 81	3	33
60	Resveratrol up-regulates hepatic uncoupling protein 2 and prevents development of nonalcoholic fatty liver disease in rats fed a high-fat diet. <i>Nutrition Research</i> , 2012 , 32, 701-8	4	70
59	Factors associated with concordant estrogen receptor expression at diagnosis and centralized re-assay in a Danish population-based breast cancer study. <i>Acta Oncologica</i> , 2012 , 51, 254-61	3.2	8
58	Proteomic analysis identifies galectin-1 as a predictive biomarker for relapsed/refractory disease in classical Hodgkin lymphoma. <i>Blood</i> , 2011 , 117, 6638-49	2.2	71
57	Automated digital volume measurement of melanoma metastases in sentinel nodes predicts disease recurrence and survival. <i>Histopathology</i> , 2011 , 59, 433-40	7.3	9
56	Epstein-Barr virus-associated gastric carcinoma among patients with pernicious anemia. <i>International Journal of Cancer</i> , 2011 , 129, 2756-60	7.5	10
55	Tumor-infiltrating macrophages correlate with adverse prognosis and Epstein-Barr virus status in classical Hodgkin's lymphoma. <i>Haematologica</i> , 2011 , 96, 269-76	6.6	149
54	CYP2D6 inhibition and breast cancer recurrence in a population-based study in Denmark. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 489-500	9.7	76
53	Functional polymorphisms in UDP-glucuronosyl transferases and recurrence in tamoxifen-treated breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1937-43	4	21
52	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010 , 42, 1126-1130	36.3	158
51	Existing data sources for clinical epidemiology: the Danish National Pathology Registry and Data Bank. <i>Clinical Epidemiology</i> , 2010 , 2, 51-6	5.9	181
50	Concordance of metabolic enzyme genotypes assayed from paraffin-embedded, formalin-fixed breast tumors and normal lymphatic tissue. <i>Clinical Epidemiology</i> , 2010 , 2, 241-6	5.9	16
49	HLA-A alleles and infectious mononucleosis suggest a critical role for cytotoxic T-cell response in EBV-related Hodgkin lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 6400-5	11.5	88

48	Breast cancer recurrence risk related to concurrent use of SSRI antidepressants and tamoxifen. <i>Acta Oncologica</i> , 2010 , 49, 305-12	3.2	73
47	Chronic hepatitis caused by persistent parvovirus B19 infection. <i>BMC Infectious Diseases</i> , 2010 , 10, 246	4	26
46	HPV-associated p16-expression and response to hypoxic modification of radiotherapy in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2010 , 94, 30-5	5.3	155
45	In Response:. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 129-131	6.7	2
44	Increased sensitivity of KRAS mutation detection by high-resolution melting analysis of COLD-PCR products. <i>Human Mutation</i> , 2010 , 31, 1366-73	4.7	31
43	Internal gallbladder drainage prevents development of acute cholecystitis in a pig model: a randomized study. <i>Annals of Surgical Innovation and Research</i> , 2010 , 4, 4		3
42	Stage migration after minor changes in histologic estimation of tumor burden in sentinel lymph nodes: the protocol trap. <i>Cancer</i> , 2009 , 115, 2177-87	6.4	19
41	Metastatic melanoma volume in sentinel nodes: objective stereology-based measurement predicts disease recurrence and survival. <i>Histopathology</i> , 2009 , 54, 796-803	7.3	14
40	HER2/neu (c-erbB-2) gene amplification and protein expression are rare in uterine cervical neoplasia: a tissue microarray study of 814 archival specimens. <i>Apmis</i> , 2009 , 117, 737-45	3.4	15
39	p16 as a diagnostic marker of cervical neoplasia: a tissue microarray study of 796 archival specimens. <i>Diagnostic Pathology</i> , 2009 , 4, 22	3	46
38	Effect of HPV-associated p16INK4A expression on response to radiotherapy and survival in squamous cell carcinoma of the head and neck. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1992-8	2.2	482
37	Genotype-guided tamoxifen therapy: time to pause for reflection?. <i>Lancet Oncology</i> , 2009 , 10, 825-31	11.7	103
36	Comment on 'Impact of CYP2D6*10 on recurrence-free survival in breast cancer patients receiving adjuvant tamoxifen therapy'. <i>Cancer Science</i> , 2008 , 99, 1706-7	6.9	5
35	Modification of tamoxifen response: what have we learned?. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1764-5; author reply 1765-6	2.2	10
34	Serum YKL-40 and interleukin 6 levels in Hodgkin lymphoma. <i>Clinical Cancer Research</i> , 2008 , 14, 6974-8	12.9	48
33	In situ detection of non-polyadenylated RNA molecules using Turtle Probes and target primed rolling circle PRINS. <i>BMC Biotechnology</i> , 2007 , 7, 69	3.5	22
32	Infectious mononucleosis, childhood social environment, and risk of Hodgkin lymphoma. <i>Cancer Research</i> , 2007 , 67, 2382-8	10.1	121
31	Cigarette smoking and risk of Hodgkin lymphoma: a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1561-6	4	24

30	Microvessel density and expression of vascular endothelial growth factor and its receptors in diffuse large B-cell lymphoma subtypes. <i>American Journal of Pathology</i> , 2007 , 170, 1362-9	5.8	70
29	Correlation between Intratumoral Cellular Microenvironment, Clinicopathological Parameters and Prognosis in Hodgkin Lymphoma.. <i>Blood</i> , 2007 , 110, 2273-2273	2.2	
28	The Oncoprotein LMO2 Is Expressed in a Germinal Center B-Cell-Associated Pattern and Predicts Survival in Patients with Diffuse Large B-Cell Lymphoma.. <i>Blood</i> , 2006 , 108, 810-810	2.2	
27	Epstein-Barr virus-associated familial Hodgkin lymphoma: paediatric onset in three of five siblings. <i>British Journal of Haematology</i> , 2005 , 129, 615-7	4.5	16
26	Improved diagnosis of mycobacterial infections in formalin-fixed and paraffin-embedded sections with nested polymerase chain reaction. <i>Apmis</i> , 2005 , 113, 586-93	3.4	32
25	Pathologic assessment of melanoma sentinel nodes: a role for molecular analysis using quantitative real-time reverse transcription-PCR for MART-1 and tyrosinase messenger RNA. <i>Clinical Cancer Research</i> , 2005 , 11, 1425-33	12.9	22
24	RNA-Binding Protein VICKZ Is Expressed in a Germinal Center Associated Pattern among Lymphoma Subtypes.. <i>Blood</i> , 2005 , 106, 1909-1909	2.2	
23	Demonstration of B. burgdorferi-DNA in two cases of nodal lymphoma. <i>Leukemia and Lymphoma</i> , 2004 , 45, 1721-3	1.9	8
22	Fas ligand expression in metastatic renal cell carcinoma during interleukin-2 based immunotherapy: no in vivo effect of Fas ligand tumor counterattack. <i>Clinical Cancer Research</i> , 2004 , 10, 7911-6	12.9	7
21	Sentinel lymph nodes in malignant melanoma: extended histopathologic evaluation improves diagnostic precision. <i>Cancer</i> , 2004 , 100, 1683-91	6.4	88
20	The influence of immunohistochemistry on mRNA recovery from microdissected frozen and formalin-fixed, paraffin-embedded sections. <i>Diagnostic Molecular Pathology</i> , 2004 , 13, 224-33		26
19	A Multiplex PCR for Detection of Genetic Aberrations in Non-Hodkin's Lymphoma.. <i>Blood</i> , 2004 , 104, 4554-4554	2.2	
18	Identifying distinct classes of bladder carcinoma using microarrays. <i>Nature Genetics</i> , 2003 , 33, 90-6	36.3	401
17	Characteristics of Hodgkin's lymphoma after infectious mononucleosis. <i>New England Journal of Medicine</i> , 2003 , 349, 1324-32	59.2	290
16	XIAP-mediated caspase inhibition in Hodgkin's lymphoma-derived B cells. <i>Journal of Experimental Medicine</i> , 2003 , 198, 341-7	16.6	112
15	Loss of B cell identity correlates with loss of B cell-specific transcription factors in Hodgkin/Reed-Sternberg cells of classical Hodgkin lymphoma. <i>Oncogene</i> , 2002 , 21, 4908-20	9.2	105
14	Patterns of angiogenesis in nonsmall-cell lung carcinoma. <i>Cancer</i> , 2001 , 91, 1500-1509	6.4	64
13	Epstein-Barr virus (EBV) in Chinese pediatric Hodgkin disease: Hodgkin disease in young children is an EBV-related lymphoma. <i>Cancer</i> , 2001 , 92, 1621-31	6.4	22

12	Laser-assisted microdissection of membrane-mounted paraffin sections for polymerase chain reaction analysis: identification of cell populations using immunohistochemistry and in situ hybridization. <i>Journal of Molecular Diagnostics</i> , 2001 , 3, 105-10	5.1	45
11	Human immunodeficiency virus-associated malignant lymphoma in eastern Denmark diagnosed from 1990-1996: clinical features, histopathology, and association with Epstein-Barr virus and human herpesvirus-8. <i>European Journal of Haematology</i> , 2000 , 64, 368-75	3.8	21
10	Developmental regulation of tissue transglutaminase during human placentation and expression in neoplastic trophoblast. <i>Journal of Pathology</i> , 1997 , 181, 106-10	9.4	16
9	Expression of tissue transglutaminase in human bladder carcinoma. <i>Journal of Pathology</i> , 1997 , 183, 398-403	9.4	11
8	Influence of Epstein-Barr virus encoded latent membrane protein 1 on the expression of CD23 antigen, ICAM-1 and LFA-3 in Hodgkin and Reed-Sternberg cells. A morphometric analysis. <i>Leukemia and Lymphoma</i> , 1993 , 9, 95-101	1.9	15
7	The association of Epstein-Barr virus (EBV) with T cell lymphoproliferations and Hodgkin's disease: two new developments in the EBV field. <i>Advances in Cancer Research</i> , 1993 , 62, 179-239	5.9	109
6	The association between Epstein-Barr virus and Chinese Hodgkin's disease. <i>International Journal of Cancer</i> , 1993 , 55, 359-63	7.5	56
5	Expression of Epstein-Barr virus replicative proteins in AIDS-related non-Hodgkin's lymphoma cells. <i>Journal of Pathology</i> , 1991 , 165, 289-99	9.4	93
4	HIV-associated lymphoma: histopathology and association with Epstein-Barr virus genome related to clinical, immunological and prognostic features. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 1416-23		61
3	Undifferentiated carcinoma of the salivary gland in Greenlandic Eskimos: demonstration of Epstein-Barr virus DNA by in situ nucleic acid hybridization. <i>Human Pathology</i> , 1991 , 22, 811-5	3.7	136
2	Pulmonary cryptosporidiosis occurring in a bone marrow transplant patient. <i>Scandinavian Journal of Infectious Diseases</i> , 1987 , 19, 581-4		26
1	Leiomyosarcoma of the scrotum. <i>Journal of Surgical Oncology</i> , 1987 , 34, 176-8	2.8	4