

Ian Janssen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8214707/ian-janssen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

313
papers

32,375
citations

79
h-index

176
g-index

328
ext. papers

37,216
ext. citations

4.4
avg, IF

7.54
L-index

#	Paper	IF	Citations
313	Sociodemographic Factors Associated With Meeting the Canadian 24-Hour Movement Guidelines Among Adults: Findings From the Canadian Health Measures Survey.. <i>Journal of Physical Activity and Health</i> , 2022 , 1-9	2.5	0
312	Associations of Passive and Active Screen Time With Psychosomatic Complaints of Adolescents. <i>American Journal of Preventive Medicine</i> , 2022 ,	6.1	1
311	The neighborhood physical environment and the 24-hour movement behavior composition among children.. <i>International Journal of Environmental Health Research</i> , 2022 , 1-13	3.6	
310	Timing of sedentary behaviour and access to sedentary activities in the bedroom and their association with sleep quality and duration in children and youth: a systematic review.. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022 , 42, 139-149	2.2	0
309	Timing of physical activity within the 24-hour day and its influence on health: a systematic review.. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022 , 42, 129-138	2.2	2
308	Sleep timing and health indicators in children and adolescents: a systematic review.. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022 , 42, 150-169	2.2	0
307	The Canadian 24-Hour Movement Guidelines and Psychological Distress among Adolescents: Les Directives canadiennes en matière de mouvement sur 24 heures et la détresse psychologique chez les adolescents. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 624-633	4.8	5
306	Systematic review of the correlates of outdoor play and time among children aged 3-12 years. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 41	8.4	9
305	Do adolescent sedentary behavior levels predict type 2 diabetes risk in adulthood?. <i>BMC Public Health</i> , 2021 , 21, 969	4.1	5
304	Global prevalence of physical activity for children and adolescents; inconsistencies, research gaps, and recommendations: a narrative review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 81	8.4	16
303	24-Hour Movement Behaviors and Internalizing and Externalizing Behaviors Among Youth. <i>Journal of Adolescent Health</i> , 2021 , 68, 969-977	5.8	3
302	Which intensities, types, and patterns of movement behaviors are most strongly associated with cardiometabolic risk factors among children?. <i>Journal of Sport and Health Science</i> , 2021 , 10, 368-378	8.2	2
301	A compositional analysis of time spent in sleep, sedentary behaviour and physical activity with all-cause mortality risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 25	8.4	3
300	24-h Movement Guidelines and Substance Use among Adolescents: A School-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
299	Meeting Canadian 24-Hour Movement Guideline recommendations and risk of all-cause mortality. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 1487-1494	3	2
298	Longitudinal association between movement behaviours and depressive symptoms among adolescents using compositional data analysis. <i>PLoS ONE</i> , 2021 , 16, e0256867	3.7	3
297	Do fit kids have fit parents?. <i>Health Reports</i> , 2021 , 32, 3-12	4.7	

296	Trends in physical fitness among Canadian adults, 2007 to 2017. <i>Health Reports</i> , 2021 , 32, 3-15	4.7	0
295	How Are Adolescents Sleeping? Adolescent Sleep Patterns and Sociodemographic Differences in 24 European and North American Countries. <i>Journal of Adolescent Health</i> , 2020 , 66, S81-S88	5.8	30
294	Development of a consensus statement on the role of the family in the physical activity, sedentary, and sleep behaviours of children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 74	8.4	48
293	Combinations of physical activity, sedentary time, and sleep duration and their associations with depressive symptoms and other mental health problems in children and adolescents: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 72	8.4	36
292	Electronic screen technology use and connection to nature in Canadian adolescents: a mixed methods study. <i>Canadian Journal of Public Health</i> , 2020 , 111, 502-514	3.2	5
291	Cardiovascular and diabetes burden attributable to physical inactivity in Mexico. <i>Cardiovascular Diabetology</i> , 2020 , 19, 99	8.7	4
290	A qualitative investigation of unsupervised outdoor activities for 10- to 13-year-old children: "like adventuring but I don't like adventuring without being careful" <i>Journal of Environmental Psychology</i> , 2020 , 70, 101460	6.7	10
289	Adolescents' engagement in multiple risk behaviours is associated with concussion. <i>Injury Epidemiology</i> , 2020 , 7, 6	1.7	4
288	Sleep timing, sleep consistency, and health in adults: a systematic review. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S232-S247	3	35
287	Sleep duration and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S218-S231	3	25
286	A systematic review of compositional data analysis studies examining associations between sleep, sedentary behaviour, and physical activity with health outcomes in adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S248-S257	3	32
285	Resistance training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S165-S179	3	18
284	Sedentary behaviour and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S197-S217	3	67
283	Balance and functional training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S180-S196	3	11
282	Canadian 24-Hour Movement Guidelines for Adults aged 18-64 years and Adults aged 65 years or older: an integration of physical activity, sedentary behaviour, and sleep. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S57-S102	3	117
281	Development and application of an outcome-centric approach for conducting overviews of reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S151-S164	3	8
280	24-hour movement guidelines and suicidality among adolescents. <i>Journal of Affective Disorders</i> , 2020 , 274, 372-380	6.6	14
279	Obesity in adults: a clinical practice guideline. <i>Cmaj</i> , 2020 , 192, E875-E891	3.5	192

278	Associations between the Canadian 24 h movement guidelines and different types of bullying involvement among adolescents. <i>Child Abuse and Neglect</i> , 2020 , 108, 104638	4.3	11
277	Roaming the Neighbourhood: Influences of Independent Mobility Parenting Practices and Parental Perceived Environment on Children's Territorial Range. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7
276	Is replacing time spent in 1 type of physical activity with another associated with health in children?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019 , 44, 937-943	3	4
275	Move on Bikes Program: A Community-Based Physical Activity Strategy in Mexico City. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
274	Objectively measured crime and active transportation among 10-13 year olds. <i>Preventive Medicine Reports</i> , 2019 , 13, 48-51	2.6	4
273	Patterns of daily activity among young people with epilepsy. <i>Developmental Medicine and Child Neurology</i> , 2019 , 61, 1386-1391	3.3	8
272	Accelerometer-measured moderate-to-vigorous physical activity of Canadian adults, 2007 to 2017. <i>Health Reports</i> , 2019 , 30, 3-10	4.7	19
271	Trends in physical fitness among Canadian children and youth. <i>Health Reports</i> , 2019 , 30, 3-13	4.7	15
270	Sleep in Farm Adolescents. <i>Journal of Rural Health</i> , 2019 , 35, 436-441	4.6	3
269	Duration and intensity of different types of physical activity among children aged 10-13 years. <i>Canadian Journal of Public Health</i> , 2019 , 110, 178-186	3.2	9
268	Compositional associations of time spent in sleep, sedentary behavior and physical activity with obesity measures in children. <i>International Journal of Obesity</i> , 2018 , 42, 1508-1514	5.5	39
267	Making a Case for Cardiorespiratory Fitness Surveillance Among Children and Youth. <i>Exercise and Sport Sciences Reviews</i> , 2018 , 46, 66-75	6.7	51
266	Neighborhood walkability and objectively measured active transportation among 10-13 year olds. <i>Journal of Transport and Health</i> , 2018 , 8, 202-209	3	17
265	Outdoor play and nature connectedness as potential correlates of internalized mental health symptoms among Canadian adolescents. <i>Preventive Medicine</i> , 2018 , 112, 168-175	4.3	37
264	Pedestrian traffic safety and outdoor active play among 10-13 year olds living in a mid-sized city. <i>Preventive Medicine Reports</i> , 2018 , 10, 304-309	2.6	8
263	Estimating sleep efficiency in 10- to- 13-year-olds using a waist-worn accelerometer. <i>Sleep Health</i> , 2018 , 4, 110-115	4	8
262	Systematic review of the relationship between 20m shuttle run performance and health indicators among children and youth. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 383-397	4.4	79
261	School Start Time and the Healthy Weight of Adolescents. <i>Journal of Adolescent Health</i> , 2018 , 63, 69-73	5.8	8

260	Bi-directional association between sleep and outdoor active play among 10-13 year olds. <i>BMC Public Health</i> , 2018 , 18, 224	4.1	16
259	Development of a measurement approach to assess time children participate in organized sport, active travel, outdoor active play, and curriculum-based physical activity. <i>BMC Public Health</i> , 2018 , 18, 396	4.1	9
258	Objectively measured active transportation to school and other destinations among 10-13 year olds. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 11	8.4	5
257	Child care centre adherence to infant physical activity and screen time recommendations in Australia, Canada and the United States: An observational study. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 50, 88-97	2.9	10
256	Derivation of some contemporary scales to measure adolescent risk-taking in Canada. <i>International Journal of Public Health</i> , 2018 , 63, 137-147	4	9
255	Results from Canada's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018 , 15, S328-S330	2.5	18
254	Is adherence to the Canadian 24-Hour Movement Behaviour Guidelines for Children and Youth associated with improved indicators of physical, mental, and social health?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 725-731	3	51
253	Physical activity: Health impact, prevalence, correlates and interventions. <i>Psychology and Health</i> , 2017 , 32, 942-975	2.9	294
252	Imputing Accelerometer Nonwear Time When Assessing Moderate to Vigorous Physical Activity in Children. <i>Journal of Physical Activity and Health</i> , 2017 , 14, 852-860	2.5	3
251	Associations between weight-related teasing and psychosomatic symptoms by weight status among school-aged youth. <i>Obesity Science and Practice</i> , 2017 , 3, 44-50	2.6	10
250	Health associations with meeting new 24-hour movement guidelines for Canadian children and youth. <i>Preventive Medicine</i> , 2017 , 95, 7-13	4.3	110
249	Canadian 24-Hour Movement Guidelines for the Early Years (0-4 years): An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>BMC Public Health</i> , 2017 , 17, 874	4.1	253
248	Proportion of preschool-aged children meeting the Canadian 24-Hour Movement Guidelines and associations with adiposity: results from the Canadian Health Measures Survey. <i>BMC Public Health</i> , 2017 , 17, 829	4.1	107
247	Systematic review of the relationships between physical activity and health indicators in the early years (0-4 years). <i>BMC Public Health</i> , 2017 , 17, 854	4.1	235
246	Objectively Measured Physical Activity and Mortality Risk Among American Adults. <i>American Journal of Preventive Medicine</i> , 2017 , 52, e25-e31	6.1	26
245	School start time and sleep in Canadian adolescents. <i>Journal of Sleep Research</i> , 2017 , 26, 195-201	5.8	30
244	Evaluating the effectiveness of physician counseling to promote physical activity in Mexico: an effectiveness-implementation hybrid study. <i>Translational Behavioral Medicine</i> , 2017 , 7, 731-740	3.2	9
243	Adherence to the 24-Hour Movement Guidelines among 10- to 17-year-old Canadians. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2017 , 37, 369-375	2.2	37

242	Meeting the. <i>Health Reports</i> , 2017 , 28, 3-7	4.7	43
241	Physical activity of Canadian children and youth, 2007 to 2015. <i>Health Reports</i> , 2017 , 28, 8-16	4.7	75
240	Combinations of Physical Activity, Sedentary Behaviour and Sleep. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 912	1.2	3
239	Relationships between Objectively Measured Physical Activity and Health Indicators in School-Aged Children and Youth. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 235-236	1.2	2
238	Estimating Whether Replacing Time in Active Outdoor Play and Sedentary Video Games With Active Video Games Influences Youth's Mental Health. <i>Journal of Adolescent Health</i> , 2016 , 59, 517-522	5.8	22
237	Results From Canada's 2016 ParticipACTION Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016 , 13, S110-S116	2.5	42
236	The Canadian Assessment of Physical Literacy: Development of a Model of Children's Capacity for a Healthy, Active Lifestyle Through a Delphi Process. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 214-222	2.5	62
235	Canadian 24-Hour Movement Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, S311-27	3	687
234	Utility of linking primary care electronic medical records with Canadian census data to study the determinants of chronic disease: an example based on socioeconomic status and obesity. <i>BMC Medical Informatics and Decision Making</i> , 2016 , 16, 32	3.6	17
233	Sleep duration estimates of Canadian children and adolescents. <i>Journal of Sleep Research</i> , 2016 , 25, 541-548	5.88	62
232	Combinations of physical activity, sedentary behaviour and sleep: relationships with health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, S283-93	3	219
231	Family Structure as a Correlate of Organized Sport Participation among Youth. <i>PLoS ONE</i> , 2016 , 11, e0147403	4.7	28
230	Development and Validation of the Bicultural Youth Acculturation Questionnaire. <i>PLoS ONE</i> , 2016 , 11, e0161048	3.7	1
229	Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, S197-239	3	860
228	Prevalence of toddler, child and adolescent overweight and obesity derived from primary care electronic medical records: an observational study. <i>CMAJ Open</i> , 2016 , 4, E538-E544	2.5	11
227	Individual, family, and neighborhood correlates of independent mobility among 7 to 11-year-olds. <i>Preventive Medicine Reports</i> , 2016 , 3, 98-102	2.6	22
226	Identifying and mitigating risks for agricultural injury associated with obesity. <i>Preventive Medicine Reports</i> , 2016 , 4, 220-4	2.6	3
225	Physical activity and sedentary behaviour of Canadian children aged 3 to 5. <i>Health Reports</i> , 2016 , 27, 14-23	4.7	23

224	Active transportation and bullying in Canadian schoolchildren: a cross-sectional study. <i>BMC Public Health</i> , 2015 , 15, 99	4.1	11
223	The influence of work patterns on indicators of cardiometabolic risk in female hospital employees. <i>Journal of Nursing Administration</i> , 2015 , 45, 284-91	1.6	3
222	Physical activity during recess among 13-14 year old Mexican girls. <i>BMC Pediatrics</i> , 2015 , 15, 17	2.6	5
221	Undeveloped green space and free-time physical activity in 11 to 13-year-old children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 26	8.4	38
220	Walkable school neighborhoods are not playable neighborhoods. <i>Health and Place</i> , 2015 , 35, 66-9	4.6	12
219	Neighbourhood crime and adolescent cannabis use in Canadian adolescents. <i>Drug and Alcohol Dependence</i> , 2015 , 146, 68-74	4.9	11
218	Farmers, mechanized work, and links to obesity. <i>Preventive Medicine</i> , 2015 , 70, 59-63	4.3	22
217	The Relationship Between Parental Physical Activity and Screen Time Behaviors and the Behaviors of their Young Children. <i>Pediatric Exercise Science</i> , 2015 , 27, 390-5	2	11
216	Adult obesity prevalence in primary care users: An exploration using Canadian Primary Care Sentinel Surveillance Network (CPCSSN) data. <i>Canadian Journal of Public Health</i> , 2015 , 106, e283-9	3.2	16
215	Correlates of physical activity in First Nations youth residing in First Nations and northern communities in Canada. <i>Canadian Journal of Public Health</i> , 2015 , 106, e29-35	3.2	4
214	Position Statement on Active Outdoor Play. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 6475-505	4.6	169
213	What is the Relationship between Risky Outdoor Play and Health in Children? A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 6423-54	4.6	187
212	What Is the Relationship between Outdoor Time and Physical Activity, Sedentary Behaviour, and Physical Fitness in Children? A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 6455-74	4.6	174
211	A description of the volume and intensity of sporadic physical activity among adults. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2015 , 7, 2	2.4	7
210	Hyper-parenting is negatively associated with physical activity among 7-12year olds. <i>Preventive Medicine</i> , 2015 , 73, 55-9	4.3	30
209	Family structure as a predictor of screen time among youth. <i>PeerJ</i> , 2015 , 3, e1048	3.1	12
208	Intensity of bouts and sporadic physical activity and the metabolic syndrome in adults. <i>PeerJ</i> , 2015 , 3, e1437	3.1	10
207	Parental encouragement is positively associated with outdoor active play outside of school hours among 7-12 year olds. <i>PeerJ</i> , 2015 , 3, e1463	3.1	9

206 Loss of Muscle Mass and Muscle Strength in Obese and Nonobese Older Adults **2015**, 99-111

205 A cross-sectional study of the environment, physical activity, and screen time among young children and their parents. *BMC Public Health*, **2014**, 14, 61 4.1 34

204 Crime and perceptions of safety in the home neighborhood are independently associated with physical activity among 11-15 year olds. *Preventive Medicine*, **2014**, 66, 113-7 4.3 41

203 Interrelationships among sedentary time, sleep duration, and the metabolic syndrome in adults. *BMC Public Health*, **2014**, 14, 666 4.1 19

202 Asthma incidence and risk factors in a national longitudinal sample of adolescent Canadians: a prospective cohort study. *BMC Pulmonary Medicine*, **2014**, 14, 51 3.5 21

201 Social disorder, physical activity and adiposity in Mexican adults: evidence from a longitudinal study. *Health and Place*, **2014**, 30, 13-9 4.6 3

200 Results from Canada's 2014 Report Card on Physical Activity for Children and Youth. *Journal of Physical Activity and Health*, **2014**, 11 Suppl 1, S26-32 2.5 36

199 Are we driving our kids to unhealthy habits? Results of the active healthy kids Canada 2013 report card on physical activity for children and youth. *International Journal of Environmental Research and Public Health*, **2014**, 11, 6009-20 4.6 51

198 Active play: an important physical activity strategy in the fight against childhood obesity. *Canadian Journal of Public Health*, **2014**, 105, e22-7 3.2 34

197 Correlates of physical activity among First Nations children residing in First Nations communities in Canada. *Canadian Journal of Public Health*, **2014**, 105, e412-7 3.2 2

196 The proportion of excessive fast-food consumption attributable to the neighbourhood food environment among youth living within 1 km of their school. *Applied Physiology, Nutrition and Metabolism*, **2014**, 39, 480-6 3 30

195 Influence of country of birth and ethnicity on body mass index among Canadian youth: a national survey. *CMAJ Open*, **2014**, 2, E145-52 2.5 3

194 Validity of self-reported blood pressure control in people with hypertension attending a primary care center. *Blood Pressure Monitoring*, **2014**, 19, 19-25 1.3 3

193 Sporadic and bouts physical activity and the metabolic syndrome in adults. *Medicine and Science in Sports and Exercise*, **2014**, 46, 76-83 1.2 44

192 A case-control study of lifetime light intensity physical activity and breast cancer risk. *Cancer Causes and Control*, **2014**, 25, 133-40 2.8 9

191 Time since immigration and ethnicity as predictors of physical activity among Canadian youth: a cross-sectional study. *PLoS ONE*, **2014**, 9, e89509 3.7 26

190 Physical activity and sedentary behavior during the early years in Canada: a cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity*, **2013**, 10, 54 8.4 125

189 The number and type of food retailers surrounding schools and their association with lunchtime eating behaviours in students. *International Journal of Behavioral Nutrition and Physical Activity*, **2013**, 10, 19 8.4 30

188	Exposure to public natural space as a protective factor for emotional well-being among young people in Canada. <i>BMC Public Health</i> , 2013 , 13, 407	4.1	81
187	The association between accelerometer-measured patterns of sedentary time and health risk in children and youth: results from the Canadian Health Measures Survey. <i>BMC Public Health</i> , 2013 , 13, 200	4.1	100
186	The proportion of youths' physical inactivity attributable to neighbourhood built environment features. <i>International Journal of Health Geographics</i> , 2013 , 12, 31	3.5	36
185	Moderate-to-vigorous intensity physical activity across the life course and risk of pre- and post-menopausal breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 851-61	4.4	26
184	The public health burden of obesity in Canada. <i>Canadian Journal of Diabetes</i> , 2013 , 37, 90-6	2.1	79
183	Research priorities for child and adolescent physical activity and sedentary behaviours: an international perspective using a twin-panel Delphi procedure. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 112	8.4	32
182	Relations between the school physical environment and school social capital with student physical activity levels. <i>BMC Public Health</i> , 2013 , 13, 1191	4.1	23
181	Health behaviors for hypertension management in people with and without coexisting diabetes. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 389-96	2.3	2
180	Is the frequency of weekly moderate-to-vigorous physical activity associated with the metabolic syndrome in Canadian adults?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 773-8	3	17
179	Risk of type 2 diabetes and cumulative excess weight exposure in the Framingham Offspring Study. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 214-8	3.2	13
178	Years of life gained due to leisure-time physical activity in the U.S. <i>American Journal of Preventive Medicine</i> , 2013 , 44, 23-9	6.1	32
177	Active transportation to school in Canadian youth: should injury be a concern?. <i>Injury Prevention</i> , 2013 , 19, 64-7	3.2	29
176	Physical inactivity prevalence and trends among Mexican adults: results from the National Health and Nutrition Survey (ENSANUT) 2006 and 2012. <i>BMC Public Health</i> , 2013 , 13, 1063	4.1	42
175	The fractionalization of physical activity throughout the week is associated with the cardiometabolic health of children and youth. <i>BMC Public Health</i> , 2013 , 13, 554	4.1	13
174	Food and eating environments: in Canadian schools. <i>Canadian Journal of Dietetic Practice and Research</i> , 2013 , 74, 160-6	1.3	18
173	The Canadian Sedentary Behaviour Guidelines for the Early Years (zero to four years of age) and screen time among children from Kingston, Ontario. <i>Paediatrics and Child Health</i> , 2013 , 18, 25-8	0.7	38
172	Active transportation safety features around schools in Canada. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5711-25	4.6	3
171	Screen time in Mexican children: findings from the 2012 National Health and Nutrition Survey (ENSANUT 2012). <i>Salud Publica De Mexico</i> , 2013 , 55, 484-91	1.7	10

170	Impact of a school-based intervention program on obesity risk factors in Mexican children. <i>Salud Publica De Mexico</i> , 2013 , 55 Suppl 3, 374-87	1.7	23
169	Validity and reliability of the International Physical Activity Questionnaire among adults in Mexico. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2013 , 34, 21-8	4.1	29
168	The mediating effects of dietary habits on the relationship between television viewing and body mass index among youth. <i>Pediatric Obesity</i> , 2012 , 7, 391-8	4.6	23
167	Systematic review of sedentary behaviour and health indicators in the early years (aged 0-4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 753-72	3	195
166	Canadian Physical Activity Guidelines for the Early Years (aged 0-4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 345-69	3	173
165	Directives canadiennes en matière de comportement sédentaire pour la petite enfance (enfants âgés de 0-4 ans). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 381-391	3	
164	Directives canadiennes en matière d'activité physique pour la petite enfance (enfants âgés de 0-4 ans). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 357-369	3	2
163	Canadian Sedentary Behaviour Guidelines for the Early Years (aged 0-4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 370-91	3	115
162	Prevalence, awareness, treatment, and control of hypertension among Canadian adults with diabetes, 2007 to 2009. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 367-74	3.8	22
161	Associations between factors within the home setting and screen time among children aged 0-5 years: a cross-sectional study. <i>BMC Public Health</i> , 2012 , 12, 539	4.1	70
160	Multi-level examination of correlates of active transportation to school among youth living within 1 mile of their school. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 124	8.4	29
159	Neighborhood disorder and screen time among 10-16 year old Canadian youth: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 66	8.4	30
158	Systematic review of physical activity and health in the early years (aged 0-4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 773-92	3	353
157	Health care costs of physical inactivity in Canadian adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 803-6	3	79
156	The food retail environment in school neighborhoods and its relation to lunchtime eating behaviors in youth from three countries. <i>Health and Place</i> , 2012 , 18, 1240-7	4.6	27
155	Measuring sidewalk distances using Google Earth. <i>BMC Medical Research Methodology</i> , 2012 , 12, 39	4.7	17
154	Field validation of food service listings: a comparison of commercial and online geographic information system databases. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 2601-7	4.6	12
153	Identification of the appropriate boundary size to use when measuring the food retail environment surrounding schools. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 2715-274.6	4.6	12

152	Screen time and physical violence in 10 to 16-year-old Canadian youth. <i>International Journal of Public Health</i> , 2012 , 57, 325-31	4	27
151	Bullying as a mediator of relationships between adiposity status and weapon carrying. <i>International Journal of Public Health</i> , 2012 , 57, 505-12	4	10
150	Clustering of unhealthy behaviors in the aerobics center longitudinal study. <i>Prevention Science</i> , 2012 , 13, 183-95	4	41
149	Changes in the obesity phenotype within Canadian children and adults, 1981 to 2007-2009. <i>Obesity</i> , 2012 , 20, 916-9	8	25
148	Updating the Canadian obesity maps: an epidemic in progress. <i>Canadian Journal of Public Health</i> , 2012 , 104, e64-8	3.2	50
147	Daily step target to measure adherence to physical activity guidelines in children. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 977-82	1.2	114
146	Time spent sedentary and active and cardiometabolic risk factors in children. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 2024; author reply 2024-5	27.4	5
145	Neighbourhood street connectivity and injury in youth: a national study of built environments in Canada. <i>Injury Prevention</i> , 2012 , 18, 81-7	3.2	20
144	Vigorous intensity physical activity is related to the metabolic syndrome independent of the physical activity dose. <i>International Journal of Epidemiology</i> , 2012 , 41, 1132-40	7.8	67
143	Diagnosis and treatment of obesity among Mexican adults. <i>Obesity Facts</i> , 2012 , 5, 937-46	5.1	4
142	Longitudinal changes in body composition associated with healthy ageing: men, aged 20-96 years. <i>British Journal of Nutrition</i> , 2012 , 107, 1085-91	3.6	84
141	Physical Activity Epidemiology 2012 ,		1
140	Associations between physical activity, cardiorespiratory fitness, and obesity in Mexican children. <i>Salud Publica De Mexico</i> , 2012 , 54, 463-9	1.7	13
139	Physical activity, sedentary behaviour and sleep in Canadian children: parent-report versus direct measures and relative associations with health risk. <i>Health Reports</i> , 2012 , 23, 45-52	4.7	68
138	Urban-rural differences in asthma prevalence among young people in Canada: the roles of health behaviors and obesity. <i>Annals of Allergy, Asthma and Immunology</i> , 2011 , 107, 220-8	3.2	35
137	The epidemiology of sarcopenia. <i>Clinics in Geriatric Medicine</i> , 2011 , 27, 355-63	3.8	119
136	Screen time and risk behaviors in 10- to 16-year-old Canadian youth. <i>Preventive Medicine</i> , 2011 , 52, 99-103	4.3	37
135	Active transportation environments surrounding Canadian schools. <i>Canadian Journal of Public Health</i> , 2011 , 102, 364-8	3.2	10

134	Street connectivity is negatively associated with physical activity in Canadian youth. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 3333-50	4.6	46
133	Obesity and its relationship with occupational injury in the Canadian workforce. <i>Journal of Obesity</i> , 2011 , 2011, 531403	3.7	29
132	Midlife physical activity affects successful aging in women. <i>Clinical Journal of Sport Medicine</i> , 2011 , 21, 71-2	3.2	1
131	Physical activity, sedentary behavior, and melatonin among rotating shift nurses. <i>Journal of Occupational and Environmental Medicine</i> , 2011 , 53, 716-21	2	11
130	Influence of movement intensity and physical activity on adiposity in youth. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 164-73	2.5	18
129	Prevalence and secular changes in abdominal obesity in Canadian adolescents and adults, 1981 to 2007-2009. <i>Obesity Reviews</i> , 2011 , 12, 397-405	10.6	54
128	Volume, patterns, and types of sedentary behavior and cardio-metabolic health in children and adolescents: a cross-sectional study. <i>BMC Public Health</i> , 2011 , 11, 274	4.1	144
127	Urban and rural differences in sedentary behavior among American and Canadian youth. <i>Health and Place</i> , 2011 , 17, 920-8	4.6	14
126	Economic instruments for obesity prevention: results of a scoping review and modified Delphi survey. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 109	8.4	46
125	Directives canadiennes en matière de comportement sédentaire et l'attention des enfants et des jeunes. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011 , 36, 65-71	3	23
124	New Canadian physical activity guidelines. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011 , 36, 36-46; 47-58	3	702
123	Nouvelles Directives canadiennes en matière d'activité physique. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011 , 36, 47-58	3	35
122	Canadian sedentary behaviour guidelines for children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011 , 36, 59-64; 65-71	3	336
121	Association between muscle mass, leg strength, and fat mass with physical function in older adults: influence of age and sex. <i>Journal of Aging and Health</i> , 2011 , 23, 313-28	2.6	69
120	Obesity as a determinant of two forms of bullying in Ontario youth: a short report. <i>Obesity Facts</i> , 2011 , 4, 469-72	5.1	29
119	Do overweight and obese youth take longer to recover from injury?. <i>International Journal of Injury Control and Safety Promotion</i> , 2011 , 18, 143-9	1.8	3
118	Does the fractionalization of daily physical activity (sporadic vs. bouts) impact cardiometabolic risk factors in children and youth?. <i>PLoS ONE</i> , 2011 , 6, e25733	3.7	44
117	Physical activity of Canadian adults: accelerometer results from the 2007 to 2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2011 , 22, 7-14	4.7	338

116	Physical activity of Canadian children and youth: accelerometer results from the 2007 to 2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2011 , 22, 15-23	4.7	270
115	Obesity estimates for children based on parent-reported versus direct measures. <i>Health Reports</i> , 2011 , 22, 47-58	4.7	42
114	BMI, waist circumference and fat composition are not correlated with mortality risk in an older Korean population, but higher lean mass and lean mass index are predictors of reduced mortality risk. <i>Evidence-Based Medicine</i> , 2010 , 15, 125-6		1
113	Dietary patterns and the risk of mortality: impact of cardiorespiratory fitness. <i>International Journal of Epidemiology</i> , 2010 , 39, 197-209	7.8	44
112	Coffee, tea and their additives: association with BMI and waist circumference. <i>Obesity Facts</i> , 2010 , 3, 345-52	5.1	42
111	Identification of the High-Risk Obese Patient Using Waist Circumference: Current Practices and New Frontiers. <i>Obesity and Weight Management</i> , 2010 , 6, 17-20		2
110	Are overweight and obese youth at increased risk for physical activity injuries?. <i>Obesity Facts</i> , 2010 , 3, 225-30	5.1	9
109	Association between obesity and unintentional injury in older adults. <i>Obesity Facts</i> , 2010 , 3, 363-9	5.1	15
108	Evolution of sarcopenia research. <i>Applied Physiology, Nutrition and Metabolism</i> , 2010 , 35, 707-12	3	112
107	Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 40	8.4	2311
106	Dose-response relationship between physical activity and dyslipidemia in youth. <i>Canadian Journal of Cardiology</i> , 2010 , 26, 201-5	3.8	37
105	Dynapenic-obesity and physical function in older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 71-7	6.4	106
104	Associations between neighborhood safety, availability of recreational facilities, and adolescent physical activity among Canadian youth. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 442-50	2.5	34
103	Difference between self-reported and accelerometer measured moderate-to-vigorous physical activity in youth. <i>Pediatric Exercise Science</i> , 2010 , 22, 523-34	2	53
102	Influence of physical activity on age-related weight loss in the elderly. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 78-86	2.5	7
101	Fitness of Canadian children and youth: results from the 2007-2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2010 , 21, 7-20	4.7	98
100	Fitness of Canadian adults: results from the 2007-2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2010 , 21, 21-35	4.7	72
99	Effect of menopause on the chemical control of breathing and its relationship with acid-base status. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009 , 296, R722-7	3.2	29

98	Association between the food retail environment surrounding schools and overweight in Canadian youth. <i>Public Health Nutrition</i> , 2009 , 12, 1384-91	3.3	61
97	Difficulties with physical function associated with obesity, sarcopenia, and sarcopenic-obesity in community-dwelling elderly women: the EPIDOS (EPIDemiologie de l'OSteoporose) Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1895-900	7	322
96	Abdominal obesity and physical inactivity are associated with erectile dysfunction independent of body mass index. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1990-8	1.1	45
95	Ability of physical activity to predict cardiovascular disease beyond commonly evaluated cardiometabolic risk factors. <i>American Journal of Cardiology</i> , 2009 , 104, 1522-6	3	30
94	Density and type of food retailers surrounding Canadian schools: variations across socioeconomic status. <i>Health and Place</i> , 2009 , 15, 903-7	4.6	28
93	Interrelationships of adolescent physical activity, screen-based sedentary behaviour, and social and psychological health. <i>International Journal of Public Health</i> , 2009 , 54 Suppl 2, 191-8	4	151
92	Associations between school recreational environments and physical activity. <i>Journal of School Health</i> , 2009 , 79, 247-54	2.1	39
91	Influence of overweight and obesity on physician costs in adolescents and adults in Ontario, Canada. <i>Obesity Reviews</i> , 2009 , 10, 51-7	10.6	30
90	Influence of age on the relation between waist circumference and cardiometabolic risk markers. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 163-9	4.5	18
89	Patterns of adolescent physical activity, screen-based media use, and positive and negative health indicators in the U.S. and Canada. <i>Journal of Adolescent Health</i> , 2009 , 44, 493-9	5.8	162
88	Influence of bouts of physical activity on overweight in youth. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 416-21	6.1	73
87	Sarcopenia 2009 , 183-205		1
86	Effect of current and midlife obesity status on mortality risk in the elderly. <i>Obesity</i> , 2008 , 16, 2504-9	8	26
85	Does the relationship between waist circumference, morbidity and mortality depend on measurement protocol for waist circumference?. <i>Obesity Reviews</i> , 2008 , 9, 312-25	10.6	234
84	Behavioral risk factors in relation to visceral adipose tissue deposition in adolescent females. <i>Pediatric Obesity</i> , 2008 , 3 Suppl 1, 28-36		8
83	Rural Canadian adolescents are more likely to be obese compared with urban adolescents. <i>Pediatric Obesity</i> , 2008 , 3, 205-11		73
82	Influences of body mass index and waist circumference on physical function in older persons with heart failure. <i>Canadian Journal of Cardiology</i> , 2008 , 24, 905-11	3.8	4
81	Relationship between screen time and metabolic syndrome in adolescents. <i>Journal of Public Health</i> , 2008 , 30, 153-60	3.5	150

80	Dose-response relation between physical activity and blood pressure in youth. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 1007-12	1.2	63
79	Cardiorespiratory fitness as a predictor of cancer mortality among men with pre-diabetes and diabetes. <i>Diabetes Care</i> , 2008 , 31, 764-9	14.6	28
78	Self-measured waist circumference in older patients with heart failure: a study of validity and reliability using a MyoTape. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008 , 28, 43-7	3.6	9
77	Age-specific lipid and lipoprotein thresholds for adolescents. <i>Journal of Cardiovascular Nursing</i> , 2008 , 23, 56-60	2.1	3
76	Development of age-specific adolescent metabolic syndrome criteria that are linked to the Adult Treatment Panel III and International Diabetes Federation criteria. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 891-8	15.1	201
75	Morbidity and mortality risk associated with an overweight BMI in older men and women. <i>Obesity</i> , 2007 , 15, 1827-40	8	130
74	Elevated body mass index and mortality risk in the elderly. <i>Obesity Reviews</i> , 2007 , 8, 41-59	10.6	232
73	Physical activity and reducing the risk of cardiovascular morbidity and mortality in older men and women: Lessons learned in 2006. <i>Current Cardiovascular Risk Reports</i> , 2007 , 1, 265-269	0.9	
72	Does waist circumference predict diabetes and cardiovascular disease beyond commonly evaluated cardiometabolic risk factors?. <i>Diabetes Care</i> , 2007 , 30, 3105-9	14.6	120
71	Cardiorespiratory fitness is strongly related to the metabolic syndrome in adolescents. <i>Diabetes Care</i> , 2007 , 30, 2143-4	14.6	38
70	Lignes directrices sur lâactivit' physique ^ lâattention des enfants et des jeunes Cet article est tir' dâun supplment intitul' Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines (Favoriser les lignes directrices et la mesure de lâactivit' physique au Canada: examen	3	9
69	Influence of multiple risk behaviors on physical activity-related injuries in adolescents. <i>Pediatrics</i> , 2007 , 119, e672-80	7.4	24
68	Ventilatory control and acid-base regulation across the menstrual cycle in oral contraceptive users. <i>Respiratory Physiology and Neurobiology</i> , 2007 , 158, 51-8	2.8	13
67	Physical activity guidelines for children and youth This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by	3	78
66	Physical activity guidelines and guides for Canadians: facts and future This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian Journal of Public	3	15
65	Cardiorespiratory fitness and metabolic syndrome: US National Health and Nutrition Examination Survey, 1999-2002. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32, 143-7	3	10
64	Metabolic syndrome and its association with morbidity and mortality. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32, 33-45	3	26
63	Physical activity guidelines for children and youth. <i>Canadian Journal of Public Health</i> , 2007 , 98 Suppl 2, S109-21	3.2	24

62	The importance of waist circumference in the definition of metabolic syndrome: prospective analyses of mortality in men. <i>Diabetes Care</i> , 2006 , 29, 404-9	14.6	197
61	Distribution of lipoproteins by age and gender in adolescents. <i>Circulation</i> , 2006 , 114, 1056-62	16.7	149
60	Associations between risk behavior and injury and the protective roles of social environments: an analysis of 7235 Canadian school children. <i>Injury Prevention</i> , 2006 , 12, 87-92	3.2	35
59	Separate and combined influence of body mass index and waist circumference on arthritis and knee osteoarthritis. <i>International Journal of Obesity</i> , 2006 , 30, 1223-8	5.5	41
58	Risk taking and recurrent health symptoms in Canadian adolescents. <i>Preventive Medicine</i> , 2006 , 43, 46-51	4.3	18
57	Television viewing, computer use and total screen time in Canadian youth. <i>Paediatrics and Child Health</i> , 2006 , 11, 595-9	0.7	46
56	Influence of individual- and area-level measures of socioeconomic status on obesity, unhealthy eating, and physical inactivity in Canadian adolescents. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 139-45	7	282
55	Influence of physical activity on mortality in elderly with coronary artery disease. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 418-7	1.2	56
54	Influence of sarcopenia on the development of physical disability: the Cardiovascular Health Study. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 56-62	5.6	329
53	Vascular risks and management of obesity in children and adolescents. <i>Vascular Health and Risk Management</i> , 2006 , 2, 171-87	4.4	32
52	Body Composition 2006 , 3-25		
51	Combined influence of body mass index and waist circumference on coronary artery disease risk factors among children and adolescents. <i>Pediatrics</i> , 2005 , 115, 1623-30	7.4	205
50	The Cooper Clinic Mortality Risk Index: clinical score sheet for men. <i>American Journal of Preventive Medicine</i> , 2005 , 29, 194-203	6.1	32
49	Body mass index is inversely related to mortality in older people after adjustment for waist circumference. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 2112-8	5.6	181
48	Comparison of overweight and obesity prevalence in school-aged youth from 34 countries and their relationships with physical activity and dietary patterns. <i>Obesity Reviews</i> , 2005 , 6, 123-32	10.6	776
47	Utility of childhood BMI in the prediction of adulthood disease: comparison of national and international references. <i>Obesity</i> , 2005 , 13, 1106-15		165
46	Metabolic syndrome, obesity, and mortality: impact of cardiorespiratory fitness. <i>Diabetes Care</i> , 2005 , 28, 391-7	14.6	268
45	Revised Adult Treatment Panel III guidelines and cardiovascular disease mortality in men attending a preventive medical clinic. <i>Circulation</i> , 2005 , 112, 1478-85	16.7	19

44	Multilevel analysis of associations between socioeconomic status and injury among Canadian adolescents. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 1072-7	5.1	78
43	Heart disease risk among metabolically healthy obese men and metabolically unhealthy lean men. <i>Cmaj</i> , 2005 , 172, 1315-6	3.5	12
42	Cross national study of injury and social determinants in adolescents. <i>Injury Prevention</i> , 2005 , 11, 213-8	3.2	102
41	Ethnic comparisons of sarcopenia and obesity in diabetes. <i>Ethnicity and Disease</i> , 2005 , 15, 664-70	1.8	19
40	Reply to J Biggaard et al. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 791-792	7	3
39	Relation between whole-body and regional measures of human skeletal muscle. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 1215-21	7	89
38	Associations between overweight and obesity with bullying behaviors in school-aged children. <i>Pediatrics</i> , 2004 , 113, 1187-94	7.4	607
37	Metabolic syndrome in normal-weight Americans: new definition of the metabolically obese, normal-weight individual. <i>Diabetes Care</i> , 2004 , 27, 2222-8	14.6	221
36	The healthcare costs of sarcopenia in the United States. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 80-5	5.6	980
35	Development of health-related waist circumference thresholds within BMI categories. <i>Obesity</i> , 2004 , 12, 1094-103		88
34	Sarcopenic obesity predicts instrumental activities of daily living disability in the elderly. <i>Obesity</i> , 2004 , 12, 1995-2004		612
33	Fitness alters the associations of BMI and waist circumference with total and abdominal fat. <i>Obesity</i> , 2004 , 12, 525-37		85
32	Exercise-induced reduction in obesity and insulin resistance in women: a randomized controlled trial. <i>Obesity</i> , 2004 , 12, 789-98		420
31	The economic costs associated with physical inactivity and obesity in Canada: an update. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2004 , 29, 90-115		357
30	Duration of overweight and metabolic health risk in American men and women. <i>Annals of Epidemiology</i> , 2004 , 14, 585-91	6.4	56
29	Skeletal muscle cutpoints associated with elevated physical disability risk in older men and women. <i>American Journal of Epidemiology</i> , 2004 , 159, 413-21	3.8	781
28	Waist circumference and not body mass index explains obesity-related health risk. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 379-84	7	1209
27	Race and sex similarities in exercise-induced changes in blood lipids and fatness. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 1610-5	1.2	14

26	The Independent Influence of Physical Inactivity and Obesity on Health Complaints in 6th to 10th Grade Canadian Youth. <i>Journal of Physical Activity and Health</i> , 2004 , 1, 331-343	2.5	16
25	Interindividual variation in abdominal subcutaneous and visceral adipose tissue: influence of measurement site. <i>Journal of Applied Physiology</i> , 2004 , 97, 948-54	3.7	75
24	Cardiorespiratory Fitness Attenuates Metabolic-Associated Mortality Risk in Normal Weight, Overweight, and Obese Men. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, S135	1.2	
23	Predicting Cardiovascular Disease Mortality in Men using Cardiorespiratory Fitness and other Risk Factor Categories. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, S135	1.2	
22	Adult Treatment Panel III Guidelines and Cardiovascular Disease Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, S135	1.2	
21	Overweight and obesity in Canadian adolescents and their associations with dietary habits and physical activity patterns. <i>Journal of Adolescent Health</i> , 2004 , 35, 360-7	5.8	99
20	Physical inactivity, excess adiposity and premature mortality. <i>Obesity Reviews</i> , 2003 , 4, 257-90	10.6	210
19	Discrimination of health risk by combined body mass index and waist circumference. <i>Obesity</i> , 2003 , 11, 135-42		117
18	Abdominal adipose tissue distribution and metabolic risk. <i>Sports Medicine</i> , 2003 , 33, 709-26	10.6	27
17	Low relative skeletal muscle mass (sarcopenia) in older persons is associated with functional impairment and physical disability. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 889-96	5.6	2057
16	Effects of an energy-restrictive diet with or without exercise on abdominal fat, intermuscular fat, and metabolic risk factors in obese women. <i>Diabetes Care</i> , 2002 , 25, 431-8	14.6	237
15	Abdominal obesity, muscle composition, and insulin resistance in premenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5044-51	5.6	159
14	Body mass index, waist circumference, and health risk: evidence in support of current National Institutes of Health guidelines. <i>Archives of Internal Medicine</i> , 2002 , 162, 2074-9		616
13	Abdominal adiposity and insulin resistance in obese men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 282, E657-63	6	193
12	Body mass index and waist circumference independently contribute to the prediction of nonabdominal, abdominal subcutaneous, and visceral fat. <i>American Journal of Clinical Nutrition</i> , 2002 , 75, 683-8	7	452
11	Application of simple anthropometry in the assessment of health risk: implications for the Canadian Physical Activity, Fitness and Lifestyle Appraisal. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002 , 27, 396-414		18
10	Reply to WS Watson. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 994-994	7	
9	Physical activity, total and regional obesity: dose-response considerations. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, S521-7; discussion S528-9	1.2	189

8	Total-body skeletal muscle mass: development and cross-validation of anthropometric prediction models. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 796-803	7	422
7	Plasma leptin in moderately obese men: independent effects of weight loss and aerobic exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 279, E307-13	6	72
6	Estimation of skeletal muscle mass by bioelectrical impedance analysis. <i>Journal of Applied Physiology</i> , 2000 , 89, 465-71	3.7	846
5	Skeletal muscle mass and distribution in 468 men and women aged 18-88 yr. <i>Journal of Applied Physiology</i> , 2000 , 89, 81-8	3.7	1628
4	Obesity reduction through lifestyle modification. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2000 , 25, 1-18		14
3	Effects of aerobic or resistance exercise and/or diet on glucose tolerance and plasma insulin levels in obese men. <i>Diabetes Care</i> , 1999 , 22, 684-91	14.6	157
2	Effects of sex on the change in visceral, subcutaneous adipose tissue and skeletal muscle in response to weight loss. <i>International Journal of Obesity</i> , 1999 , 23, 1035-46	5.5	102
1	Is abdominal fat preferentially reduced in response to exercise-induced weight loss?. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, S568-72	1.2	43