Toshi A Furukawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8214749/publications.pdf

Version: 2024-02-01

695 papers 31,954 citations

7551 77 h-index 150 g-index

746 all docs

746 docs citations

times ranked

746

29637 citing authors

#	Article	IF	CITATIONS
1	Comparative efficacy and acceptability of 21 antidepressant drugs for the acute treatment of adults with major depressive disorder: a systematic review and network meta-analysis. Lancet, The, 2018, 391, 1357-1366.	6.3	2,076
2	Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. Lancet, The, 2009, 373, 746-758.	6.3	1,459
3	The performance of the K6 and K10 screening scales for psychological distress in the Australian National Survey of Mental Health and Well-Being. Psychological Medicine, 2003, 33, 357-362.	2.7	1,251
4	Imputing missing standard deviations in meta-analyses can provide accurate results. Journal of Clinical Epidemiology, 2006, 59, 7-10.	2.4	1,219
5	The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan. International Journal of Methods in Psychiatric Research, 2008, 17, 152-158.	1.1	1,058
6	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. International Journal of Methods in Psychiatric Research, 2010, 19, 4-22.	1.1	953
7	Relapse prevention with antidepressant drug treatment in depressive disorders: a systematic review. Lancet, The, 2003, 361, 653-661.	6.3	808
8	GRADE guidelines: 13. Preparing Summary of Findings tables and evidence profilesâ€"continuous outcomes. Journal of Clinical Epidemiology, 2013, 66, 173-183.	2.4	495
9	Advances in the GRADE approach to rate the certainty in estimates fromÂa network meta-analysis. Journal of Clinical Epidemiology, 2018, 93, 36-44.	2.4	433
10	Internet-Based Cognitive Behavioral Therapy for Depression. JAMA Psychiatry, 2021, 78, 361.	6.0	398
11	Cross-cultural validation of the Beck Depression Inventory-II in Japan. Psychiatry Research, 2002, 110, 291-299.	1.7	384
12	Waiting list may be a nocebo condition in psychotherapy trials: a contribution from network metaâ€analysis. Acta Psychiatrica Scandinavica, 2014, 130, 181-192.	2.2	330
13	Effectiveness and Acceptability of Cognitive Behavior Therapy Delivery Formats in Adults With Depression. JAMA Psychiatry, 2019, 76, 700.	6.0	309
14	Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: preliminary finding from the World Mental Health Japan Survey 2002-2003. Psychiatry and Clinical Neurosciences, 2005, 59, 441-452.	1.0	296
15	Time for united action on depression: a Lancet–World Psychiatric Association Commission. Lancet, The, 2022, 399, 957-1022.	6.3	292
16	Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. Lancet Psychiatry, the, 2014, 1, 351-359.	3.7	280
17	Dose equivalents of antidepressants: Evidence-based recommendations from randomized controlled trials. Journal of Affective Disorders, 2015, 180, 179-184.	2.0	267
18	Can we individualize the †number needed to treat†? An empirical study of summary effect measures in meta-analyses. International Journal of Epidemiology, 2002, 31, 72-76.	0.9	265

#	Article	IF	CITATIONS
19	Imputing response rates from means and standard deviations in meta-analyses. International Clinical Psychopharmacology, 2005, 20, 49-52.	0.9	261
20	Which is more generalizable, powerful and interpretable in meta-analyses, mean difference or standardized mean difference?. BMC Medical Research Methodology, 2014, 14, 30.	1.4	240
21	A network metaâ€analysis of the effects of psychotherapies, pharmacotherapies and their combination in the treatment of adult depression. World Psychiatry, 2020, 19, 92-107.	4.8	232
22	Dose Equivalents for Second-Generation Antipsychotic Drugs: The Classical Mean Dose Method. Schizophrenia Bulletin, 2015, 41, 1397-1402.	2.3	198
23	Pooling healthâ€related quality of life outcomes in metaâ€analysis—a tutorial and review of methods for enhancing interpretability. Research Synthesis Methods, 2011, 2, 188-203.	4.2	191
24	Comparative Efficacy and Acceptability of 21 Antidepressant Drugs for the Acute Treatment of Adults With Major Depressive Disorder: A Systematic Review and Network Meta-Analysis. Focus (American) Tj ETQq0 (O 0 n g BAT /O	ver læd k 10 Tf
25	Optimal dose of selective serotonin reuptake inhibitors, venlafaxine, and mirtazapine in major depression: a systematic review and dose-response meta-analysis. Lancet Psychiatry,the, 2019, 6, 601-609.	3.7	184
26	Systematic Review and Meta-analysis of Cannabis Treatment for Chronic Pain. Pain Medicine, 2009, 10, 1353-1368.	0.9	182
27	Comparative efficacy and acceptability of antidepressants, psychotherapies, and their combination for acute treatment of children and adolescents with depressive disorder: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2020, 7, 581-601.	3.7	176
28	Depression, inflammation, and pain in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2009, 61, 1018-1024.	6.7	175
29	Psychotherapy plus antidepressant for panic disorder with or without agoraphobia. British Journal of Psychiatry, 2006, 188, 305-312.	1.7	162
30	Placebo response rates in antidepressant trials: a systematic review of published and unpublished double-blind randomised controlled studies. Lancet Psychiatry, the, 2016, 3, 1059-1066.	3.7	161
31	Multicentre prospective study of perinatal depression in Japan: incidence and correlates of antenatal and postnatal depression. Archives of Women's Mental Health, 2006, 9, 121-130.	1.2	150
32	Assessment of mood: Guides for clinicians. Journal of Psychosomatic Research, 2010, 68, 581-589.	1.2	140
33	Sertraline versus other antidepressive agents for depression. The Cochrane Library, 2010, , CD006117.	1.5	139
34	Comparative efficacy and acceptability of first-generation and second-generation antidepressants in the acute treatment of major depression: protocol for a network meta-analysis. BMJ Open, 2016, 6, e010919.	0.8	139
35	Dismantling cognitive-behaviour therapy for panic disorder: a systematic review and component network meta-analysis. Psychological Medicine, 2018, 48, 1945-1953.	2.7	139
36	Hand-Sewn Versus Mechanical Esophagogastric Anastomosis After Esophagectomy. Annals of Surgery, 2013, 257, 238-248.	2.1	138

#	Article	IF	CITATIONS
37	Gradations of clinical severity and sensitivity to change assessed with the Beck Depression Inventory-II in Japanese patients with depression. Psychiatry Research, 2005, 135, 229-235.	1.7	135
38	Psychotherapies for depression: a network metaâ€analysis covering efficacy, acceptability and longâ€ŧerm outcomes of all main treatmentÂtypes. World Psychiatry, 2021, 20, 283-293.	4.8	135
39	Meta-analysis of effects and side effects of low dosage tricyclic antidepressants in depression: systematic review. BMJ: British Medical Journal, 2002, 325, 991-991.	2.4	134
40	Network meta-analyses should be the highest level of evidence in treatment guidelines. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 477-480.	1.8	133
41	Efficacy of cognitive bias modification interventions in anxiety and depressive disorders: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2020, 7, 506-514.	3.7	132
42	Psychotherapy for depression among children and adolescents: a systematic review. Acta Psychiatrica Scandinavica, 2007, 116, 84-95.	2.2	128
43	Smartphone Cognitive Behavioral Therapy as an Adjunct to Pharmacotherapy for Refractory Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e373.	2.1	125
44	Combined psychotherapy plus antidepressants for panic disorder with or without agoraphobia. The Cochrane Library, 2007, , CD004364.	1.5	124
45	Evidenceâ€based guidelines for interpretation of the Panic Disorder Severity Scale. Depression and Anxiety, 2009, 26, 922-929.	2.0	120
46	How to Obtain NNT from Cohen's d: Comparison of Two Methods. PLoS ONE, 2011, 6, e19070.	1.1	120
47	Preoperative inspiratory muscle training for postoperative pulmonary complications in adults undergoing cardiac and major abdominal surgery. The Cochrane Library, 2015, 2015, CD010356.	1.5	120
48	Psychological interventions to reduce positive symptoms in schizophrenia: systematic review and network metaâ€analysis. World Psychiatry, 2018, 17, 316-329.	4.8	119
49	Depression as a potential causal factor in subsequent miscarriage in recurrent spontaneous aborters. Human Reproduction, 2002, 17, 2580-2584.	0.4	116
50	Adjunctive Psychotherapy for Bipolar Disorder. JAMA Psychiatry, 2021, 78, 141.	6.0	115
51	Time to recurrence after recovery from major depressive episodes and its predictors. Psychological Medicine, 2003, 33, 839-845.	2.7	114
52	Patient's perceived need and psychological distress and/or quality of life in ambulatory breast cancer patients in Japan. Psycho-Oncology, 2011, 20, 497-505.	1.0	114
53	Is computerised CBT really helpful for adult depression?-A meta-analytic re-evaluation of CCBT for adult depression in terms of clinical implementation and methodological validity. BMC Psychiatry, 2013, 13, 113.	1.1	114
54	Psychosocial and psychological interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2021, 8, 969-980.	3.7	114

#	Article	IF	Citations
55	Psychotherapy for depression among incurable cancer patients. The Cochrane Library, 2008, , CD005537.	1.5	112
56	Fluoxetine versus other types of pharmacotherapy for depression., 2005,, CD004185.		110
57	Evaluating the credibility of anchor based estimates of minimal important differences for patient reported outcomes: instrument development and reliability study. BMJ, The, 2020, 369, m1714.	3.0	110
58	Brief Behavioral Therapy for Refractory Insomnia in Residual Depression. Journal of Clinical Psychiatry, 2011, 72, 1651-1658.	1.1	109
59	Association Between Unreported Outcomes and Effect Size Estimates in Cochrane Meta-analyses. JAMA - Journal of the American Medical Association, 2007, 297, 465.	3.8	106
60	Ketamine and other glutamate receptor modulators for depression in adults. The Cochrane Library, 2015, , CD011612.	1.5	105
61	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. Lancet Psychiatry,the, 2021, 8, 500-511.	3.7	105
62	National Prescription Patterns of Antidepressants in the Treatment of Adults With Major Depression in the US Between 1996 and 2015: A Population Representative Survey Based Analysis. Frontiers in Psychiatry, 2020, 11, 35.	1.3	104
63	Supported employment for adults with severe mental illness. The Cochrane Library, 2013, , CD008297.	1.5	103
64	Minimally important difference estimates and methods: a protocol. BMJ Open, 2015, 5, e007953.	0.8	103
65	Escitalopram versus other antidepressive agents for depression. The Cochrane Library, 2009, , CD006532.	1.5	102
66	The effects of psychotherapies for depression on response, remission, reliable change, and deterioration: A metaâ€analysis. Acta Psychiatrica Scandinavica, 2021, 144, 288-299.	2.2	102
67	Mirtazapine versus other antidepressive agents for depression. The Cochrane Library, 2011, , CD006528.	1.5	101
68	Psychotherapy for depression among advanced, incurable cancer patients: A systematic review and meta-analysis. Cancer Treatment Reviews, 2017, 56, 16-27.	3.4	99
69	Fluoxetine versus other types of pharmacotherapy for depression. The Cochrane Library, 2013, , CD004185.	1.5	97
70	Review: Benzodiazepines in generalized anxiety disorder: heterogeneity of outcomes based on a systematic review and meta-analysis of clinical trials. Journal of Psychopharmacology, 2007, 21, 774-782.	2.0	96
71	Depressive symptoms and depression in individuals with internet gaming disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2021, 284, 136-142.	2.0	95
72	Social Support Questionnaire among psychiatric patients with various diagnoses and normal controls. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 216-222.	1.6	94

#	Article	IF	Citations
73	Initial Severity of Schizophrenia and Efficacy of Antipsychotics. JAMA Psychiatry, 2015, 72, 14.	6.0	94
74	Review of dysthymia and persistent depressive disorder: history, correlates, and clinical implications. Lancet Psychiatry,the, 2020, 7, 801-812.	3.7	94
75	Effectiveness of paroxetine in the treatment of acute major depression in adults: a systematic re-examination of published and unpublished data from randomized trials. Cmaj, 2007, 178, 296-305.	0.9	93
76	Prognostic value of malnutrition assessed by Controlling Nutritional Status score for long-term mortality in patients with acute heart failure. International Journal of Cardiology, 2017, 230, 529-536.	0.8	91
77	From effect size into number needed to treat. Lancet, The, 1999, 353, 1680.	6.3	90
78	Validity of the Patient Health Questionnaire (PHQ)-9 and PHQ-2 in general internal medicine primary care at a Japanese rural hospital: a cross-sectional study. General Hospital Psychiatry, 2013, 35, 592-597.	1.2	89
79	Determinants of the Quality of Life in Alzheimer's Disease Patients as Assessed by the Japanese Version of the Quality of Life – Alzheimer's Disease Scale. Dementia and Geriatric Cognitive Disorders, 2006, 21, 182-191.	0.7	88
80	Psychological therapies for panic disorder with or without agoraphobia in adults: a network meta-analysis. The Cochrane Library, 2016, 2016, CD011004.	1.5	88
81	Comparative efficacy and tolerability of 32 oral and long-acting injectable antipsychotics for the maintenance treatment of adults with schizophrenia: a systematic review and network meta-analysis. Lancet, The, 2022, 399, 824-836.	6.3	88
82	Clinimetric Criteria for Patient-Reported Outcome Measures. Psychotherapy and Psychosomatics, 2021, 90, 222-232.	4.0	84
83	Patients' Supportive Care Needs and Psychological Distress in Advanced Breast Cancer Patients in Japan. Japanese Journal of Clinical Oncology, 2011, 41, 530-536.	0.6	83
84	Psychosocial factors, disease status, and quality of life in patients with rheumatoid arthritis. Journal of Psychosomatic Research, 2009, 67, 425-431.	1.2	81
85	Evidence-Based Guidelines for Interpretation of the Hamilton Rating Scale for Depression. Journal of Clinical Psychopharmacology, 2007, 27, 531-534.	0.7	80
86	Antidepressants plus benzodiazepines for major depression. The Cochrane Library, 2001, , CD001026.	1.5	77
87	Emotional distress and its correlates among parents of children with pervasive developmental disorders. Psychiatry and Clinical Neurosciences, 2007, 61, 651-657.	1.0	77
88	Family psychoeducation for major depression: randomised controlled trial. British Journal of Psychiatry, 2011, 198, 385-390.	1.7	77
89	'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2013, , CD008704.	1.5	77
90	Neuropsychiatric symptoms predict change in quality of life of Alzheimer disease patients: A twoâ€year followâ€up study. Psychiatry and Clinical Neurosciences, 2009, 63, 374-384.	1.0	74

#	Article	IF	CITATIONS
91	Safety Reporting and Adverse-Event Profile of Mirtazapine Described in Randomized Controlled Trials in Comparison with Other Classes of Antidepressants in the Acute-Phase Treatment of Adults with Depression. CNS Drugs, 2010, 24, 35-53.	2.7	74
92	Effects of an Internet-Based Cognitive Behavioral Therapy (iCBT) Program in Manga Format on Improving Subthreshold Depressive Symptoms among Healthy Workers: A Randomized Controlled Trial. PLoS ONE, 2014, 9, e97167.	1.1	74
93	Alexithymia, Depression and Social Support among Japanese Workers. Psychotherapy and Psychosomatics, 2003, 72, 307-314.	4.0	72
94	Duloxetine versus other anti-depressive agents for depression. The Cochrane Library, 2012, 10, CD006533.	1.5	72
95	Sertraline versus other antidepressive agents for depression. , 2009, , CD006117.		70
96	Long-term Outcomes of Laparoscopic Versus Open Surgery for Clinical Stage I Gastric Cancer. Annals of Surgery, 2016, 264, 214-222.	2.1	70
97	Standardization of health outcomes assessment for depression and anxiety: recommendations from the ICHOM Depression and Anxiety Working Group. Quality of Life Research, 2017, 26, 3211-3225.	1.5	70
98	Polymyxin B-immobilized hemoperfusion and mortality in critically ill adult patients with sepsis/septic shock: a systematic review with meta-analysis and trial sequential analysis. Intensive Care Medicine, 2018, 44, 167-178.	3.9	70
99	Is antidepressant–benzodiazepine combination therapy clinically more useful?. Journal of Affective Disorders, 2001, 65, 173-177.	2.0	68
100	Direct oral anticoagulants versus warfarin for preventing stroke and systemic embolic events among atrial fibrillation patients with chronic kidney disease. The Cochrane Library, 2017, 2017, CD011373.	1.5	68
101	Living network meta-analysis compared with pairwise meta-analysis in comparative effectiveness research: empirical study. BMJ: British Medical Journal, 2018, 360, k585.	2.4	68
102	Cognitive-Behavioral Analysis System of Psychotherapy, Drug, or Their Combination for Persistent Depressive Disorder: Personalizing the Treatment Choice Using Individual Participant Data Network Metaregression. Psychotherapy and Psychosomatics, 2018, 87, 140-153.	4.0	68
103	Postictal suppression correlates with therapeutic efficacy for depression in bilateral sine and pulse wave electroconvulsive therapy. Psychiatry and Clinical Neurosciences, 2007, 61, 168-173.	1.0	67
104	Behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2013, 2013, CD008696.	1.5	67
105	Screening for Depression in Terminally III Cancer Patients in Japan. Journal of Pain and Symptom Management, 2006, 31, 5-12.	0.6	66
106	Publication bias is underreported in systematic reviews published in high-impact-factor journals: metaepidemiologic study. Journal of Clinical Epidemiology, 2014, 67, 1320-1326.	2.4	66
107	Does formulation matter? A systematic review and meta-analysis of oral versus long-acting antipsychotic studies. Schizophrenia Research, 2017, 183, 10-21.	1.1	66
108	Mirtazapine Versus Other Antidepressants in the Acute-Phase Treatment of Adults With Major Depression. Journal of Clinical Psychiatry, 2008, 69, 1404-1415.	1.1	65

#	Article	IF	Citations
109	Initial treatment choices to achieve sustained response in major depression: a systematic review and network metaâ€analysis. World Psychiatry, 2021, 20, 387-396.	4.8	64
110	Application of the Center for Epidemiologic Studies Depression Scale among first-visit psychiatric patients: a new approach to improve its performance. Journal of Affective Disorders, 1997, 46, 1-13.	2.0	63
111	Time to recovery of an inception cohort with hitherto untreated unipolar major depressive episodes. British Journal of Psychiatry, 2000, 177, 331-335.	1.7	62
112	The epidemiology of chronic fatigue, physical illness, and symptoms of common mental disorders: A cross-sectional survey from the second British National Survey of Psychiatric Morbidity. Journal of Psychosomatic Research, 2008, 64, 357-362.	1.2	62
113	Telephone Cognitive-Behavioral Therapy for Subthreshold Depression and Presenteeism in Workplace: A Randomized Controlled Trial. PLoS ONE, 2012, 7, e35330.	1.1	62
114	Cohort Profile: The Tokyo Teen Cohort study (TTC). International Journal of Epidemiology, 2019, 48, 1414-1414g.	0.9	61
115	Cross-cultural equivalence in depression assessment: Japan-Europe-North American study. Acta Psychiatrica Scandinavica, 2005, 112, 279-285.	2.2	60
116	The differential impact of executive attention dysfunction on episodic memory in obsessive-compulsive disorder patients with checking symptoms vs. those with washing symptoms. Journal of Psychiatric Research, 2007, 41, 776-784.	1.5	60
117	Supported employment for adults with severe mental illness. , 2010, 2010, .		60
118	Psychological interventions to prevent the onset of depressive disorders: A meta-analysis of randomized controlled trials. Clinical Psychology Review, 2021, 83, 101955.	6.0	60
119	The lack of statistical power of subgroup analyses in meta-analyses: a cautionary note. Epidemiology and Psychiatric Sciences, 2021, 30, e78.	1.8	60
120	Effect of adjunctive vitamin C, glucocorticoids, and vitamin B1 on longer-term mortality in adults with sepsis or septic shock: a systematic review and a component network meta-analysis. Intensive Care Medicine, 2022, 48, 16-24.	3.9	59
121	Early parental separation experiences among patients with bipolar disorder and major depression: a case–control study1On behalf of the Group for Longitudinal Affective Disorders Study (GLADS).1. Journal of Affective Disorders, 1999, 52, 85-91.	2.0	58
122	Metareview on Short-Term Effectiveness and Safety of Antidepressants for Depression: An Evidence-Based Approach to Inform Clinical Practice. Canadian Journal of Psychiatry, 2007, 52, 553-562.	0.9	58
123	The new GRID Hamilton Rating Scale for Depression demonstrates excellent inter-rater reliability for inexperienced and experienced raters before and after training. Psychiatry Research, 2007, 153, 61-67.	1.7	57
124	Quality of life of parents raising children with pervasive developmental disorders. BMC Psychiatry, 2012, 12, 119.	1.1	57
125	Different Types and Acceptability of Psychotherapies for Acute Anxiety Disorders in Children and Adolescents. JAMA Psychiatry, 2019, 76, 41.	6.0	57
126	Course of psychological distress and its predictors in advanced non-small cell lung cancer patients. Psycho-Oncology, 2006, 15, 463-473.	1.0	56

#	Article	IF	Citations
127	Behavioral activation for late adolescents with subthreshold depression: a randomized controlled trial. European Child and Adolescent Psychiatry, 2016, 25, 1171-1182.	2.8	56
128	Initial severity of depression and efficacy of cognitive–behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. British Journal of Psychiatry, 2017, 210, 190-196.	1.7	56
129	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. International Journal of Neuropsychopharmacology, 2007, 10, S1-207.	1.0	55
130	Changes after behavior therapy among responsive and nonresponsive patients with obsessive-compulsive disorder. Psychiatry Research - Neuroimaging, 2009, 172, 242-250.	0.9	55
131	Choice of data extraction tools for systematic reviews depends onÂresources and review complexity. Journal of Clinical Epidemiology, 2009, 62, 506-510.	2.4	55
132	Are All Antidepressants Really the Same? The Case of Fluoxetine. Journal of Clinical Psychiatry, 2006, 67, 850-864.	1.1	55
133	Associated and predictive factors of sleep disturbance in advanced cancer patients. Psycho-Oncology, 2007, 16, 888-894.	1.0	54
134	Mood Stabilizers and Antipsychotics for Acute Mania: A Systematic Review and Meta-Analysis of Combination/Augmentation Therapy Versus Monotherapy. CNS Drugs, 2014, 28, 989-1003.	2.7	54
135	Citalopram versus other anti-depressive agents for depression. The Cochrane Library, 2012, , CD006534.	1.5	53
136	Reliability and validity of the Japanese version of the Shortâ€form Supportive Care Needs Survey Questionnaire (SCNS‧F34â€)). Psycho-Oncology, 2009, 18, 1003-1010.	1.0	52
137	Prediction intervals for random-effects meta-analysis: A confidence distribution approach. Statistical Methods in Medical Research, 2019, 28, 1689-1702.	0.7	52
138	Distinct neuropsychological profiles of three major symptom dimensions in obsessive–compulsive disorder. Psychiatry Research, 2011, 187, 166-173.	1.7	51
139	Symptom indicator of severity of depression in cancer patients: a comparison of the DSM-IV criteria with alternative diagnostic criteria. General Hospital Psychiatry, 2009, 31, 225-232.	1.2	50
140	Stratum-specific likelihood ratios of two versions of the General Health Questionnaire. Psychological Medicine, 2001, 31, 519-529.	2.7	49
141	Twelve-month use of mental health services in four areas in Japan: Findings from the World Mental Health Japan Survey 2002-2003. Psychiatry and Clinical Neurosciences, 2006, 60, 240-248.	1.0	49
142	Impact of mental disorders on work performance in a community sample of workers in Japan: The World Mental Health Japan Survey 2002–2005. Psychiatry Research, 2012, 198, 140-145.	1.7	49
143	Optimising first- and second-line treatment strategies for untreated major depressive disorder — the SUNâ⁻ºD study: a pragmatic, multi-centre, assessor-blinded randomised controlled trial. BMC Medicine, 2018, 16, 103.	2.3	49
144	Weight changes and eating attitudes of Japanese adolescents under acculturative stresses: A prospective study. International Journal of Eating Disorders, 1994, 15, 71-79.	2.1	48

#	Article	lF	CITATIONS
145	Replication and contradiction of highly cited research papers in psychiatry: 10-year follow-up. British Journal of Psychiatry, 2015, 207, 357-362.	1.7	48
146	Continuation and discontinuation of benzodiazepine prescriptions: A cohort study based on a large claims database in Japan. Psychiatry Research, 2016, 237, 201-207.	1.7	48
147	Family interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2022, 9, 211-221.	3.7	47
148	Combined psychotherapy plus benzodiazepines for panic disorder. The Cochrane Library, 2009, , CD005335.	1.5	46
149	Does Internet-based cognitive behavioral therapy (iCBT) prevent major depressive episode for workers? A 12-month follow-up of a randomized controlled trial. Psychological Medicine, 2015, 45, 1907-1917.	2.7	46
150	Help-seeking intention for depression in early adolescents: Associated factors and sex differences. Journal of Affective Disorders, 2018, 238, 359-365.	2.0	45
151	Haplotype association between GABAA receptor Î ³ 2 subunit gene (GABRG2) and methamphetamine use disorder. Pharmacogenomics Journal, 2005, 5, 89-95.	0.9	44
152	Social Class Inequalities in Self-rated Health and Their Gender and Age Group Differences in Japan. Journal of Epidemiology, 2006, 16, 223-232.	1.1	44
153	Interoceptive hypersensitivity and interoceptive exposure in patients with panic disorder: specificity and effectiveness. BMC Psychiatry, 2006, 6, 32.	1.1	44
154	Symptomatic recovery and social functioning in major depression. Acta Psychiatrica Scandinavica, 2001, 103, 257-261.	2.2	43
155	An intervention to improve the interrater reliability of clinical EEG interpretations. Psychiatry and Clinical Neurosciences, 2003, 57, 485-489.	1.0	43
156	Reliability and validity of the Japanese version of the Frontal Assessment Battery in patients with the frontal variant of frontotemporal dementia. Psychiatry and Clinical Neurosciences, 2007, 61, 78-83.	1.0	43
157	'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2013, , CD008705.	1.5	43
158	Gender differences in factors associated with suicidal ideation in major depression among cancer patients. Psycho-Oncology, 2010, 19, 384-389.	1.0	42
159	Discrepancies among megatrials. Journal of Clinical Epidemiology, 2000, 53, 1193-1199.	2.4	41
160	Oncologists' Recognition of Supportive Care Needs and Symptoms of Their Patients in a Breast Cancer Outpatient Consultation. Japanese Journal of Clinical Oncology, 2011, 41, 1251-1258.	0.6	41
161	Psychosocial predictors of successful delivery after unexplained recurrent spontaneous abortions: a cohort study. Acta Psychiatrica Scandinavica, 2004, 109, 440-446.	2.2	40
162	Impairment of Decision-making Cognition in a Case of Frontotemporal Lobar Degeneration (FTLD) Presenting With Pathologic Gambling and Hoarding as the Initial Symptoms. Cognitive and Behavioral Neurology, 2007, 20, 121-125.	0.5	40

#	Article	IF	CITATIONS
163	Cancer patients' reluctance to disclose their emotional distress to their physicians: a study of Japanese patients with lung cancer. Psycho-Oncology, 2008, 17, 460-465.	1.0	40
164	Cost of depression among adults in Japan in 2005. Psychiatry and Clinical Neurosciences, 2011, 65, 442-450.	1.0	40
165	Long-term antipsychotic treatment in schizophrenia: systematic review and network meta-analysis of randomised controlled trials. BJPsych Open, 2016, 2, 59-66.	0.3	39
166	Initial severity of major depression and efficacy of new generation antidepressants: individual participant data metaâ€analysis. Acta Psychiatrica Scandinavica, 2018, 137, 450-458.	2.2	39
167	Distributional patterns of item responses and total scores on the PHQ-9 in the general population: data from the National Health and Nutrition Examination Survey. BMC Psychiatry, 2018, 18, 108.	1.1	39
168	Translating the BDI and BDI-II into the HAMD and vice versa with equipercentile linking. Epidemiology and Psychiatric Sciences, 2020, 29, e24.	1.8	39
169	Association between apathy/depression and executive function in patients with Alzheimer's disease. International Psychogeriatrics, 2008, 20, 964-75.	0.6	38
170	Self-Perceived Burden in Terminally Ill Cancer Patients: A Categorization of Care Strategies Based on Bereaved Family Members' Perspectives. Journal of Pain and Symptom Management, 2010, 40, 224-234.	0.6	38
171	Change in quality of life and their predictors in the long-term follow-up after group cognitive behavioral therapy for social anxiety disorder: a prospective cohort study. BMC Psychiatry, 2010, 10, 81.	1.1	38
172	Low dosage tricyclic antidepressants for depression. The Cochrane Library, 2003, , CD003197.	1.5	37
173	Network Meta-analysis: Users' Guide for Surgeons: Part I - Credibility. Clinical Orthopaedics and Related Research, 2015, 473, 2166-2171.	0.7	37
174	Minimal important difference estimates for patient-reported outcomes: A systematic survey. Journal of Clinical Epidemiology, 2021, 133, 61-71.	2.4	37
175	Milnacipran versus other antidepressive agents for depression. The Cochrane Library, 2014, 2014, CD006529.	1.5	36
176	Impact of placebo arms on outcomes in antidepressant trials: systematic review and meta-regression analysis. International Journal of Epidemiology, 2018, 47, 1454-1464.	0.9	36
177	Brief mindfulness-based stress management program for a better mental state in working populations - Happy Nurse Project: A randomized controlled trial✰✰. Journal of Affective Disorders, 2019, 251, 186-194.	2.0	36
178	Individual Differences in Response to Antidepressants. JAMA Psychiatry, 2020, 77, 607.	6.0	36
179	Social Support and Adjustment to a Novel Social Environment. International Journal of Social Psychiatry, 1998, 44, 56-70.	1.6	35
180	Cultural invariance of likelihood ratios for the General Health Questionnaire. Lancet, The, 1999, 353, 561-562.	6.3	35

#	Article	IF	CITATIONS
181	Childhood parental separation experiences and depressive symptomatology in acute major depression. Psychiatry and Clinical Neurosciences, 2003, 57, 215-219.	1.0	35
182	Psychotic-like experiences are associated with violent behavior in adolescents. Schizophrenia Research, 2011, 126, 245-251.	1.1	35
183	Personalise antidepressant treatment for unipolar depression combining individual choices, risks and big data (PETRUSHKA): rationale and protocol. Evidence-Based Mental Health, 2020, 23, 52-56.	2.2	35
184	Unguided Chatbot-Delivered Cognitive Behavioural Intervention for Problem Gamblers Through Messaging App: A Randomised Controlled Trial. Journal of Gambling Studies, 2020, 36, 1391-1407.	1.1	35
185	Cross-cultural evaluation of the Panic Disorder Severity Scale in Japan. Depression and Anxiety, 2004, 20, 17-22.	2.0	34
186	Prevalence of and risk factors for suicideâ€related outcomes in the World Health Organization World Mental Health Surveys Japan. Psychiatry and Clinical Neurosciences, 2008, 62, 442-449.	1.0	34
187	Fluvoxamine versus other anti-depressive agents for depression. The Cochrane Library, 2010, , CD006114.	1.5	34
188	Relative indices of treatment effect may be constant across different definitions of response in schizophrenia trials. Schizophrenia Research, 2011, 126, 212-219.	1.1	34
189	Stability of the Distribution of Patient Health Questionnaire-9 Scores Against Age in the General Population: Data From the National Health and Nutrition Examination Survey. Frontiers in Psychiatry, 2018, 9, 390.	1.3	34
190	Group cognitive behavior therapy for Japanese patients with social anxiety disorder: preliminary outcomes and their predictors. BMC Psychiatry, 2007, 7, 69.	1.1	33
191	Distribution of psychological distress is stable in recent decades and follows an exponential pattern in the US population. Scientific Reports, 2019, 9, 11982.	1.6	33
192	Antidepressants plus benzodiazepines for adults with major depression. The Cochrane Library, 2019, 6, CD001026.	1.5	33
193	Course and outcome of depressive episodes: comparison between bipolar, unipolar and subthreshold depression. Psychiatry Research, 2000, 96, 211-220.	1.7	32
194	Combination of psychotherapy and benzodiazepines versus either therapy alone for panic disorder: a systematic review. BMC Psychiatry, 2007, 7, 18.	1.1	32
195	Etiologies of Delirium and Their Relationship to Reversibility and Motor Subtype in Cancer Patients. Japanese Journal of Clinical Oncology, 2008, 39, 175-182.	0.6	32
196	Prevalence and correlates of illicit and non-medical use of psychotropic drugs in Japan. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 777-783.	1.6	32
197	Delirium Training Program for Nurses. Psychosomatics, 2010, 51, 106-111.	2.5	32
198	Cognitive behavior therapy for psychological distress in patients with recurrent miscarriage. Psychology Research and Behavior Management, 2013, 6, 37.	1.3	32

#	Article	IF	Citations
199	Antidepressants versus placebo for panic disorder in adults. The Cochrane Library, 2018, 2018, CD010676.	1.5	32
200	ROB-MEN: a tool to assess risk of bias due to missing evidence in network meta-analysis. BMC Medicine, 2021, 19, 304.	2.3	32
201	Memory, Attention, and Executive Functions Before and After Sine and Pulse Wave Electroconvulsive Therapies for Treatment-Resistant Major Depression. Journal of ECT, 2006, 22, 107-112.	0.3	31
202	Dissociation mediates the relationship between peer victimization and hallucinatory experiences among early adolescents. Schizophrenia Research: Cognition, 2016, 4, 18-23.	0.7	31
203	Cognitive restructuring, behavioral activation and cognitive-behavioral therapy in the treatment of adult depression: A network meta-analysis Journal of Consulting and Clinical Psychology, 2021, 89, 563-574.	1.6	31
204	Selective publication of antidepressant trials and its influence on apparent efficacy: Updated comparisons and meta-analyses of newer versus older trials. PLoS Medicine, 2022, 19, e1003886.	3.9	31
205	Childhood parental loss and schizophrenia: evidence against pathogenic but for some pathoplastic effects. Psychiatry Research, 1998, 81, 353-362.	1.7	30
206	Regional cerebral blood flow changes in depression after electroconvulsive therapy. Psychiatry Research - Neuroimaging, 2006, 147 , $135-143$.	0.9	30
207	Definitions of recovery and outcomes of major depression: results from a 10â€year followâ€up. Acta Psychiatrica Scandinavica, 2008, 117, 35-40.	2.2	30
208	Pre-post changes in psychosocial functioning among relatives of patients with depressive disorders after Brief Multifamily Psychoeducation: A pilot study. BMC Psychiatry, 2011, 11, 56.	1.1	30
209	Paroxetine versus other anti-depressive agents for depression. The Cochrane Library, 2014, , CD006531.	1.5	30
210	Quality of randomized controlled trials of new generation antidepressants and antipsychotics identified in the China National Knowledge Infrastructure (CNKI): a literature and telephone interview study. BMC Medical Research Methodology, 2018, 18, 96.	1.4	30
211	Screening for depression among first-visit psychiatric patients: Comparison of different scoring methods for the Center for Epidemiologic Studies Depression Scale using receiver operating characteristic analyses. Psychiatry and Clinical Neurosciences, 1997, 51, 71-78.	1.0	29
212	Factors Correlated with Fatigue in Terminally III Cancer Patients: A Longitudinal Study. Journal of Pain and Symptom Management, 2008, 35, 515-523.	0.6	29
213	Patient-Perceived Barriers to the Psychological Care of Japanese Patients with Lung Cancer. Japanese Journal of Clinical Oncology, 2008, 38, 653-660.	0.6	29
214	Current status of research on cognitive therapy/cognitive behavior therapy in Japan. Psychiatry and Clinical Neurosciences, 2011, 65, 121-129.	1.0	29
215	Effects of an Internet-Based Cognitive Behavioral Therapy Intervention on Improving Work Engagement and Other Work-Related Outcomes. Journal of Occupational and Environmental Medicine, 2015, 57, 578-584.	0.9	29
216	Costâ€effectiveness of cognitive behavioral therapy for insomnia comorbid with depression: Analysis of a randomized controlled trial. Psychiatry and Clinical Neurosciences, 2015, 69, 335-343.	1.0	29

#	Article	IF	CITATIONS
217	Detailed course of depressive symptoms and risk for developing depression in late adolescents with subthreshold depression: a cohort study. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 25-33.	1.0	29
218	Second-generation antipsychotic drugs and short-term somatic serious adverse events: a systematic review and meta-analysis. Lancet Psychiatry, the, 2019, 6, 753-765.	3.7	29
219	Substance use improvement depends on Race/Ethnicity: Outpatient treatment disparities observed in a large US national sample. Drug and Alcohol Dependence, 2020, 213, 108087.	1.6	29
220	Cost-effectiveness of family psychoeducation to prevent relapse in major depression: Results from a randomized controlled trial. BMC Psychiatry, 2012, 12, 40.	1.1	28
221	Effect of Recruitment Methods on Response Rate in a Web-Based Study for Primary Care Physicians: Factorial Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e28.	2.1	28
222	Evaluation of the DSMâ€IV and ICDâ€10 criteria for depressive disorders in a community population in Japan using item response theory. International Journal of Methods in Psychiatric Research, 2010, 19, 211-222.	1.1	27
223	Is placebo response in antidepressant trials rising or not? A reanalysis of datasets to conclude this long-lasting controversy. Evidence-Based Mental Health, 2018, 21, 1-3.	2.2	27
224	Exploratory analyses of effect modifiers in the antidepressant treatment of major depression: Individual-participant data meta-analysis of 2803 participants in seven placebo-controlled randomized trials. Journal of Affective Disorders, 2019, 250, 419-424.	2.0	27
225	Sojourner Readjustment: Mental Health of International Students after One Year's Foreign Sojourn and its Psychosocial Correlates. Journal of Nervous and Mental Disease, 1997, 185, 263-268.	0.5	27
226	Intra-individual versus extra-individual components of social support. Psychological Medicine, 1997, 27, 1183-1191.	2.7	26
227	Treatment received by depressed patients in Japan and its determinants: naturalistic observation from a multi-center collaborative follow-up study. Journal of Affective Disorders, 2000, 60, 173-179.	2.0	26
228	Long-Term Treatment of Depression with Antidepressants: A Systematic Narrative Review. Canadian Journal of Psychiatry, 2007, 52, 545-552.	0.9	26
229	Non-fearful vs. fearful panic attacks: A general population study from the National Comorbidity Survey. Journal of Affective Disorders, 2009, 112, 273-278.	2.0	26
230	Psychosocial factors and survival after diagnosis of inoperable nonâ€small cell lung cancer. Psycho-Oncology, 2009, 18, 23-29.	1.0	26
231	Psychotropic Prescription Patterns Among Patients Diagnosed With Depressive Disorder Based on Claims Database in Japan. Clinical Drug Investigation, 2013, 33, 597-605.	1.1	26
232	A mindfulness-based stress management program and treatment with omega-3 fatty acids to maintain a healthy mental state in hospital nurses (Happy Nurse Project): study protocol for a randomized controlled trial. Trials, 2015, 16, 36.	0.7	26
233	Dismantling, personalising and optimising internet cognitive–behavioural therapy for depression: a study protocol for individual participant data component network meta-analysis. BMJ Open, 2018, 8, e026137.	0.8	26
234	Adipokines in anorexia nervosa: A systematic review and meta-analysis. Psychoneuroendocrinology, 2020, 112, 104485.	1.3	26

#	Article	IF	CITATIONS
235	Individual Differences in Response to Antidepressants. JAMA Psychiatry, 2021, 78, 490.	6.0	26
236	The effects of psychological treatments of depression in children and adolescents on response, reliable change, and deterioration: a systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2023, 32, 177-192.	2.8	26
237	Greater Impairment of Ability in the Divided Attention Task Is Seen in Alzheimer's Disease Patients with Depression than in Those without Depression. Dementia and Geriatric Cognitive Disorders, 2007, 23, 231-240.	0.7	25
238	Reliability and validity of the Japanese version of the Dysexecutive Questionnaire (DEX) in Alzheimer's disease: validation of a behavioral rating scale to assess dysexecutive symptoms in Japanese patients with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2007, 22, 951-956.	1.3	25
239	Evaluation of diagnostic criteria for panic attack using item response theory: Findings from the National Comorbidity Survey in USA. Journal of Affective Disorders, 2007, 104, 197-201.	2.0	25
240	Efficacy, tolerability and side-effect profile of fluvoxamine for major depression: meta-analysis. Journal of Psychopharmacology, 2009, 23, 539-550.	2.0	25
241	Psychoeducation for major depressive disorders: A randomised controlled trial. Psychiatry Research, 2013, 210, 134-139.	1.7	25
242	Mechanisms of behavioral activation for late adolescents: Positive reinforcement mediate the relationship between activation and depressive symptoms from pre-treatment to post-treatment. Journal of Affective Disorders, 2016, 204, 70-73.	2.0	25
243	Healthy Campus Trial: a multiphase optimization strategy (MOST) fully factorial trial to optimize the smartphone cognitive behavioral therapy (CBT) app for mental health promotion among university students: study protocol for a randomized controlled trial. Trials, 2018, 19, 353.	0.7	25
244	Benzodiazepines versus placebo for panic disorder in adults. The Cochrane Library, 2019, 3, CD010677.	1.5	25
245	Different control conditions can produce different effect estimates in psychotherapy trials for depression. Journal of Clinical Epidemiology, 2021, 132, 59-70.	2.4	25
246	Does Randomized Evidence Support Sertraline as First-Line Antidepressant for Adults With Acute Major Depression?. Journal of Clinical Psychiatry, 2008, 69, 1732-1742.	1.1	25
247	An acidic fibroblast growth factor-like factor secreted into the brain cell culture medium upregulates apoE synthesis, HDL secretion and cholesterol metabolism in rat astrocytes. Biochimica Et Biophysica Acta - Molecular Cell Research, 2002, 1589, 261-272.	1.9	24
248	Is "relationship fear―unique to Japan? Symptom factors and patient clusters of social anxiety disorder among the Japanese clinical population. Journal of Affective Disorders, 2005, 87, 131-137.	2.0	24
249	Independent associations of alexithymia and social support with depression in hemodialysis patients. Journal of Psychosomatic Research, 2007, 63, 349-356.	1.2	24
250	Mental health literacy in Japanese cancer patients: ability to recognize depression and preferences of treatmentsâ€"comparison with Japanese lay public. Psycho-Oncology, 2007, 16, 834-842.	1.0	24
251	Efficacy and Tolerability of Milnacipran in the Treatment of Major Depression in Comparison with??Other Antidepressants. CNS Drugs, 2008, 22, 587-602.	2.7	24
252	Anticipatory nausea among ambulatory cancer patients undergoing chemotherapy: Prevalence, associated factors, and impact on quality of life. Cancer Science, 2010, 101, 2596-2600.	1.7	24

#	Article	IF	Citations
253	Depression, Alexithymia and Long-Term Mortality in Chronic Hemodialysis Patients. Psychotherapy and Psychosomatics, 2010, 79, 303-311.	4.0	24
254	Adding smartphone-based cognitive-behavior therapy to pharmacotherapy for major depression (FLATT) Tj ETQo	η0 0 _{.0} rgΒ ⁷	Γ/Overlock 10
255	Protocol registration and selective outcome reporting in recent psychiatry trials: new antidepressants and cognitive behavioural therapies. Acta Psychiatrica Scandinavica, 2015, 132, 489-498.	2.2	24
256	Remifentanil in electroconvulsive therapy: a systematic review and meta-analysis of randomized controlled trials. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 703-717.	1.8	24
257	Stratum-specific likelihood ratios of the General Health Questionnaire in the community: help-seeking and physical co-morbidity affect the test characteristics. Psychological Medicine, 2002, 32, 743-748.	2.7	23
258	A Case of Late-Onset Obsessive Compulsive Disorder Developing Frontotemporal Lobar Degeneration. Journal of Neuropsychiatry and Clinical Neurosciences, 2007, 19, 487-488.	0.9	23
259	Initial symptom severity of bipolar I disorder and the efficacy of olanzapine: a meta-analysis of individual participant data from five placebo-controlled studies. Lancet Psychiatry,the, 2017, 4, 859-867.	3.7	23
260	Antidepressants might work for people with major depression: where do we go from here?. Lancet Psychiatry,the, 2018, 5, 461-463.	3.7	23
261	Response rates in patients with schizophrenia and positive symptoms receiving cognitive behavioural therapy: a systematic review and single-group meta-analysis. BMC Psychiatry, 2018, 18, 380.	1.1	23
262	Measurement equivalence of the Social Interaction Anxiety Scale (SIAS) and Social Phobia Scale (SPS) across individuals with social anxiety disorder from Japanese and Australian sociocultural contexts. Journal of Affective Disorders, 2019, 243, 165-174.	2.0	23
263	Enuresis and Hyperactivity-Inattention in Early Adolescence: Findings from a Population-Based Survey in Tokyo (Tokyo Early Adolescence Survey). PLoS ONE, 2016, 11, e0158786.	1.1	23
264	Mapping hypofrontality during letter fluency task in schizophrenia: A multi-channel near-infrared spectroscopy study. Schizophrenia Research, 2012, 136, 63-69.	1.1	22
265	A greater number of somatic pain sites is associated with poor mental health in adolescents: a cross-sectional study. BMC Psychiatry, 2013, 13, 30.	1.1	22
266	Imputation of response rates from means and standard deviations in schizophrenia. Schizophrenia Research, 2013, 151, 209-214.	1.1	22
267	The Need for Research on Treatments of Chronic Depression. JAMA Psychiatry, 2017, 74, 242.	6.0	22
268	Trends in antipsychotic prescriptions for Japanese outpatients during 2006-2012: a descriptive epidemiological study. Pharmacoepidemiology and Drug Safety, 2017, 26, 642-656.	0.9	22
269	Smartphone problem-solving and behavioural activation therapy to reduce fear of recurrence among patients with breast cancer (SMartphone Intervention to LEssen fear of cancer recurrence: SMILE) Tj ETQq1 1 0	.78 4 34 rg	gBT2 20verlock
270	Side effect profile and comparative tolerability of 21 antidepressants in the acute treatment of major depression in adults: protocol for a network meta-analysis. Evidence-Based Mental Health, 2019, 22, 61-66.	2.2	22

#	Article	IF	CITATIONS
271	A review of methods for addressing components of interventions in meta-analysis. PLoS ONE, 2021, 16, e0246631.	1.1	22
272	Cognitive and Behavioral Skills Exercises Completed by Patients with Major Depression During Smartphone Cognitive Behavioral Therapy: Secondary Analysis of a Randomized Controlled Trial. JMIR Mental Health, 2018, 5, e4.	1.7	22
273	Lithium Levels in Tap Water and the Mental Health Problems of Adolescents. Journal of Clinical Psychiatry, 2017, 78, e252-e256.	1.1	22
274	Association of Task-Shared Psychological Interventions With Depression Outcomes in Low- and Middle-Income Countries. JAMA Psychiatry, 2022, 79, 430.	6.0	22
275	SPECT-Identified Neuroanatomical Predictor of the Cognitive Effects of Donepezil Treatment in Patients with Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2008, 26, 556-566.	0.7	21
276	Loss of Fractal Heart Rate Dynamics in Depressive Hemodialysis Patients. Psychosomatic Medicine, 2008, 70, 177-185.	1.3	21
277	Videotaped experiments to drop safety behaviors and self-focused attention for patients with social anxiety disorder: Do they change subjective and objective evaluations of anxiety and performance?. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 202-210.	0.6	21
278	Help-seeking behavior among Japanese school students who self-harm: results from a self-report survey of 18,104 adolescents. Neuropsychiatric Disease and Treatment, 2012, 8, 561.	1.0	21
279	Specificity of CBT for Depression: A Contribution from Multiple Treatments Meta-analyses. Cognitive Therapy and Research, 2014, 38, 249-260.	1.2	21
280	Maternal diabetes in early pregnancy, and psychotic experiences and depressive symptoms in 10-year-old offspring: A population-based birth cohort study. Schizophrenia Research, 2019, 206, 52-57.	1.1	21
281	Most atâ€risk individuals will not develop a mental disorder: the limited predictive strength of risk factors. World Psychiatry, 2021, 20, 224-225.	4.8	21
282	Psychologic Treatment of Depression Compared With Pharmacotherapy and Combined Treatment in Primary Care: A Network Meta-Analysis. Annals of Family Medicine, 2021, 19, 262-270.	0.9	21
283	Psychotherapy for depression in children and adolescents. The Cochrane Library, 2004, , .	1.5	20
284	Multifaceted psychosocial intervention program for breast cancer patients after first recurrence: feasibility study. Psycho-Oncology, 2007, 16, 517-524.	1.0	20
285	Strategic use of new generation antidepressants for depression: SUN(^_^)D study protocol. Trials, 2011, 12, 116.	0.7	20
286	Neuroanatomical abnormalities before onset of delusions in patients with Alzheimer's disease: a voxel-based morphometry study. Neuropsychiatric Disease and Treatment, 2013, 9, 1.	1.0	20
287	Prescription patterns following first-line new generation antidepressants for depression in Japan: A naturalistic cohort study based on a large claims database. Journal of Affective Disorders, 2013, 150, 916-922.	2.0	20
288	Network Meta-analysis: Users' Guide for Surgeons: Part II - Certainty. Clinical Orthopaedics and Related Research, 2015, 473, 2172-2178.	0.7	20

#	Article	IF	CITATIONS
289	Antidepressants and benzodiazepines for panic disorder in adults. The Cochrane Library, 2016, 2016, CD011567.	1.5	20
290	Initial severity and efficacy of risperidone in autism: Results from the RUPP trial. European Psychiatry, 2016, 32, 16-20.	0.1	20
291	Comparative efficacy and acceptability of psychotherapies for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2022, 221, 507-519.	1.7	20
292	Cultural distance and its relationship to psychological adjustment of international exchange students. Psychiatry and Clinical Neurosciences, 1997, 51, 87-91.	1.0	19
293	Typus melancholicus in light of the five-factor model of personality. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 64-69.	1.8	19
294	Efficacy of olanzapine augmentation of paroxetine therapy in patients with severe body dysmorphic disorder. Psychiatry and Clinical Neurosciences, 2008, 62, 370-370.	1.0	19
295	Ictal physiological characteristics of remitters during bilateral electroconvulsive therapy. Psychiatry Research, 2011, 185, 462-464.	1.7	19
296	What is a Cochrane review?. Epidemiology and Psychiatric Sciences, 2011, 20, 231-233.	1.8	19
297	Comparing methods for estimating patientâ€specific treatment effects in individual patient data metaâ€analysis. Statistics in Medicine, 2021, 40, 1553-1573.	0.8	19
298	Right Tail of the Distribution of Depressive Symptoms Is Stable and Follows an Exponential Curve during Middle Adulthood. PLoS ONE, 2015, 10, e0114624.	1.1	19
299	Cognitiveâ€behavior therapy for Japanese patients with panic disorder: Acute phase and oneâ€year followâ€up results. Psychiatry and Clinical Neurosciences, 2008, 62, 313-321.	1.0	18
300	Problem-Solving Therapy for Psychological Distress in Japanese Cancer Patients: Preliminary Clinical Experience from Psychiatric Consultations. Japanese Journal of Clinical Oncology, 2008, 38, 867-870.	0.6	18
301	Cross-Cultural Study of Conviction Subtype Taijin Kyofu. Journal of Nervous and Mental Disease, 2008, 196, 307-313.	0.5	18
302	A distribution model of the responses to each depressive symptom item in a general population: a cross-sectional study. BMJ Open, 2015, 5, e008599.	0.8	18
303	Comparative efficacy and acceptability of antidepressants, psychological interventions, and their combination for depressive disorder in children and adolescents: protocol for a network meta-analysis. BMJ Open, 2017, 7, e016608.	0.8	18
304	Bartlettâ€type corrections and bootstrap adjustments of likelihoodâ€based inference methods for network metaâ€analysis. Statistics in Medicine, 2018, 37, 1178-1190.	0.8	18
305	Comparative efficacy and acceptability of antidepressants in the long-term treatment of major depression: protocol for a systematic review and networkmeta-analysis. BMJ Open, 2019, 9, e027574.	0.8	18
306	The Kilim plot: A tool for visualizing network metaâ€analysis results for multiple outcomes. Research Synthesis Methods, 2021, 12, 86-95.	4.2	18

#	Article	IF	CITATIONS
307	Pattern analysis of total item score and item response of the Kessler Screening Scale for Psychological Distress (K6) in a nationally representative sample of US adults. PeerJ, 2017, 5, e2987.	0.9	18
308	Predicting maladjustment of exchange students in different cultures: a prospective study. Social Psychiatry and Psychiatric Epidemiology, 1993, 28, 142-146.	1.6	17
309	Diagnostic Agreement in Psychiatry. British Journal of Psychiatry, 1993, 162, 621-626.	1.7	17
310	Validity of brief intelligence tests for patients with Alzheimer's disease. Psychiatry and Clinical Neurosciences, 2000, 54, 435-439.	1.0	17
311	Relationship Between Quality of Reports of Antidepressant Randomized Controlled Trials and Treatment Estimates. Journal of Clinical Psychopharmacology, 2007, 27, 352-356.	0.7	17
312	Intertextuality, mediation, and members' categories in focus groups on humor. Pragmatics and Society, 2010, 1, 257-283.	0.2	17
313	New methods can extend the use of minimal important difference units inÂmeta-analyses of continuous outcome measures. Journal of Clinical Epidemiology, 2012, 65, 817-826.	2.4	17
314	Azapirones versus placebo for panic disorder in adults. The Cochrane Library, 2014, 2014, CD010828.	1.5	17
315	Psychological therapies versus pharmacological interventions for panic disorder with or without agoraphobia in adults. The Cochrane Library, 2016, 2016, CD011170.	1.5	17
316	Using the contribution matrix to evaluate complex study limitations in a network meta-analysis: a case study of bipolar maintenance pharmacotherapy review. BMC Research Notes, 2016, 9, 218.	0.6	17
317	No benefit from flexible titration above minimum licensed dose in prescribing antidepressants for major depression: systematic review. Acta Psychiatrica Scandinavica, 2020, 141, 401-409.	2.2	17
318	Confidence intervals of prediction accuracy measures forÂmultivariable prediction models based on the bootstrapâ€based optimism correction methods. Statistics in Medicine, 2021, 40, 5691-5701.	0.8	17
319	Perceived parental rearing, personality and mental status in Japanese adolescents. Journal of Adolescence, 1992, 15, 317-322.	1.2	16
320	Typus melancholicus is not the premorbid personality trait of unipolar (endogenous) depression. Psychiatry and Clinical Neurosciences, 1997, 51, 197-202.	1.0	16
321	Childhood parental loss and alcohol dependence among Japanese men: a caseâ€control study. Acta Psychiatrica Scandinavica, 1998, 97, 403-407.	2.2	16
322	Relationship between EEG dimensional complexity and neuropsychological findings in Alzheimer's disease. Psychiatry and Clinical Neurosciences, 2000, 54, 537-541.	1.0	16
323	Lifetime comorbidities between phobic disorders and major depression in Japan: results from the World Mental Health Japan 2002–2004 Survey. Depression and Anxiety, 2009, 26, 949-955.	2.0	16
324	Ranking antidepressants – Authors' reply. Lancet, The, 2009, 373, 1761-1762.	6.3	16

#	Article	IF	Citations
325	Possible improvement of depression after systematic examination and explanation of live birth rates among women with recurrent miscarriage. Journal of Obstetrics and Gynaecology, 2013, 33, 171-174.	0.4	16
326	Change in Quality of Life after Brief Behavioral Therapy for Insomnia in Concurrent Depression: Analysis of the Effects of a Randomized Controlled Trial. Journal of Clinical Sleep Medicine, 2014, 10, 433-439.	1.4	16
327	Disciplinary slapping is associated with bullying involvement regardless of warm parenting in early adolescence. Journal of Adolescence, 2018, 68, 207-216.	1.2	16
328	Guided or self-guided internet-based cognitive–behavioural therapy (iCBT) for depression? Study protocol of an individual participant data network meta-analysis. BMJ Open, 2019, 9, e026820.	0.8	16
329	Risk perception, self-efficacy, trust for physician, depression, and behavior modification in diabetic patients. Journal of Health Psychology, 2020, 25, 350-360.	1.3	16
330	The impact of selective serotonin reuptake inhibitors on the thyroid function among patients with major depressive disorder: A systematic review and meta-analysis. European Neuropsychopharmacology, 2020, 33, 139-145.	0.3	16
331	Components of smartphone cognitive-behavioural therapy for subthreshold depression among 1093 university students: a factorial trial. Evidence-Based Mental Health, 2022, 25, e18-e25.	2.2	16
332	Premorbid personality traits of patients with organic (ICD-10 F0), schizophrenic (F2), mood (F3), and neurotic (F4) disorders according to the five-factor model of personality. Psychiatry Research, 1998, 78, 179-187.	1.7	15
333	Validity of indirect comparisons in meta-analysis. Lancet, The, 2007, 369, 270-271.	6.3	15
334	Can pill placebo augment cognitive-behavior therapy for panic disorder?. BMC Psychiatry, 2007, 7, 73.	1.1	15
335	Cognitive-Behavioural Analysis System of Psychotherapy (CBASP), a drug, or their combination: differential therapeutics for persistent depressive disorder: a study protocol of an individual participant data network meta-analysis. BMJ Open, 2016, 6, e011769.	0.8	15
336	Omega-3 fatty acids for a better mental state in working populations - Happy Nurse Project: A 52-week randomized controlled trial. Journal of Psychiatric Research, 2018, 102, 72-80.	1.5	15
337	Maternal exposure to benzodiazepine and risk of preterm birth and low birth weight: A caseâ€control study using a claims database in Japan. Asia-Pacific Psychiatry, 2018, 10, e12309.	1.2	15
338	Evidence synthesis, practice guidelines and real-world prescriptions of new generation antidepressants in the treatment of depression: a protocol for cumulative network meta-analyses and meta-epidemiological study. BMJ Open, 2018, 8, e023222.	0.8	15
339	Allowing for uncertainty due to missing and LOCF imputed outcomes in metaâ€analysis. Statistics in Medicine, 2019, 38, 720-737.	0.8	15
340	Impact of COVID-2019 on school attendance problems. Journal of Global Health, 2021, 11, 03084.	1.2	15
341	Sensitization of catastrophic cognition in cognitive-behavioral therapy for panic disorder. BMC Psychiatry, 2007, 7, 70.	1.1	14
342	Two dimensions of anosognosia in patients with Alzheimer's disease: Reliability and validity of the Japanese version of the Anosognosia Questionnaire for Dementia (AQâ€D). Psychiatry and Clinical Neurosciences, 2007, 61, 672-677.	1.0	14

#	Article	IF	CITATIONS
343	Video feedback with peer ratings in naturalistic anxiety-provoking situations for social anxiety disorder: Preliminary report. Journal of Behavior Therapy and Experimental Psychiatry, 2010, 41, 6-10.	0.6	14
344	10-year course of social adjustment in major depression. International Journal of Social Psychiatry, 2011, 57, 501-508.	1.6	14
345	A failure to confirm the effectiveness of a brief group psychoeducational program for mothers of children with high-functioning pervasive developmental disorders: a randomized controlled pilot trial. Neuropsychiatric Disease and Treatment, 2014, 10, 1141.	1.0	14
346	Although not consistently superior, the absolute approach to framing the minimally important difference has advantages over the relative approach. Journal of Clinical Epidemiology, 2015, 68, 888-894.	2.4	14
347	Characteristic distribution of the total and individual item scores on the Kessler Screening Scale for Psychological Distress (K6) in US adults. BMC Psychiatry, 2017, 17, 290.	1.1	14
348	Development and validation of the Japanese version of the problem gambling severity index. Addictive Behaviors, 2019, 98, 105987.	1.7	14
349	Predicting relapse in major depression after successful initial pharmacological treatment. Journal of Affective Disorders, 2019, 250, 108-113.	2.0	14
350	Association between antidepressant use during pregnancy and autism spectrum disorder in children: a retrospective cohort study based on Japanese claims data. Maternal Health, Neonatology and Perinatology, 2019, 5, 1.	1.0	14
351	Outlier detection and influence diagnostics in network metaâ€analysis. Research Synthesis Methods, 2020, 11, 891-902.	4.2	14
352	The Characteristics and Social Functioning of Pathological Social Withdrawal, "Hikikomori,―in a Secondary Care Setting: a One-Year Cohort Study. BMC Psychiatry, 2020, 20, 352.	1.1	14
353	A Bayesian dose–response meta-analysis model: A simulations study and application. Statistical Methods in Medical Research, 2021, 30, 1358-1372.	0.7	14
354	Impact of Nocturia on Mortality: The Nagahama Study. Journal of Urology, 2020, 204, 996-1002.	0.2	14
355	Linking the Mini-Mental State Examination, the Alzheimer's Disease Assessment Scale–Cognitive Subscale and the Severe Impairment Battery: evidence from individual participant data from five randomised clinical trials of donepezil. Evidence-Based Mental Health, 2021, 24, 56-61.	2.2	14
356	Japanese Version of the Mobile App Rating Scale (MARS): Development and Validation. JMIR MHealth and UHealth, 2022, 10, e33725.	1.8	14
357	Factors Influencing Adjustment of High School Students in an International Exchange Program. Journal of Nervous and Mental Disease, 1994, 182, 709-714.	0.5	13
358	Parents, personality or partner? Correlates of marital relationships. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 164-168.	1.6	13
359	Quality of Life and Social Role Functioning in Japanese Patients with Panic Disorder. Journal of Nervous and Mental Disease, 2005, 193, 686-689.	0.5	13
360	Ictal Electroencephalographic Correlates of Posttreatment Neuropsychological Changes in Electroconvulsive Therapy. Journal of ECT, 2007, 23, 163-168.	0.3	13

#	Article	IF	CITATIONS
361	Panic disorder. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2012, 106, 363-374.	1.0	13
362	lpsative imputation for a 15â€item Geriatric Depression Scale in communityâ€dwelling elderly people. Psychogeriatrics, 2014, 14, 182-187.	0.6	13
363	Psychological and Educational Interventions for Atopic Dermatitis in Adults: A Systematic Review and Meta-Analysis. Behaviour Change, 2017, 34, 48-65.	0.6	13
364	Sex differences in auditory verbal hallucinations in early, middle and late adolescence: results from a survey of 17 451 Japanese students aged 12–18 years. BMJ Open, 2017, 7, e015239.	0.8	13
365	Overstatements in abstract conclusions claiming effectiveness of interventions in psychiatry: A meta-epidemiological investigation. PLoS ONE, 2017, 12, e0184786.	1.1	13
366	Enduring effects of a five-week behavioral activation program for subthreshold depression among late adolescents: an exploratory randomized controlled trial. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2633-2641.	1.0	13
367	COVID-19 randomized controlled trials in medRxiv and PubMed. European Journal of Internal Medicine, 2020, 81, 97-99.	1.0	13
368	Patient reported outcome measures in clinical trials should be initially analyzed as continuous outcomes for statistical significance and responder analyses should be reserved as secondary analyses. Journal of Clinical Epidemiology, 2021, 134, 95-102.	2.4	13
369	Distribution of Total Depressive Symptoms Scores and Each Depressive Symptom Item in a Sample of Japanese Employees. PLoS ONE, 2016, 11, e0147577.	1.1	13
370	Assessment of blinding in randomized controlled trials of antidepressants for depressive disorders 2000–2020: A systematic review and meta-analysis. EClinicalMedicine, 2022, 50, 101505.	3.2	13
371	Efficacy of diazepam as an anti-anxiety agent: meta-analysis of double-blind, randomized controlled trials carried out in Japan. Human Psychopharmacology, 2003, 18, 483-487.	0.7	12
372	Remission Rates with Milnacipran 100??Mg/Day and 150 Mg/Day in??the??Long-Term Treatment of??Major Depression. Clinical Drug Investigation, 2006, 26, 135-142.	1.1	12
373	How many well vs. unwell days can you expect over 10 years, once you become depressed?. Acta Psychiatrica Scandinavica, 2009, 119, 290-297.	2.2	12
374	Deliberate Selfâ€Harm in Adolescents Aged 12–18: A Crossâ€Sectional Survey of 18,104 Students. Suicide and Life-Threatening Behavior, 2012, 42, 550-560.	0.9	12
375	Brain structural abnormalities in behavior therapy-resistant obsessive-compulsive disorder revealed by voxel-based morphometry. Neuropsychiatric Disease and Treatment, 2014, 10, 1987.	1.0	12
376	Neural basis of three dimensions of agitated behaviors in patients with Alzheimer disease. Neuropsychiatric Disease and Treatment, 2014, 10, 339.	1.0	12
377	Advancing evidence-based practice to improve patient care. Evidence-Based Mental Health, 2014, 17, 1-2.	2.2	12
378	Quantifying indirect evidence in network metaâ€analysis. Statistics in Medicine, 2017, 36, 917-927.	0.8	12

#	Article	IF	CITATIONS
379	Anxiety sensitivity as a predictor of broad dimensions of psychopathology after cognitive behavioral therapy for panic disorder. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1835-1840.	1.0	12
380	Exponential distribution of total depressive symptom scores in relation to exponential latent trait and item threshold distributions: a simulation study. BMC Research Notes, 2017, 10, 614.	0.6	12
381	Applying GRADE to a network meta-analysis of antidepressants led to more conservative conclusions. Journal of Clinical Epidemiology, 2018, 102, 87-98.	2.4	12
382	Behavioral activation: Is it the expectation or achievement, of mastery or pleasure that contributes to improvement in depression?. Journal of Affective Disorders, 2018, 238, 336-341.	2.0	12
383	Smartphone problem-solving therapy to reduce fear of cancer recurrence among breast cancer survivors: an open single-arm pilot study. Japanese Journal of Clinical Oncology, 2019, 49, 537-544.	0.6	12
384	No consistent evidence of data availability bias existed in recent individual participant data meta-analyses: a meta-epidemiological study. Journal of Clinical Epidemiology, 2020, 118, 107-114.e5.	2.4	12
385	Longitudinal Analysis of Bidirectional Relationships between Nocturia and Depressive Symptoms: The Nagahama Study. Journal of Urology, 2020, 203, 984-990.	0.2	12
386	Antidepressants and suicide risk. British Journal of Psychiatry, 2001, 178, 477-477.	1.7	11
387	Personality, social support, coping and emotional distress after repeated spontaneous abortions. Journal of Psychosomatic Obstetrics and Gynaecology, 2002, 23, 133-140.	1.1	11
388	Coping behavior in depressed patients: a longitudinal study. Psychiatry Research, 2003, 121, 169-177.	1.7	11
389	Sources of bias in diagnostic accuracy studies and the diagnostic process. Cmaj, 2006, 174, 481-482.	0.9	11
390	Postictal cardiovascular response predicts therapeutic efficacy of electroconvulsive therapy for depression. Psychiatry and Clinical Neurosciences, 2007, 61, 290-294.	1.0	11
391	Absence status associated with focal activity and polydipsia-induced hyponatremia. Neuropsychiatric Disease and Treatment, 2008, 4, 495.	1.0	11
392	Physical pain associated with depression: results of a survey in Japanese patients and physicians. Comprehensive Psychiatry, 2012, 53, 843-849.	1.5	11
393	Decreased white matter integrity before the onset of delusions in patients with Alzheimer's disease: diffusion tensor imaging. Neuropsychiatric Disease and Treatment, 2012, 9, 25.	1.0	11
394	Duration of untreated psychosis in a rural/suburban region of Japan. Microbial Biotechnology, 2012, 6, 239-246.	0.9	11
395	Relationship between Item Responses of Negative Affect Items and the Distribution of the Sum of the Item Scores in the General Population. PLoS ONE, 2016, 11, e0165928.	1.1	11
396	Differences in the placebo response in duloxetine and venlafaxine trials. Acta Psychiatrica Scandinavica, 2018, 137, 472-480.	2.2	11

#	Article	IF	CITATIONS
397	Comparative efficacy and acceptability of antiepileptic drugs for classical trigeminal neuralgia: a Bayesian network meta-analysis protocol. BMJ Open, 2018, 8, e017392.	0.8	11
398	Development and validation of a prediction model for the probability of responding to placebo in antidepressant trials: a pooled analysis of individual patient data. Evidence-Based Mental Health, 2019, 22, 10-16.	2.2	11
399	Predicting recurrence of depression using lifelog data: an explanatory feasibility study with a panel VAR approach. BMC Psychiatry, 2019, 19, 391.	1.1	11
400	Cognitive-behavioural therapy for chronic subjective dizziness: Predictors of improvement in Dizziness Handicap Inventory at 6 months posttreatment. Acta Oto-Laryngologica, 2020, 140, 827-832.	0.3	11
401	How can we estimate QALYs based on PHQ-9 scores? Equipercentile linking analysis of PHQ-9 and EQ-5D. Evidence-Based Mental Health, 2021, 24, 97-101.	2.2	11
402	Delirium Training Program for Nurses. Psychosomatics, 2010, 51, 106-111.	2.5	11
403	Minimal important changes in standard deviation units are highly variable and no universally applicable value can be determined. Journal of Clinical Epidemiology, 2022, 145, 92-100.	2.4	11
404	Designing clinically useful psychopharmacological trials: challenges and ways forward. Lancet Psychiatry,the, 2022, 9, 584-594.	3.7	11
405	Depressive symptoms among international exchange students, and their predictors. Acta Psychiatrica Scandinavica, 1997, 96, 242-246.	2.2	10
406	Parental loss in childhood and social support inadulthood among psychiatric patients. Journal of Psychiatric Research, 1999, 33, 165-169.	1.5	10
407	Psychosocial Factors Regulating Natural-Killer Cell Activity in Recurrent Spontaneous Abortions. American Journal of Reproductive Immunology, 2000, 44, 299-302.	1.2	10
408	Japanese version of the Quality of Relationship Inventory: Its reliability and validity among women with recurrent spontaneous abortion. Psychiatry and Clinical Neurosciences, 2002, 56, 527-532.	1.0	10
409	Impact of Depression on Insight Into Memory Capacity in Patients With Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2008, 22, 369-374.	0.6	10
410	Cancer patients' reluctance to discuss psychological distress with their physicians was not associated with underrecognition of depression by physicians: A preliminary study. Palliative and Supportive Care, 2009, 7, 229-233.	0.6	10
411	Fear of negative evaluation is associated with delusional ideation in non-clinical population and patients with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 703-710.	1.6	10
412	The first 100 patients in the SUN(^_^)D trial (strategic use of new generation antidepressants for) Tj ETQq0 0 (o rgBT /Ove	erlock 10 Tf 50
413	<scp>C</scp> ognitiveâ€"behavioral therapy modifies the naturalistic course of social anxiety disorder: Findings from an <scp>ABA</scp> design study in routine clinical practices. Psychiatry and Clinical Neurosciences, 2013, 67, 139-147.	1.0	10
414	Prevalence of depression among outpatients visiting a general internal medicine polyclinic in rural Japan. General Hospital Psychiatry, 2013, 35, 286-290.	1.2	10

#	Article	IF	Citations
415	Group cognitive behavioral therapy for patients with generalized social anxiety disorder in Japan: outcomes at 1-year follow up and outcome predictors. Neuropsychiatric Disease and Treatment, 2013, 9, 267.	1.0	10
416	Influence of overstated abstract conclusions on clinicians: a web-based randomised controlled trial. BMJ Open, 2017, 7, e018355.	0.8	10
417	Item Response Patterns on the Patient Health Questionnaire-8 in a Nationally Representative Sample of US Adults. Frontiers in Psychiatry, 2017, 8, 251.	1.3	10
418	Brief multifamily Psychoeducation for family members of patients with chronic major depression: a randomized controlled trial. BMC Psychiatry, 2018, 18, 207.	1.1	10
419	Distribution of item responses and total item scores for the Center for Epidemiologic Studies Depression Scale (CES-D): Data from the Irish Longitudinal Study on Ageing (TILDA). PLoS ONE, 2018, 13, e0202607.	1.1	10
420	The association between role model presence and self-regulation in early adolescence: A cross-sectional study. PLoS ONE, 2019, 14, e0222752.	1.1	10
421	Permutation inference methods for multivariate metaâ€analysis. Biometrics, 2020, 76, 337-347.	0.8	10
422	A living meta-ecological study of the consequences of the COVID-19 pandemic on mental health. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 219-221.	1.8	10
423	An efficient way to assess the effect of COVID-19 on mental health in the general population. Lancet Psychiatry,the, 2021, 8, e14-e15.	3.7	10
424	All clinical trials must be reported in detail and made publicly available. BMJ: British Medical Journal, 2004, 329, 626.2.	2.4	10
425	Age-related changes in the distributions of depressive symptom items in the general population: a cross-sectional study using the exponential distribution model. Peerl, 2016, 4, e1547.	0.9	10
426	A clusterâ€analytically derived subtyping of chronic affective disorders. Acta Psychiatrica Scandinavica, 1992, 85, 177-182.	2.2	9
427	Reliability, validity and standardization of the Japanese version of the Social Adjustment Scale-Self Report. Psychiatry and Clinical Neurosciences, 2003, 57, 441-446.	1.0	9
428	Spontaneous emission control by 17 layers of three-dimensional photonic crystals. Electronics Letters, 2008, 44, 377.	0.5	9
429	Cognitive behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2010,	1.5	9
430	Brief PANSS to assess and monitor the overall severity of schizophrenia. Psychiatry and Clinical Neurosciences, 2010, 64, 262-267.	1.0	9
431	Cognitive behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	9
432	Not only Body Weight Perception but also Body Mass Index is Relevant to Suicidal Ideation and Self-Harming Behavior in Japanese Adolescents. Journal of Nervous and Mental Disease, 2012, 200, 305-309.	0.5	9

#	Article	IF	Citations
433	Comparative efficacy and tolerability of new-generation antidepressants for major depressive disorder in children and adolescents: protocol of an individual patient data meta-analysis. BMJ Open, 2018, 8, e018357.	0.8	9
434	Further evidence that item responses on the Kessler Psychological Distress Scale exhibit the characteristic pattern in the general population. Heliyon, 2019, 5, e01387.	1.4	9
435	Optimal Dose of Selective Serotonin Reuptake Inhibitors, Venlafaxine, and Mirtazapine in Major Depression: A Systematic Review and Dose-Response Meta-Analysis. Focus (American Psychiatric) Tj ETQq1 1	0.78 4 344 rgl	3T∮Overlock
436	Cumulative network meta-analyses, practice guidelines, and actual prescriptions for postmenopausal osteoporosis: a meta-epidemiological study. Archives of Osteoporosis, 2020, 15, 21.	1.0	9
437	Subcuticular sutures for skin closure in non-obstetric surgery. The Cochrane Library, 2020, 2020, CD012124.	1.5	9
438	Roux-en-Y versus Billroth-I reconstruction after distal gastrectomy for gastric cancer. The Cochrane Library, 2021, 2021, CD012998.	1.5	9
439	Development and validation of the Cognitive Behavioural Therapy Skills Scale among college students. Evidence-Based Mental Health, 2021, 24, 70-76.	2.2	9
440	Boundary curves of individual items in the distribution of total depressive symptom scores approximate an exponential pattern in a general population. PeerJ, 2016, 4, e2566.	0.9	9
441	Predictive validity of subtypes of chronic affective disorders derived by cluster analysis. Acta Psychiatrica Scandinavica, 1995, 91, 379-385.	2.2	8
442	Factor Structure of Social Support and Its Relationship To Minor Psychiatric Disorders Among Japanese Adolescents. International Journal of Social Psychiatry, 1995, 41, 88-102.	1.6	8
443	A semi-structured clinical interview for psychosis sub-groups (SCIPS): development and psychometric properties. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 563-580.	1.6	8
444	Retrospective Propensity Score Matching and the Selection of Surgical Procedures: How Precise Can a Propensity Estimate Be?. Journal of Clinical Oncology, 2014, 32, 3200-3201.	0.8	8
445	Quantity and quality of psychotherapy trials for depression in the past five decades. Journal of Affective Disorders, 2014, 165, 190-195.	2.0	8
446	Reliability and Validity of the Japanese Version of the Coping Inventory for Adults for Stressful Situations in Healthy People. Psychological Reports, 2015, 116, 447-469.	0.9	8
447	Psychological interventions for positive symptoms in schizophrenia: protocol for a network meta-analysis of randomised controlled trials. BMJ Open, 2018, 8, e019280.	0.8	8
448	Vitamin C therapy for patients with sepsis or septic shock: a protocol for a systematic review and a network meta-analysis. BMJ Open, 2019, 9, e033458.	0.8	8
449	Prediction of remission in pharmacotherapy of untreated major depression: development and validation of multivariable prediction models. Psychological Medicine, 2019, 49, 2405-2413.	2.7	8
450	Cognitive behavioral therapy for overactive bladder in women: study protocol for a randomized controlled trial. BMC Urology, 2020, 20, 129.	0.6	8

#	Article	IF	Citations
451	Identification of malignant early repolarization pattern by late QRS activity in highâ€resolution magnetocardiography. Annals of Noninvasive Electrocardiology, 2020, 25, e12741.	0.5	8
452	High variability in results and methodological quality among overlapping systematic reviews on the same topics in surgery: a meta-epidemiological study. British Journal of Surgery, 2021, 108, 1521-1529.	0.1	8
453	Around ten percent of most recent Cochrane reviews included outcomes in their literature search strategy and were associated with potentially exaggerated results: A research-on-research study. Journal of Clinical Epidemiology, 2022, 141, 74-81.	2.4	8
454	A systematic survey identified methodological issues in studies estimating anchor-based minimal important differences in patient-reported outcomes. Journal of Clinical Epidemiology, 2022, 142, 144-151.	2.4	8
455	Vitruvian plot: a visualisation tool for multiple outcomes in network meta-analysis. Evidence-Based Mental Health, 2022, 25, e65-e70.	2.2	8
456	Are the Cochrane group registers comprehensive? A case study of Japanese psychiatry trials. BMC Medical Research Methodology, 2002, 2, 6.	1.4	7
457	Paroxetine versus other anti-depressive agents for depression. , 2007, , .		7
458	Venlafaxine versus other anti-depressive agents for depression. The Cochrane Library, 2007, , .	1.5	7
459	Social anxiety disorder as a hidden psychiatric comorbidity among cancer patients. Palliative and Supportive Care, 2011, 9, 103-105.	0.6	7
460	Inâ€situation safety behaviors among patients with panic disorder: Descriptive and correlational study. Psychiatry and Clinical Neurosciences, 2013, 67, 332-339.	1.0	7
461	Brief Psychoeducation for Schizophrenia Primarily Intended to Change the Cognition of Auditory Hallucinations. Journal of Nervous and Mental Disease, 2014, 202, 35-39.	0.5	7
462	Influence diagnostics and outlier detection for metaâ€analysis of diagnostic test accuracy. Research Synthesis Methods, 2020, 11, 237-247.	4.2	7
463	Can personalized treatment prediction improve the outcomes, compared with the group average approach, in a randomized trial? Developing and validating a multivariable prediction model in a pragmatic megatrial of acute treatment for major depression. Journal of Affective Disorders, 2020, 274. 690-697.	2.0	7
464	Measuring Clinical Importance in a Trial of Interventions for Mixed Urinary Incontinence. JAMA - Journal of the American Medical Association, 2020, 323, 479.	3.8	7
465	Melancholic features (DSM-IV) predict but do not moderate response to antidepressants in major depression: an individual participant data meta-analysis of 1219 patients. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 521-526.	1.8	7
466	How Efficacious Are Antipsychotic Drugs for Schizophrenia? An Interpretation Based on 13 Effect Size Indices. Schizophrenia Bulletin, 2022, 48, 27-36.	2.3	7
467	The GAD-7 and the PHQ-8 exhibit the same mathematical pattern of item responses in the general population: analysis of data from the National Health Interview Survey. BMC Psychology, 2021, 9, 149.	0.9	7
468	Acute interventions for aggression and agitation in psychosis: study protocol for a systematic review and network meta-analysis. BMJ Open, 2019, 9, e032726.	0.8	7

#	Article	IF	CITATIONS
469	Comparative efficacy and safety of bone-modifying agents for the treatment of bone metastases in patients with advanced renal cell carcinoma: a systematic review and meta-analysis. Oncotarget, 2017, 8, 68890-68898.	0.8	7
470	Dose–effect meta-analysis for psychopharmacological interventions using randomised data. Evidence-Based Mental Health, 2022, 25, 1-6.	2.2	7
471	Unguided Computer-Assisted Self-Help Interventions Without Human Contact in Patients With Obsessive-Compulsive Disorder: Systematic Review and Meta-analysis. Journal of Medical Internet Research, 2022, 24, e35940.	2.1	7
472	Serious reporting deficiencies exist in minimal important difference studies: current state and suggestions for improvement. Journal of Clinical Epidemiology, 2022, 150, 25-32.	2.4	7
473	Characteristics of chronic outpatients with unipolar depression. Acta Psychiatrica Scandinavica, 1993, 88, 273-277.	2.2	6
474	A polydiagnostic study of depressive disorders according to DSM-IV and 23 classical diagnostic systems. Psychiatry and Clinical Neurosciences, 1999, 53, 387-396.	1.0	6
475	Meta-analyses and megatrials: neither is the infallible, universal standard. Evidence-Based Mental Health, 2004, 7, 34-35.	2.2	6
476	Neuroleptic Malignant Syndromeâ€like State in an Epileptic Patient with Organic Brain Comorbidity Treated with Zonisamide and Carbamazepine. Epilepsia, 2007, 48, 1999-2001.	2.6	6
477	Hallucinations in visually impaired individuals. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 104-108.	1.6	6
478	Neural correlates of memory in depression measured by brain perfusion SPECT at rest. Psychiatry and Clinical Neurosciences, 2009, 63, 685-692.	1.0	6
479	Public speaking fears and their correlates among 17,615 Japanese adolescents. Asia-Pacific Psychiatry, 2014, 6, 99-104.	1.2	6
480	Effects of an internet-based cognitive behavioural therapy intervention on preventing major depressive episodes among workers: a protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007590-e007590.	0.8	6
481	Strategic use of new generation antidepressants for depression: SUN(^_^) D protocol update and statistical analysis plan. Trials, 2015, 16, 459.	0.7	6
482	Overstatements in abstract conclusions claiming effectiveness of interventions in psychiatry: a study protocol for a meta-epidemiological investigation. BMJ Open, 2016, 6, e009832.	0.8	6
483	Association between statistical significance and time to publication among systematic reviews: a study protocol for a meta-epidemiological investigation. BMJ Open, 2017, 7, e018856.	0.8	6
484	Efficient two-step multivariate random effects meta-analysis of individual participant data for longitudinal clinical trials using mixed effects models. BMC Medical Research Methodology, 2019, 19, 33.	1.4	6
485	Certolizumab pegol for induction of remission in Crohn's disease. The Cochrane Library, 2019, 2019, CD012893.	1.5	6
486	Electronic health record nested pragmatic randomized controlled trial of a reminder system for serum lithium level monitoring in patients with mood disorder: KONOTORI study protocol. Trials, 2019, 20, 706.	0.7	6

#	Article	IF	CITATIONS
487	Primary Endpoints in Current Phase II/III Trials for Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2020, 34, 97-100.	0.6	6
488	Predicting the treatment response of certolizumab for individual adult patients with rheumatoid arthritis: protocol for an individual participant data meta-analysis. Systematic Reviews, 2020, 9, 140.	2.5	6
489	Predicting antidepressant response through early improvement of individual symptoms of depression incorporating baseline characteristics of patients: An individual patient data meta-analysis. Journal of Psychiatric Research, 2020, 125, 85-90.	1.5	6
490	Clinical feasibility and acceptability of adding cognitive behavioral therapy to pharmacotherapy for drugâ€resistant overactive bladder in women: A singleâ€arm pilot study. LUTS: Lower Urinary Tract Symptoms, 2021, 13, 69-78.	0.6	6
491	Fingertip advanced glycation end products and psychotic symptoms among adolescents. NPJ Schizophrenia, 2021, 7, 37.	2.0	6
492	Differences in the Effect of Internet-Based Cognitive Behavioral Therapy for Improving Nonclinical Depressive Symptoms Among Workers by Time Preference: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e10231.	2.1	6
493	State-of-the-Art Reporting. , 2016, , 189-202.		6
494	Optimal dose of aripiprazole for augmentation therapy of antidepressant-refractory depression: preliminary findings based on a systematic review and dose–effect meta-analysis. British Journal of Psychiatry, 2022, 221, 440-447.	1.7	6
495	Bayesian models for aggregate and individual patient data component network metaâ€analysis. Statistics in Medicine, 2022, , .	0.8	6
496	Review: placebo is better than no treatment for subjective continuous outcomes and for treatment of pain. Evidence-Based Mental Health, 2002, 5, 15-15.	2.2	5
497	Concordance between self- and observer-ratings on Kasahara's Inventory for the Melancholic Type Personality. Psychiatry and Clinical Neurosciences, 2002, 56, 569-574.	1.0	5
498	Adequacy of continuation and maintenance treatments for major depression in Japan. Journal of Psychopharmacology, 2008, 22, 153-156.	2.0	5
499	Making the best use of available evidence: the case of new generation antidepressants: A response to: Are all antidepressants equal?. Evidence-Based Mental Health, 2009, 12, 101-104.	2.2	5
500	Reboxetine versus other antidepressive agents for depression. The Cochrane Library, 2009, , .	1.5	5
501	Reliability and validity of the Japanese version of the Agitated Behaviour in Dementia Scale in Alzheimer's disease: three dimensions of agitated behaviour in dementia. Psychogeriatrics, 2011, 11, 212-220.	0.6	5
502	How can we make the results of trials and their metaâ€analyses using continuous outcomes clinically interpretable?. Acta Psychiatrica Scandinavica, 2014, 130, 321-323.	2.2	5
503	Comments on "Omentum-preserving gastrectomy for advanced gastric cancer: a propensity-matched retrospective cohort study― Gastric Cancer, 2014, 17, 757-758.	2.7	5
504	Enthusiasm for homework and improvement of psychological distress in subthreshold depression during behavior therapy: secondary analysis of data from a randomized controlled trial. BMC Psychiatry, 2015, 15, 302.	1.1	5

#	Article	IF	Citations
505	Quality and impact of secondary information in promoting evidence-based clinical practice: a cross-sectional study about EBMH. Evidence-Based Mental Health, 2016, 19, 82-85.	2.2	5
506	Chotoâ€san versus placebo for patients with dementia: systematic review and metaâ€analysis. Psychogeriatrics, 2017, 17, 466-478.	0.6	5
507	Redundant systematic reviews on the same topic in surgery: a study protocol for a meta-epidemiological investigation. BMJ Open, 2017, 7, e017411.	0.8	5
508	Why has prevalence of mental disorders not decreased as treatment has increased?. Australian and New Zealand Journal of Psychiatry, 2019, 53, 1143-1144.	1.3	5
509	Trajectory of criterion symptoms of major depression under newly started antidepressant treatment: sleep disturbances and anergia linger on while suicidal ideas and psychomotor symptoms disappear early. Acta Psychiatrica Scandinavica, 2019, 140, 532-540.	2.2	5
510	Physician characteristics associated with proper assessment of overstated conclusions in research abstracts: A secondary analysis of a randomized controlled trial. PLoS ONE, 2019, 14, e0211206.	1.1	5
511	Whose depression deteriorates during acute phase antidepressant treatment?. Journal of Affective Disorders, 2020, 260, 342-348.	2.0	5
512	Age-Related Changes in Item Responses to the Patient Health Questionnaire-9: Evidence From the National Health and Nutrition Examination Survey. Frontiers in Psychiatry, 2020, 11, 723.	1.3	5
513	Frequentist performances of Bayesian prediction intervals for randomâ€effects metaâ€analysis. Biometrical Journal, 2021, 63, 394-405.	0.6	5
514	Mathematical pattern of Kessler psychological distress distribution in the general population of the U.S. and Japan. BMC Psychiatry, 2021, 21, 188.	1.1	5
515	Assessing recurrence of depression using a zero-inflated negative binomial model: A secondary analysis of lifelog data. Psychiatry Research, 2021, 300, 113919.	1.7	5
516	Drug treatment for generalised anxiety disorder. BMJ: British Medical Journal, 2011, 342, d1216-d1216.	2.4	5
517	Early- and subsequent- response of cognitive functioning in Alzheimer's disease: Individual-participant data from five pivotal randomized clinical trials of donepezil. Journal of Psychiatric Research, 2022, 148, 159-164.	1.5	5
518	Periodic Psychosis Associated with Pseudo-Pseudohypoparathyroidism. Journal of Nervous and Mental Disease, 1991, 179, 637-638.	0.5	4
519	Dissociations Between Reading Responses and Semantic Priming Effects in A Dyslexic Patient. Cortex, 1997, 33, 753-761.	1.1	4
520	A Case of Frontotemporal Lobar Degeneration (FTLD) With Panic Attack as the First Symptom. Journal of Neuropsychiatry and Clinical Neurosciences, 2007, 19, 485-487.	0.9	4
521	Interoceptive hypersensitivity as prognostic factor among patients with panic disorder who have received cognitive behavioral therapy. Journal of Behavior Therapy and Experimental Psychiatry, 2010, 41, 325-329.	0.6	4
522	Case of intrathecal baclofenâ€induced psychotic symptoms. Psychiatry and Clinical Neurosciences, 2011, 65, 300-301.	1.0	4

#	Article	IF	CITATIONS
523	Effect of Depression-Related Somatic Pain on Treatment Satisfaction and Daily Living Functions. International Journal of Psychiatry in Medicine, 2013, 46, 27-38.	0.8	4
524	Postcard intervention for depression in community-dwelling older adults: A randomised controlled trial. Psychiatry Research, 2015, 229, 545-550.	1.7	4
525	Polymyxin B-immobilised haemoperfusion and mortality in critically ill patients with sepsis/septic shock: a protocol for a systematic review and meta-analysis. BMJ Open, 2016, 6, e012908.	0.8	4
526	Possibly no baseline severity effect for antidepressants versus placebo but for antipsychotics. Why?. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 621-623.	1.8	4
527	Statistical significance did not affect time to publication in non-Cochrane systematic reviews: a metaepidemiological study. Journal of Clinical Epidemiology, 2019, 115, 25-34.	2.4	4
528	Responses to depressive symptom items exhibit a common mathematical pattern across the European populations. Scientific Reports, 2019, 9, 14923.	1.6	4
529	Response inhibition and anxiety in adolescents: Results from a population-based community sample Journal of Affective Disorders, 2019, 246, 89-95.	2.0	4
530	Use of social networking sites and desire for slimness among 10â€yearâ€old girls and boys: A populationâ€based birth cohort study. International Journal of Eating Disorders, 2020, 53, 288-295.	2.1	4
531	Optimal sampling in derivation studies was associated with improved discrimination in external validation for heart failure prognostic models. Journal of Clinical Epidemiology, 2020, 121, 71-80.	2.4	4
532	Adolescent depression: from symptoms to individualised treatment?. Lancet Psychiatry,the, 2020, 7, 295-296.	3.7	4
533	Visualizing the evolution of evidence: Cumulative network <scp>metaâ€analyses</scp> of new generation antidepressants in the last 40 years. Research Synthesis Methods, 2021, 12, 74-85.	4.2	4
534	An individualized treatment rule to optimize probability of remission by continuation, switching, or combining antidepressant medications after failing a first-line antidepressant in a two-stage randomized trial. Psychological Medicine, 2022, 52, 3371-3380.	2.7	4
535	Systematic differences in effect estimates between observational studies and randomized control trials in meta-analyses in nephrology. Scientific Reports, 2021, 11, 6088.	1.6	4
536	The characteristics of patients with severe social withdrawal â€~Hikikomori' in two community psychiatry clinics in Japan. Asian Journal of Psychiatry, 2021, 65, 102833.	0.9	4
537	Relationship between Violent Behavior and Repeated Weight-Loss Dieting among Female Adolescents in Japan. PLoS ONE, 2014, 9, e107744.	1.1	4
538	About the issue of including or excluding studies from China in systematic reviews. Schizophrenia Research, 2022, 240, 162-163.	1.1	4
539	A dose–effect network meta-analysis model with application in antidepressants using restricted cubic splines. Statistical Methods in Medical Research, 2022, , 096228022110702.	0.7	4
540	Efficacy of Brief Intervention for Unhealthy Drug Use in Outpatient Medical Care: a Systematic Review and Meta-analysis. Journal of General Internal Medicine, 2022, 37, 2041-2049.	1.3	4

#	Article	IF	CITATIONS
541	What Is the Minimum Clinically Important Change in Negative Symptoms of Schizophrenia? PANSS Based Post-hoc Analyses of a Phase III Clinical Trial. Frontiers in Psychiatry, 2022, 13, 816339.	1.3	4
542	Panic disorder. Postgraduate Medicine, 1997, 101, 147-166.	0.9	3
543	Psychosocial factors in recurrent miscarriages. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 572-573.	1.3	3
544	Nearâ€infrared spectroscopy of bipolar disorder may be distinct from that of unipolar depression and of healthy controls. Asia-Pacific Psychiatry, 2012, 4, 258-265.	1.2	3
545	Can Assessors in a Psychotherapy Trial Be Successfully Blinded? Analysis of a Randomized Controlled Trial on Psychotherapy for Refractory Insomnia in Residual Depression. Psychotherapy and Psychosomatics, 2013, 82, 401-403.	4.0	3
546	Video-assisted thoracoscopic surgery lobectomy or open lobectomy for non-small-cell lung cancer? Minimizing selection bias in observational studies. European Journal of Cardio-thoracic Surgery, 2014, 46, 150-150.	0.6	3
547	New oral anticoagulants versus warfarin for preventing stroke and systemic embolic events among atrial fibrillation patients with chronic kidney disease. The Cochrane Library, 2014, , .	1.5	3
548	The relationship between depression and violent crime. Lancet Psychiatry, the, 2015, 2, 193-194.	3.7	3
549	Antidepressants, benzodiazepines and azapirones for panic disorder in adults: a network meta-analysis. The Cochrane Library, 2017, , .	1.5	3
550	Daikenchuto for reducing postoperative ileus in patients undergoing elective abdominal surgery. The Cochrane Library, 2018, 4, CD012271.	1.5	3
551	Efficacy of antidepressants over placebo is similar in two-armed versus three-armed or more-armed randomized placebo-controlled trials. International Clinical Psychopharmacology, 2018, 33, 66-72.	0.9	3
552	Network meta-analysis of antidepressants – Authors' reply. Lancet, The, 2018, 392, 1012-1013.	6.3	3
553	Predictors of Broad Dimensions of Psychopathology among Patients with Panic Disorder after Cognitive-Behavioral Therapy. Psychiatry Journal, 2018, 2018, 1-6.	0.7	3
554	Dropouts in an Antidepressant Trial: How Do They Fare Afterwards?. Psychotherapy and Psychosomatics, 2018, 87, 380-382.	4.0	3
555	An epidemic or a plague of common mental disorders?. Acta Psychiatrica Scandinavica, 2019, 140, 391-392.	2.2	3
556	Acceptability of escitalopram versus duloxetine in outpatients with depression who did not respond to initial secondâ€generation antidepressants: Study protocol for a randomized, parallelâ€group, nonâ€inferiority trial. Neuropsychopharmacology Reports, 2019, 39, 262-272.	1.1	3
557	Do newspapers preferentially cover biomedical studies involving national scientists?. Public Understanding of Science, 2019, 28, 191-200.	1.6	3
558	Factor structure of the Japanese version of the Quality of Life in Alzheimer's Disease Scale (QOLâ€AD). Psychogeriatrics, 2020, 20, 79-86.	0.6	3

#	Article	IF	CITATIONS
559	Group cognitive behavioural therapy (GCBT) versus treatment as usual (TAU) in the treatment of irritable bowel syndrome (IBS): a study protocol for a randomized controlled trial. BMC Gastroenterology, 2020, 20, 29.	0.8	3
560	Psychosocial treatments for relapse prevention in schizophrenia: study protocol for a systematic review and network meta-analysis of randomised evidence. BMJ Open, 2020, 10, e035073.	0.8	3
561	Network metaâ€analysis results against a fictional treatment of average performance: Treatment effects and ranking metric. Research Synthesis Methods, 2021, 12, 161-175.	4.2	3
562	Psychological Impact of Masks and Infection-Prevention Plastic Partitions on Anxiety for Infection and Patient-Doctor Relationships During the COVID-19 Pandemic. primary care companion for CNS disorders, The, 2021, 23, .	0.2	3
563	Caregiver selfâ€efficacy and associated factors among caregivers of patients with dementia with <scp>Lewy</scp> bodies and caregivers of patients with <scp>Alzheimer's</scp> disease. Psychogeriatrics, 2021, 21, 783-794.	0.6	3
564	State population indices predict Asian American and Pacific Islander successful substance use treatment completion: An exploratory observational study. Journal of Ethnicity in Substance Abuse, 2022, 21, 1485-1500.	0.6	3
565	Which psychotherapy is effective in panic disorder? And which delivery formats are supported by the evidence? Study protocol for two systematic reviews and network meta-analyses. BMJ Open, 2020, 10, e038909.	0.8	3
566	Trends in Prescribing Antipsychotics for Children and Adolescents in Japan: A Descriptive Epidemiological Study Using a Large-Scale Pharmacy Dataset. Child Psychiatry and Human Development, 2022, , 1.	1,1	3
567	Validation of the Japanese Big Five Scale Short Form in a University Student Sample. Frontiers in Psychology, 0, 13, .	1.1	3
568	Development and validation of the Japanese version of the uMARS (user version of the mobile app) Tj ETQq0 0 0	rgBT /Ove	erlogk 10 Tf 50
569	Effectiveness: the treatment of panic disorder in the real world. Current Opinion in Psychiatry, 2003, 16, 45-48.	3.1	2
570	Withdrawal of benzodiazepines in elderly long term users does not produce significant adverse effects in the short term. Evidence-Based Mental Health, 2004, 7, 46-46.	2.2	2
571	Depressive Disorder Needs an Evidence Base Commensurate with its Public Health Importance. Canadian Journal of Psychiatry, 2007, 52, 543-544.	0.9	2
572	Psychotherapy Plus Antidepressant for Panic Disorder With or Without Agoraphobia: Systematic Review. Focus (American Psychiatric Publishing), 2008, 6, 528-538.	0.4	2
573	The postcard intervention against depression among community-dwelling older adults: study protocol for a randomized controlled trial. Trials, 2013, 14, 202.	0.7	2
574	Bupropion versus other antidepressive agents for depression. The Cochrane Library, 0, , .	1.5	2
575	Depressed with cancer can respond to antidepressants, but further research is needed to confirm and expand on these findings. Evidence-Based Mental Health, 2015, 18, 28-28.	2.2	2
576	Subcuticular sutures for skin closure in non-obstetric surgery. The Cochrane Library, 0, , .	1.5	2

#	Article	IF	CITATIONS
577	Hyperbaric oxygen therapy for persistent post-concussion syndrome following mild traumatic brain injury. The Cochrane Library, 2017, , .	1.5	2
578	Study protocol for a randomised controlled trial of cognitive processing therapy for post-traumatic stress disorder among Japanese patients: the Safety, Power, Intimacy, Esteem, Trust (SPINET) study. BMJ Open, 2017, 7, e014292.	0.8	2
579	Psychological therapies for panic disorder with or without agoraphobia in adults: a network meta-analysis. BJ Psych Advances, 2018, 24, 2-2.	0.5	2
580	Cumulative network-meta-analyses, practice guidelines and actual prescriptions of drug treatments for postmenopausal osteoporosis: a study protocol for cumulative network meta-analyses and meta-epidemiological study. BMJ Open, 2018, 8, e023218.	0.8	2
581	Publication statuses of clinical trials supporting FDA-approved immune checkpoint inhibitors: a meta-epidemiological investigation. BMC Cancer, 2019, 19, 998.	1.1	2
582	Predictors of hypomanic and/or manic switch among patients initially diagnosed with unipolar major depression during acuteâ€phase antidepressants treatment. Psychiatry and Clinical Neurosciences, 2019, 73, 90-91.	1.0	2
583	Efficacy of brief intervention for drug misuse in primary care facilities: systematic review and meta-analysis protocol. BMJ Open, 2020, 10, e036633.	0.8	2
584	Pharmacological treatments in panic disorder in adults: a network meta-analysis. The Cochrane Library, 0 , , .	1.5	2
585	Note Added to Indicate Related Article Was Retracted. JAMA Psychiatry, 2020, 77, 878.	6.0	2
586	Treatment of depression in children and adolescents – Authors' reply. Lancet Psychiatry,the, 2021, 8, 97-98.	3.7	2
587	The risk perception against <scp>COVID</scp> â€19 and outpatients' anxiety of visiting the clinic during <scp>COVID</scp> â€19 pandemic. Psychiatry and Clinical Neurosciences, 2021, 75, 208-209.	1.0	2
588	Antidepressant prescriptions have not fully reflected evolving evidence from cumulative network meta-analyses and guideline recommendations. Journal of Clinical Epidemiology, 2021, 133, 14-23.	2.4	2
589	Time for a paradigm shift for psychotherapies?. Evidence-Based Mental Health, 2021, 24, 1-1.	2.2	2
590	Ultrasound guidance versus landmark method for peripheral venous cannulation in adults. The Cochrane Library, 0 , , .	1.5	2
591	A comprehensive validation of very early rule-out strategies for non-ST-segment elevation myocardial infarction in emergency departments: protocol for a multicentre prospective cohort study. BMJ Open, 2019, 9, e026985.	0.8	2
592	Group Cognitive-Behavioral Therapy With Interoceptive Exposure for Drug-Refractory Irritable Bowel Syndrome: A Randomized Controlled Trial. American Journal of Gastroenterology, 2022, 117, 668-677.	0.2	2
593	Cognitive impairment networks in Alzheimer's disease: Analysis of three double-blind randomized, placebo-controlled, clinical trials of donepezil. European Neuropsychopharmacology, 2022, 57, 50-58.	0.3	2
594	Factors supporting substance use improvement for Black Americans: A population health observational study. Drug and Alcohol Dependence, 2022, 234, 109405.	1.6	2

#	Article	IF	Citations
595	Prevalence of gambling disorder and its correlates among homeless men in Osaka city, Japan. Journal of Gambling Studies, 2023, 39, 1059-1076.	1.1	2
596	Development of a model to predict antidepressant treatment response for depression among Veterans. Psychological Medicine, 0 , 1 - 11 .	2.7	2
597	From nurture to network. American Journal of Psychiatry, 1993, 150, 1129b-1130.	4.0	1
598	Persistence of chronic mood disorders: A 2 year followâ€up. Psychiatry and Clinical Neurosciences, 1995, 49, 19-24.	1.0	1
599	Paroxysmal Nonkinesigenic Dyskinesia With Depression Treated by Bilateral Electroconvulsive Therapy. Journal of Neuropsychiatry and Clinical Neurosciences, 2010, 22, 352.e6-352.e6.	0.9	1
600	A Case with Hodgkin Lymphoma and Fronto-temporal Lobular Degeneration (FTLD)-like Dementia Facilitated by Chemotherapy. Japanese Journal of Clinical Oncology, 2010, 40, 365-368.	0.6	1
601	PMH9 Antidepressant Prescription Patterns Among Patients With Major Depression Based on Claims Database in Japan. Value in Health, 2012, 15, A335.	0.1	1
602	Behavior management approach for agitated behavior in Japanese patients with dementia: a pilot study. Neuropsychiatric Disease and Treatment, 2012, 9, 9.	1.0	1
603	Ramelteon for insomnia. The Cochrane Library, 2014, , .	1.5	1
604	Human parathyroid hormone for preventing and treating glucocorticoid-induced osteoporosis. The Cochrane Library, 0 , , .	1.5	1
605	Mathematical model for the distribution of major depressive episode durations. BMC Research Notes, 2014, 7, 636.	0.6	1
606	Antidepressants during ECT:. Evidence-Based Mental Health, 2014, 17, 25-26.	2.2	1
607	Which drug is the best bet when your bipolar patient gets depressed?:. Evidence-Based Mental Health, 2015, 18, 80-81.	2.2	1
608	Ketamine and other glutamate receptor modulators for depression in adults. BJ Psych Advances, 2016, 22, 214-215.	0.5	1
609	Prognosis of delirium. Evidence-Based Mental Health, 2017, 20, 53-54.	2.2	1
610	DSM-III-R change in definition might have affected placebo response to antidepressants – Authors' reply. Lancet Psychiatry,the, 2017, 4, 22-23.	3.7	1
611	Association between eicosapentaenoic acid (EPA) medication intake and new onset of depression among Japanese patients with hyperlipidemia: A 3-year follow-up study. Journal of Nutrition & Intermediary Metabolism, 2017, 9, 12-16.	1.7	1
612	The relationships between symptoms and quality of life over the course of cognitiveâ€behavioral therapy for panic disorder in Japan. Asia-Pacific Psychiatry, 2017, 9, e12249.	1.2	1

#	Article	IF	CITATIONS
613	The Mechanisms Underlying Changes in Broad Dimensions of Psychopathology During Cognitive Behavioral Therapy for Social Anxiety Disorder. Journal of Clinical Medicine Research, 2017, 9, 1019-1021.	0.6	1
614	Concerns About Selective Outcome Reporting. Journal of Clinical Oncology, 2017, 35, 688-688.	0.8	1
615	Psychotherapy for depression among incurable cancer patients. The Cochrane Library, 2018, 2018, CD005537.	1.5	1
616	Why some depressive patients perform suicidal acts and others do not. Psychiatry and Clinical Neurosciences, 2019, 73, 660-661.	1.0	1
617	Optimal dosing of antidepressant drugs – Authors' reply. Lancet Psychiatry,the, 2019, 6, 806-807.	3.7	1
618	Evidence-Based Utilization of Prognostic Prediction Models in Cardiovascular Medicine. Circulation Reports, 2020, 2, 10-16.	0.4	1
619	Qualitative treatment-subgroup interactions in the antidepressant treatment of major depression: Application of QUINT to individual participant data from seven placebo-controlled randomized controlled trials. Personalized Medicine in Psychiatry, 2020, 21-22, 100054.	0.1	1
620	Daikenchuto for reducing postoperative ileus in patients undergoing elective abdominal surgery. The Cochrane Library, 2020, 2020, CD012271.	1.5	1
621	Quantifying the heterogeneity of cognitive functioning in Alzheimer's disease to extend the placebo-treatment dichotomy: Latent class analysis of individual-participant data from five pivotal randomized clinical trials of donepezil. European Psychiatry, 2021, 64, e16.	0.1	1
622	Acceptability of escitalopram versus duloxetine in outpatients with depression who did not respond to initial second-generation antidepressants: A randomized, parallel-group, non-inferiority trial. Journal of Affective Disorders, 2021, 282, 1011-1020.	2.0	1
623	Protocol for development and validation of a prediction model for 5-year risk of incident overactive bladder in the general population: the Nagahama study. BMC Urology, 2021, 21, 78.	0.6	1
624	Anxiety Impacts Consent Capacity to Treatment in Alzheimer's Disease. Frontiers in Psychology, 2021, 12, 685430.	1.1	1
625	Increasing the clinical interpretability of PHQ-9 through equipercentile linking with health utility values by EQ-5D-3L. Evidence-Based Mental Health, 2021, 24, e6-e6.	2.2	1
626	A possible association between paternal longevity and major depression among elderly men. Psychiatry and Clinical Neurosciences, 1998, 52, 577-579.	1.0	1
627	The inclusion of outcomes in search strategies for Cochrane Reviews: authors' reply. Journal of Clinical Epidemiology, 2021, , .	2.4	1
628	Background styles in systematic review articles are not related to the publication in high-impact-factor journals. Medicine (United States), 2020, 99, e23801.	0.4	1
629	Substance use disorder treatment success: assessing patient-reported use improvement and provider-evaluated treatment completion. Addiction Research and Theory, 0 , , 1 -8.	1.2	1
630	A possible association between paternal longevity and major depression among elderly men. Psychiatry and Clinical Neurosciences, 1998, 52, 577-9.	1.0	1

#	Article	IF	CITATIONS
631	Behavioral Activation Contributed to the Total Reduction of Depression Symptoms in the Smartphone-based Cognitive Behavioral Therapy: A Secondary Analysis of a Randomized, Controlled Trial. Innovations in Clinical Neuroscience, 2020, 17, 21-25.	0.1	1
632	Errors in Relative Risks Reported in Figure 3 in a Network Meta-analysis of Cognitive Behavior Therapy Delivery Formats in Adults With Depression. JAMA Psychiatry, 2021, , .	6.0	1
633	Editorial: CBASP in the Treatment of Persistent Depressive Disorder. Frontiers in Psychiatry, 2021, 12, 804602.	1.3	1
634	Efficacy and acceptability of next step treatment strategies in adults with treatment-resistant major depressive disorder: protocol for systematic review and network meta-analysis. BMJ Open, 2022, 12, e056777.	0.8	1
635	Digital aids for relapse prevention in schizophrenia. Lancet Psychiatry, the, 2022, 9, 424-425.	3.7	1
636	Antidepressant-induced manic switches. American Journal of Psychiatry, 1996, 153, 1370a-1370.	4.0	0
637	Alternative diagnostic procedures. American Journal of Psychiatry, 1996, 153, 449b-450.	4.0	0
638	Prognosis of depression and generalised anxiety in primary care. British Journal of Psychiatry, 2001, 179, 177-178.	1.7	0
639	Cognitive therapy and social functioning in chronic depression. British Journal of Psychiatry, 2001, 178, 477-477.	1.7	0
640	Cognitive Patterns of Good and Poor Namers in Old Age. Psychogeriatrics, 2002, 2, 35-39.	0.6	0
641	The Influence of the Stroop Interference Effect on an Event-based Prospective Memory Task in Alzheimer's Disease Patients. Psychogeriatrics, 2002, 2, 120-126.	0.6	0
642	Clinical study on the antidepressive effects of milnacipran. International Clinical Psychopharmacology, 2006, 21, A18.	0.9	0
643	Effectiveness of selective serotonin reuptake inhibitors. Cmaj, 2008, 178, 1185-1186.	0.9	0
644	A stepped-care prevention programme decreased depression and anxiety disorders in elderly patients. Evidence-Based Medicine, 2009, 14, 146-146.	0.6	0
645	Response to the letter. General Hospital Psychiatry, 2009, 31, 398.	1.2	0
646	Exploring the link between depression and rheumatoid arthritis: prospects for optimal therapeutic success. International Journal of Clinical Rheumatology, 2010, 5, 273-275.	0.3	0
647	Strategic use of new generation antidepressants for depression, SUN($^-$)D: study design and rationale. Trials, 2011, 12, .	0.7	0
648	Rapid discontinuation of antidepressants reduces time to recurrence of depression and panic. Evidence-Based Mental Health, 2011, 14, 13-13.	2.2	0

#	Article	IF	CITATIONS
649	PSY65 Meta-Analysis of Health-Related Quality of Life Outcomes – Methods for Enhancing Interpretability of Findings. Value in Health, 2012, 15, A110.	0.1	O
650	Treatment Disparity Among Patients Diagnosed with Depressive Disorder in Working Population Based on Claims Database in Japan. Value in Health, 2013, 16, A543.	0.1	0
651	Can we inflate effect size and thus increase chances of producing "positive―results if we raise the baseline threshold in schizophrenia trials?. Schizophrenia Research, 2013, 144, 105-108.	1.1	0
652	Adverse effects of antidepressants during pregnancy. Evidence-Based Mental Health, 2014, 17, 103-104.	2.2	0
653	Diagnostic test for dementias. Evidence-Based Mental Health, 2014, 17, 45-46.	2.2	0
654	Prognosis of a brief psychotic episode:. Evidence-Based Mental Health, 2014, 17, 81-82.	2.2	0
655	Bipolar treatment efficacy – Authors' reply. Lancet Psychiatry,the, 2014, 1, 418-419.	3.7	0
656	Interventions for the management of esophageal candidiasis in immunocompromised patients. The Cochrane Library, 0 , , .	1.5	0
657	What course are we to expect for a child with her first manic episode?:. Evidence-Based Mental Health, 2015, 18, 111-112.	2.2	0
658	Reply to Letter. Annals of Surgery, 2015, 261, e157.	2.1	0
659	Reply to Letter. Annals of Surgery, 2015, 262, e81-e82.	2.1	0
660	Eradication of Helicobacter pylorifor iron deficiency. The Cochrane Library, 2015, , .	1.5	0
661	Helping people with schizophrenia to quit smoking. Evidence-Based Mental Health, 2015, 18, 14-15.	2.2	0
662	Diagnosing autism spectrum disorder (ASD) among adults. Evidence-Based Mental Health, 2016, 19, 46-48.	2.2	0
663	Daikenchuto for reducing postoperative ileus in patients undergoing elective abdominal surgery. The Cochrane Library, $2016, $	1.5	0
664	Which psychotherapy for PTSD?. Evidence-Based Mental Health, 2016, 19, 118-119.	2.2	0
665	A guideline for whom?. Epidemiology and Psychiatric Sciences, 2016, 25, 439-440.	1.8	0
666	No significant difference in long-term remission between psychological therapies and antidepressants in panic disorder. Evidence-Based Mental Health, 2017, 20, e18-e18.	2.2	0

#	Article	IF	Citations
667	Certolizumab pegol for induction of remission in Crohn's disease. The Cochrane Library, 2017, , .	1.5	O
668	Choosing the optimum strategy for rTMS. Evidence-Based Mental Health, 2018, 21, 77-78.	2.2	0
669	Response to letter regarding article by Formiga et al., "Utility of the Controlling Nutritional Status (CONUT) score in patients admitted due to acute heart failure― International Journal of Cardiology, 2018, 256, 25.	0.8	0
670	Cognitive behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 0 , , .	1.5	0
671	Roux-en-Y versus Billroth-I reconstruction after distal gastrectomy for gastric cancer. The Cochrane Library, 2018, , .	1.5	0
672	Baseline severity and efficacy of antidepressants: into the third generation of research. Lancet Psychiatry, the, 2019, 6, 715-716.	3.7	0
673	Association between patients' feedback comments and depressive mood, satisfaction, homework conducted, and dropouts during selfâ€guided smartphone cognitive behavioral therapy. Psychiatry and Clinical Neurosciences, 2019, 73, 349-350.	1.0	0
674	The Relationship between Symptoms and Social Functioning over the Course of Cognitive Behavioral Therapy for Social Anxiety Disorder. Psychiatry Journal, 2020, 2020, 1-7.	0.7	0
675	Challenges in Systematic Reviews That Include Observational Studies: Comment on the Article by Karmacharya et al. Arthritis and Rheumatology, 2020, 72, 2163-2164.	2.9	0
676	Antidepressants plus benzodiazepines for adults with major depression: a Cochrane Review. BJ Psych Advances, 2020, 26, 320-320.	0.5	0
677	Response and Remission in Care-as-Usual, Waiting Lists and Pill Placebo Conditions in Psychotherapy Trials for Depression: A Meta-Analysis. SSRN Electronic Journal, 0, , .	0.4	0
678	Interpreting the Findings of a Meta-analysis of Psychosocial Interventions in Bipolar Disorder. JAMA Psychiatry, 2021, 78, 448.	6.0	0
679	Response to Jordan, Nich, Babuscio, Quainoo, and Carroll. Drug and Alcohol Dependence, 2021, 223, 108676.	1.6	0
680	IF. Evidence-Based Mental Health, 2021, 24, 95-96.	2.2	0
681	Considerations Regarding a Network Meta-analysis of Systemic Treatments for Metastatic Castration-Sensitive Prostate Cancer. JAMA Oncology, 2021, 7, 1068.	3.4	0
682	The Methodological Quality Score of COVID-19 Systematic Reviews is Low, Except for Cochrane Reviews: A Meta-epidemiological Study. Annals of Clinical Epidemiology, 2021, 3, 46-55.	0.3	0
683	Psychosocial Treatment for Schizophrenia. American Journal of Psychiatry, 2001, 158, 2092-c-2093.	4.0	0
684	Comparative efficacy and safety of bone-modifying agents for the treatment of bone metastases in patients with advanced renal cell carcinoma: A systematic review and meta-analysis Journal of Clinical Oncology, 2017, 35, e16067-e16067.	0.8	0

#	Article	IF	CITATIONS
685	Clinical Relevance of the Behavioral Stages of Change with the Efficacy of Multifaceted Interventions on the Drop-Out from Regular Medical Care in Patients with Diabetesâ€"The Japan Diabetes Outcome Intervention Trial-2 (J-DOIT2). Diabetes, 2018, 67, .	0.3	0
686	Publication statuses of clinical trials supporting immune checkpoint inhibitors recently approved by the United States Food and Drug Administration: A meta-epidemiological investigation Journal of Clinical Oncology, 2019, 37, 89-89.	0.8	0
687	Reply by Authors. Journal of Urology, 2020, 204, 1002-1002.	0.2	0
688	Fear of Fear and Broad Dimensions of Psychopathology over the Course of Cognitive Behavioural Therapy for Panic Disorder with Agoraphobia in Japan. East Asian Archives of Psychiatry, 2017, 27, 150-5.	0.5	0
689	Title is missing!. , 2019, 14, e0222752.		0
690	Title is missing!. , 2019, 14, e0222752.		0
691	Title is missing!. , 2019, 14, e0222752.		0
692	Title is missing!. , 2019, 14, e0222752.		0
693	Rapid discontinuation of antidepressants reduces time to recurrence of depression and panic. Evidence-Based Mental Health, 2011, 14, 13-13.	2.2	0
694	Antidepressant-Benzodiazepine Combination Therapy. American Journal of Psychiatry, 1999, 156, 1840-1840.	4.0	0
695	Why one answer is not always enough: Reply to "CBASP may not be superior to other treatments for chronic depression― Journal of Affective Disorders, 2022, , .	2.0	O