Martins, As

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8215111/publications.pdf Version: 2024-02-01



MADTING AS

#	Article	IF	CITATIONS
1	Green turtles nest survival: Quantifying the hidden predation. Marine Environmental Research, 2022, 179, 105666.	2.5	3
2	Drone-Monitoring: Improving the Detectability of Threatened Marine Megafauna. Drones, 2021, 5, 14.	4.9	24
3	Using drones and ROV to assess the vulnerability of marine megafauna to the Fundão tailings dam collapse. Science of the Total Environment, 2021, 800, 149302.	8.0	14
4	Niche partitioning between sea turtles in waters of a protected tropical island. Regional Studies in Marine Science, 2020, 39, 101439.	0.7	7
5	Key prey indicates high resilience on marine soft bottom habitats. Marine Environmental Research, 2020, 159, 104963.	2.5	6
6	Mesophotic ecosystems at Fernando de Noronha Archipelago, Brazil (South-western Atlantic), reveal unique ichthyofauna and need for conservation. Neotropical Ichthyology, 2020, 18, .	1.0	14
7	Opportunistic Development and Environmental Disaster Threat Franciscana Dolphins in the Southeast of Brazil. Tropical Conservation Science, 2019, 12, 194008291984788.	1.2	6
8	Scavenging as a pathway for plastic ingestion by marine animals. Environmental Pollution, 2019, 248, 159-165.	7.5	22
9	Influence of detached macroalgae on fish size and condition in nearshore habitats. Estuarine, Coastal and Shelf Science, 2018, 211, 227-237.	2.1	5
10	The carcinofauna found in stomach contents of the flying gurnard (<i>Dactylopterus volitans</i>) on the continental shelf of the Campos Basin, Brazil. Journal of Natural History, 2018, 52, 1-11.	0.5	4
11	Cadmium in tissues of green turtles (Chelonia mydas): A global perspective for marine biota. Science of the Total Environment, 2018, 637-638, 389-397.	8.0	15
12	Seasonal mesoscale shifts of demersal nekton assemblages in the subtropical South-western Atlantic. Marine Biology Research, 2017, 13, 88-97.	0.7	16
13	Distribuição e abundância do nécton demersal da plataforma e talude continental da Bacia de Campos. , 2017, , 111-138.		1
14	Ecologia trófica do nécton demersal da plataforma e talude continental da Bacia de Campos. , 2017, , 167-185.		3
15	Mesophotic fishes of the Abrolhos Shelf, the largest reef ecosystem in the South Atlantic. Journal of Fish Biology, 2016, 89, 990-1001.	1.6	44
16	The anti-predator role of within-nest emergence synchrony in sea turtle hatchlings. Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20160697.	2.6	58
17	Marine debris ingestion and Thayer's law – The importance of plastic color. Environmental Pollution, 2016, 214, 585-588.	7.5	101
18	Origin of marine debris is related to disposable packs of ultra-processed food. Marine Pollution Bulletin, 2016, 109, 192-195.	5.0	36

Martins, As

#	Article	IF	CITATIONS
19	Fish diversity of a southwestern Atlantic coastal island: aspects of distribution and conservation in a marine zoogeographical boundary. Check List, 2015, 11, 1615.	0.4	15
20	Health condition of juvenile Chelonia mydas related to fibropapillomatosis in southeast Brazil. Diseases of Aquatic Organisms, 2015, 115, 193-201.	1.0	28
21	Debris ingestion by juvenile marine turtles: An underestimated problem. Marine Pollution Bulletin, 2015, 93, 37-43.	5.0	128
22	Megafaunal communities along a depth gradient on the tropical Brazilian continental margin. Marine Biology Research, 2015, 11, 1053-1064.	0.7	14
23	Fish Biodiversity of the Vitória-Trindade Seamount Chain, Southwestern Atlantic: An Updated Database. PLoS ONE, 2015, 10, e0118180.	2.5	95
24	Regional and local factors determining green turtle Chelonia mydas foraging relationships with the environment. Marine Ecology - Progress Series, 2015, 529, 265-277.	1.9	42
25	The influence of allochthonous macroalgae on the fish communities of tropical sandy beaches. Estuarine, Coastal and Shelf Science, 2014, 144, 75-81.	2.1	26
26	Lanternfish (Myctophidae) from eastern Brazil, southwest Atlantic Ocean. Latin American Journal of Aquatic Research, 2014, 42, 245-257.	0.6	10
27	Distribution and feeding habits of three sea robin species (Bellator brachychir, Prionotus nudigula) Tj ETQq1 Research, 2014, 42, 488-496.	1 0.784314 rg 0.6	BT /Overloc 4
28	Traditional Ecological Knowledge and the mapping of benthic marine habitats. Journal of Environmental Management, 2013, 115, 241-250.	7.8	51
29	Biologia reprodutiva do camarão sete-barbas no litoral centro sul e sul do EspÃrito Santo, Brasil. Boletim Do Instituto De Pesca, 2013, 39, 205-215.	0.5	9
30	A new record of whale shark <i>Rhincodon typus</i> in Brazilian waters: a report of association with <i>Caranx crysos</i> . Journal of Fish Biology, 2012, 81, 2092-2094.	1.6	7
31	Spatial distribution and diet of Cephalopholis fulva (Ephinephelidae) at Trindade Island, Brazil. Neotropical Ichthyology, 2012, 10, 383-388.	1.0	6
32	Diet of juvenile green turtles (Chelonia mydas) associating with artisanal fishing traps in a subtropical estuary in Brazil. Marine Biology, 2012, 159, 573-581.	1.5	37
33	Age and growth of the queen triggerfish Balistes vetula (tetraodontiformes, balistidae) of the central coast of Brazil. Brazilian Journal of Oceanography, 2011, 59, 231-239.	0.6	10
34	Green turtle nesting on Trindade Island, Brazil: abundance, trends, and biometrics. Endangered Species Research, 2011, 14, 193-201.	2.4	65
35	Coastal habitat degradation and green sea turtle diets in Southeastern Brazil. Marine Pollution Bulletin, 2011, 62, 1297-1302.	5.0	51
36	Shelfâ€edge reefs as priority areas for conservation of reef fish diversity in the tropical Atlantic. Aquatic Conservation: Marine and Freshwater Ecosystems, 2011, 21, 199-209.	2.0	43

Martins, As

#	Article	IF	CITATIONS
37	Relationship between fibropapillomatosis and environmental quality: a case study with Chelonia mydas off Brazil. Diseases of Aquatic Organisms, 2010, 89, 87-95.	1.0	74
38	Impact of commercial fishing on Trindade Island and Martin Vaz Archipelago, Brazil: characteristics, conservation status of the species involved and prospects for preservation. Brazilian Archives of Biology and Technology, 2010, 53, 1417-1423.	0.5	23
39	Reef Fisheries and Underwater Surveys Indicate Overfishing of a Brazilian Coastal Island. Natureza A Conservacao, 2010, 08, 151-159.	2.5	18
40	Aspects of the population biology of <i>Cephalopholis fulva</i> from the central coast of Brazil. Journal of Applied Ichthyology, 2009, 25, 328-334.	0.7	12
41	Interdisciplinary assessment of the status quo of the marine fishery systems in the state of Espirito Santo, Brazil, using Rapfish. Journal of Applied Ichthyology, 2009, 25, 269-276.	0.7	8
42	Age, growth and mortality of white grunt (<i>Haemulon plumierii</i>) from the central coast of Brazil. Scientia Marina, 2007, 71, 793-800.	0.6	13
43	Age and growth of coney (Cephalopholis fulva), from the central coast of Brazil. Journal of the Marine Biological Association of the United Kingdom, 2006, 86, 187-191.	0.8	18
44	Total Mercury in Muscle Tissue of Five Shark Species from Brazilian Offshore Waters: Effects of Feeding Habit, Sex, and Length. Environmental Research, 2002, 89, 250-258.	7.5	129
45	Reproduction of the cutlassfish <i>Trichiurus lepturus</i> in the southern Brazil subtropical convergence ecosystem. Scientia Marina, 2000, 64, 97-105.	0.6	28
46	Distribution, abundance and biological interactions of the cutlassfish Trichiurus lepturus in the southern Brazil subtropical convergence ecosystem. Fisheries Research, 1997, 30, 217-227.	1.7	49
47	Marine artificial reef (MAR) interference in artisanal fisheries in Brazil: use of traditional knowledge. Boletim Do Instituto De Pesca, 0, 48, .	0.5	Ο