## Milena Gandy

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8215704/publications.pdf

Version: 2024-02-01

63 2,688 27 48
papers citations h-index g-index

64 64 64 3047
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Anxiety and depressive disorders in people with epilepsy: A metaâ€analysis. Epilepsia, 2017, 58, 973-982.	2.6	277
2	Psychometric properties and clinical utility of brief measures of depression, anxiety, and general distress: The PHQ-2, GAD-2, and K-6. General Hospital Psychiatry, 2019, 56, 13-18.	1.2	199
3	Disorder-specific versus transdiagnostic and clinician-guided versus self-guided treatment for major depressive disorder and comorbid anxiety disorders: A randomized controlled trial. Journal of Anxiety Disorders, 2015, 35, 88-102.	1.5	183
4	Transdiagnostic versus disorder-specific and clinician-guided versus self-guided internet-delivered treatment for generalized anxiety disorder and comorbid disorders: A randomized controlled trial. Journal of Anxiety Disorders, 2015, 36, 63-77.	1.5	182
5	Clinical and Cost-Effectiveness of Therapist-Guided Internet-Delivered Cognitive Behavior Therapy for Older Adults With Symptoms of Depression: A Randomized Controlled Trial. Behavior Therapy, 2015, 46, 193-205.	1.3	156
6	The Pain Course. Pain, 2015, 156, 1920-1935.	2.0	132
7	Clinical and Cost-Effectiveness of Therapist-Guided Internet-Delivered Cognitive Behavior Therapy for Older Adults With Symptoms of Anxiety: A Randomized Controlled Trial. Behavior Therapy, 2015, 46, 206-217.	1.3	94
8	Treating anxiety and depression in young adults: A randomised controlled trial comparing clinician-guided versus self-guided Internet-delivered cognitive behavioural therapy. Australian and New Zealand Journal of Psychiatry, 2018, 52, 668-679.	1.3	82
9	Treating anxiety and depression in older adults: randomised controlled trial comparing guided <i>V.</i> self-guided internet-delivered cognitive–behavioural therapy. BJPsych Open, 2016, 2, 50-58.	0.3	72
10	Improving Adherence and Clinical Outcomes in Self-Guided Internet Treatment for Anxiety and Depression: A 12-Month Follow-Up of a Randomised Controlled Trial. PLoS ONE, 2014, 9, e89591.	1.1	68
11	Cognitive behavior therapy for depression in people with epilepsy: A systematic review. Epilepsia, 2013, 54, 1725-1734.	2.6	55
12	Rates of DSM-IV mood, anxiety disorders, and suicidality in Australian adult epilepsy outpatients: A comparison of well-controlled versus refractory epilepsy. Epilepsy and Behavior, 2013, 26, 29-35.	0.9	55
13	Anxiety in epilepsy: A neglected disorder. Journal of Psychosomatic Research, 2015, 78, 149-155.	1.2	52
14	Psychosocial predictors of depression and anxiety in patients with epilepsy: A systematic review. Journal of Affective Disorders, 2012, 140, 222-232.	2.0	51
15	Measurement of Symptom Change Following Web-Based Psychotherapy: Statistical Characteristics and Analytical Methods for Measuring and Interpreting Change. JMIR Mental Health, 2018, 5, e10200.	1.7	49
16	The UniWellbeing course: A randomised controlled trial of a transdiagnostic internet-delivered cognitive behavioural therapy (CBT) programme for university students with symptoms of anxiety and depression. Internet Interventions, 2015, 2, 128-136.	1.4	47
17	The pain course: a randomised controlled trial comparing a remote-delivered chronic pain management program when provided in online and workbook formats. Pain, 2017, 158, 1289-1301.	2.0	47
18	Managing depression and anxiety in people with epilepsy: A survey of epilepsy health professionals by the ILAE Psychology Task Force. Epilepsia Open, 2021, 6, 127-139.	1.3	42

#	Article	IF	CITATIONS
19	Assessing the efficacy of 2 screening measures for depression in people with epilepsy. Neurology, 2012, 79, 371-375.	1.5	38
20	Design and validation of two measures to detect anxiety disorders in epilepsy: The Epilepsy Anxiety Survey Instrument and its brief counterpart. Epilepsia, 2019, 60, 2068-2077.	2.6	38
21	Cognitive Behaviour Therapy to Improve Mood in People with Epilepsy: A Randomised Controlled Trial. Cognitive Behaviour Therapy, 2014, 43, 153-166.	1.9	37
22	Increased skills usage statistically mediates symptom reduction in self-guided internet-delivered cognitive–behavioural therapy for depression and anxiety: a randomised controlled trial. Cognitive Behaviour Therapy, 2018, 47, 43-61.	1.9	36
23	Systematic Review and Meta-Analysis of Anxiety and Depression in Youth With Epilepsy. Journal of Pediatric Psychology, 2020, 45, 133-144.	1.1	35
24	Examining self-guided internet-delivered cognitive behavior therapy for older adults with symptoms of anxiety and depression: Two feasibility open trials. Internet Interventions, 2015, 2, 17-23.	1.4	33
25	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale – Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. Journal of Psychosomatic Research, 2020, 129, 109892.	1.2	33
26	The Pain Course: exploring predictors of clinical response to an Internet-delivered pain management program. Pain, 2016, 157, 2257-2268.	2.0	32
27	A feasibility trial of an Internetâ€delivered and transdiagnostic cognitive behavioral therapy treatment program for anxiety, depression, and disability among adults with epilepsy. Epilepsia, 2016, 57, 1887-1896.	2.6	31
28	Exploring the efficacy and acceptability of Internet-delivered cognitive behavioural therapy for young adults with anxiety and depression: An open trial. Australian and New Zealand Journal of Psychiatry, 2014, 48, 819-827.	1.3	30
29	A feasibility open trial of guided Internet-delivered cognitive behavioural therapy for anxiety and depression amongst Arab Australians. Internet Interventions, 2015, 2, 32-38.	1.4	30
30	Internet-delivered cognitive and behavioural based interventions for adults with chronic pain: a systematic review and meta-analysis of randomized controlled trials. Pain, 2022, 163, e1041-e1053.	2.0	29
31	The Pain Course: 12- and 24-Month Outcomes From a Randomized Controlled Trial of an Internet-Delivered Pain Management Program Provided With Different Levels of Clinician Support. Journal of Pain, 2018, 19, 1491-1503.	0.7	27
32	Meta-analysis of the efficacy and acceptability of cognitive-behavioural therapy for Arab adult populations experiencing anxiety, depression or post-traumatic stress disorder. Cognitive Behaviour Therapy, 2018, 47, 412-430.	1.9	23
33	Examining an internet-delivered intervention for anxiety and depression when delivered as a part of routine care for university students: A phase IV trial. Journal of Affective Disorders, 2019, 256, 567-577.	2.0	23
34	A randomized controlled trial of internet-delivered cognitive behaviour therapy to prevent the development of depressive disorders in older adults with multimorbidity. Journal of Affective Disorders, 2020, 264, 464-473.	2.0	23
35	The psychosocial correlates of depressive disorders and suicide risk in people with epilepsy. Journal of Psychosomatic Research, 2013, 74, 227-232.	1.2	22
36	A pilot study of self-guided internet-delivered cognitive behavioural therapy for anxiety and depression among Arabs. Internet Interventions, 2016, 3, 18-24.	1.4	22

#	Article	IF	CITATIONS
37	Acceptability of Mental Health Services for Anxiety and Depression in an Arab Sample. Community Mental Health Journal, 2018, 54, 875-883.	1.1	22
38	A feasibility trial of an internet-delivered psychological intervention to manage mental health and functional outcomes in neurological disorders. Journal of Psychosomatic Research, 2020, 136, 110173.	1.2	20
39	Probability of Major Depression Classification Based on the SCID, CIDI, and MINI Diagnostic Interviews: A Synthesis of Three Individual Participant Data Meta-Analyses. Psychotherapy and Psychosomatics, 2021, 90, 28-40.	4.0	20
40	Emotional and cognitive difficulties, help-seeking, and barriers to treatment in neurological disorders Rehabilitation Psychology, 2018, 63, 563-574.	0.7	19
41	The Pain Course: exploring the feasibility of an internet-delivered pain management programme for adults with spinal cord injury. Spinal Cord, 2018, 56, 931-939.	0.9	18
42	Internet-delivered treatment for young adults with anxiety and depression: Evaluation in routine clinical care and comparison with research trial outcomes. Journal of Affective Disorders, 2019, 256, 103-109.	2.0	18
43	The frequency of actions and thoughts scale: development and psychometric validation of a measure of adaptive behaviours and cognitions. Cognitive Behaviour Therapy, 2016, 45, 196-216.	1.9	17
44	How frequently is anxiety and depression identified and treated in hospital and community samples of adults with epilepsy?. Epilepsy and Behavior, 2021, 115, 107703.	0.9	16
45	Psychometric properties of the mini-social phobia inventory (Mini-SPIN) in a large online treatment-seeking sample. Cognitive Behaviour Therapy, 2016, 45, 236-257.	1.9	15
46	Transdiagnostic internet-delivered cognitive-behaviour therapy (CBT) for adults with functional gastrointestinal disorders (FGID): A feasibility open trial. Journal of Psychosomatic Research, 2018, 108, 61-69.	1.2	15
47	A Cost-effectiveness Analysis of an Internet-delivered Pain Management Program Delivered With Different Levels of Clinician Support: Results From a Randomised Controlled Trial. Journal of Pain, 2021, 22, 344-358.	0.7	15
48	Short message service prompts for skills practice in Internetâ€delivered cognitive behaviour therapy for chronic pain – are they feasible and effective?. European Journal of Pain, 2016, 20, 1288-1298.	1.4	14
49	Examining the psychometric properties of brief screening measures of depression and anxiety in chronic pain: The Patient Health Questionnaire 2â€item and Generalized Anxiety Disorder 2â€item. Pain Practice, 2022, 22, 478-486.	0.9	14
50	Psychological distress, helpâ€seeking, and perceived barriers to psychological treatment among Australian parents. Australian Journal of Psychology, 2018, 70, 113-121.	1.4	12
51	The Pain Course. Clinical Journal of Pain, 2018, 34, 505-514.	0.8	10
52	The Pain Course: a randomised controlled trial and economic evaluation of an internet-delivered pain management program. Pain, 2022, 163, 1388-1401.	2.0	8
53	The Chronic Conditions Course: A Randomised Controlled Trial of an Internet-Delivered Transdiagnostic Psychological Intervention for People with Chronic Health Conditions. Psychotherapy and Psychosomatics, 2022, 91, 265-276.	4.0	8
54	Psychological treatments for people with epilepsy. The Cochrane Library, 2020, 2020, .	<b>1.</b> 5	7

#	Article	IF	CITATIONS
55	Disability and life satisfaction in neurological disorders: The role of depression and perceived cognitive difficulties. General Hospital Psychiatry, 2021, 73, 16-23.	1.2	6
56	Cochrane systematic review and metaâ€analysis of the impact of psychological treatment on healthâ€related quality of life in people with epilepsy: an update by the ILAE Psychology Task Force, highlighting methodological changesâ^—. Epileptic Disorders, 2021, 23, 803-811.	0.7	6
57	Whether chronic pain is medically explained or not does not moderate the response to cognitive-behavioural therapy. Journal of Psychosomatic Research, 2019, 121, 29-36.	1.2	5
58	Opioid use before and after completion of an online pain management program Journal of Consulting and Clinical Psychology, 2019, 87, 904-917.	1.6	5
59	Exploring psychological mechanisms of clinical response to an internetâ€delivered psychological pain management program. European Journal of Pain, 2018, 22, 1502-1516.	1.4	4
60	Preventing depression in older people with multimorbidity: 24-month follow-up of a trial of internet-delivered cognitive behaviour therapy. Age and Ageing, 2021, 50, 2254-2258.	0.7	4
61	Involvement in compensation litigation and outcome from an online pain management program Rehabilitation Psychology, 2019, 64, 263-268.	0.7	2
62	Advancing neuropalliative care. Lancet Neurology, The, 2021, 20, 887.	4.9	1
63	Reply to Grzegorzewska et al Epilepsy and Behavior, 2021, 118, 107914.	0.9	O