

Alexander J Macgregor

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8216623/alexander-j-macgregor-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

6,298
citations

43
h-index

77
g-index

139
ext. papers

7,321
ext. citations

4.1
avg, IF

5.53
L-index

#	Paper	IF	Citations
126	HLA-DRB1 haplotypes predict cardiovascular mortality in inflammatory polyarthritis independent of CRP and anti-CCP status.. <i>Arthritis Research and Therapy</i> , 2022 , 24, 90	5.7	0
125	Trajectories of pain and function in the first five years after total hip and knee arthroplasty : an analysis of patient reported outcome data from the National Joint Registry. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1111-1118	5.6	8
124	Reduced cognitive ability in people with rheumatoid arthritis compared with age-matched healthy controls. <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkab044	1.1	1
123	Impact of COVID-19 pandemic social restriction measures on people with rheumatic and musculoskeletal diseases in the UK: a mixed-methods study. <i>BMJ Open</i> , 2021 , 11, e048772	3	6
122	Revision and 90-day mortality following hip arthroplasty in patients with inflammatory arthritis and ankylosing spondylitis enrolled in the National Joint Registry for England and Wales. <i>HIP International</i> , 2021 , 1120700021990592	1.7	
121	Increased habitual flavonoid intake predicts attenuation of cognitive ageing in twins. <i>BMC Medicine</i> , 2021 , 19, 185	11.4	0
120	The reliability of radiographic measures of total ankle replacement position: an analysis from the OARS cohort. <i>Skeletal Radiology</i> , 2021 , 50, 1411-1417	2.7	0
119	Impact of comorbidities on the safety and effectiveness of hip and knee arthroplasty surgery. <i>Bone and Joint Journal</i> , 2021 , 103-B, 56-64	5.6	4
118	Data quality predicts care quality: findings from a national clinical audit. <i>Arthritis Research and Therapy</i> , 2020 , 22, 87	5.7	2
117	Variation and implications of treatment decisions in early rheumatoid arthritis: results from a nationwide cohort study. <i>Rheumatology</i> , 2020 , 59, 2035-2042	3.9	1
116	Retinal vasculometric characteristics and their associations with polymyalgia rheumatica and giant cell arteritis in a prospective cohort: EPIC-Norfolk Eye Study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 547-549	2.4	
115	Demographic and geographical variability in physiotherapy provision following hip and knee replacement. An analysis from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man. <i>Physiotherapy</i> , 2020 , 106, 1-11	3	6
114	Accessing health services for musculoskeletal diseases during early COVID-19 lockdown: Results from a UK population survey. <i>Rheumatology Advances in Practice</i> , 2020 , 4, rkaa047	1.1	2
113	Dynamic early identification of hip replacement implants with high revision rates. Study based on the NJR data from UK during 2004-2012. <i>PLoS ONE</i> , 2020 , 15, e0236701	3.7	
112	Cardiovascular risk factors associated with polymyalgia rheumatica and giant cell arteritis in a prospective cohort: EPIC-Norfolk Study. <i>Rheumatology</i> , 2020 , 59, 319-323	3.9	3
111	Validity of a two-component imaging-derived disease activity score for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2019 ,	3.9	21
110	"It's my own fault": Accounts and consequences of falling when living with rheumatoid arthritis. <i>Musculoskeletal Care</i> , 2019 , 17, 346-353	1.6	2

109	Risk-adjusted cUSUM control charts for shared frailty survival models with application to hip replacement outcomes: a study using the NJR dataset. <i>BMC Medical Research Methodology</i> , 2019 , 19, 217	4.7	3
108	Incidence of inflammatory polyarthritis in polymyalgia rheumatica: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 704-705	2.4	1
107	Trajectory of physical activity after hip fracture: An analysis of community-dwelling individuals from the English Longitudinal Study of Ageing. <i>Injury</i> , 2018 , 49, 697-701	2.5	4
106	Patterns and predictors of skin score change in early diffuse systemic sclerosis from the European Scleroderma Observational Study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 563-570	2.4	31
105	Trajectory of social isolation following hip fracture: an analysis of the English Longitudinal Study of Ageing (ELSA) cohort. <i>Age and Ageing</i> , 2018 , 47, 107-112	3	6
104	Disability, fatigue, pain and their associates in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study. <i>Rheumatology</i> , 2018 , 57, 370-381	3.9	36
103	Have the 10-year outcomes of patients with early inflammatory arthritis improved in the new millennium compared with the decade before? Results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 848-854	2.4	17
102	The Effect of Age, Sex, Area Deprivation, and Living Arrangements on Total Knee Replacement Outcomes: A Study Involving the United Kingdom National Joint Registry Dataset. <i>JBJS Open Access</i> , 2018 , 3, e0042	3.1	8
101	Primary care challenges in diagnosing and referring patients with suspected rheumatoid arthritis: a national cross-sectional GP survey. <i>Rheumatology Advances in Practice</i> , 2018 , 2, rky012	1.1	2
100	The Association of Body Mass Index with Risk of Long-Term Revision and 90-Day Mortality Following Primary Total Hip Replacement: Findings from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 2140-2152	5.6	14
99	Higher dietary flavonoid intakes are associated with lower objectively measured body composition in women: evidence from discordant monozygotic twins. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 626-634	7	26
98	Can Rheumatologists Predict Eventual Need for Orthopaedic Intervention in Patients with Rheumatoid Arthritis? Results of a Systematic Review and Analysis of Two UK Inception Cohorts. <i>Current Rheumatology Reports</i> , 2017 , 19, 12	4.9	4
97	Treatment outcome in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study (ESOS). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1207-1218	2.4	71
96	Twenty-Year Outcome and Association Between Early Treatment and Mortality and Disability in an Inception Cohort of Patients With Rheumatoid Arthritis: Results From the Norfolk Arthritis Register. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1566-1575	9.5	36
95	Changes in physical activity following total hip or knee arthroplasty: a matched case-control study from the EPIC-Norfolk cohort. <i>Clinical Rehabilitation</i> , 2017 , 31, 1548-1557	3.3	7
94	Predictors of and outcomes following orthopaedic joint surgery in patients with early rheumatoid arthritis followed for 20 years. <i>Rheumatology</i> , 2017 , 56, 1510-1517	3.9	10
93	Genome-wide methylation analysis of a large population sample shows neurological pathways involvement in chronic widespread musculoskeletal pain. <i>Pain</i> , 2017 , 158, 1053-1062	8	21
92	Trajectory of physical activity following total hip and knee arthroplasty: data from the English Longitudinal Study of Ageing (ELSA) cohort. <i>European Journal of Physiotherapy</i> , 2017 , 19, 201-206	0.5	1

91	Untangling the relationship between diet and visceral fat mass through blood metabolomics and gut microbiome profiling. <i>International Journal of Obesity</i> , 2017 , 41, 1106-1113	5.5	41
90	Hippurate as a metabolomic marker of gut microbiome diversity: Modulation by diet and relationship to metabolic syndrome. <i>Scientific Reports</i> , 2017 , 7, 13670	4.9	110
89	153. ASSESSMENT OF PREDICTORS OF AND OUTCOMES FOLLOWING ORTHOPAEDIC JOINT SURGERY OVER 20 YEARS IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS RECRUITED TO THE NORFOLK ARTHRITIS REGISTER. <i>Rheumatology</i> , 2017 , 56,	3.9	1
88	Metabolites of milk intake: a metabolomic approach in UK twins with findings replicated in two European cohorts. <i>European Journal of Nutrition</i> , 2017 , 56, 2379-2391	5.2	16
87	Pulmonary embolism and mortality following total ankle replacement: a data linkage study using the NJR data set. <i>BMJ Open</i> , 2016 , 6, e011947	3	7
86	Quality measures for total ankle replacement, 30-day readmission and reoperation rates within 1 year of surgery: a data linkage study using the NJR data set. <i>BMJ Open</i> , 2016 , 6, e011332	3	15
85	The effect of vitamin D supplementation on knee osteoarthritis, the VIDEO study: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1858-1866	6.2	75
84	Prevalence and profile of musculoskeletal injuries in ballet dancers: A systematic review and meta-analysis. <i>Physical Therapy in Sport</i> , 2016 , 19, 50-6	3	39
83	Anticarbamylated protein antibodies are associated with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1139-44	2.4	33
82	Characterizing Blood Metabolomics Profiles Associated with Self-Reported Food Intakes in Female Twins. <i>PLoS ONE</i> , 2016 , 11, e0158568	3.7	60
81	HLA-DRB1 Amino Acid Positions 11/13, 71, and 74 Are Associated With Inflammation Level, Disease Activity, and the Health Assessment Questionnaire Score in Patients With Inflammatory Polyarthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2618-2628	9.5	21
80	Dietary Magnesium Is Positively Associated With Skeletal Muscle Power and Indices of Muscle Mass and May Attenuate the Association Between Circulating C-Reactive Protein and Muscle Mass in Women. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 317-25	6.3	48
79	Associations between branched chain amino acid intake and biomarkers of adiposity and cardiometabolic health independent of genetic factors: A twin study. <i>International Journal of Cardiology</i> , 2016 , 223, 992-998	3.2	45
78	Challenges in reporting systematic reviews on epidemiological sport injury data: Letter to the editor re: "Upholding standards of reporting in the synthesis of dance epidemiology literature" re: "Prevalence and profile of musculoskeletal injuries in ballet dancers: A systematic review and meta-analysis" <i>Physical Therapy in Sport</i> , 2016 , 19, 131-136	3	
77	Amino Acid Intakes Are Associated With Bone Mineral Density and Prevalence of Low Bone Mass in Women: Evidence From Discordant Monozygotic Twins. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 326-35	6.3	46
76	The Effect of Disease Severity and Comorbidity on Length of Stay for Orthopedic Surgery in Rheumatoid Arthritis: Results from 2 UK Inception Cohorts, 1986-2012. <i>Journal of Rheumatology</i> , 2015 , 42, 778-85	4.1	8
75	Amino Acid Intakes Are Inversely Associated with Arterial Stiffness and Central Blood Pressure in Women. <i>Journal of Nutrition</i> , 2015 , 145, 2130-8	4.1	40
74	Food Preference Patterns in a UK Twin Cohort. <i>Twin Research and Human Genetics</i> , 2015 , 18, 793-805	2.2	47

73	The prevalence of axial spondyloarthritis in the UK: a cross-sectional cohort study. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 392	2.8	24
72	ISSLS Prize Winner: Vertebral Endplate (Modic) Change is an Independent Risk Factor for Episodes of Severe and Disabling Low Back Pain. <i>Spine</i> , 2015 , 40, 1187-93	3.3	78
71	OP2. The efficacy of a multidisciplinary intervention strategy for the treatment of benign joint hypermobility syndrome in childhood: a randomized, single centre parallel group trial (The BENDY Study). <i>Rheumatology</i> , 2015 , 54, ii2-ii3	3.9	
70	An omics investigation into chronic widespread musculoskeletal pain reveals epiandrosterone sulfate as a potential biomarker. <i>Pain</i> , 2015 , 156, 1845-1851	8	30
69	Adherence to home physiotherapy treatment in children and young people with joint hypermobility: a qualitative report of family perspectives on acceptability and efficacy. <i>Musculoskeletal Care</i> , 2014 , 12, 56-61	1.6	14
68	Intakes of anthocyanins and flavones are associated with biomarkers of insulin resistance and inflammation in women. <i>Journal of Nutrition</i> , 2014 , 144, 202-8	4.1	152
67	International consensus criteria for the diagnosis of Raynaud's phenomenon. <i>Journal of Autoimmunity</i> , 2014 , 48-49, 60-5	15.5	118
66	Low back and common widespread pain share common genetic determinants. <i>Annals of Human Genetics</i> , 2014 , 78, 357-66	2.2	27
65	The prevalence of inflammatory back pain in a UK primary care population. <i>Rheumatology</i> , 2014 , 53, 1613-9	4.9	22
64	Dietary fat and fatty acid profile are associated with indices of skeletal muscle mass in women aged 18-79 years. <i>Journal of Nutrition</i> , 2014 , 144, 327-34	4.1	37
63	The potential for dietary factors to prevent or treat osteoarthritis. <i>Proceedings of the Nutrition Society</i> , 2014 , 73, 278-88	2.9	19
62	A higher alkaline dietary load is associated with greater indexes of skeletal muscle mass in women. <i>Osteoporosis International</i> , 2013 , 24, 1899-908	5.3	56
61	Targeted metabolomics profiles are strongly correlated with nutritional patterns in women. <i>Metabolomics</i> , 2013 , 9, 506-514	4.7	93
60	How do patients with end-stage ankle arthritis decide between two surgical treatments? A qualitative study. <i>BMJ Open</i> , 2013 , 3,	3	14
59	Validation of a patient self-reported screening questionnaire for axial spondyloarthropathy in a UK Population. <i>Spine</i> , 2013 , 38, 502-6	3.3	10
58	Novel genetic variants associated with lumbar disc degeneration in northern Europeans: a meta-analysis of 4600 subjects. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1141-8	2.4	84
57	The contribution of diet and genotype to iron status in women: a classical twin study. <i>PLoS ONE</i> , 2013 , 8, e83047	3.7	7
56	Patterns of risk of cancer in patients with metal-on-metal hip replacements versus other bearing surface types: a record linkage study between a prospective joint registry and general practice electronic health records in England. <i>PLoS ONE</i> , 2013 , 8, e65891	3.7	23

55	The demand incidence of symptomatic ankle osteoarthritis presenting to foot & ankle surgeons in the United Kingdom. <i>Foot</i> , 2012 , 22, 163-6	1.3	41
54	Habitual flavonoid intakes are positively associated with bone mineral density in women. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 1872-8	6.3	66
53	Clarification from the National Joint Registry. <i>BMJ, The</i> , 2012 , 345, e7199	5.9	2
52	Age differences in genetic and environmental variations in stress-coping during adulthood: a study of female twins. <i>Behavior Genetics</i> , 2012 , 42, 541-8	3.2	10
51	Higher anthocyanin intake is associated with lower arterial stiffness and central blood pressure in women. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 781-8	7	188
50	Lumbar disc degeneration and genetic factors are the main risk factors for low back pain in women: the UK Twin Spine Study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1740-5	2.4	254
49	Diet and bone mineral density study in postmenopausal women from the TwinsUK registry shows a negative association with a traditional English dietary pattern and a positive association with wine. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1371-5	7	40
48	Progression of lumbar disc degeneration over a decade: a heritability study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1203-7	2.4	45
47	Novel Data Mining Approaches for Detecting Quantitative Trait Loci of Bone Mineral Density in Genome-Wide Linkage Analysis. <i>Lecture Notes in Computer Science</i> , 2011 , 498-509	0.9	
46	Evidence that bone mineral density plays a role in degenerative disc disease: the UK Twin Spine study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 2102-6	2.4	51
45	A response to Videman et al., "challenging the cumulative injury model: positive effects of greater body mass on disc degeneration". <i>Spine Journal</i> , 2010 , 10, 571-2; author reply 572	4	6
44	Can choices between alternative hip prostheses be evidence based? a review of the economic evaluation literature. <i>Cost Effectiveness and Resource Allocation</i> , 2010 , 8, 20	2.4	8
43	The epidemiology of Takayasu arteritis in the UK. <i>Rheumatology</i> , 2009 , 48, 1008-11	3.9	154
42	Plasma adiponectin concentrations are associated with body composition and plant-based dietary factors in female twins. <i>Journal of Nutrition</i> , 2009 , 139, 353-8	4.1	21
41	An obesogenic postnatal environment is more important than the fetal environment for the development of adult adiposity: a study of female twins. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 401-6	7	26
40	The genetic influence on radiographic osteoarthritis is site specific at the hand, hip and knee. <i>Rheumatology</i> , 2009 , 48, 277-80	3.9	81
39	A Hybrid Method of Multidimensional Scaling and Clustering for Determining Genetic Influence on Phenotypes. <i>Lecture Notes in Computer Science</i> , 2009 , 520-527	0.9	
38	Migraine and antiphospholipid antibodies: no association found in migraine-discordant monozygotic twins. <i>Cephalalgia</i> , 2008 , 28, 1048-52	6.1	16

37	Lumbar disc disease shows linkage to chromosome 19 overlapping with a QTL for hand OA. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 117-9	2.4	10
36	Relation of birth weight, body mass index, and change in size from birth to adulthood to insulin resistance in a female twin cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 516-20	5.6	14
35	Development and validation of a patient-based disease activity score in rheumatoid arthritis that can be used in clinical trials and routine practice. <i>Arthritis and Rheumatism</i> , 2008 , 59, 192-9		29
34	Genetic influence on the progression of radiographic knee osteoarthritis: a longitudinal twin study. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 222-5	6.2	58
33	Genomewide linkage scan of hand osteoarthritis in female twin pairs showing replication of quantitative trait loci on chromosomes 2 and 19. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 623-7	2.4	23
32	Heritability of responses to painful stimuli in women: a classical twin study. <i>Brain</i> , 2007 , 130, 3041-9	11.2	153
31	The role of gene-environment interaction in determining bone mineral density in a twin population. <i>Twin Research and Human Genetics</i> , 2007 , 10, 191-7	2.2	3
30	Intrauterine, environmental, and genetic influences in the relationship between birth weight and lipids in a female twin cohort. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 2373-9	9.4	8
29	Genome-wide scan for prospective memory suggests linkage to chromosome 12q22. <i>Behavior Genetics</i> , 2006 , 36, 18-28	3.2	9
28	The effect of moderate alcohol consumption on bone mineral density: a study of female twins. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 309-10	2.4	64
27	Genetic effects on baseline values of C-reactive protein and serum amyloid a protein: a comparison of monozygotic and dizygotic twins. <i>Clinical Chemistry</i> , 2004 , 50, 130-4	5.5	124
26	Modeling with measured genotypes: effects of the vitamin D receptor gene, age, and latent genetic and environmental factors on bone mineral density. <i>Behavior Genetics</i> , 2004 , 34, 197-206	3.2	4
25	Structural, psychological, and genetic influences on low back and neck pain: a study of adult female twins. <i>Arthritis and Rheumatism</i> , 2004 , 51, 160-7		204
24	The genetic epidemiology of joint hypermobility: a population study of female twins. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2640-4		100
23	An investigation of unique and shared gene effects on speed of sound and bone density using axial transmission quantitative ultrasound and DXA in twins. <i>Journal of Bone and Mineral Research</i> , 2003 , 18, 1525-30	6.3	23
22	The association of body mass index and osteoarthritis of the knee joint: an examination of genetic and environmental influences. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1024-9		157
21	The genetic contribution to carpal tunnel syndrome in women: a twin study. <i>Arthritis and Rheumatism</i> , 2002 , 47, 275-9		89
20	Linkage and association for bone mineral density and heel ultrasound measurements with a simple tandem repeat polymorphism near the osteocalcin gene in female dizygotic twins. <i>Osteoporosis International</i> , 2002 , 13, 745-54	5.3	15

19	The influence of genetics and environmental factors in the pathogenesis of acne: a twin study of acne in women. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 1317-22	4.3	125
18	Gender differences in the genetic factors responsible for variation in bone density and ultrasound. <i>Journal of Bone and Mineral Research</i> , 2002 , 17, 725-33	6.3	54
17	Genetic variation in bone mineral density and calcaneal ultrasound: a study of the influence of menopause using female twins. <i>Osteoporosis International</i> , 2001 , 12, 406-11	5.3	56
16	Genetic contribution to bone metabolism, calcium excretion, and vitamin D and parathyroid hormone regulation. <i>Journal of Bone and Mineral Research</i> , 2001 , 16, 371-8	6.3	171
15	The genetic contribution to hip joint morphometry and relationship to hip cartilage thickness. <i>Osteoarthritis and Cartilage</i> , 2001 , 9, 593-5	6.2	13
14	Characterizing the quantitative genetic contribution to rheumatoid arthritis using data from twins. <i>Arthritis and Rheumatism</i> , 2000 , 43, 30-7		775
13	A cotwin control study of the relationship between hip osteoarthritis and bone mineral density. <i>Arthritis and Rheumatism</i> , 2000 , 43, 1450-5		81
12	A two-stage, genome-wide screen for susceptibility loci in primary Raynaud's phenomenon. <i>Arthritis and Rheumatism</i> , 2000 , 43, 1641-6		46
11	The genetic contribution to radiographic hip osteoarthritis in women: results of a classic twin study. <i>Arthritis and Rheumatism</i> , 2000 , 43, 2410-6		154
10	Twins. Novel uses to study complex traits and genetic diseases. <i>Trends in Genetics</i> , 2000 , 16, 131-4	8.5	126
9	A randomized controlled trial of vitamin D supplementation on preventing postmenopausal bone loss and modifying bone metabolism using identical twin pairs. <i>Journal of Bone and Mineral Research</i> , 2000 , 15, 2276-83	6.3	65
8	Genetics of risk factors for melanoma: an adult twin study of nevi and freckles. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 457-63	9.7	112
7	Characterizing the quantitative genetic contribution to rheumatoid arthritis using data from twins 2000 , 43, 30		2
6	The genetic contribution to radiographic hip osteoarthritis in women: Results of a classic twin study 2000 , 43, 2410		2
5	Influence of current and past hormone replacement therapy on bone mineral density: a study of discordant postmenopausal twins. <i>Osteoporosis International</i> , 1999 , 9, 158-62	5.3	4
4	Genes Control the Cessation of a Woman's Reproductive Life: A Twin Study of Hysterectomy and Age at Menopause. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 1875-1880	5.6	212
3	Determinants of pressure pain threshold in adult twins: evidence that shared environmental influences predominate. <i>Pain</i> , 1997 , 73, 253-257	8	67
2	Cigarette smoking increases the risk of rheumatoid arthritis. Results from a nationwide study of disease-discordant twins. <i>Arthritis and Rheumatism</i> , 1996 , 39, 732-5		277

- 1 Classification criteria for rheumatoid arthritis. *Baillieres Clinical Rheumatology*, **1995**, 9, 287-304