

# Yoshinari Konishi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8217654/publications.pdf>

Version: 2024-02-01

31  
papers

1,417  
citations

567281

15  
h-index

434195

31  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1916  
citing authors

#	ARTICLE	IF	CITATIONS
1	H <sub>2</sub> O <sub>2</sub> production on a carbon cathode loaded with a nickel carbonate catalyst and on an oxide photoanode without an external bias. RSC Advances, 2021, 11, 11224-11232.	3.6	2
2	Angulated Bi <sub>3+</sub> WO <sub>3</sub> with Significant Alkali Resistance and Efficient Photocatalytic Activity. Chemistry Letters, 2013, 42, 395-397.	1.3	2
3	Flexible Dye-Sensitized Solar Cells with High Thermal Resistance Clay Films as Substrates. Electrochemistry, 2011, 79, 801-803.	1.4	4
4	Photocatalytic and Antibacterial Activities over WO <sub>3</sub> on Glass Filters. Chemistry Letters, 2010, 39, 884-885.	1.3	7
5	The enhancement of WO <sub>3</sub> -catalyzed photodegradation of organic substances utilizing the redox cycle of copper ions. Applied Catalysis B: Environmental, 2008, 84, 42-47.	20.2	67
6	Promotion effect of CuO co-catalyst on WO <sub>3</sub> -catalyzed photodegradation of organic substances. Catalysis Communications, 2008, 9, 1254-1258.	3.3	87
7	Utilization of Fe <sup>3+</sup> /Fe <sup>2+</sup> Redox for the Photodegradation of Organic Substances over WO <sub>3</sub> Photocatalyst and for H <sub>2</sub> Production from the Electrolysis of Water. Electrochemistry, 2008, 76, 128-131.	1.4	32
8	High-Throughput Screening Using Porous Photoelectrode for the Development of Visible-Light-Responsive Semiconductors. ACS Combinatorial Science, 2007, 9, 574-581.	3.3	136
9	Data mining assisted by theoretical calculations for improving dye-sensitized solar cell performance. Solar Energy Materials and Solar Cells, 2007, 91, 76-78.	6.2	4
10	Efficient Complete Oxidation of Acetaldehyde into CO <sub>2</sub> over CuBi <sub>2</sub> O <sub>4</sub> /WO <sub>3</sub> Composite Photocatalyst under Visible and UV Light Irradiation. Journal of Physical Chemistry C, 2007, 111, 7574-7577.	3.1	313
11	Synthesis and characterization of nanosheet-shaped titanium dioxide. Journal of Materials Science, 2007, 42, 529-533.	3.7	31
12	Synthesis of Tubular Titanate via a Self-Assembly and Self-Removal Process. Inorganic Chemistry, 2006, 45, 5684-5690.	4.0	21
13	Highly efficient dye-sensitized solar cells composed of mesoporous titanium dioxide. Journal of Materials Chemistry, 2006, 16, 1287.	6.7	159
14	Utilization of Titanate Nanotubes as an Electrode Material in Dye-Sensitized Solar Cells. Journal of the Electrochemical Society, 2006, 153, A1232.	2.9	95
15	Formation of nanotubes TiO <sub>2</sub> from layered titanate particles by a soft chemical process. Solid State Communications, 2005, 133, 493-497.	1.9	80
16	Synthesis of single-crystal manganese dioxide nanowires by a soft chemical process. Nanotechnology, 2005, 16, 245-249.	2.6	106
17	A simple method to synthesize nanowires titanium dioxide from layered titanate particles. Chemical Physics Letters, 2004, 400, 231-234.	2.6	55
18	Influence of alkylpyridine additives in electrolyte solution on the performance of dye-sensitized solar cell. Solar Energy Materials and Solar Cells, 2003, 80, 167-179.	6.2	110

#	ARTICLE	IF	CITATIONS
19	Nanotube Effect on a Liquid-Phase Photoreaction in Mesoporous Silica. <i>Journal of Physical Chemistry B</i> , 2001, 105, 9101-9106.	2.6	18
20	Supercage effect for a photochemical reaction in a flow reactor packed with mesoporous silica. <i>Chemical Physics Letters</i> , 2000, 328, 251-256.	2.6	19
21	Radical pair dynamics in anionic micelles with different alkyl chain length as studied by pulse-mode product-yield-detected ESR. <i>Applied Magnetic Resonance</i> , 1999, 17, 597-608.	1.2	4
22	A Pulse-Product-Yield-Detected ESR Study on the Photolysis of Nitronaphthalene—Aniline Bifunctional Chain Molecule. <i>Bulletin of the Chemical Society of Japan</i> , 1999, 72, 27-31.	3.2	3
23	Contribution of intersystem recombination on the lifetime of radical pair produced in photoreduction of benzophenone derivatives in SDS micelle as detected by pulse-PYESR. <i>Applied Magnetic Resonance</i> , 1998, 14, 131-141.	1.2	5
24	Control of a photoreaction by electron spin resonance (II): The effect of radical pair lifetime on the control efficiency. <i>Applied Magnetic Resonance</i> , 1996, 11, 135-150.	1.2	3
25	Control of a Photoreaction by ESR Transition of the Intermediate Radical Pair As Evaluated by Liquid Chromatography. <i>The Journal of Physical Chemistry</i> , 1996, 100, 9403-9406.	2.9	10
26	Radical-Pair Dynamics in the Photoreduction of Anthraquinone in Sodium Dodecyl Sulfate Micellar Solution Detected by Pulse-Mode Product-Yield-Detected Electron Spin Resonance: Temperature and Salt Dependence. <i>The Journal of Physical Chemistry</i> , 1995, 99, 15108-15113.	2.9	7
27	Substituent Effect on the Dynamics of Radical Pairs Produced in the Photoreduction of Anthraquinone Derivatives in SDS Micellar Solutions as Studied by Pulse-Mode Product-Yield-Detected ESR. <i>The Journal of Physical Chemistry</i> , 1995, 99, 12540-12544.	2.9	7
28	A Pulse-Mode Product-Yield-Detected ESR Study on the Dynamics of Radical Pair Production in the Photoreaction of Anthraquinone in SDS Micellar Solution. <i>The Journal of Physical Chemistry</i> , 1994, 98, 10558-10562.	2.9	9
29	Radical pair dynamics observed with pulse-mode product-yield-detected ESR. <i>Applied Magnetic Resonance</i> , 1994, 7, 149-166.	1.2	8
30	Control of a Photochemical Reaction by Manipulating the Electron Spins of a Transient Radical Pair as Evidenced by HPLC Analysis. <i>Chemistry Letters</i> , 1994, 23, 737-740.	1.3	6
31	Product Yield-Detected ESR Studies of Photochemical Reaction of a Bifunctional Chain Molecule. Magnetic Field and Microwave Effects*. <i>Zeitschrift Fur Physikalische Chemie</i> , 1993, 180, 223-233.	2.8	7