

Marcelo Bighetti Toniollo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8218637/publications.pdf>

Version: 2024-02-01

11
papers

141
citations

1306789

7
h-index

1473754

9
g-index

11
all docs

11
docs citations

11
times ranked

171
citing authors

#	ARTICLE	IF	CITATIONS
1	Condiç�o de sa�de bucal de dependentes qu�micos em processo de reabilita�o: um estudo transversal. <i>Research, Society and Development</i> , 2021, 10, e43910112025.	0.0	0
2	Influence of Bone Quality on the Use of Implant Prosthesis with Intermediate Pontic: Three-dimensional Finite Element Method. <i>Dental Journal of Advance Studies</i> , 2021, 09, 151-156.	0.2	0
3	Stress distribution of three-unit fixed partial prostheses (conventional and pontic) supported by three or two implants: 3D finite element analysis of ductile materials. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2019, 22, 706-712.	0.9	5
4	Photoelastic analysis of mandibular full-arch implant-supported fixed dentures made with different bar materials and manufacturing techniques. <i>Materials Science and Engineering C</i> , 2017, 81, 144-147.	3.8	26
5	A Three-Dimensional Finite Element Analysis of the Stress Distribution Generated by Splinted and Nonsplinted Prostheses in the Rehabilitation of Various Bony Ridges with Regular or Short Morse Taper Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 372-376.	0.6	12
6	Finite Element Analysis of Bone Stress in the Posterior Mandible Using Regular and Short Implants, in the Same Context, with Splinted and Nonsplinted Prostheses. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, e199-e206.	0.6	19
7	Three-Dimensional Finite Element Analysis Surface Stress Distribution on Regular and Short Morse Taper Implants Generated by Splinted and Nonsplinted Prostheses in the Rehabilitation of Various Bony Ridges. <i>Journal of Craniofacial Surgery</i> , 2016, 27, e276-e280.	0.3	10
8	A three-dimensional finite element analysis of the stress distribution on morse taper implants surface. <i>Journal of Prosthodontic Research</i> , 2013, 57, 206-212.	1.1	29
9	Three-Dimensional Finite Element Analysis of Stress Distribution on Different Bony Ridges With Different Lengths of Morse Taper Implants and Prosthesis Dimensions. <i>Journal of Craniofacial Surgery</i> , 2012, 23, 1888-1892.	0.3	24
10	Effect of fluoride sodium mouthwash solutions on cpTI: evaluation of physicochemical properties. <i>Brazilian Dental Journal</i> , 2012, 23, 496-501.	0.5	8
11	Effect of fluoride-containing solutions on the surface of cast commercially pure titanium. <i>Brazilian Dental Journal</i> , 2009, 20, 201-204.	0.5	8