

Samad Nejad Ebrahimi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8218794/publications.pdf>

Version: 2024-02-01

186
papers

3,589
citations

156536

32
h-index

242451

47
g-index

196
all docs

196
docs citations

196
times ranked

5078
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial multi-component lipid-based nanoemulsion of <i>Eucalyptus globulus</i> and <i>Mentha piperita</i> as natural preservative. <i>Journal of Dispersion Science and Technology</i> , 2023, 44, 1423-1432.	1.3	1
2	Cassane-type diterpenes from roots of <i>Pterolobium macropterum</i> and their anti-inflammatory activity. <i>Phytochemistry</i> , 2022, 196, 113074.	1.4	5
3	Emerging drying techniques for food safety and quality: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 1125-1160.	5.9	22
4	Formulation of Nano/Micro-Carriers Loaded with an Enriched Extract of Coffee Silverskin: Physicochemical Properties, In Vitro Release Mechanism and In Silico Molecular Modeling. <i>Pharmaceutics</i> , 2022, 14, 112.	2.0	3
5	Preliminary studies of microencapsulation and anticancer activity of polyphenols extract from <i>Punica granatum</i> peels. <i>Canadian Journal of Chemical Engineering</i> , 2022, 100, 3240-3252.	0.9	7
6	Sesquiterpene Lactones with Astrodaucane Skeleton from <i>Astrodaucus orientalis</i> . <i>Planta Medica</i> , 2022, 0, .	0.7	0
7	Enrichment of phenolic compounds from grape (<i>Vitis vinifera</i> L.) pomace extract using a macroporous resin and response surface methodology. <i>Chemical Engineering Research and Design</i> , 2022, 183, 382-397.	2.7	9
8	Cytotoxic abietane diterpenoids from <i>Salvia leriifolia</i> Benth. <i>Phytochemistry</i> , 2022, 202, 113310.	1.4	2
9	Anticonvulsant activity of Iranian medicinal plants and molecular docking studies of isolated phytochemicals. <i>South African Journal of Botany</i> , 2022, 149, 646-657.	1.2	2
10	Effective Inhibition and eradication of <i>Pseudomonas aeruginosa</i> biofilms by <i>Satureja khuzistanica</i> essential oil nanoemulsion. <i>Journal of Drug Delivery Science and Technology</i> , 2021, 61, 102260.	1.4	15
11	Nor-abietane Diterpenoids from <i>Perovskia abrotanoides</i> Roots with Anti-inflammatory Potential. <i>Journal of Natural Products</i> , 2021, 84, 1185-1197.	1.5	11
12	Chemical Composition and Antioxidant Activity of Root Essential Oil of Different <i>Salvia leriifolia</i> Populations. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2021, 24, 209-217.	0.7	1
13	Natural products as inhibitors of COVID-19 main protease—A virtual screening by molecular docking. <i>Pharmaceutical Sciences</i> , 2021, , .	0.1	3
14	Changes in the essential oil content and composition of <i>Salvia limbata</i> C.A. Mey at different growth stages and altitudes. <i>Biomedical Chromatography</i> , 2021, 35, e5127.	0.8	6
15	Diterpenoids from <i>Zhumeria majdae</i> roots as potential heat shock protein 90 (HSP90) modulators. <i>Phytochemistry</i> , 2021, 185, 112685.	1.4	5
16	An analysis of variations in morphological characteristics, essential oil content, and genetic sequencing among and within major Iranian Juniper (<i>Juniperus</i> spp.) populations. <i>Phytochemistry</i> , 2021, 186, 112737.	1.4	10
17	Variability, association and path analysis of centellosides and agro-morphological characteristics in Iranian <i>Centella asiatica</i> (L.) Urban ecotypes. <i>South African Journal of Botany</i> , 2021, 139, 254-266.	1.2	12
18	Optimization of effective parameters in cold pasteurization of pomegranate juice by response surface methodology and evaluation of physicochemical characteristics. <i>LWT - Food Science and Technology</i> , 2021, 147, 111679.	2.5	13

#	ARTICLE	IF	CITATIONS
19	Hypoglycemic active principles from the leaves of <i>Bauhinia holophylla</i> : Comprehensive phytochemical characterization and in vivo activity profile. <i>PLoS ONE</i> , 2021, 16, e0258016.	1.1	6
20	Microencapsulation of enriched extracts of two <i>Satureja</i> species by spray drying, evaluation of the controlled release mechanism and cytotoxicity. <i>Pharmaceutical Sciences</i> , 2021, , .	0.1	1
21	Identification of novel anti-cancer agents by the synthesis and cellular screening of a noscapine-based library. <i>Bioorganic Chemistry</i> , 2021, 115, 105135.	2.0	11
22	Two seco-norabietane diterpenoids with unprecedented skeletons from the roots of <i>Salvia abrotanoides</i> (Kar.) Sytsma. <i>Phytochemistry</i> , 2021, 191, 112926.	1.4	2
23	Exploring <i>Gunnera tinctoria</i> : From Nutritional and Anti-Tumoral Properties to Phytosome Development Following Structural Arrangement Based on Molecular Docking. <i>Molecules</i> , 2021, 26, 5935.	1.7	6
24	New Sesterterpenoids from <i>Salvia mirzayanii</i> Rech.f. and <i>Esfand</i> . Stereochemical Characterization by Computational Electronic Circular Dichroism. <i>Frontiers in Chemistry</i> , 2021, 9, 783292.	1.8	2
25	Agro-morphological and phytochemical diversity and silica content variability among Iranian populations of common horsetail (<i>Equisetum arvense</i> L.). <i>Journal of Medicinal Plants</i> , 2021, 20, 83-101.	0.2	2
26	Synthesis, in-vitro antiprotozoal activity and molecular docking study of isothiocyanate derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115185.	1.4	11
27	Molecular networking based dereplication of AChE inhibitory compounds from the medicinal plant <i>Vincetoxicum funebre</i> (Boiss. & Kotschy). <i>Journal of Biomolecular Structure and Dynamics</i> , 2020, , 1-10.	2.0	4
28	Pyridine-4(1 <i>H</i>)-one Alkaloids from <i>Waltheria indica</i> as Antitrypanosomatid Agents. <i>Journal of Natural Products</i> , 2020, 83, 3363-3371.	1.5	9
29	Generation of Stilbene Antimicrobials against Multiresistant Strains of <i>Staphylococcus aureus</i> through Biotransformation by the Enzymatic Secretome of <i>Botrytis cinerea</i> . <i>Journal of Natural Products</i> , 2020, 83, 2347-2356.	1.5	13
30	Productivity, essential oil variability and antioxidant activity of <i>Ferula assa-foetida</i> L. oleo-gum-resin during the plant exploitation period. <i>Journal of Essential Oil Research</i> , 2020, 32, 545-555.	1.3	6
31	Composition and Antibacterial Activity of Essential Oils from Aerial Parts of <i>Salvia lerrifolia</i> Populations from Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2020, 23, 311-321.	0.7	2
32	Antiprotozoal activity of diterpenoids isolated from <i>Zhumeria majdae</i> - absolute configuration by circular dichroism. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2020, 28, 455-462.	0.9	9
33	Metabolic profiling, antioxidant, and antibacterial activity of some Iranian <i>Verbascum</i> L. species. <i>Industrial Crops and Products</i> , 2020, 153, 112609.	2.5	30
34	Bioactive Azepine-Indole Alkaloids from <i>Psychotria nemorosa</i> . <i>Journal of Natural Products</i> , 2020, 83, 852-863.	1.5	16
35	Purified compounds from marine organism sea pen induce apoptosis in human breast cancer cell MDA-MB-231 and cervical cancer cell Hela. <i>European Journal of Pharmacology</i> , 2020, 877, 173075.	1.7	23
36	Genetic structure, molecular and phytochemical analysis in Iranian populations of <i>Ruscus hyrcanus</i> (Asparagaceae). <i>Industrial Crops and Products</i> , 2020, 154, 112716.	2.5	8

#	ARTICLE	IF	CITATIONS
37	The new koniginins T-U from <i>Phomopsis stipata</i> , an endophytic fungus isolated from <i>Styrax camporum</i> Pohl. <i>Phytochemistry Letters</i> , 2020, 36, 106-110.	0.6	8
38	Genetic structure and variation in Iranian licorice (<i>Glycyrrhiza glabra</i> L.) populations based on morphological, phytochemical and simple sequence repeats markers. <i>Industrial Crops and Products</i> , 2020, 145, 112140.	2.5	22
39	Identification and evaluation of four cucurbitaceous host plant volatiles attractive to <i>Diaphania indica</i> (Saunders) (Lep.: Pyralidae). <i>Chemoecology</i> , 2020, 30, 173-182.	0.6	10
40	Molecular authentication and phytochemical assessment of <i>Ruscus hyrcanus</i> Woron. (Asparagaceae) based on trnH-psbA barcoding and HPLC-PDA analysis. <i>Biocatalysis and Agricultural Biotechnology</i> , 2020, 25, 101585.	1.5	3
41	Potential Natural Products Against Respiratory Viruses: A Perspective to Develop Anti-COVID-19 Medicines. <i>Frontiers in Pharmacology</i> , 2020, 11, 586993.	1.6	58
42	Antibacterial Components of <i>Levisticum officinale</i> Koch against Multidrug-resistant <i>Mycobacterium tuberculosis</i> . <i>Pharmaceutical Sciences</i> , 2020, 26, 441-447.	0.1	5
43	Unusual derivatives from <i>Hypericum scabrum</i> . <i>Scientific Reports</i> , 2020, 10, 22181.	1.6	5
44	The Integration of Pharmacophore-Based 3D QSAR Modeling and Virtual Screening in Identification of Natural Product Inhibitors against SARS-CoV-2. <i>Pharmaceutical Sciences</i> , 2020, , .	0.1	2
45	Phytochemical investigation of methanolic extract of <i>Zataria multiflora</i> Boiss.. <i>Journal of Medicinal Plants</i> , 2020, 19, 239-253.	0.3	2
46	Changes in secondary metabolite contents of <i>Arnica chamissonis</i> Less. in response to different harvest time, flower developmental stages and drying methods. <i>Journal of Medicinal Plants</i> , 2020, 19, 69-88.	0.3	1
47	Polyphenol Enriched Extract of Pomegranate Peel; A Novel Precursor for the Biosynthesis of Zinc Oxide Nanoparticles and Application in Sunscreens. <i>Pharmaceutical Sciences</i> , 2020, 27, 102-110.	0.1	5
48	Phytochemical Study of Aerial Parts and the Antiprotozoal Activity of its Components. <i>Iranian Journal of Pharmaceutical Research</i> , 2020, 19, 77-83.	0.3	0
49	Histone Deacetylase Inhibitory and Cytotoxic Activities of the Constituents from the Roots of. <i>Iranian Journal of Pharmaceutical Research</i> , 2020, 19, 51-58.	0.3	0
50	Triterpenic Acid Content and Cytotoxicity of Some <i>Salvia</i> Species From Iran. <i>Natural Product Communications</i> , 2019, 14, 1934578X1984272.	0.2	1
51	N-substituted noscapine derivatives as new antiprotozoal agents: Synthesis, antiparasitic activity and molecular docking study. <i>Bioorganic Chemistry</i> , 2019, 91, 103116.	2.0	18
52	Opioid alkaloids profiling and antioxidant capacity of <i>Papaver</i> species from Iran. <i>Industrial Crops and Products</i> , 2019, 142, 111870.	2.5	15
53	Taxonomically Informed Scoring Enhances Confidence in Natural Products Annotation. <i>Frontiers in Plant Science</i> , 2019, 10, 1329.	1.7	84
54	Variation in the phytochemical contents and antioxidant activity of <i>Glycyrrhiza glabra</i> populations collected in Iran. <i>Industrial Crops and Products</i> , 2019, 137, 248-259.	2.5	39

#	ARTICLE	IF	CITATIONS
55	Hypermongone C Accelerates Wound Healing through the Modulation of Inflammatory Factors and Promotion of Fibroblast Migration. <i>Molecules</i> , 2019, 24, 2022.	1.7	12
56	A multi-targeting natural compound with growth inhibitory and anti-angiogenic properties re-sensitizes chemotherapy resistant cancer. <i>PLoS ONE</i> , 2019, 14, e0218125.	1.1	15
57	Chemical Constituents From the Ethyl Acetate Extract of <i>Salvia hydrangea</i> . <i>Natural Product Communications</i> , 2019, 14, 1934578X1984885.	0.2	1
58	Metabolic diversity and genetic association between wild populations of <i>Verbascum songaricum</i> (Scrophulariaceae). <i>Industrial Crops and Products</i> , 2019, 137, 112-125.	2.5	23
59	In vitro propagation and phytochemical assessment of <i>Perovskia abrotanoides</i> Karel. (Lamiaceae) – A medicinally important source of phenolic compounds. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 19, 101113.	1.5	16
60	Absolute configuration and anti-cancer effect of prenylated flavonoids and flavonostilbenes from <i>Sophora pachycarpa</i> : Possible involvement of Wnt signaling pathway. <i>Bioorganic Chemistry</i> , 2019, 85, 498-504.	2.0	16
61	7-epi-Clusianone, a Multi-Targeting Natural Product with Potential Chemotherapeutic, Immune-Modulating, and Anti-Angiogenic Properties. <i>Molecules</i> , 2019, 24, 4415.	1.7	19
62	Experimental validation and computational modeling of anti-influenza effects of quercetin-3-O- β -L-rhamnopyranoside from indigenous south African medicinal plant <i>Rapanea melanophloeos</i> . <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 346.	3.7	19
63	Anti-inflammatory and Quinone Reductase-Inducing Compounds from <i>Beilschmiedia mannii</i> . <i>Planta Medica</i> , 2019, 85, 379-384.	0.7	3
64	A new tricyclic abietane diterpenoid from <i>Salvia chloroleuca</i> and evaluation of cytotoxic and apoptotic activities. <i>Revista Brasileira De Farmacognosia</i> , 2019, 29, 30-35.	0.6	6
65	Antiprotozoal Germacranolide Sesquiterpene Lactones from <i>Tanacetum sonbolii</i> . <i>Planta Medica</i> , 2019, 85, 424-430.	0.7	7
66	New Diterpenoids from the Aerial Parts of. <i>Iranian Journal of Pharmaceutical Research</i> , 2019, 18, 406-411.	0.3	5
67	Cytotoxic activity of abietane diterpenoids from roots of <i>Salvia sahendica</i> by HPLC-based activity profiling. <i>Revista Brasileira De Farmacognosia</i> , 2018, 28, 27-33.	0.6	9
68	Antiprotozoal Diterpenes from <i>Perovskia abrotanoides</i> . <i>Planta Medica</i> , 2018, 84, 913-919.	0.7	33
69	Noscapine Derivatives as New Chiral Catalysts in Asymmetric Synthesis: Highly Enantioselective Addition of Diethylzinc to Aldehydes. <i>Synthesis</i> , 2018, 50, 1841-1848.	1.2	9
70	Genetic and Chemical Diversity in <i>Perovskia abrotanoides</i> Kar. (Lamiaceae) Populations Based on ISSR Markers and Essential Oils Profile. <i>Chemistry and Biodiversity</i> , 2018, 15, e1700508.	1.0	23
71	Noscapine-derived β -amino alcohols as new organocatalysts for enantioselective addition of diethylzinc to aldehydes. <i>Journal of the Iranian Chemical Society</i> , 2018, 15, 47-53.	1.2	7
72	Antiprotozoal Isoprenoids from <i>Salvia hydrangea</i> . <i>Journal of Natural Products</i> , 2018, 81, 2682-2691.	1.5	17

#	ARTICLE	IF	CITATIONS
73	Essential Oil Composition and Antibacterial Activity of <i>Levisticum officinale</i> Koch at Different Developmental Stages. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2018, 21, 1051-1055.	0.7	9
74	Acetylcholinesterase-inhibitory activity of Iranian plants: Combined HPLC/bioassay-guided fractionation, molecular networking and docking strategies for the dereplication of active compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 158, 471-479.	1.4	30
75	NF- κ B and Angiogenesis Inhibitors from the Aerial Parts of <i>Chresta martii</i> . <i>Journal of Natural Products</i> , 2018, 81, 1769-1776.	1.5	3
76	Phytochemical Synthesis of Silver Nanoparticles by Two Techniques Using <i>Saturaja rechengri</i> Jamzad Extract: Identifying and Comparing in Vitro Anti-Proliferative Activities. <i>Advanced Pharmaceutical Bulletin</i> , 2018, 8, 235-244.	0.6	27
77	Phytochemical Study of <i>Salvia leriifolia</i> Roots: Rearranged Abietane Diterpenoids with Antiprotozoal Activity. <i>Journal of Natural Products</i> , 2018, 81, 1384-1390.	1.5	21
78	Monoterpene Flavonoid from Aerial Parts of <i>Satureja khuzistanica</i> . <i>Records of Natural Products</i> , 2018, 12, 175-178.	1.3	4
79	Tracking leading anti- compounds in plant samples;. <i>Iranian Journal of Microbiology</i> , 2018, 10, 187-193.	0.8	7
80	A nor-diterpene from <i>Salvia sahendica</i> leaves. <i>Natural Product Research</i> , 2017, 31, 1758-1765.	1.0	14
81	β -Glucosidase inhibitory and antioxidant activity of furanocoumarins from <i>Heracleum persicum</i> . <i>Medicinal Chemistry Research</i> , 2017, 26, 849-855.	1.1	24
82	HPLC-Based Activity Profiling for GABA _A Receptor Modulators in Extracts: Validation of an Approach Utilizing a Larval Zebrafish Locomotor Assay. <i>Journal of Natural Products</i> , 2017, 80, 1548-1557.	1.5	28
83	Generation of Antifungal Stilbenes Using the Enzymatic Secretome of <i>Botrytis cinerea</i> . <i>Journal of Natural Products</i> , 2017, 80, 887-898.	1.5	25
84	Cancer chemopreventive activity of compounds isolated from <i>Waltheria indica</i> . <i>Journal of Ethnopharmacology</i> , 2017, 203, 214-225.	2.0	21
85	Gastroprotective effects of hydroethanolic root extract of <i>Arrabidaea brachypoda</i> : Evidences of cytoprotection and isolation of unusual glycosylated polyphenols. <i>Phytochemistry</i> , 2017, 135, 93-105.	1.4	27
86	Anti-quorum sensing activity of <i>Pistacia atlantica</i> against <i>Pseudomonas aeruginosa</i> PAO1 and identification of its bioactive compounds. <i>Microbial Pathogenesis</i> , 2017, 110, 390-398.	1.3	33
87	Identification and Mode of Action of a Plant Natural Product Targeting Human Fungal Pathogens. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	35
88	Securigenin glycosides as hypoglycemic principles of <i>Securigera securidaca</i> seeds. <i>Journal of Natural Medicines</i> , 2017, 71, 272-280.	1.1	15
89	Wound Healing Potential of Chlorogenic Acid and Myricetin-3-O- β -Rhamnoside Isolated from <i>Parrotia persica</i> . <i>Molecules</i> , 2017, 22, 1501.	1.7	57
90	Green synthesis of zinc oxide nanoparticles using Seaweed aqueous extract and evaluation of antibacterial and ecotoxicological activity. <i>Journal of the Persian Gulf (Marine Science)</i> , 2017, 8, 61-72.	0.0	8

#	ARTICLE	IF	CITATIONS
91	The Absolute Configuration and Cytotoxic Properties of Roehybridine $\hat{2}$ -N-oxide. Natural Product Communications, 2016, 11, 1934578X1601101.	0.2	1
92	Bioactive constituents from roots of <i>Salvia syriaca</i> L.: Acetylcholinesterase inhibitory activity and molecular docking studies. South African Journal of Botany, 2016, 106, 1-4.	1.2	48
93	Drug Affinity Responsive Target Stability (DARTS) Identifies Laurifolioside as a New Clathrin Heavy Chain Modulator. Journal of Natural Products, 2016, 79, 2681-2692.	1.5	67
94	Synthesis and <i>in Vitro</i> Antibacterial Evaluation of Novel 4-Substituted 1-Menthyl-1,2,3-triazoles. Chemical and Pharmaceutical Bulletin, 2016, 64, 1589-1596.	0.6	16
95	Labdane Diterpenoids from <i>Salvia leriifolia</i> : Absolute Configuration, Antimicrobial and Cytotoxic Activities. Planta Medica, 2016, 82, 1279-1285.	0.7	20
96	Preparative Scale MS-Guided Isolation of Bioactive Compounds Using High-Resolution Flash Chromatography: Antifungals from <i>Chiloscyphus polyanthos</i> as a Case Study. Planta Medica, 2016, 82, 1051-1057.	0.7	11
97	Antifungal Quinoline Alkaloids from <i>Waltheria indica</i> . Journal of Natural Products, 2016, 79, 300-307.	1.5	83
98	Bioactive compounds from <i>Smilax excelsa</i> L.. Journal of the Iranian Chemical Society, 2016, 13, 1055-1059.	1.2	10
99	Essential oil composition and biological activity of various extracts of <i>Nepeta haussknechtii</i> from Iran. Planta Medica, 2016, 81, S1-S381.	0.7	0
100	Validation of a larval zebrafish locomotor assay for discovery of GABAA-receptor modulators via HPLC-based activity profiling of extracts. Planta Medica, 2016, 81, S1-S381.	0.7	0
101	Bioactive labdane diterpenoids from <i>Salvia leriifolia</i> . Planta Medica, 2016, 81, S1-S381.	0.7	0
102	Anti- <i>Candida</i> Cassane-Type Diterpenoids from the Root Bark of <i>Swartzia simplex</i> . Journal of Natural Products, 2015, 78, 2994-3004.	1.5	27
103	New ursane triterpenoids from <i>Salvia urmiensis</i> Bunge: Absolute configuration and anti-proliferative activity. <i>FÄ-toterapÄ-Äç</i> , 2015, 106, 1-6.	1.1	30
104	Seco-ursane-type Triterpenoids from <i>Salvia urmiensis</i> with Apoptosis-inducing Activity. Planta Medica, 2015, 81, 1290-1295.	0.7	18
105	Metabolite profiling for caffeic acid oligomers in <i>Satureja biflora</i> . Industrial Crops and Products, 2015, 76, 892-899.	2.5	18
106	Antibacterial compounds from <i>Salvia adenophora</i> Fernald (Lamiaceae). Phytochemistry, 2015, 110, 120-132.	1.4	24
107	Search for antifungal compounds using a susceptible strain of <i>Candida albicans</i> and <i>in vivo</i> activity with the <i>Galleria mellonella</i> model. Planta Medica, 2015, 81, .	0.7	0
108	Flavonoids from <i>Salvia chloroleuca</i> with $\hat{1}$ -Amylase and $\hat{1}$ -Glucosidase Inhibitory Effect. Iranian Journal of Pharmaceutical Research, 2015, 14, 609-15.	0.3	27

#	ARTICLE	IF	CITATIONS
109	Antitrypanosomal Isothiocyanate and Thiocarbamate Glycosides from <i>Moringa peregrina</i> . <i>Planta Medica</i> , 2014, 80, 86-89.	0.7	18
110	Bioactive Sesquiterpene Coumarins from <i>Ferula pseudalliacea</i> . <i>Planta Medica</i> , 2014, 80, 1118-1123.	0.7	23
111	Antitrypanosomal isoflavan quinones from <i>Abrus precatorius</i> . <i>FÄ-toterapÄ-Ä</i> , 2014, 93, 81-87.	1.1	26
112	Chemical Composition of the Bark of <i>Tetrapterys mucronata</i> and Identification of Acetylcholinesterase Inhibitory Constituents. <i>Journal of Natural Products</i> , 2014, 77, 650-656.	1.5	47
113	Manoyloxide Sesterterpenoids from <i>Salvia mirzayanii</i> . <i>Journal of Natural Products</i> , 2014, 77, 848-854.	1.5	28
114	Synthesis, antibacterial and antioxidant activity of novel 2,3-dihydroquinazolin-4(1H)-one derivatives of dehydroabietylamine diterpene. <i>Journal of the Iranian Chemical Society</i> , 2014, 11, 607-613.	1.2	13
115	Irigermanone, a Noriridal with Unprecedented Methylketone Function, from <i>Iris germanica</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 32-38.	1.0	14
116	Antitrypanosomal Quinoline Alkaloids from the Roots of <i>Waltheria indica</i> . <i>Journal of Natural Products</i> , 2014, 77, 2304-2311.	1.5	89
117	Effect of Biofertilizers on Growth, Yield and Essential Oil Content of Thyme (<i>Thymus</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i> 17, 237-250.	0.7	11
118	HPLC-based activity profiling for antiplasmodial compounds in the traditional Indonesian medicinal plant <i>Carica papaya</i> L. <i>Journal of Ethnopharmacology</i> , 2014, 155, 426-434.	2.0	43
119	Identification of two new phenathrenones and a saponin as antiprotozoal constituents of <i>Drypetes gerrardii</i> . <i>Phytochemistry Letters</i> , 2014, 10, cxxxiii-cxl.	0.6	7
120	Diterpenes from <i>Euphorbia laurifolia</i> . <i>Planta Medica</i> , 2014, 80, .	0.7	0
121	HPLC antifungal activity based profiling of <i>Swartzia simplex</i> and targeted MPLC isolation of its antifungal diterpenes. <i>Planta Medica</i> , 2014, 80, .	0.7	0
122	Antitrypanosomal Triterpenoid with an Îµ-Lactone E-Ring from <i>Salvia urmiensis</i> . <i>Journal of Natural Products</i> , 2013, 76, 1806-1809.	1.5	37
123	Bisabololoxide derivatives from <i>Artemisia persica</i> , and determination of their absolute configurations by ECD. <i>Phytochemistry</i> , 2013, 85, 143-152.	1.4	15
124	Phytochemical profiling of <i>Curcuma kwangsiensis</i> rhizome extract, and identification of labdane diterpenoids as positive GABAA receptor modulators. <i>Phytochemistry</i> , 2013, 96, 318-329.	1.4	42
125	Antiprotozoal Isoflavan Quinones from <i>Abrus precatorius</i> ssp. <i>africanus</i> . <i>Planta Medica</i> , 2013, 79, 492-498.	0.7	22
126	Abietane Diterpenoids from <i>Salvia sahendica</i> Antiprotozoal Activity and Determination of Their Absolute Configurations. <i>Planta Medica</i> , 2013, 79, 150-156.	0.7	45

#	ARTICLE	IF	CITATIONS
127	HPLC-based Activity Profiling - Discovery of Sanggenons as GABA _A Receptor Modulators in the Traditional Chinese Drug Sang bai pi (<i>Morus alba</i> Root Bark). <i>Planta Medica</i> , 2012, 78, 440-447.	0.7	24
128	Variability in the Essential Oil Content and Composition of Iranian Landraces of Coriander (<i>Coriandrum sativum</i> L.), Cultivated in a Common Environment. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2012, 15, 89-96.	0.7	3
129	Chemical Composition and Antibacterial Activity of <i>Zataria multiflora</i> Essential Oil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2012, 15, 461-466.	0.7	2
130	Hydrangenone, a New Isoprenoid with an Unprecedented Skeleton from <i>Salvia hydrangea</i> . <i>Organic Letters</i> , 2012, 14, 166-169.	2.4	53
131	Disesquiterpene and sesquiterpene coumarins from <i>Ferula pseudalliacea</i> , and determination of their absolute configurations. <i>Phytochemistry</i> , 2012, 78, 170-178.	1.4	41
132	Antiprotozoal isoflavan quinones from <i>Abrus precatorius</i> . <i>Planta Medica</i> , 2012, 78, .	0.7	1
133	Absolute configuration of natural products through quantum chemical calculation of CD spectra-selected examples. <i>Planta Medica</i> , 2012, 78, .	0.7	0
134	Triterpenoids with Rare Carbon Skeletons from <i>Salvia hydrangea</i> : Antiprotozoal Activity and Absolute Configurations. <i>Journal of Natural Products</i> , 2011, 74, 2200-2205.	1.5	42
135	Positive GABA _A Receptor Modulators from <i>Acorus calamus</i> and Structural Analysis of (+)-Dioxosarcoguaiacol by 1D and 2D NMR and Molecular Modeling. <i>Journal of Natural Products</i> , 2011, 74, 1437-1443.	1.5	31
136	Development and validation of a simple stability-indicating TLC method for the determination of levamisole in pharmaceutical tablet formulation. <i>Journal of Planar Chromatography - Modern TLC</i> , 2011, 24, 419-422.	0.6	1
137	Identification of GABA A receptor modulators in <i>Kadsura longipedunculata</i> and assignment of absolute configurations by quantum-chemical ECD calculations. <i>Phytochemistry</i> , 2011, 72, 2385-2395.	1.4	24
138	Flavone C-glycosides from <i>Haberlea rhodopensis</i> Friv. (Gesneriaceae). <i>Helvetica Chimica Acta</i> , 2011, 94, 38-45.	1.0	24
139	Chemical and Genetic Diversity of <i>Zataria multiflora</i> Boiss. Accessions Growing Wild in Iran. <i>Chemistry and Biodiversity</i> , 2011, 8, 176-188.	1.0	37
140	Chemotaxonomic Significance of the Essential Oils of 18 <i>Ferula</i> Species (Apiaceae) from Iran. <i>Chemistry and Biodiversity</i> , 2011, 8, 503-517.	1.0	47
141	Volatile constituent distribution of <i>Prangos corymbosa</i> Boiss at two stages of growth. <i>Natural Product Research</i> , 2011, 25, 627-633.	1.0	5
142	Phytochemical Prospection and Biological Activity of <i>Astrodaucus orientalis</i> (L.) Drude Growing Wild in Iran. <i>Pharmacologia</i> , 2011, 2, 299-303.	0.3	10
143	Variability of morphological and phytochemical characteristics among <i>Satureja hortensis</i> L. accessions of Iran. <i>Industrial Crops and Products</i> , 2010, 32, 62-69.	2.5	85
144	Optimized ultrasound-assisted extraction procedure for the analysis of opium alkaloids in papaver plants by cyclodextrin-modified capillary electrophoresis. <i>Journal of Separation Science</i> , 2010, 33, 2153-2159.	1.3	45

#	ARTICLE	IF	CITATIONS
145	Phytochemical analysis and allelopathic activity of essential oils of <i>Ecballium elaterium</i> A. Richard growing in Iran. <i>Natural Product Research</i> , 2010, 24, 1704-1709.	1.0	19
146	Essential Oil Compositions of the Leaves of <i>Azadirachta indica</i> A. Juss from Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2010, 13, 357-361.	0.7	10
147	Essential Oil Composition of <i>Chaerophyllum macrospermum</i> (Spreng.) Fisch C.A. Mey Seeds. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2010, 13, 205-210.	0.7	6
148	The composition and antibacterial activity of the essential oil of <i>Levisticum officinale</i> Koch. flowers and fruits at different developmental stages. <i>Journal of the Serbian Chemical Society</i> , 2010, 75, 1661-1669.	0.4	22
149	Essential oil compositions of different accessions of <i>Coriandrum sativum</i> L. from Iran. <i>Natural Product Research</i> , 2010, 24, 1287-1294.	1.0	58
150	Chemical composition, allelopathic and antimicrobial potentials of the essential oil of <i>Zosima absinthifolia</i> (Vent.) Link fruits from Iran. <i>Natural Product Research</i> , 2010, 24, 1125-1130.	1.0	10
151	Essential Oil Constituents of Leaves and Fruits of <i>Myrtus communis</i> L. from Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2010, 13, 123-129.	0.7	15
152	Cytotoxicity, Antimicrobial Activity and Composition of Essential Oil from <i>Tanacetum balsamita</i> L. Subsp. <i>Balsamita</i> . <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	10
153	Anti- <i>Helicobacter pylori</i> activity and Essential Oil Composition of <i>Thymus caramanicus</i> from Iran. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	18
154	Chemical Composition of the Essential Oil of <i>Ziziphora capitata</i> L. from Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009, 12, 678-682.	0.7	7
155	Quality by design: Optimization of a liquid filled pH-responsive macroparticles using Draper-Lin composite design. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 2401-2411.	1.6	10
156	Effect of gamma irradiation on physico-mechanical properties of spice packaging films. <i>Radiation Physics and Chemistry</i> , 2009, 78, 806-809.	1.4	20
157	Chemical composition, allelopathic and cytotoxic effects of essential oils of flowering tops and leaves of <i>Crambe orientalis</i> L. from Iran. <i>Natural Product Research</i> , 2009, 23, 1492-1498.	1.0	9
158	Antimicrobial Activity and Composition of the Essential Oil from <i>Zhumeria majdae</i> Rech. f. & Wendelbo. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009, 12, 630-634.	0.7	5
159	Highly Efficient Isobutyraldehyde-Mediated Epoxidation of Cyclic Alkenes with Dioxygen Catalyzed by a Novel Dimeric Manganese(II) Complex Containing an Easy-to-Prepare Flexible Carboxamide Ligand. <i>Inorganic Chemistry</i> , 2009, 48, 5593-5595.	1.9	25
160	Effect of Irrigation Regimes on Yield, Yield components, Content and Composition of the Essential Oil of Four Iranian Land Races of Coriander (<i>Coriandrum sativum</i>). <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009, 12, 300-309.	0.7	10
161	Antibacterial Activity and Essential Oil Composition of <i>Satureja spicigera</i> from Iran. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 20-24.	0.6	32
162	Determination of rosmarinic acid and rutin in <i>Hymenocrater bituminosus</i> by using TLC. <i>Planta Medica</i> , 2009, 75, .	0.7	0

#	ARTICLE	IF	CITATIONS
163	Essential oil composition and antibacterial activity of <i>Thymus caramanicus</i> at different phenological stages. <i>Food Chemistry</i> , 2008, 110, 927-931.	4.2	176
164	Essential Oil Composition of <i>Hymenocrater platystegius</i> Rech. f. from Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2008, 11, 199-202.	0.7	8
165	Biological Activity and Composition of the Essential Oil of <i>Dracocephalum Moldavica</i> L. Grown in Iran. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.2	12
166	Potential anti-diabetic and anti-oxidant activity of essential oil of <i>Zataria multiflora</i> leaves. <i>Planta Medica</i> , 2008, 74, .	0.7	7
167	Determination of rosmarinic acid content in some Iranian <i>Satureja</i> species by HPTLC. <i>Planta Medica</i> , 2008, 74, .	0.7	3
168	Anti-cancer effects of malvidin-3,5-diglucoside from <i>Alcea longipedicellata</i> , on gastric cancer cell line (AGS). <i>Planta Medica</i> , 2008, 74, .	0.7	2
169	Simultaneous determination of atropine and scopolamine in <i>Hyoscyamus arachnoideus</i> by HPLC. <i>Planta Medica</i> , 2008, 74, .	0.7	1
170	Antimicrobial Activity of Some <i>Salvia</i> Species Essential Oils from Iran. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 514-518.	0.6	29
171	Phenological Variation of the Essential Oil of <i>Artemisia scoparia</i> Waldst. et Kit from Iran. <i>Journal of Essential Oil Research</i> , 2007, 19, 326-329.	1.3	23
172	Chemical Compositions of Essential Oil of <i>Artemisia khorasanica</i> Podl. and its Antifungal Activity on Soil-Born Phytopathogens. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 53-59.	0.7	5
173	Rapid essential oil screening of <i>Rosmarinus officinalis</i> L. by hydrodistillation-headspace solvent microextraction. <i>Flavour and Fragrance Journal</i> , 2007, 22, 280-285.	1.2	18
174	Multivariate optimisation of microwave-assisted extraction of capsaicin from <i>Capsicum frutescens</i> L. and quantitative analysis by ¹ H-NMR. <i>Phytochemical Analysis</i> , 2007, 18, 333-340.	1.2	44
175	Hydrodistillation-Solvent Microextraction and GC-MS Identification of Volatile Components of <i>Artemisia aucheri</i> . <i>Chromatographia</i> , 2007, 66, 283-286.	0.7	41
176	Antibacterial and antioxidant activities of the essential oils and various extracts of <i>Salvia sahendica</i> in different phenological stages. <i>Chemistry of Natural Compounds</i> , 2007, 43, 328-330.	0.2	11
177	Simultaneous Determination of Metformin and Glyburide in Tablets by HPTLC. <i>Chromatographia</i> , 2006, 64, 101-104.	0.7	32
178	Essential oil composition of <i>Nepeta satureioides</i> from Iran. <i>Chemistry of Natural Compounds</i> , 2006, 42, 175-177.	0.2	15
179	Novel Rearranged Abietane Diterpenoids from the Roots of <i>Salvia sahendica</i> . <i>Chemistry and Biodiversity</i> , 2006, 3, 916-922.	1.0	34
180	Antibacterial Activity and Composition of the Essential Oil of <i>Ziziphora clinopodioides</i> subsp. <i>bungeana</i> (Juz.) Rech. f. from Iran. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006, 61, 677-680.	0.6	55

#	ARTICLE	IF	CITATIONS
181	Essential Oil Composition of <i>Stenotaenia nudicaulis</i> Boiss. from Iran. <i>Journal of Essential Oil Research</i> , 2006, 18, 162-163.	1.3	1
182	Essential Oil Composition, Antibacterial and Antioxidant Activity of the Oil and Various Extracts of <i>Ziziphora clinopodioides</i> subsp. <i>rigida</i> (BOISS.) RECH. f. from Iran. <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 1892-1896.	0.6	88
183	Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of <i>Lavandula angustifolia</i> Mill.. <i>Journal of Chromatography A</i> , 2005, 1098, 14-18.	1.8	110
184	Essential Oil Composition and Antibacterial Activity of the Leaves of <i>Stachys schtscheglevii</i> from Iran. <i>Chemistry of Natural Compounds</i> , 2005, 41, 171-174.	0.2	27
185	Assessment of Novel C-4 Methylated Tetraketide by HPLC-SPE-TT in <i>Saccharicola</i> sp., an Endophytic Fungus in <i>Eugenia jambolana</i> Lam.. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	0
186	The chemical composition and antibacterial activity of a methanolic extract of <i>Satureja khuzistanica</i> . <i>Brazilian Journal of Pharmaceutical Sciences</i> , 0, 58, .	1.2	4