

Kate R Walters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8221448/publications.pdf>

Version: 2024-02-01

186
papers

9,170
citations

41344

49
h-index

53230

85
g-index

191
all docs

191
docs citations

191
times ranked

12841
citing authors

#	ARTICLE	IF	CITATIONS
1	Frailty index as a predictor of mortality: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2018, 47, 193-200.	1.6	529
2	Prediagnostic presentations of Parkinson's disease in primary care: a case-control study. <i>Lancet Neurology</i> , The, 2015, 14, 57-64.	10.2	487
3	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000â€“2014. <i>British Journal of Psychiatry</i> , 2017, 211, 175-181.	2.8	302
4	Association between frailty and quality of life among community-dwelling older people: a systematic review and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 716-721.	3.7	272
5	Prevalence of frailty and prefrailty among community-dwelling older adults in low-income and middle-income countries: a systematic review and meta-analysis. <i>BMJ Open</i> , 2018, 8, e018195.	1.9	262
6	Prevalence of frailty in Japan: A systematic review and meta-analysis. <i>Journal of Epidemiology</i> , 2017, 27, 347-353.	2.4	246
7	Mental illness, challenging behaviour, and psychotropic drug prescribing in people with intellectual disability: UK population based cohort study. <i>BMJ</i> , The, 2015, 351, h4326.	6.0	244
8	Adherence to Mediterranean Diet Reduces Incident Frailty Risk: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 783-788.	2.6	203
9	Transitions between frailty states among community-dwelling older people: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2019, 50, 81-88.	10.9	184
10	Frailty as a Predictor of Alzheimer Disease, Vascular Dementia, and All Dementia Among Community-Dwelling Older People: A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 881-888.	2.5	177
11	Serum Bilirubin and Risk of Respiratory Disease and Death. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 691.	7.4	174
12	Making inferences on treatment effects from real world data: propensity scores, confounding by indication, and other perils for the unwary in observational research. <i>BMJ</i> , The, 2013, 347, f6409-f6409.	6.0	174
13	Survival of people with clinical diagnosis of dementia in primary care: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c3584-c3584.	2.3	171
14	Internet-Based Interventions Aimed at Supporting Family Caregivers of People With Dementia: Systematic Review. <i>Journal of Medical Internet Research</i> , 2018, 20, e216.	4.3	170
15	Prescribing of antipsychotics in UK primary care: a cohort study. <i>BMJ Open</i> , 2014, 4, e006135.	1.9	144
16	Recent trends in the incidence of recorded depression in primary care. <i>British Journal of Psychiatry</i> , 2009, 195, 520-524.	2.8	135
17	Identifying periods of acceptable computer usage in primary care research databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 64-69.	1.9	129
18	Cardiovascular Risk Prediction Models for People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2015, 72, 143.	11.0	127

#	ARTICLE	IF	CITATIONS
19	Depression as a Risk Factor for the Initial Presentation of Twelve Cardiac, Cerebrovascular, and Peripheral Arterial Diseases: Data Linkage Study of 1.9 Million Women and Men. PLoS ONE, 2016, 11, e0153838.	2.5	121
20	Local Area Deprivation and Urban-Rural Differences in Anxiety and Depression Among People Older Than 75 Years in Britain. American Journal of Public Health, 2004, 94, 1768-1774.	2.7	112
21	An exploration of help-seeking behaviour in older people with unmet needs. Family Practice, 2001, 18, 277-282.	1.9	106
22	Prescribing Trends in Bipolar Disorder: Cohort Study in the United Kingdom THIN Primary Care Database 1995-2009. PLoS ONE, 2011, 6, e28725.	2.5	100
23	Issues in multiple imputation of missing data for large general practice clinical databases. Pharmacoepidemiology and Drug Safety, 2010, 19, 618-626.	1.9	99
24	Smoking as a predictor of frailty: a systematic review. BMC Geriatrics, 2015, 15, 131.	2.7	91
25	Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a population-based UK cohort study using electronic health records. World Psychiatry, 2016, 15, 53-58.	10.4	91
26	Assessing needs from patient, carer and professional perspectives: the Camberwell Assessment of Need for Elderly people in primary care. Age and Ageing, 2000, 29, 505-510.	1.6	90
27	Health promotion interventions for community-dwelling older people with mild or pre-frailty: a systematic review and meta-analysis. BMC Geriatrics, 2017, 17, 157.	2.7	90
28	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. JAMA Psychiatry, 2016, 73, 630.	11.0	88
29	Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. PLoS Medicine, 2016, 13, e1002058.	8.4	88
30	Predicting dementia risk in primary care: development and validation of the Dementia Risk Score using routinely collected data. BMC Medicine, 2016, 14, 6.	5.5	86
31	Explaining variation in referral from primary to secondary care: cohort study. BMJ: British Medical Journal, 2010, 341, c6267-c6267.	2.3	80
32	Junior doctors' experiences of managing patients with medically unexplained symptoms: a qualitative study: Table A1. BMJ Open, 2015, 5, e009593.	1.9	79
33	Panic disorder and risk of new onset coronary heart disease, acute myocardial infarction, and cardiac mortality: cohort study using the general practice research database. European Heart Journal, 2008, 29, 2981-2988.	2.2	78
34	Strategies to improve engagement of 'hard to reach' older people in research on health promotion: a systematic review. BMC Public Health, 2017, 17, 349.	2.9	77
35	Trends in dementia diagnosis rates in UK ethnic groups: analysis of UK primary care data. Clinical Epidemiology, 2018, Volume 10, 949-960.	3.0	76
36	Predicting diagnosis of Parkinson's disease: A risk algorithm based on primary care presentations. Movement Disorders, 2019, 34, 480-486.	3.9	69

#	ARTICLE	IF	CITATIONS
37	Recording of Severe Mental Illness in United Kingdom Primary Care, 2000â€“2010. PLoS ONE, 2013, 8, e82365.	2.5	69
38	Prevalence of Frailty in Mild to Moderate Alzheimer's Disease: A Systematic Review and Meta-analysis. Current Alzheimer Research, 2017, 14, 1256-1263.	1.4	67
39	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. Lancet Psychiatry, 2018, 5, 145-154.	7.4	66
40	Movement side effects of antipsychotic drugs in adults with and without intellectual disability: UK population-based cohort study. BMJ Open, 2017, 7, e017406.	1.9	63
41	Teaching as therapy: cross sectional and qualitative evaluation of patients' experiences of undergraduate psychiatry teaching in the community. BMJ: British Medical Journal, 2003, 326, 740-740.	2.3	61
42	Smoker, ex-smoker or non-smoker? The validity of routinely recorded smoking status in UK primary care: a cross-sectional study. BMJ Open, 2014, 4, e004958.	1.9	59
43	Duration of depressive symptoms and mortality risk: The English Longitudinal Study of Ageing (ELSA). British Journal of Psychiatry, 2016, 208, 337-342.	2.8	59
44	Self-reported Hearing Impairment and Incident Frailty in English Community-dwelling Older Adults: A 4-year Follow-up Study. Journal of the American Geriatrics Society, 2017, 65, 958-965.	2.6	59
45	Life under lockdown and social restrictions - the experiences of people living with dementia and their carers during the COVID-19 pandemic in England. BMC Geriatrics, 2021, 21, 301.	2.7	59
46	Trends in long-term opioid prescribing in primary care patients with musculoskeletal conditions: an observational database study. Pain, 2016, 157, 1525-1531.	4.2	58
47	Observational cohort study: deprivation and access to anti-dementia drugs in the UK. Age and Ageing, 2016, 45, 148-154.	1.6	58
48	Inequalities in the provision of cardiovascular screening to people with severe mental illnesses in primary care. Schizophrenia Research, 2011, 129, 104-110.	2.0	55
49	Recent Trends in the Incidence of Anxiety Diagnoses and Symptoms in Primary Care. PLoS ONE, 2012, 7, e41670.	2.5	55
50	What do older people experiencing loneliness think about primary care or community based interventions to reduce loneliness? A qualitative study in England. Health and Social Care in the Community, 2017, 25, 1733-1742.	1.6	54
51	A systematic review and meta-analysis of prospective associations between alcohol consumption and incident frailty. Age and Ageing, 2018, 47, 26-34.	1.6	53
52	Does current smoking predict future frailty? The English longitudinal study of ageing. Age and Ageing, 2018, 47, 126-131.	1.6	53
53	Factors associated with hospitalisation among people with Parkinson's disease â€“ A systematic review and meta-analysis. Parkinsonism and Related Disorders, 2020, 71, 66-72.	2.2	51
54	Priorities in identifying unmet need in older people attending general practice: a nominal group technique study. Family Practice, 2007, 24, 454-460.	1.9	50

#	ARTICLE	IF	CITATIONS
55	Access to Cancer Screening in People with Learning Disabilities in the UK: Cohort Study in the Health Improvement Network, a Primary Care Research Database. <i>PLoS ONE</i> , 2012, 7, e43841.	2.5	50
56	Time trends in incidence of Parkinson's disease diagnosis in UK primary care. <i>Journal of Neurology</i> , 2013, 260, 1351-1357.	3.6	49
57	Marital Status and Risk of Physical Frailty: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 322-330.	2.5	49
58	Developing the New Interventions for independence in Dementia Study (NIDUS) theoretical model for supporting people to live well with dementia at home for longer: a systematic review of theoretical models and Randomised Controlled Trial evidence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1-14.	3.1	48
59	Remote primary care consultations for people living with dementia during the COVID-19 pandemic: experiences of people living with dementia and their carers. <i>British Journal of General Practice</i> , 2021, 71, e574-e582.	1.4	48
60	Home-based health promotion for older people with mild frailty: the HomeHealth intervention development and feasibility RCT. <i>Health Technology Assessment</i> , 2017, 21, 1-128.	2.8	48
61	Evaluation of two-fold fully conditional specification multiple imputation for longitudinal electronic health record data. <i>Statistics in Medicine</i> , 2014, 33, 3725-3737.	1.6	46
62	New Horizons in the use of routine data for ageing research. <i>Age and Ageing</i> , 2020, 49, 716-722.	1.6	45
63	Efficacy of lifestyle and psychosocial interventions in reducing cognitive decline in older people: Systematic review. <i>Ageing Research Reviews</i> , 2020, 62, 101113.	10.9	42
64	Self-reported vision impairment and incident prefrailty and frailty in English community-dwelling older adults: findings from a 4-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, jech-2017-209207.	3.7	41
65	Help-seeking preferences for psychological distress in primary care. <i>British Journal of General Practice</i> , 2008, 58, 694-698.	1.4	39
66	<p><p>Health indicator recording in UK primary care electronic health records: key implications for handling missing data</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 157-167.	3.0	38
67	Are We There Yet? Immersive Virtual Reality to Improve Cognitive Function in Dementia and Mild Cognitive Impairment. <i>Gerontologist</i> , The, 2020, 60, e502-e512.	3.9	37
68	Relative incidence of common cancers in people with severe mental illness. Cohort study in the United Kingdom THIN primary care database. <i>Schizophrenia Research</i> , 2013, 143, 44-49.	2.0	36
69	Inequalities in receipt of mental and physical healthcare in people with dementia in the UK. <i>Age and Ageing</i> , 2017, 46, 393-400.	1.6	36
70	Drug-induced orthostatic hypotension: A systematic review and meta-analysis of randomised controlled trials. <i>PLoS Medicine</i> , 2021, 18, e1003821.	8.4	36
71	Management of depression and referral of older people to psychological therapies: a systematic review of qualitative studies. <i>British Journal of General Practice</i> , 2019, 69, e171-e181.	1.4	35
72	Specifying the content of home-based health behaviour change interventions for older people with frailty or at risk of frailty: an exploratory systematic review. <i>BMJ Open</i> , 2017, 7, e014127.	1.9	34

#	ARTICLE	IF	CITATIONS
73	Hearing impairment and incident disability and all-cause mortality in older British community-dwelling men. <i>Age and Ageing</i> , 2016, 45, 661-666.	1.6	33
74	Outcomes of Treated Hypertension at Age 80 and Older: Cohort Analysis of 79,376 Individuals. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 995-1003.	2.6	32
75	Availability and Quality of Coronary Heart Disease Family History in Primary Care Medical Records: Implications for Cardiovascular Risk Assessment. <i>PLoS ONE</i> , 2014, 9, e81998.	2.5	32
76	Severe mental illness and chronic kidney disease: a cross-sectional study in the United Kingdom. <i>Clinical Epidemiology</i> , 2018, Volume 10, 421-429.	3.0	31
77	What works in managing complex conditions in older people in primary and community care? A state-of-the-art review. <i>Health and Social Care in the Community</i> , 2020, 28, 1915-1927.	1.6	31
78	Teaching undergraduate psychiatry in primary care: the impact on student learning and attitudes. <i>Medical Education</i> , 2007, 41, 100-108.	2.1	29
79	Strategies employed by older people to manage loneliness: systematic review of qualitative studies and model development. <i>International Psychogeriatrics</i> , 2018, 30, 1767-1781.	1.0	29
80	Prevalence of frailty in rural community-dwelling older adults in Kegalle district of Sri Lanka: a population-based cross-sectional study. <i>BMJ Open</i> , 2019, 9, e026314.	1.9	29
81	Vaccination uptake amongst older adults from minority ethnic backgrounds: A systematic review. <i>PLoS Medicine</i> , 2021, 18, e1003826.	8.4	29
82	Higher serum dehydroepiandrosterone sulfate protects against the onset of depression in the elderly: Findings from the English Longitudinal Study of Aging (ELSA). <i>Psychoneuroendocrinology</i> , 2016, 64, 40-46.	2.7	28
83	Mixed anxiety and depressive disorder outcomes: prospective cohort study in primary care. <i>British Journal of Psychiatry</i> , 2011, 198, 472-478.	2.8	27
84	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 161-169.	1.9	27
85	Alcohol consumption screening of newly-registered patients in primary care: a cross-sectional analysis. <i>British Journal of General Practice</i> , 2013, 63, e706-e712.	1.4	26
86	Depression, depressive symptoms and treatments in women who have recently given birth: UK cohort study. <i>BMJ Open</i> , 2018, 8, e022152.	1.9	26
87	Supporting frail older people with depression and anxiety: a qualitative study. <i>Aging and Mental Health</i> , 2020, 24, 1977-1984.	2.8	26
88	Exploring the Views and Dietary Practices of Older People at Risk of Malnutrition and Their Carers: A Qualitative Study. <i>Nutrients</i> , 2019, 11, 1281.	4.1	25
89	Alcohol Consumption and Risk of Incident Frailty: The English Longitudinal Study of Aging. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 725-729.	2.5	25
90	â€œYou kind of want to fix it donâ€™t you?â€•Exploring general practice traineesâ€™ experiences of managing patients with medically unexplained symptoms. <i>BMC Medical Education</i> , 2016, 16, 27.	2.4	24

#	ARTICLE	IF	CITATIONS
91	How do hospital doctors manage patients with medically unexplained symptoms: a qualitative study of physicians. <i>Journal of the Royal Society of Medicine</i> , 2017, 110, 65-72.	2.0	24
92	Exploring how triads of people living with dementia, carers and health care professionals function in dementia health care: A systematic qualitative review and thematic synthesis. <i>Dementia</i> , 2021, 20, 1080-1104.	2.0	24
93	Persistent unexplained physical symptoms: a prospective longitudinal cohort study in UK primary care. <i>British Journal of General Practice</i> , 2019, 69, e246-e253.	1.4	23
94	Non-pharmacological interventions for depression/anxiety in older adults with physical comorbidities affecting functioning: systematic review and meta-analysis. <i>International Psychogeriatrics</i> , 2019, 31, 1121-1136.	1.0	23
95	Supporting nutrition in frail older people: a qualitative study exploring views of primary care and community health professionals. <i>British Journal of General Practice</i> , 2020, 70, e138-e145.	1.4	23
96	Lowering Cardiovascular Disease Risk for People with Severe Mental Illnesses in Primary Care: A Focus Group Study. <i>PLoS ONE</i> , 2015, 10, e0136603.	2.5	22
97	Identifying acceptable components for home-based health promotion services for older people with mild frailty: A qualitative study. <i>Health and Social Care in the Community</i> , 2018, 26, 393-403.	1.6	22
98	Mapping post-diagnostic dementia care in England: an e-survey. <i>Journal of Integrated Care</i> , 2020, 29, 22-36.	0.5	21
99	Teaching about medically unexplained symptoms at medical schools in the United Kingdom. <i>Medical Teacher</i> , 2012, 34, 327-329.	1.8	20
100	Cross-cultural adaptation and psychometric evaluation of the Sinhala version of Lawton Instrumental Activities of Daily Living Scale. <i>PLoS ONE</i> , 2018, 13, e0199820.	2.5	20
101	Factors Associated With Improvement in Frailty Status Defined Using the Frailty Phenotype: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1647-1649.e2.	2.5	20
102	Engaging "hard to reach" groups in health promotion: the views of older people and professionals from a qualitative study in England. <i>BMC Public Health</i> , 2019, 19, 629.	2.9	20
103	Psychological distress, gender and dietary factors in South Asians: a cross-sectional survey. <i>Public Health Nutrition</i> , 2014, 17, 1538-1546.	2.2	19
104	Promoting independence, health and well-being for older people: a feasibility study of computer-aided health and social risk appraisal system in primary care. <i>BMC Family Practice</i> , 2017, 18, 47.	2.9	19
105	A Systematic Review of Older Adults' Attitudes towards Depression and its Treatment. <i>Gerontologist</i> , 2019, 60, e93-e104.	3.9	19
106	"I've never drunk very much water and I still don't, and I see no reason to do so": a qualitative study of the views of community-dwelling older people and carers on hydration in later life. <i>Age and Ageing</i> , 2020, 49, 111-118.	1.6	19
107	A qualitative study exploring the barriers and facilitators of implementing a cardiovascular disease risk reducing intervention for people with severe mental illness into primary care contexts across England: the "PRIMROSE" trial. <i>BMC Health Services Research</i> , 2020, 20, 753.	2.2	18
108	Self-Management Components as Experienced by People with Parkinson's Disease and Their Carers: A Systematic Review and Synthesis of the Qualitative Literature. <i>Parkinson's Disease</i> , 2020, 2020, 1-10.	1.1	18

#	ARTICLE	IF	CITATIONS
109	Exploration of the impact of the COVID-19 pandemic on people with dementia and carers from black and minority ethnic groups. <i>BMJ Open</i> , 2021, 11, e050066.	1.9	18
110	Systematic review and meta-analysis of clinical effectiveness of self-management interventions in Parkinson's disease. <i>BMC Geriatrics</i> , 2022, 22, 45.	2.7	18
111	Structured Pro-Active Care for Chronic Depression by Practice Nurses in Primary Care: A Qualitative Evaluation. <i>PLoS ONE</i> , 2013, 8, e75810.	2.5	17
112	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 80.	1.6	17
113	Fruit and Vegetable Consumption and Incident Pre frailty and Frailty in Community-Dwelling Older People: The English Longitudinal Study of Ageing. <i>Nutrients</i> , 2020, 12, 3882.	4.1	17
114	Effectiveness of different post-diagnostic dementia care models delivered by primary care: a systematic review. <i>British Journal of General Practice</i> , 2020, 70, e434-e441.	1.4	17
115	Acceptance and commitment therapy for late-life treatment-resistant generalised anxiety disorder: a feasibility study. <i>Age and Ageing</i> , 2021, 50, 1751-1761.	1.6	17
116	Social connectedness and dementia prevention: Pilot of the APPLE-Tree video-call intervention during the Covid-19 pandemic. <i>Dementia</i> , 2021, 20, 2779-2801.	2.0	17
117	A decision aid to support family carers of people living with dementia towards the end of life: Coproduction process, outcome and reflections. <i>Health Expectations</i> , 2021, 24, 1677-1691.	2.6	17
118	How effective is nutrition education aiming to prevent or treat malnutrition in community-dwelling older adults? A systematic review. <i>European Geriatric Medicine</i> , 2019, 10, 339-358.	2.8	16
119	A systematic scoping review of community-based interventions for the prevention of mental ill health and the promotion of mental health in older adults in the UK. <i>Health and Social Care in the Community</i> , 2022, 30, 27-57.	1.6	14
120	Health care professionals' perspectives on self-management for people with Parkinson's: qualitative findings from a UK study. <i>BMC Geriatrics</i> , 2021, 21, 706.	2.7	14
121	Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). <i>BMJ Open</i> , 2017, 7, e018181.	1.9	13
122	Identifying inequitable healthcare in older people: systematic review of current research practice. <i>International Journal for Equity in Health</i> , 2017, 16, 123.	3.5	13
123	Designing and developing a co-produced theoretical and evidence-based online support for family caregivers of people with dementia at the end of life. <i>BMC Palliative Care</i> , 2019, 18, 71.	1.8	13
124	The association between frailty and quality of life among rural community-dwelling older adults in Kegalle district of Sri Lanka: a cross-sectional study. <i>Quality of Life Research</i> , 2019, 28, 2057-2068.	3.1	13
125	A 'separation of worlds': The support and social networks of family carers of people with dementia at the end of life, and the possible role of the internet. <i>Health and Social Care in the Community</i> , 2019, 27, e223-e232.	1.6	13
126	Self-Reported Sensory Impairments and Changes in Cognitive Performance: A Longitudinal 6-Year Follow-Up Study of English Community-Dwelling Adults Aged 45 Years. <i>Journal of Aging and Health</i> , 2020, 32, 243-251.	1.7	13

#	ARTICLE	IF	CITATIONS
127	APPLEâ€Tree (Active Prevention in People at risk of dementia: Lifestyle, bEhaviour change and Technology) Tj ETQq1 1 0.784314 rgBT/C Psychiatry, 2020, 35, 811-819.	2.7	13
128	Implementing post diagnostic dementia care in primary care: a mixed-methods systematic review. Aging and Mental Health, 2020, 25, 1-14.	2.8	13
129	Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. Journal of Epidemiology and Community Health, 2021, 75, 665-673.	3.7	13
130	Older peopleâ€™s priorities in health and social care research and practice: a public engagement workshop. Research Involvement and Engagement, 2016, 2, 2.	2.9	12
131	Statin prescribing for people with severe mental illnesses: a staggered cohort study of â€real-worldâ€™ impacts. BMJ Open, 2017, 7, e013154.	1.9	12
132	Improving teaching about medically unexplained symptoms for newly qualified doctors in the UK: findings from a questionnaire survey and expert workshop. BMJ Open, 2017, 7, e014720.	1.9	12
133	Health promotion for mild frailty based on behaviour change: Perceptions of older people and service providers. Health and Social Care in the Community, 2019, 27, 1333-1343.	1.6	12
134	The key aspects of online support that older family carers of people with dementia want at the end of life: A qualitative study. Aging and Mental Health, 2020, 24, 1654-1661.	2.8	12
135	Change in the incidence of Parkinsonâ€™s disease in a large UK primary care database. Npj Parkinson's Disease, 2022, 8, 23.	5.3	12
136	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom. European Journal of Preventive Cardiology, 2014, 21, 566-575.	1.8	11
137	Sensory Impairments and Cardiovascular Disease Incidence and Mortality in Older British Communityâ€dwelling Men: A 10â€Year Followâ€Up Study. Journal of the American Geriatrics Society, 2016, 64, 442-444.	2.6	11
138	<p>Differences in Psychotropic Drug Prescribing Between Ethnic Groups of People with Dementia in the United Kingdom</p>. Clinical Epidemiology, 2020, Volume 12, 61-71.	3.0	11
139	Clinical and cost-effectiveness of a New psychosocial intervention to support Independence in Dementia (NIDUS-family) for family carers and people living with dementia in their own homes: a randomised controlled trial. Trials, 2021, 22, 865.	1.6	11
140	Cardiovascular risk assessment of South Asian populations in religious and community settings: a qualitative study. Family Practice, 2013, 30, 466-472.	1.9	10
141	Non-linear association between alcohol and incident frailty among community-dwelling older people: A dose-response meta-analysis. BioScience Trends, 2017, 11, 600-602.	3.4	10
142	Moving upstream in health promoting policies for older people with early frailty in England? A policy analysis. Journal of Health Services Research and Policy, 2018, 23, 168-175.	1.7	10
143	Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: a scoping review. BMJ Open, 2021, 11, e041102.	1.9	10
144	Exploration of the psychological impact and adaptation to cardiac events in South Asians in the UK: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010195.	1.9	9

#	ARTICLE	IF	CITATIONS
145	Weight change over two years in people prescribed olanzapine, quetiapine and risperidone in UK primary care: Cohort study in THIN, a UK primary care database. <i>Journal of Psychopharmacology</i> , 2018, 32, 1098-1103.	4.0	9
146	Prescribing of antipsychotics among people with recorded personality disorder in primary care: a retrospective nationwide cohort study using The Health Improvement Network primary care database. <i>BMJ Open</i> , 2022, 12, e053943.	1.9	9
147	Practice nurse-led proactive care for chronic depression in primary care: A randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016, 208, 374-380.	2.8	8
148	Optimising the acceptability and feasibility of acceptance and commitment therapy for treatment-resistant generalised anxiety disorder in older adults. <i>Age and Ageing</i> , 2019, 48, 741-750.	1.6	8
149	Mortality of People with Parkinson's Disease in a Large <scp>UK</scp>-Based Cohort Study: Time Trends and Relationship to Disease Duration. <i>Movement Disorders</i> , 2021, 36, 2811-2820.	3.9	8
150	Rate of Hospitalizations and Underlying Reasons Among People with Parkinson's Disease: Population-Based Cohort Study in UK Primary Care. <i>Journal of Parkinson's Disease</i> , 2022, 12, 411-420.	2.8	8
151	Time Trends in Incidence of Reported Memory Concerns and Cognitive Decline: A Cohort Study in UK Primary Care. <i>Clinical Epidemiology</i> , 2022, Volume 14, 395-408.	3.0	8
152	Supporting self-care of long-term conditions in people with dementia: A systematic review. <i>International Journal of Nursing Studies</i> , 2021, 116, 103432.	5.6	7
153	The relative clinical effectiveness and cost-effectiveness of three contrasting approaches to partner notification for curable sexually transmitted infections: a cluster randomised trial in primary care. <i>Health Technology Assessment</i> , 2015, 19, 1-116.	2.8	7
154	Orthostatic Hypotension and Antiparkinsonian Drugs: A Systematic Review and Meta-analysis. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2022, 35, 639-654.	2.3	7
155	Exploring the relationship between frequent internet use and health and social care resource use in a community-based cohort of older adults: an observational study in primary care. <i>BMJ Open</i> , 2017, 7, e015839.	1.9	6
156	Factors associated with discontinuation of antidepressant treatment after a single prescription among patients aged 55 or over: evidence from English primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1545-1553.	3.1	6
157	Number of Pregnancies and Trajectory of Frailty Index: English Longitudinal Study of Ageing. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1249-1253.e1.	2.5	6
158	How are people with mild cognitive impairment or subjective memory complaints managed in primary care? A systematic review. <i>Family Practice</i> , 2021, 38, 669-683.	1.9	6
159	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-98.	1.0	6
160	Trust and inclusion during the Covid-19 pandemic: Perspectives from Black and South Asian people living with dementia and their carers in the UK. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	6
161	Rapid development of a COVID-19 care planning decision aid for family carers of people living with dementia. <i>Health Expectations</i> , 2022, 25, 1954-1966.	2.6	6
162	A pilot randomised controlled trial of Problem-Solving Treatment for Visual Impairment (POSITIVE): protocol paper. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 489-497.	2.0	5

#	ARTICLE	IF	CITATIONS
163	Health and well-being promotion strategies for “hard to reach” older people in England: a mapping exercise. <i>Primary Health Care Research and Development</i> , 2017, 18, 563-573.	1.2	5
164	Factors prospectively associated with physical activity and dietary related outcomes in people with severe mental illness: A systematic review of longitudinal studies. <i>Psychiatry Research</i> , 2019, 273, 181-191.	3.3	5
165	Association between frailty and disability among rural community-dwelling older adults in Sri Lanka: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e034189.	1.9	5
166	Exploring how health behaviours are supported and changed in people with severe mental illness: A qualitative study of a cardiovascular risk reducing intervention in Primary Care in England. <i>British Journal of Health Psychology</i> , 2020, 25, 428-451.	3.5	5
167	Realising the potential of Improving Access to Psychological Therapies for older adults. <i>British Journal of General Practice</i> , 2021, 71, 8-9.	1.4	5
168	Identifying the content of home-based health behaviour change interventions for frail older people: a systematic review protocol. <i>Systematic Reviews</i> , 2015, 4, 151.	5.3	4
169	Service use of older people who participate in primary care health promotion: a latent class analysis. <i>BMC Health Services Research</i> , 2017, 17, 176.	2.2	4
170	Exploring how people with dementia can be best supported to manage long-term conditions: a qualitative study of stakeholder perspectives. <i>BMJ Open</i> , 2020, 10, e041873.	1.9	4
171	Delivery of community-centred public mental health interventions in diverse areas in England: a mapping study protocol. <i>BMJ Open</i> , 2020, 10, e037631.	1.9	4
172	Indicators of dementia disease progression in primary care: An electronic health record cohort study. <i>European Journal of Neurology</i> , 2021, 28, 1499-1510.	3.3	4
173	Exploring the experiences of people and family carers from under-represented groups in self-managing Parkinson's disease and their use of digital health to do this. <i>Digital Health</i> , 2022, 8, 205520762211022.	1.8	4
174	An Integrated Model for Teaching Psychiatry in the Community. <i>Academic Medicine</i> , 2001, 76, 563-564.	1.6	3
175	Is there an association between perceived social support and cardiovascular health behaviours in people with severe mental illnesses?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1659-1669.	3.1	3
176	Bespoke cohort studies needed. <i>BMJ: British Medical Journal</i> , 2009, 339, b3512-b3512.	2.3	3
177	Prevalence and characteristics of antidepressant prescribing in adults with comorbid depression and type 2 diabetes mellitus: A systematic review and meta-analysis. <i>Health Sciences Review</i> , 2021, 1, 100002.	1.5	3
178	Time trends in access to smoking cessation support for people with depression or severe mental illness: a cohort study in English primary care. <i>BMJ Open</i> , 2021, 11, e048341.	1.9	3
179	Experiences of Carers and People with Dementia from Ethnic Minority Groups Managing Eating and Drinking at Home in the United Kingdom. <i>Nutrients</i> , 2022, 14, 2395.	4.1	3
180	Trajectories of housing affordability and mental health problems: a population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 769-778.	3.1	3

#	ARTICLE	IF	CITATIONS
181	Markers of dementia-related health in primary care electronic health records. <i>Aging and Mental Health</i> , 2021, 25, 1452-1462.	2.8	2
182	Physical health monitoring in dementia and associations with ethnicity: a descriptive study using electronic health records. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101080.	1.8	2
183	Clinical and cost-effectiveness of a personalised health promotion intervention enabling independence in older people with mild frailty (â€˜HomeHealthâ€™™) compared to treatment as usual: study protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2022, 22, .	2.7	2
184	Barriers, facilitators, and effective interventions for lowering cardiovascular disease risk in people with severe mental illnesses: evidence from a systematic review and focus group study. <i>Lancet</i> , The, 2016, 388, S30.	13.7	1
185	Age-related references in national public health, technology appraisal and clinical guidelines and guidance: documentary analysis. <i>Age and Ageing</i> , 2016, 46, 500-508.	1.6	0
186	Acceptance and commitment therapy for older people with treatment-resistant generalised anxiety disorder: the FACTOID feasibility study. <i>Health Technology Assessment</i> , 2021, 25, 1-150.	2.8	0