

Viswanathan Chinnusamy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8222267/viswanathan-chinnusamy-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

11,211
citations

39
h-index

105
g-index

166
ext. papers

13,300
ext. citations

5.2
avg, IF

6.45
L-index

#	Paper	IF	Citations
154	Silicon triggers the signalling molecules and stress-associated genes for alleviating the adverse effect of terminal heat stress in wheat with improved grain quality. <i>Acta Physiologiae Plantarum</i> , 2022 , 44, 1	2.6	1
153	Stay-green trait serves as yield stability attribute under combined heat and drought stress in wheat (<i>Triticum aestivum</i> L.). <i>Plant Growth Regulation</i> , 2022 , 96, 67	3.2	1
152	Genome-Wide Identification and Expression Analysis of the Thioredoxin () Gene Family Reveals Its Role in Leaf Rust Resistance in Wheat (L.).. <i>Frontiers in Genetics</i> , 2022 , 13, 836030	4.5	0
151	PGPR <i>Shewanella putrefaciens</i> and <i>Cronobacter dublinensis</i> enhance drought tolerance of pearl millet by modulating hormones and stress-responsive genes.. <i>Physiologia Plantarum</i> , 2022 , e13676	4.6	0
150	Evolutionary and functional characterisation of glutathione peroxidases showed splicing mediated stress responses in Maize.. <i>Plant Physiology and Biochemistry</i> , 2022 , 178, 40-54	5.4	0
149	Interactive effect of elevated CO and nitrogen dose reprograms grain ionome and associated gene expression in bread wheat.. <i>Plant Physiology and Biochemistry</i> , 2022 , 179, 134-143	5.4	
148	Deployment of A. Braun Derived (L.) Czern. Lines for Improving Heterosis and Water Use Efficiency Under Water Deficit Stress Conditions.. <i>Frontiers in Plant Science</i> , 2021 , 12, 765645	6.2	1
147	Hybrid de novo genome-reassembly reveals new insights on pathways and pathogenicity determinants in rice blast pathogen <i>Magnaporthe oryzae</i> RMg_DL. <i>Scientific Reports</i> , 2021 , 11, 22922	4.9	3
146	Genes, Genomes and Germplasm for Climate-Smart Agriculture-Part-II.. <i>Current Genomics</i> , 2021 , 22, 153	2.6	
145	Carbon dioxide responsiveness mitigates rice yield loss under high night temperature. <i>Plant Physiology</i> , 2021 ,	6.6	1
144	Characterizing the putative mitogen-activated protein kinase () and their protective role in oxidative stress tolerance and carbon assimilation in wheat under terminal heat stress. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2021 , 29, e00597	5.3	4
143	Plant epigenomics for extenuation of abiotic stresses: challenges and future perspectives. <i>Journal of Experimental Botany</i> , 2021 , 72, 6836-6855	7	3
142	Application of thermal imaging and hyperspectral remote sensing for crop water deficit stress monitoring. <i>Geocarto International</i> , 2021 , 36, 481-498	2.7	13
141	Evaluation of different water absorption bands, indices and multivariate models for water-deficit stress monitoring in rice using visible-near infrared spectroscopy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 247, 119104	4.4	10
140	Protection from terminal heat stress: a trade-off between heat-responsive transcription factors (HSFs) and stress-associated genes (SAGs) under changing environment. <i>Cereal Research Communications</i> , 2021 , 49, 227-234	1.1	2
139	The abscisic acid receptor OsPYL6 confers drought tolerance to indica rice through dehydration avoidance and tolerance mechanisms. <i>Journal of Experimental Botany</i> , 2021 , 72, 1411-1431	7	5
138	Weighted gene co-expression analysis for identification of key genes regulating heat stress in wheat. <i>Cereal Research Communications</i> , 2021 , 49, 73-81	1.1	3

137	. <i>IEEE Access</i> , 2021 , 1-1	3.5	4
136	Development of a QuEChERS-LCMS/MS method for simultaneous estimation of tebuconazole and chlormequat chloride in wheat crop. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2021 , 56, 212-221	2.2	1
135	Genomic Designing for Abiotic Stress Tolerance in Pearl Millet [<i>Pennisetum glaucum</i> (L.) R. Br.] 2021 , 223-253		2
134	Principles and Applications of RNA-Based Genome Editing for Crop Improvement. <i>Concepts and Strategies in Plant Sciences</i> , 2021 , 247-278	0.5	1
133	Unfolded protein response (UPR) mediated under heat stress in plants. <i>Plant Physiology Reports</i> , 2020 , 25, 569-582	1.4	4
132	Metabolite Profiling and Network Analysis Reveal Coordinated Changes in Low-N Tolerant and Low-N Sensitive Maize Genotypes under Nitrogen Deficiency and Restoration Conditions. <i>Plants</i> , 2020 , 9,	4.5	3
131	Characterization of Atypical Protein Tyrosine Kinase (PTK) Genes and Their Role in Abiotic Stress Response in Rice. <i>Plants</i> , 2020 , 9,	4.5	2
130	CRISPR-Cas9 mediated genome editing of () gene in mega rice cultivar MTU1010. <i>Physiology and Molecular Biology of Plants</i> , 2020 , 26, 1099-1110	2.8	71
129	Genome wide analysis of NLP transcription factors reveals their role in nitrogen stress tolerance of rice. <i>Scientific Reports</i> , 2020 , 10, 9368	4.9	11
128	Heterologous expression and characterization of novel manganese superoxide dismutase (Mn-SOD) - A potential biochemical marker for heat stress-tolerance in wheat (<i>Triticum aestivum</i>). <i>International Journal of Biological Macromolecules</i> , 2020 , 161, 1029-1039	7.9	4
127	SpikeSegNet-a deep learning approach utilizing encoder-decoder network with hourglass for spike segmentation and counting in wheat plant from visual imaging. <i>Plant Methods</i> , 2020 , 16, 40	5.8	25
126	Kinetic properties of recombinant phosphomimic mutant of Zea mays phosphoenolpyruvate carboxylase (ZmPEPCS15D). <i>Plant Physiology Reports</i> , 2020 , 25, 1-8	1.4	1
125	Regulation of expression of genes associated with nitrate response by osmotic stress and combined osmotic and nitrogen deficiency stress in bread wheat (<i>Triticum aestivum</i> L.). <i>Plant Physiology Reports</i> , 2020 , 25, 200-215	1.4	6
124	Phenotyping and characterization of heat stress tolerance at reproductive stage in rice (<i>Oryza sativa</i> L.). <i>Acta Physiologiae Plantarum</i> , 2020 , 42, 1	2.6	19
123	Identification and Characterization of NADH Kinase-3 from a Stress-Tolerant Wild Mung Bean Species (<i>Vigna luteola</i> (Jacq.) Benth.) with a Possible Role in Waterlogging Tolerance. <i>Plant Molecular Biology Reporter</i> , 2020 , 38, 137-150	1.7	1
122	Leaf mass area determines water use efficiency through its influence on carbon gain in rice mutants. <i>Physiologia Plantarum</i> , 2020 , 169, 194-213	4.6	8
121	Studies on expression of CBF1 and CBF2 genes and anti-oxidant enzyme activities in papaya genotypes exposed to low temperature stress. <i>Scientia Horticulturae</i> , 2020 , 261, 108914	4.1	3
120	Cloning and characterization of a gene encoding MIZ1, a domain of unknown function protein and its role in salt and drought stress in rice. <i>Protoplasma</i> , 2020 , 257, 475-487	3.4	4

119	Genome-wide identification and characterization of ABA receptor PYL gene family in rice. <i>BMC Genomics</i> , 2020 , 21, 676	4.5	10
118	Genome wide in-silico miRNA and target network prediction from stress responsive Horsegram (<i>Macrotyloma uniflorum</i>) accessions. <i>Scientific Reports</i> , 2020 , 10, 17203	4.9	6
117	Characterization of the starch synthase under terminal heat stress and its effect on grain quality of wheat. <i>3 Biotech</i> , 2020 , 10, 531	2.8	2
116	MAPK Enzymes: a ROS Activated Signaling Sensors Involved in Modulating Heat Stress Response, Tolerance and Grain Stability of Wheat under Heat Stress. <i>3 Biotech</i> , 2020 , 10, 380	2.8	9
115	Host-Induced Silencing of FMRamide-Like Peptide Genes, and , in Rice Impairs Reproductive Fitness of the Root-Knot Nematode. <i>Frontiers in Plant Science</i> , 2020 , 11, 894	6.2	9
114	CO Elevation Accelerates Phenology and Alters Carbon/Nitrogen Metabolism ROS Abundance in Bread Wheat. <i>Frontiers in Plant Science</i> , 2020 , 11, 1061	6.2	8
113	Overexpression of Arabidopsis enhances yield and multiple abiotic stress tolerance in indica rice. <i>Plant Signaling and Behavior</i> , 2020 , 15, 1814547	2.5	8
112	Relative contribution of stomatal parameters in influencing WUE among rice mutants differing in leaf mass area. <i>Plant Physiology Reports</i> , 2020 , 25, 483-495	1.4	0
111	Gene Expression Dynamics in Rice Peduncles at the Heading Stage. <i>Frontiers in Genetics</i> , 2020 , 11, 584678	4.5	4
110	Comparative analysis of index and chemometric techniques-based assessment of leaf area index (LAI) in wheat through field spectroradiometer, Landsat-8, Sentinel-2 and Hyperion bands. <i>Geocarto International</i> , 2020 , 35, 1415-1432	2.7	5
109	Discrimination of rice genotypes using field spectroradiometry. <i>Geocarto International</i> , 2020 , 35, 64-77	2.7	6
108	study revealed major conserve architectures and novel features of pyrabactin binding to ABA receptors compare to the. <i>Journal of Biomolecular Structure and Dynamics</i> , 2020 , 38, 3211-3224	3.6	2
107	Gene network modules associated with abiotic stress response in tolerant rice genotypes identified by transcriptome meta-analysis. <i>Functional and Integrative Genomics</i> , 2020 , 20, 29-49	3.8	7
106	A Novel Stay-Green Mutant of Rice with Delayed Leaf Senescence and Better Harvest Index Confers Drought Tolerance. <i>Plants</i> , 2019 , 8,	4.5	14
105	Deep Convolutional Neural Networks Based Framework for Estimation of Stomata Density and Structure from Microscopic Images. <i>Lecture Notes in Computer Science</i> , 2019 , 412-423	0.9	6
104	NO protect the wheat embryo from oxidative damage by triggering the biochemical defence network and amyolytic activity. <i>Plant Physiology Reports</i> , 2019 , 24, 35-45	1.4	2
103	Low temperature stress induced physiological and biochemical alterations in papaya genotypes. <i>South African Journal of Botany</i> , 2019 , 123, 133-141	2.9	3
102	Gamma irradiation protect the developing wheat endosperm from oxidative damage by balancing the trade-off between the defence network and grains quality. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 174, 637-648	7	6

101	Heterologous expression of rice RNA-binding glycine-rich (RBG) gene OsRBGD3 in transgenic <i>Arabidopsis thaliana</i> confers cold stress tolerance. <i>Functional Plant Biology</i> , 2019 , 46, 482-491	2.7	8
100	Genome-Wide Identification and Analysis of Biotic and Abiotic Stress Regulation of C Photosynthetic Pathway Genes in Rice. <i>Applied Biochemistry and Biotechnology</i> , 2019 , 187, 221-238	3.2	7
99	RuBisCo activaseβ catalytic chaperone involved in modulating the RuBisCo activity and heat stress-tolerance in wheat. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2019 , 28, 63-75	1.6	14
98	Starch accumulation in rice grains subjected to drought during grain filling stage. <i>Plant Physiology and Biochemistry</i> , 2019 , 142, 440-451	5.4	39
97	Overexpression of ABA Receptor Gene Confers Drought and Cold Tolerance to Indica Rice. <i>Frontiers in Plant Science</i> , 2019 , 10, 1488	6.2	25
96	Allele-specific analysis of single parent backcross population identifies HOX10 transcription factor as a candidate gene regulating rice root growth. <i>Physiologia Plantarum</i> , 2019 , 166, 596-611	4.6	8
95	Genetic engineering of indica rice with AtDREB1A gene for enhanced abiotic stress tolerance. <i>Plant Cell, Tissue and Organ Culture</i> , 2019 , 136, 173-188	2.7	8
94	Quantitative proteomic analysis reveals novel stress-associated active proteins (SAAPs) and pathways involved in modulating tolerance of wheat under terminal heat. <i>Functional and Integrative Genomics</i> , 2019 , 19, 329-348	3.8	19
93	Comparison of various modelling approaches for water deficit stress monitoring in rice crop through hyperspectral remote sensing. <i>Agricultural Water Management</i> , 2019 , 213, 231-244	5.9	41
92	Nitric oxide triggered defense network in wheat: Augmenting tolerance and grain-quality related traits under heat-induced oxidative damage. <i>Environmental and Experimental Botany</i> , 2019 , 158, 189-204	5.9	12
91	Auxin protects spikelet fertility and grain yield under drought and heat stresses in rice. <i>Environmental and Experimental Botany</i> , 2018 , 150, 9-24	5.9	50
90	Ectopic Expression of Rice PYL3 Enhances Cold and Drought Tolerance in <i>Arabidopsis thaliana</i> . <i>Molecular Biotechnology</i> , 2018 , 60, 350-361	3	34
89	Quantitative monitoring of sucrose, reducing sugar and total sugar dynamics for phenotyping of water-deficit stress tolerance in rice through spectroscopy and chemometrics. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 192, 41-51	4.4	38
88	Characterization of novel heat-responsive transcription factor (TaHSFA6e) gene involved in regulation of heat shock proteins (HSPs) - A key member of heat stress-tolerance network of wheat. <i>Journal of Biotechnology</i> , 2018 , 279, 1-12	3.7	23
87	The Molecular Networks of Abiotic Stress Signaling 2018 , 388-416		6
86	Standardization and Validation of a LC-Method for Quantification of Indole-3-Acetic Acid in Rice Genotypes. <i>Pesticide Research Journal</i> , 2018 , 30, 16	0.6	5
85	Genetically Engineering Cold Stress-Tolerant Crops: Approaches and Challenges 2018 , 179-195		4
84	Epigenetics of Modified DNA Bases: 5-Methylcytosine and Beyond. <i>Frontiers in Genetics</i> , 2018 , 9, 640	4.5	84

83	Genome-wide identification and analysis of biotic and abiotic stress regulation of small heat shock protein (HSP20) family genes in bread wheat. <i>Journal of Plant Physiology</i> , 2017 , 211, 100-113	3.6	76
82	Comparison of different uni- and multi-variate techniques for monitoring leaf water status as an indicator of water-deficit stress in wheat through spectroscopy. <i>Biosystems Engineering</i> , 2017 , 160, 69-83	4.8	35
81	Exploring the heat-responsive chaperones and microsatellite markers associated with terminal heat stress tolerance in developing wheat. <i>Functional and Integrative Genomics</i> , 2017 , 17, 621-640	3.8	10
80	Endogenous reduced ascorbate: an indicator of plant water deficit stress in wheat. <i>Indian Journal of Plant Physiology</i> , 2017 , 22, 365-368		9
79	In planta silencing of NSs and Hc-Pro through RNAi constructs: to develop durable resistance. <i>Indian Journal of Plant Physiology</i> , 2017 , 22, 577-586		3
78	miR430: the novel heat-responsive microRNA identified from miRNome analysis in wheat (<i>Triticum aestivum</i> L.). <i>Indian Journal of Plant Physiology</i> , 2017 , 22, 566-576		5
77	Biochemical Defense Response: Characterizing the Plasticity of Source and Sink in Spring Wheat under Terminal Heat Stress. <i>Frontiers in Plant Science</i> , 2017 , 8, 1603	6.2	19
76	Physiological and biochemical alterations due to low temperature stress in papaya genotypes. <i>Indian Journal of Horticulture</i> , 2017 , 74, 491	1.1	3
75	Phenomics: unlocking the hidden genetic variation for breaking the barriers in yield and stress tolerance. <i>Indian Journal of Plant Physiology</i> , 2016 , 21, 409-419		2
74	Transmembrane START domain proteins: in silico identification, characterization and expression analysis under stress conditions in chickpea (<i>Cicer arietinum</i> L.). <i>Plant Signaling and Behavior</i> , 2016 , 11, e992698	2.5	7
73	Ectopic expression of AtICE1 and OsICE1 transcription factor delays stress-induced senescence and improves tolerance to abiotic stresses in tobacco. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2016 , 25, 285-293	1.6	13
72	Cloning and characterization of drought stress-induced NAC transcription factors from <i>Brassica juncea</i> and <i>Sinapis alba</i> . <i>Indian Journal of Genetics and Plant Breeding</i> , 2016 , 76, 233	1.7	2
71	Differential Regulation of Genes Coding for Organelle and Cytosolic ClpATPases under Biotic and Abiotic Stresses in Wheat. <i>Frontiers in Plant Science</i> , 2016 , 7, 929	6.2	26
70	Identification of Putative RuBisCo Activase (TaRca1)-The Catalytic Chaperone Regulating Carbon Assimilatory Pathway in Wheat (<i>Triticum aestivum</i>) under the Heat Stress. <i>Frontiers in Plant Science</i> , 2016 , 7, 986	6.2	28
69	SSH Analysis of Endosperm Transcripts and Characterization of Heat Stress Regulated Expressed Sequence Tags in Bread Wheat. <i>Frontiers in Plant Science</i> , 2016 , 7, 1230	6.2	12
68	Genome-wide analysis and identification of abiotic stress responsive transcription factor family genes and miRNAs in bread wheat (<i>Triticum aestivum</i> L.): Genomic study of bread wheat 2016 ,		1
67	Differential transcript abundance of salt overly sensitive (SOS) pathway genes is a determinant of salinity stress tolerance of wheat. <i>Acta Physiologiae Plantarum</i> , 2015 , 37, 1	2.6	25
66	Harnessing Next Generation Sequencing in Climate Change: RNA-Seq Analysis of Heat Stress-Responsive Genes in Wheat (<i>Triticum aestivum</i> L.). <i>OMICS A Journal of Integrative Biology</i> , 2015 , 19, 632-47	3.8	32

65	Identification of novel drought-responsive microRNAs and trans-acting siRNAs from Sorghum bicolor (L.) Moench by high-throughput sequencing analysis. <i>Frontiers in Plant Science</i> , 2015 , 6, 506	6.2	52
64	Transcriptional Regulatory Network Analysis of MYB Transcription Factor Family Genes in Rice. <i>Frontiers in Plant Science</i> , 2015 , 6, 1157	6.2	48
63	The Omics of Cold Stress Responses in Plants 2015 , 143-194		8
62	ABA Receptors: Prospects for Enhancing Biotic and Abiotic Stress Tolerance of Crops 2015 , 271-298		3
61	Antioxidant Enzymes 2014 , 369-396		3
60	The Role of the Epigenome in Gene Expression Control and the Epimark Changes in Response to the Environment. <i>Critical Reviews in Plant Sciences</i> , 2014 , 33, 64-87	5.6	26
59	Epigenetic regulation of abiotic stress responses in plants 2014 , 203-229		8
58	Epigenetics Connects the Genome to Its Environment 2014 , 69-142		1
57	Comparative Analysis of Fruit Transcriptome in Tomato (<i>Solanum lycopersicum</i>) Genotypes with Contrasting Lycopene Contents. <i>Plant Molecular Biology Reporter</i> , 2013 , 31, 1384-1396	1.7	6
56	Magnetopriming circumvents the effect of salinity stress on germination in chickpea seeds. <i>Acta Physiologiae Plantarum</i> , 2013 , 35, 3401-3411	2.6	29
55	Expression profile of genes coding for carotenoid biosynthetic pathway during ripening and their association with accumulation of lycopene in tomato fruits. <i>Journal of Genetics</i> , 2013 , 92, 363-8	1.2	19
54	STA1, an Arabidopsis pre-mRNA processing factor 6 homolog, is a new player involved in miRNA biogenesis. <i>Nucleic Acids Research</i> , 2013 , 41, 1984-97	20.1	86
53	The unique mode of action of a divergent member of the ABA-receptor protein family in ABA and stress signaling. <i>Cell Research</i> , 2013 , 23, 1380-95	24.7	85
52	Mechanisms of small RNA generation from cis-NATs in response to environmental and developmental cues. <i>Molecular Plant</i> , 2013 , 6, 704-15	14.4	40
51	Identification of conserved drought stress responsive gene-network across tissues and developmental stages in rice. <i>Bioinformatics</i> , 2013 , 9, 72-8	1.1	20
50	Arabidopsis proline-rich protein important for development and abiotic stress tolerance is involved in microRNA biogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 18198-203	11.5	97
49	Genome-wide classification and expression analysis of MYB transcription factor families in rice and Arabidopsis. <i>BMC Genomics</i> , 2012 , 13, 544	4.5	293
48	Functional Genomics and Computational Biology Tools for Gene Discovery for Abiotic Stress Tolerance 2012 , 321-335		1

47	Sorghum: Improvement of Abiotic Stress Tolerance 2012 , 923-950		3
46	ROP11 GTPase negatively regulates ABA signaling by protecting ABI1 phosphatase activity from inhibition by the ABA receptor RCAR1/PYL9 in Arabidopsis. <i>Journal of Integrative Plant Biology</i> , 2012 , 54, 180-8	8.3	40
45	The role of non-symbiotic haemoglobin and nitric oxide homeostasis in waterlogging tolerance in Vigna species. <i>Biologia Plantarum</i> , 2012 , 56, 528-536	2.1	4
44	Identification of miRNAs in sorghum by using bioinformatics approach. <i>Plant Signaling and Behavior</i> , 2012 , 7, 246-59	2.5	32
43	Comparative analysis of drought-responsive transcriptome in Indica rice genotypes with contrasting drought tolerance. <i>Plant Biotechnology Journal</i> , 2011 , 9, 315-27	11.6	193
42	NADPH oxidase as the source of ROS produced under waterlogging in roots of mung bean. <i>Biologia Plantarum</i> , 2011 , 55,	2.1	14
41	Expression of antioxidant defense genes in mung bean (<i>Vigna radiata</i> L.) roots under water-logging is associated with hypoxia tolerance. <i>Acta Physiologiae Plantarum</i> , 2011 , 33, 735-744	2.6	37
40	Experimental RNomics and genomic comparative analysis reveal a large group of species-specific small non-message RNAs in the silkworm <i>Bombyx mori</i> . <i>Nucleic Acids Research</i> , 2011 , 39, 3792-805	20.1	15
39	Identification and mechanism of ABA receptor antagonism. <i>Nature Structural and Molecular Biology</i> , 2010 , 17, 1102-8	17.6	123
38	RAS1, a quantitative trait locus for salt tolerance and ABA sensitivity in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5669-74	11.5	79
37	Gene regulation during cold stress acclimation in plants. <i>Methods in Molecular Biology</i> , 2010 , 639, 39-55	1.4	257
36	Isolation and functional characterization of lycopene beta-cyclase (CYC-B) promoter from <i>Solanum habrochaites</i> . <i>BMC Plant Biology</i> , 2010 , 10, 61	5.3	39
35	Epigenetic regulation of stress responses in plants. <i>Current Opinion in Plant Biology</i> , 2009 , 12, 133-9	9.9	811
34	Waterlogging induced oxidative stress and antioxidant enzyme activities in pigeon pea. <i>Biologia Plantarum</i> , 2009 , 53, 493-504	2.1	56
33	Genome-wide targeted prediction of ABA responsive genes in rice based on over-represented cis-motif in co-expressed genes. <i>Plant Molecular Biology</i> , 2009 , 69, 261-71	4.6	45
32	RNA-directed DNA methylation and demethylation in plants. <i>Science in China Series C: Life Sciences</i> , 2009 , 52, 331-43		73
31	In vitro reconstitution of an abscisic acid signalling pathway. <i>Nature</i> , 2009 , 462, 660-4	50.4	833
30	A gate-latch-lock mechanism for hormone signalling by abscisic acid receptors. <i>Nature</i> , 2009 , 462, 602-8	50.4	498

29	Abiotic stress and ABA-inducible Group 4 LEA from <i>Brassica napus</i> plays a key role in salt and drought tolerance. <i>Journal of Biotechnology</i> , 2009 , 139, 137-45	3.7	143
28	Epigenetic Regulation: Chromatin Modeling and Small RNAs 2009 , 217-241		
27	Waterlogging-induced increase in sugar mobilization, fermentation, and related gene expression in the roots of mung bean (<i>Vigna radiata</i>). <i>Journal of Plant Physiology</i> , 2009 , 166, 602-16	3.6	98
26	In silico characterization and homology modeling of thylakoid-bound ascorbate peroxidase from a drought tolerant wheat cultivar. <i>Genomics, Proteomics and Bioinformatics</i> , 2009 , 7, 185-93	6.5	3
25	Enhancing rice productivity in water-stressed environments: perspectives for genetic improvement and management 2009 , 233-257		2
24	Effect of waterlogging on carbohydrate metabolism in pigeon pea (<i>Cajanus cajan</i> L.): Upregulation of sucrose synthase and alcohol dehydrogenase. <i>Plant Science</i> , 2008 , 175, 706-716	5.3	69
23	The role of microRNAs and other endogenous small RNAs in plant stress responses. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008 , 1779, 743-8	6	211
22	A Simplified Floral Dip Method for Transformation of <i>Brassica napus</i> and <i>B. carinata</i> . <i>Journal of Plant Biochemistry and Biotechnology</i> , 2008 , 17, 197-200	1.6	22
21	Characterization and phylogenetic analysis of ectoine biosynthesis genes from <i>Bacillus halodurans</i> . <i>Archives of Microbiology</i> , 2008 , 190, 481-7	3	4
20	Cloning and heterologous expression of ectoine biosynthesis genes from <i>Bacillus halodurans</i> in <i>Escherichia coli</i> . <i>Biotechnology Letters</i> , 2008 , 30, 1403-7	3	12
19	Nuclear RNA export and its importance in abiotic stress responses of plants. <i>Current Topics in Microbiology and Immunology</i> , 2008 , 326, 235-55	3.3	34
18	Abscisic acid-mediated epigenetic processes in plant development and stress responses. <i>Journal of Integrative Plant Biology</i> , 2008 , 50, 1187-95	8.3	231
17	Small RNAs as big players in plant abiotic stress responses and nutrient deprivation. <i>Trends in Plant Science</i> , 2007 , 12, 301-9	13.1	726
16	Cold stress regulation of gene expression in plants. <i>Trends in Plant Science</i> , 2007 , 12, 444-51	13.1	1241
15	Small Rnas: Big Role In Abiotic Stress Tolerance Of Plants 2007 , 223-260		21
14	Salt stress signaling and mechanisms of plant salt tolerance. <i>Genetic Engineering</i> , 2006 , 27, 141-77		173
13	Gene regulation during cold acclimation in plants. <i>Physiologia Plantarum</i> , 2006 , 126, 52-61	4.6	237
12	Understanding and Improving Salt Tolerance in Plants. <i>Crop Science</i> , 2005 , 45, 437-448	2.4	780

11	Molecular genetic perspectives on cross-talk and specificity in abiotic stress signalling in plants. <i>Journal of Experimental Botany</i> , 2004 , 55, 225-36	7	790
10	Effect of Heat Stress on Grain Starch Content in Diploid, Tetraploid and Hexaploid Wheat Species. <i>Journal of Agronomy and Crop Science</i> , 2003 , 189, 242-249	3.9	24
9	ICE1: a regulator of cold-induced transcriptome and freezing tolerance in Arabidopsis. <i>Genes and Development</i> , 2003 , 17, 1043-54	12.6	1071
8	Plant salt tolerance. <i>Topics in Current Genetics</i> , 2003 , 241-270		47
7	Molecular genetic analysis of cold-regulated gene transcription. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2002 , 357, 877-86	5.8	90
6	Screening for gene regulation mutants by bioluminescence imaging. <i>Science Signaling</i> , 2002 , 2002, pl10	8.8	34
5	Effect of Heat Stress on Grain Growth, Starch Synthesis and Protein Synthesis in Grains of Wheat (<i>Triticum aestivum</i> L.) Varieties Differing in Grain Weight Stability. <i>Journal of Agronomy and Crop Science</i> , 2001 , 186, 1-7	3.9	63
4	Evaluation of heat stress tolerance in irrigated environment of <i>T. aestivum</i> and related species. I. Stability in yield and yield components. <i>Euphytica</i> , 1999 , 106, 169-180	2.1	43
3	The Molecular Networks of Abiotic Stress Signaling		388-416
2	Physical map of lncRNAs and lincRNAs linked with stress responsive miRs and genes network of pigeonpea (<i>Cajanus cajan</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 1	1.6	1
1	Deeper root system architecture confers better stability to photosynthesis and yield compared to shallow system under terminal drought stress in wheat (<i>Triticum aestivum</i> L.). <i>Plant Physiology Reports</i> , 1	1.4	1