

# Serge Brand

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8222458/publications.pdf>

Version: 2024-02-01

383  
papers

11,771  
citations

31976

53  
h-index

56724

83  
g-index

413  
all docs

413  
docs citations

413  
times ranked

12046  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived recovery and stress states as predictors of depressive, burnout, and insomnia symptoms among adolescent elite athletes. , 2023, 2, 13-22.		2
2	Emerging Standards and the Hybrid Model for Organizing Scientific Events During and After the COVID-19 Pandemic. Disaster Medicine and Public Health Preparedness, 2022, 16, 1172-1177.	1.3	27
3	Self-Reported Emotion Regulation Is Associated With Response to Test of Cardiac Vagal Function. Journal of Psychophysiology, 2022, 36, 65-74.	0.7	0
4	Do different cognitive domains mediate the association between moderate-to-vigorous physical activity and adolescents' off-task behaviour in the classroom?. British Journal of Educational Psychology, 2022, 92, e12445.	2.9	7
5	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376.	4.1	33
6	Emerging Role of Non-coding RNAs in Autism Spectrum Disorder. Journal of Molecular Neuroscience, 2022, 72, 201-216.	2.3	8
7	Influence of modafinil on early ejaculation " Results from a double-blind randomized clinical trial. Journal of Psychiatric Research, 2022, 146, 264-271.	3.1	4
8	Levetiracetam as an Adjunctive Treatment for Mania: A Double-Blind, Randomized, Placebo-Controlled Trial. Neuropsychobiology, 2022, 81, 192-203.	1.9	3
9	Influence of adjuvant clonidine on mania, sleep disturbances and cognitive performance " Results from a double-blind and placebo-controlled randomized study in individuals with bipolar I disorder during their manic phase. Journal of Psychiatric Research, 2022, 146, 163-171.	3.1	9
10	Effectiveness of a Mindfulness-Based Mobile Application for the Treatment of Depression in Ambulatory Care: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e33423.	1.0	1
11	Sociodemographic and Illness-Related Indicators to Predict the Status of Neuromyelitis Optica Spectrum Disorder (NMOSD) Five Years after Disease Onset. Journal of Clinical Medicine, 2022, 11, 734.	2.4	1
12	Evaluation of the Expression of miR-486-3p, miR-548-3p, miR-561-5p and miR-509-5p in Tumor Biopsies of Patients with Oral Squamous Cell Carcinoma. Pathogens, 2022, 11, 211.	2.8	8
13	Sleep Medicine Reviews "Stay hungry, stay foolish, stay tough and sleep well!" why resilience and mental toughness and restoring sleep are associated. Sleep Medicine Reviews, 2022, 62, 101618.	8.5	9
14	Relation between ADHD and COVID-19: A Narrative Review to Guide Advancing Clinical Research and Therapy. Iranian Journal of Psychiatry, 2022, 17, 110-117.	0.7	5
15	Examining the Effects of Mindfulness"Acceptance"Commitment Training on Self-Compassion and Grit among Elite Female Athletes. International Journal of Environmental Research and Public Health, 2022, 19, 134.	2.6	10
16	Changes of symptoms of eating disorders (ED) and their related psychological health issues during the COVID-19 pandemic: a systematic review and meta-analysis. Journal of Eating Disorders, 2022, 10, 51.	2.7	30
17	Does dispositional self-control moderate the association between stress at work and physical activity after work? A real-life study with police officers. German Journal of Exercise and Sport Research, 2022, 52, 290-299.	1.2	2
18	Effects of two types of exercise training on psychological well-being, sleep and physical fitness in patients with high-grade glioma (WHO III and IV). Journal of Psychiatric Research, 2022, 151, 354-364.	3.1	7

#	ARTICLE	IF	CITATIONS
19	Evaluation of Plasma/Serum Adiponectin (an Anti-Inflammatory Factor) Levels in Adult Patients with Obstructive Sleep Apnea Syndrome: A Systematic Review and Meta-Analysis. <i>Life</i> , 2022, 12, 738.	2.4	11
20	Does Training Motivation Influence Resilience Training Outcome on Chronic Stress? Results from an Interventional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6179.	2.6	6
21	Gender Differences and Relationship of 2D:4D-Ratio, Mental Toughness and Dark Triad Traits among Active Young Adults. <i>Biology</i> , 2022, 11, 864.	2.8	1
22	Clinical, gut microbial and neural effects of a probiotic add-on therapy in depressed patients: a randomized controlled trial. <i>Translational Psychiatry</i> , 2022, 12, .	4.8	49
23	Potential biomarkers of addiction identified by real-time PCR in human peripheral blood lymphocytes: a narrative review. <i>Biomarkers in Medicine</i> , 2022, 16, 739-758.	1.4	1
24	Relationship between Sleep Problems and Self-Injury: A Systematic Review. <i>Behavioral Sleep Medicine</i> , 2021, 19, 689-704.	2.1	33
25	Effects of Quiet Mind Training on Alpha Power Suppression and Fine Motor Skill Acquisition. <i>Journal of Motor Behavior</i> , 2021, 53, 399-408.	0.9	1
26	Combined virtual reality and physical training improved the bimanual coordination of women with multiple sclerosis. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 552-569.	1.6	13
27	Effects of Quiet Mind Training on Alpha Power Suppression and Fine Motor Skill Acquisition. <i>Journal of Motor Behavior</i> , 2021, 53, 1-10.	0.9	1
28	Emotionally Stable, Extraverted, Conscientious, and Unambivalent: Iranian Women Successfully Navigating Divorce Adjustment. <i>Journal of Family Issues</i> , 2021, 42, 2181-2206.	1.6	3
29	Identification of Risk Factors to Predict the Occurrences of Relapses in Individuals with Schizophrenia Spectrum Disorder in Iran. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 546.	2.6	5
30	Acceptance and Commitment Therapy (ACT) Improves Sleep Quality, Experiential Avoidance, and Emotion Regulation in Individuals with Insomnia—Results from a Randomized Interventional Study. <i>Life</i> , 2021, 11, 133.	2.4	37
31	Sleep Spindle Characteristics in Obstructive Sleep Apnea Syndrome (OSAS). <i>Frontiers in Neurology</i> , 2021, 12, 598632.	2.4	17
32	Physical Activity, Mental Health, and Well-Being in Very Pre-Term and Term Born Adolescents: An Individual Participant Data Meta-Analysis of Two Accelerometry Studies. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1735.	2.6	9
33	Sources of Health Anxiety for Hospital Staff Working during the Covid-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3094.	2.6	16
34	Compared to Individuals with Mild to Moderate Obstructive Sleep Apnea (OSA), Individuals with Severe OSA Had Higher BMI and Respiratory-Disturbance Scores. <i>Life</i> , 2021, 11, 368.	2.4	9
35	Association between IL-8 (-251T/A) and IL-6 (-174G/C) Polymorphisms and Oral Cancer Susceptibility: A Systematic Review and Meta-Analysis. <i>Medicina (Lithuania)</i> , 2021, 57, 405.	2.0	13
36	Evaluation of Blood Levels of C-Reactive Protein Marker in Obstructive Sleep Apnea: A Systematic Review, Meta-Analysis and Meta-Regression. <i>Life</i> , 2021, 11, 362.	2.4	18

#	ARTICLE	IF	CITATIONS
37	No Evidence of Systematic Change of Physical Activity Patterns Before and During the Covid-19 Pandemic and Related Mood States Among Iranian Adults Attending Team Sports Activities. <i>Frontiers in Psychology</i> , 2021, 12, 641895.	2.1	16
38	Probiotic Supplementation and High-Intensity Interval Training Modify Anxiety-Like Behaviors and Corticosterone in High-Fat Diet-Induced Obesity Mice. <i>Nutrients</i> , 2021, 13, 1762.	4.1	12
39	A Comprehensive Review on the Role of Non-Coding RNAs in the Pathophysiology of Bipolar Disorder. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5156.	4.1	11
40	Validation and Psychometric Properties of the Persian Version of the 21-Item Game Addiction Scale With a Sample of Adolescents and Young Adults. <i>Frontiers in Psychiatry</i> , 2021, 12, 649276.	2.6	3
41	Sources of Sleep Disturbances and Psychological Strain for Hospital Staff Working during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6289.	2.6	11
42	Resilience as a Protective Factor in Basic Military Training, a Longitudinal Study of the Swiss Armed Forces. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6077.	2.6	19
43	A Review on the Expression Pattern of Non-coding RNAs in Patients With Schizophrenia: With a Special Focus on Peripheral Blood as a Source of Expression Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 640463.	2.6	16
44	Influence of Lisdexamfetamine Dimesylate on Early Ejaculation—Results from a Double-Blind Randomized Clinical Trial. <i>Healthcare (Switzerland)</i> , 2021, 9, 859.	2.0	1
45	Individuals with Major Depressive Disorder Report High Scores of Insecure-Avoidant and Insecure-Anxious Attachment Styles, Dissociative Identity Symptoms, and Adult Traumatic Events. <i>Healthcare (Switzerland)</i> , 2021, 9, 1169.	2.0	3
46	Non-linear associations between retinal nerve fibre layer (RNFL) and positive and negative symptoms among men with acute and chronic schizophrenia spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021, 141, 81-91.	3.1	11
47	Dysregulation of NF- $\kappa$ B-Associated LncRNAs in Autism Spectrum Disorder. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 747785.	2.9	5
48	When Much Is Too Much—Compared to Light Exercisers, Heavy Exercisers Report More Mental Health Issues and Stress, but Less Sleep Complaints. <i>Healthcare (Switzerland)</i> , 2021, 9, 1289.	2.0	4
49	Associations Between Cardiorespiratory Fitness and Endocrine, Autonomous and Psychological Stress Reactivity in Male Adolescents. <i>Journal of Psychophysiology</i> , 2021, 35, 23-34.	0.7	7
50	Polymorphisms of ATP-Binding Cassette, Sub-Family A, Member 4 (rs560426 and rs481931) and Non-Syndromic Cleft Lip/Palate: A Meta-Analysis. <i>Life</i> , 2021, 11, 58.	2.4	5
51	Association of N-acetyltransferases 1 and 2 Polymorphisms with Susceptibility to Head and Neck Cancers—A Meta-Analysis, Meta-Regression, and Trial Sequential Analysis. <i>Medicina (Lithuania)</i> , 2021, 57, 1095.	2.0	7
52	Evaluation of Serum and Salivary Iron and Ferritin Levels in Children with Dental Caries: A Meta-Analysis and Trial Sequential Analysis. <i>Children</i> , 2021, 8, 1034.	1.5	4
53	Association between Interleukin-1 Polymorphisms and Susceptibility to Dental Peri-Implant Disease: A Meta-Analysis. <i>Pathogens</i> , 2021, 10, 1600.	2.8	7
54	When Non-Suicidal Self-Injury Predicts Non-Suicidal Self-Injury and Poor Sleep—Results from a Larger Cross-Sectional and Quasi-Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13011.	2.6	10

#	ARTICLE	IF	CITATIONS
55	Transformational Leadership, Achievement Motivation, and Perceived Stress in Basic Military Training: A Longitudinal Study of Swiss Armed Forces. <i>Sustainability</i> , 2021, 13, 13949.	3.2	4
56	The Acute Effects of Aerobic Exercise on Cognitive Flexibility and Task-Related Heart Rate Variability in Children With ADHD and Healthy Controls. <i>Journal of Attention Disorders</i> , 2020, 24, 693-703.	2.6	39
57	Physical activity interventions can improve emotion regulation and dimensions of empathy in persons with multiple sclerosis: An exploratory study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 37, 101380.	2.0	35
58	Zumba dancing and aerobic exercise can improve working memory, motor function, and depressive symptoms in female patients with Fibromyalgia. <i>European Journal of Sport Science</i> , 2020, 20, 981-991.	2.7	33
59	Comparison of prevalence rates of restless legs syndrome, self-assessed risks of obstructive sleep apnea, and daytime sleepiness among patients with multiple sclerosis (MS), clinically isolated syndrome (CIS) and Neuromyelitis Optica Spectrum Disorder (NMOSD). <i>Sleep Medicine</i> , 2020, 70, 97-105.	1.6	12
60	Implementation of a mindfulness-based stress reduction (MBSR) program to reduce stress, anxiety, and depression and to improve psychological well-being among retired Iranian football players. <i>Psychology of Sport and Exercise</i> , 2020, 47, 101636.	2.1	35
61	Comparisons of Voxel-Based Morphometric Brain Volumes of Individuals with Methamphetamine-Induced Psychotic Disorder and Schizophrenia Spectrum Disorder and Healthy Controls. <i>Neuropsychobiology</i> , 2020, 79, 170-178.	1.9	9
62	Evaluation of Serum and Plasma Interleukin-6 Levels in Obstructive Sleep Apnea Syndrome: A Meta-Analysis and Meta-Regression. <i>Frontiers in Immunology</i> , 2020, 11, 1343.	4.8	52
63	Driving Accidents, Driving Violations, Symptoms of Attention-Deficit-Hyperactivity (ADHD) and Attentional Network Tasks. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5238.	2.6	8
64	Higher Disease and Pain Severity and Fatigue and Lower Balance Skills Are Associated with Higher Prevalence of Falling among Individuals with the Inflammatory Disease of Neuromyelitis Optica Spectrum Disorder (NMOSD). <i>Journal of Clinical Medicine</i> , 2020, 9, 3604.	2.4	5
65	&lt;p&gt;Dissociative Symptoms and Self-Reported Childhood and Current Trauma in Male Incarcerated People with Borderline Personality Disorder â€œ Results from a Small Cross-Sectional Study in Iran&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2407-2417.	2.2	3
66	Health Anxiety Predicts Postponing or Cancelling Routine Medical Health Care Appointments among Women in Perinatal Stage during the Covid-19 Lockdown. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8272.	2.6	42
67	Self-Esteem and Symptoms of Eating-Disordered Behavior Among Female Adolescents. <i>Psychological Reports</i> , 2020, 124, 003329412094822.	1.7	9
68	Does Cardiorespiratory Fitness Buffer Stress Reactivity and Stress Recovery in Police Officers? A Real-Life Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 594.	2.6	24
69	Psychometric Properties of the Persian Pittsburgh Sleep Quality Index for Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7095.	2.6	14
70	The Effect of Swimming on Anxiety-Like Behaviors and Corticosterone in Stressed and Unstressed Rats. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6675.	2.6	14
71	Among Persons With Multiple Sclerosis (MS), Objective Sleep, Psychological Functioning, and Higher Physical Activity Scores Remained Stable Over 2 Yearsâ€”Results From a Small Study Under Naturalistic Conditions. <i>Frontiers in Psychiatry</i> , 2020, 11, 586244.	2.6	7
72	Clinical Characteristics and Disability Progression of Early- and Late-Onset Multiple Sclerosis Compared to Adult-Onset Multiple Sclerosis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1326.	2.4	55

#	ARTICLE	IF	CITATIONS
73	Effects of Aerobic Exercise on Cortisol Stress Reactivity in Response to the Trier Social Stress Test in Inpatients with Major Depressive Disorders: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 1419.	2.4	15
74	Aquatic exercising may improve sexual function in females with multiple sclerosis – an exploratory study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 43, 102106.	2.0	17
75	Association between cardiorespiratory fitness and social cognition in healthy adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1722-1728.	2.9	10
76	Workplace-Related Interpersonal Group Psychotherapy to Improve Life at Work in Individuals With Major Depressive Disorders: A Randomized Interventional Pilot Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 168.	2.6	11
77	Extension of the Theory of Planned Behavior (TPB) to Predict Patterns of Marijuana Use among Young Iranian Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1981.	2.6	20
78	Influence of Regular Physical Activity on Mitochondrial Activity and Symptoms of Burnout – An Interventional Pilot Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 667.	2.4	15
79	Serum and Plasma Tumor Necrosis Factor Alpha Levels in Individuals with Obstructive Sleep Apnea Syndrome: A Meta-Analysis and Meta-Regression. <i>Life</i> , 2020, 10, 87.	2.4	20
80	A Mixed-Method Modified Delphi Study toward Identifying Key Elements of Psychotherapy in Iran. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2514.	2.6	4
81	Methylphenidate for Attention-Deficit and Hyperactivity Disorder in Adult Patients With Substance Use Disorders: Good Clinical Practice. <i>Frontiers in Psychiatry</i> , 2020, 11, 540837.	2.6	11
82	Associations Between Morning Salivary and Blood Cortisol Concentrations in Individuals With Obstructive Sleep Apnea Syndrome: A Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2020, 11, 568823.	3.5	18
83	Serum oxytocin concentrations in current and recent suicide survivors are lower than in healthy controls. <i>Journal of Psychiatric Research</i> , 2020, 128, 75-82.	3.1	18
84	Effects of treatment of sleep disorders on sleep, psychological and cognitive functioning and biomarkers in individuals with HIV/AIDS and under methadone maintenance therapy. <i>Journal of Psychiatric Research</i> , 2020, 130, 260-272.	3.1	16
85	More than a simple pastime? The potential of physical activity to moderate the relationship between occupational stress and burnout symptoms.. <i>International Journal of Stress Management</i> , 2020, 27, 53-64.	1.2	41
86	Better Objective Sleep Was Associated with Better Subjective Sleep and Physical Activity; Results from an Exploratory Study under Naturalistic Conditions among Persons with Multiple Sclerosis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3522.	2.6	13
87	The Role of Traffic and Road Accidents in Causing Disabilities in Iran. <i>Iranian Journal of Public Health</i> , 2020, 49, 1804-1805.	0.5	0
88	Autismus-Spektrum- Störungen im Erwachsenenalter. , 2020, , 547-549.		0
89	Multiple Sklerose und andere Autoimmunerkrankungen. , 2020, , 431-440.		0
90	Effect of Quiet Eye and Quiet Mind Training on Motor Learning Among Novice Dart Players. <i>Motor Control</i> , 2020, 24, 204-221.	0.6	5

#	ARTICLE	IF	CITATIONS
91	Effects of two types of exercise training on psychological well-being, sleep, quality of life and physical fitness in patients with high-grade glioma (WHO III and IV): study protocol for a randomized controlled trial. <i>Cancer Communications</i> , 2019, 39, 1-10.	9.2	22
92	Does rTMS on brain areas of mirror neurons lead to higher improvements on symptom severity and empathy compared to the rTMS standard procedure? – Results from a double-blind interventional study in individuals with major depressive disorders. <i>Journal of Affective Disorders</i> , 2019, 257, 527-535.	4.1	9
93	Does Cardiorespiratory Fitness Moderate the Association between Occupational Stress, Cardiovascular Risk, and Mental Health in Police Officers?. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2349.	2.6	32
94	Omega-3-polyunsaturated fatty acids (O3PUFAs), compared to placebo, reduced symptoms of occupational burnout and lowered morning cortisol secretion. <i>Psychoneuroendocrinology</i> , 2019, 109, 104384.	2.7	8
95	Compared to an active control condition, in persons with multiple sclerosis two different types of exercise training improved sleep and depression, but not fatigue, paresthesia, and intolerance of uncertainty. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 36, 101356.	2.0	37
96	Higher symptoms of attention-deficit/hyperactivity disorders (ADHD) and younger age were associated with faster visual perception, but not with lower traffic violations. <i>Transportation Research Part F: Traffic Psychology and Behaviour</i> , 2019, 66, 419-429.	3.7	4
97	Sociocultural Attitudes towards Appearance, Self-Esteem and Symptoms of Body-Dysmorphic Disorders among Young Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4236.	2.6	10
98	Examining the Effectiveness of a PETTLEP Imagery Intervention on the Football Skill Performance of Novice Athletes. <i>Journal of Imagery Research in Sport and Physical Activity</i> , 2019, 14, .	1.1	8
99	Crocus Sativus L. (saffron) versus sertraline on symptoms of depression among older people with major depressive disorders—a double-blind, randomized intervention study. <i>Psychiatry Research</i> , 2019, 282, 112613.	3.3	29
100	Favorable impact of long-term exercise on disease symptoms in pediatric patients with inflammatory bowel disease. <i>BMC Pediatrics</i> , 2019, 19, 297.	1.7	15
101	Psychometric Properties and Convergent Validity of the Shirom-Melamed Burnout Measure in Two German-Speaking Samples of Adult Workers and Police Officers. <i>Frontiers in Psychiatry</i> , 2019, 10, 536.	2.6	23
102	Prenatal and Postnatal Hair Steroid Levels Predict Post-Partum Depression 12 Weeks after Delivery. <i>Journal of Clinical Medicine</i> , 2019, 8, 1290.	2.4	30
103	The impact of lifestyle Physical Activity Counselling in IN-PATients with major depressive disorders on physical activity, cardiorespiratory fitness, depression, and cardiovascular health risk markers: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 367.	1.6	29
104	Acute Exercise and Emotion Recognition in Young Adolescents. <i>Journal of Sport and Exercise Psychology</i> , 2019, 41, 129-136.	1.2	18
105	Dual-task training on cognition and resistance training improved both balance and working memory in older people. <i>Physician and Sportsmedicine</i> , 2019, 47, 471-478.	2.1	56
106	Ginseng treatment improves the sexual side effects of methadone maintenance treatment. <i>Psychiatry Research</i> , 2019, 276, 142-150.	3.3	17
107	Effects of earlier bedtimes on sleep duration, sleep complaints and psychological functioning in adolescents. <i>Somnologie</i> , 2019, 23, 116-124.	1.5	1
108	In Patients With Multiple Sclerosis, Both Objective and Subjective Sleep, Depression, Fatigue, and Paresthesia Improved After 3 Weeks of Regular Exercise. <i>Frontiers in Psychiatry</i> , 2019, 10, 265.	2.6	45

#	ARTICLE	IF	CITATIONS
109	Comparison of sleep complaints and quality of life between patients with neuromyelitis optica spectrum disorder (NMOSD) and healthy controls. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 32, 81-87.	2.0	15
110	Implicit and explicit attitudes towards sport among young elite athletes with high versus low burnout symptoms. <i>Journal of Sports Sciences</i> , 2019, 37, 1673-1680.	2.0	13
111	Somatization and Coping in Ethnic Minority Recruits. <i>Military Medicine</i> , 2019, 184, e680-e685.	0.8	6
112	Compared to Controls, Individuals with Lichen Planopilaris Have More Depression, a Lower Self-Esteem, and a Lower Quality of Life. <i>Neuropsychobiology</i> , 2019, 78, 95-103.	1.9	14
113	Among adolescents, addiction susceptibility and sleep-related dysfunction have a common cognitive-emotional base and predict poor sleep quantity. <i>Journal of Substance Use</i> , 2019, 24, 426-431.	0.7	8
114	Brain-derived neurotrophic factor as a biomarker of insomnia. <i>European Neuropsychopharmacology</i> , 2019, 29, S514-S515.	0.7	0
115	The association between sleep and dual-task performance in preterm and full-term children: an exploratory study. <i>Sleep Medicine</i> , 2019, 55, 100-108.	1.6	8
116	Sleep pattern, common bedtime problems, and related factors among first-grade students: Epidemiology and predictors. <i>Clinical Epidemiology and Global Health</i> , 2019, 7, 546-551.	1.9	7
117	A Pilot Study on Daily Intensive ECT over 8 Days Improved Positive and Negative Symptoms and General Psychopathology of Patients with Treatment-Resistant Schizophrenia up to 4 Weeks after Treatment. <i>Neuropsychobiology</i> , 2019, 77, 83-91.	1.9	7
118	Prevalence of self-reported trauma in a sample of Iranian children is low and unrelated to parents' education or current employment status. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 208-212.	1.7	3
119	Brain-derived neurotrophic factor is a biomarker for subjective insomnia but not objectively assessable poor sleep continuity. <i>Journal of Psychiatric Research</i> , 2019, 110, 103-109.	3.1	34
120	Visual Impairment Was Related to Educational Level but Not to Cognitive Performance Among Adults in Their 60s. <i>Psychological Reports</i> , 2019, 122, 2266-2281.	1.7	1
121	A pilot cluster-randomised study to increase sleep duration by decreasing electronic media use at night and caffeine consumption in adolescents. <i>Sleep Medicine</i> , 2019, 60, 109-115.	1.6	18
122	Teaching Stress Management in Physical Education: A Quasi-Experimental Study with Vocational Students. <i>Scandinavian Journal of Educational Research</i> , 2019, 63, 245-257.	1.7	8
123	Adolescents' personal beliefs about sufficient physical activity are more closely related to sleep and psychological functioning than self-reported physical activity: A prospective study. <i>Journal of Sport and Health Science</i> , 2019, 8, 280-288.	6.5	20
124	Drug-induced psychotic disorder after administration of Vitex agnus castus (chasteberry) medication to treat premenstrual syndrome: a case report. <i>Revista De Psiquiatria Clinica</i> , 2019, 46, 80-80.	0.6	2
125	Minor Beta-Thalassemia, Cognitive Performance Is Related to Length of Education, But Not to Minor Beta-Thalassemia or Hemoglobin Levels. <i>Iranian Journal of Psychiatry</i> , 2019, 14, 47-53.	0.7	2
126	Effects of Aerobic Exercise on Cognitive Performance Among Young Adults in a Higher Education Setting. <i>Research Quarterly for Exercise and Sport</i> , 2018, 89, 164-172.	1.4	20



#	ARTICLE	IF	CITATIONS
127	Visually detected non-rapid eye movement stage 2 sleep spindle density at age five years predicted prosocial behavior positively and hyperactivity scores negatively at age nine years. <i>Sleep Medicine</i> , 2018, 48, 101-106.	1.6	12
128	Both melatonin and meloxicam improved sleep and pain in females with primary dysmenorrhea—results from a double-blind cross-over intervention pilot study. <i>Archives of Women's Mental Health</i> , 2018, 21, 601-609.	2.6	9
129	The effects of a school-based exercise program on neurophysiological indices of working memory operations in adolescents. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 833-838.	1.3	37
130	Among middle-aged adults, snoring predicted hypertension independently of sleep apnoea. <i>Journal of International Medical Research</i> , 2018, 46, 1187-1196.	1.0	25
131	Patients with OCD report lower quality of life after controlling for expert-rated symptoms of depression and anxiety. <i>Psychiatry Research</i> , 2018, 260, 318-323.	3.3	25
132	Influence of adjuvant detached mindfulness and stress management training compared to pharmacologic treatment in primiparae with postpartum depression. <i>Archives of Women's Mental Health</i> , 2018, 21, 65-73.	2.6	14
133	Heart rate variability and salivary cortisol in very preterm children during school age. <i>Psychoneuroendocrinology</i> , 2018, 87, 27-34.	2.7	11
134	Chronic effects of exercise implemented during school-break time on neurophysiological indices of inhibitory control in adolescents. <i>Trends in Neuroscience and Education</i> , 2018, 10, 1-7.	3.1	37
135	When Low Leisure-Time Physical Activity Meets Unsatisfied Psychological Needs: Insights From a Stress-Buffer Perspective. <i>Frontiers in Psychology</i> , 2018, 9, 2097.	2.1	18
136	Cross-Sectional and Longitudinal Associations Between Athlete Burnout, Insomnia, and Polysomnographic Indices in Young Elite Athletes. <i>Journal of Sport and Exercise Psychology</i> , 2018, 40, 312-324.	1.2	27
137	Cortisol Impacted on Explicit Learning Encoding, but Not on Storage and Retrieval, and Was Not Associated With Sleep Patterns—Results From the Trier Social Stress Test for Children (TSST-C) Among 9-Years Old Children. <i>Frontiers in Psychology</i> , 2018, 9, 2240.	2.1	8
138	Among substance-abusing traffic offenders, poor sleep and poor general health predict lower driving skills but not slower reaction times. <i>Psychology Research and Behavior Management</i> , 2018, Volume 11, 557-566.	2.8	6
139	Influence of adjuvant omega-3-polyunsaturated fatty acids on depression, sleep, and emotion regulation among outpatients with major depressive disorders - Results from a double-blind, randomized and placebo-controlled clinical trial. <i>Journal of Psychiatric Research</i> , 2018, 107, 48-56.	3.1	60
140	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> , 2018, 54, 124-144.	0.2	377
141	Implicit attitudes towards exercise and physical activity behaviour among in-patients with psychiatric disorders. <i>Mental Health and Physical Activity</i> , 2018, 15, 71-77.	1.8	7
142	The utility of two interview-based physical activity questionnaires in healthy young adults: Comparison with accelerometer data. <i>PLoS ONE</i> , 2018, 13, e0203525.	2.5	23
143	Correspondence of maternal and paternal perception of school-aged children's sleep with in-home sleep-electroencephalography and diary-reports of children's sleep. <i>Sleep Medicine</i> , 2018, 48, 180-186.	1.6	3
144	Cholecystokinin (CCK) level is higher among first time suicide attempters than healthy controls, but is not associated with higher depression scores. <i>Psychiatry Research</i> , 2018, 266, 40-46.	3.3	13

#	ARTICLE	IF	CITATIONS
145	Effects of stress and mental toughness on burnout and depressive symptoms: A prospective study with young elite athletes. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 1200-1205.	1.3	84
146	AXL-expressing monocytes indicate immunoparesis and disease severity in patients with cirrhosis. <i>Journal of Hepatology</i> , 2018, 68, S613.	3.7	0
147	Contingent Negative Variation and Working Memory Maintenance in Adolescents with Low and High Motor Competencies. <i>Neural Plasticity</i> , 2018, 2018, 1-9.	2.2	23
148	Usefulness of the Athlete Burnout Questionnaire (ABQ) as a screening tool for the detection of clinically relevant burnout symptoms among young elite athletes. <i>Psychology of Sport and Exercise</i> , 2018, 39, 104-113.	2.1	41
149	Acute Bouts of Exercising Improved Mood, Rumination and Social Interaction in Inpatients With Mental Disorders. <i>Frontiers in Psychology</i> , 2018, 9, 249.	2.1	39
150	Stability of Mental Toughness, Sleep Disturbances, and Physical Activity in Patients With Multiple Sclerosis (MS)â€”A Longitudinal and Pilot Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 182.	2.6	29
151	An update on the global prevalence of conduct disorder (2011â€”2017): Study protocol for a systematic review and meta-analysis. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2018, 59, 1-3.	1.0	5
152	Efficacy and tolerability of adjunctive gabapentin and memantine in obsessive compulsive disorder: Double-blind, randomized, placebo-controlled trial. <i>Journal of Psychiatric Research</i> , 2018, 104, 137-143.	3.1	13
153	Psychiatric In-Patients Are More Likely to Meet Recommended Levels of Health-Enhancing Physical Activity If They Engage in Exercise and Sport Therapy Programs. <i>Frontiers in Psychiatry</i> , 2018, 9, 322.	2.6	7
154	Is emotional functioning related to academic achievement among university students? Results from a cross-sectional Iranian sample. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 290-295.	1.7	22
155	In inpatient substance use disorder treatment in Switzerland, exercise programmes are implemented but not evaluated â€” A missed opportunity for improving treatment. <i>Mental Health and Physical Activity</i> , 2018, 15, 7-10.	1.8	1
156	Psychometric properties of the Shirom-Melamed Burnout Measure (SMBM) among adolescents: results from three cross-sectional studies. <i>BMC Psychiatry</i> , 2018, 18, 266.	2.6	25
157	Further evidence of psychological factors underlying choice of elective cesarean delivery (ECD) by primigravidae. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 83-88.	1.7	9
158	Influence of adjuvant mindfulness-based cognitive therapy (MBCT) on symptoms of post-traumatic stress disorder (PTSD) in veterans â€” results from a randomized control study. <i>Cognitive Behaviour Therapy</i> , 2018, 47, 431-446.	3.5	34
159	Further Evidence of the Zero-Association Between Symptoms of Insomnia and Facial Emotion Recognitionâ€”Results From a Sample of Adults in Their Late 30s. <i>Frontiers in Psychiatry</i> , 2018, 9, 754.	2.6	7
160	Schlaf, k�rperliche Aktivit�t und Stress. , 2018, , 293-310.		0
161	Discriminating Mental Skills among Adolescent Elite and Competitive Soccer and Volleyball Players. <i>Annals of Applied Sport Science</i> , 2018, 6, 23-29.	0.4	1
162	Effects of a physical education-based coping training on adolescentsâ€™ coping skills, stress perceptions and quality of sleep. <i>Physical Education and Sport Pedagogy</i> , 2017, 22, 213-230.	3.0	29

#	ARTICLE	IF	CITATIONS
163	During early to mid adolescence, moderate to vigorous physical activity is associated with restoring sleep, psychological functioning, mental toughness and male gender. <i>Journal of Sports Sciences</i> , 2017, 35, 426-434.	2.0	65
164	In patients suffering from major depressive disorders, quantitative EEG showed favorable changes in left and right prefrontal cortex. <i>Psychiatry Research</i> , 2017, 251, 137-141.	3.3	11
165	Low vigorous physical activity is associated with increased adrenocortical reactivity to psychosocial stress in students with high stress perceptions. <i>Psychoneuroendocrinology</i> , 2017, 80, 104-113.	2.7	59
166	Rosa Damascena oil improved sexual function and testosterone in male patients with opium use disorder under methadone maintenance therapy—results from a double-blind, randomized, placebo-controlled clinical trial. <i>Drug and Alcohol Dependence</i> , 2017, 176, 117-125.	3.2	15
167	Early maladaptive schemas of emotional deprivation, social isolation, shame and abandonment are related to a history of suicide attempts among patients with major depressive disorders. <i>Comprehensive Psychiatry</i> , 2017, 77, 71-79.	3.1	49
168	Multiple Sclerosis: Associations Between Physical Disability and Depression Are Not Mediated by Self-Reported Physical Activity. <i>Perceptual and Motor Skills</i> , 2017, 124, 974-991.	1.3	4
169	Validation of the German version of the short form of the dysfunctional beliefs and attitudes about sleep scale (DBAS-16). <i>Neurological Sciences</i> , 2017, 38, 1047-1058.	1.9	15
170	Fitness, Stress, and Body Composition in Primary Schoolchildren. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 581-587.	0.4	18
171	In 6- to 8-year-old children, cardiorespiratory fitness moderates the relationship between severity of life events and health-related quality of life. <i>Quality of Life Research</i> , 2017, 26, 695-706.	3.1	20
172	Children with ADHD and symptoms of oppositional defiant disorder improved in behavior when treated with methylphenidate and adjuvant risperidone, though weight gain was also observed — Results from a randomized, double-blind, placebo-controlled clinical trial. <i>Psychiatry Research</i> , 2017, 251, 182-191.	3.3	20
173	An event-related potential investigation of the acute effects of aerobic and coordinative exercise on inhibitory control in children with ADHD. <i>Developmental Cognitive Neuroscience</i> , 2017, 28, 21-28.	4.0	68
174	Aerobic exercise training in children and adolescents with inflammatory bowel disease: Influence on psychological functioning, sleep and physical performance — An exploratory trial. <i>Mental Health and Physical Activity</i> , 2017, 13, 30-39.	1.8	15
175	Impaired objective and subjective sleep in children and adolescents with inflammatory bowel disease compared to healthy controls. <i>Sleep Medicine</i> , 2017, 39, 25-31.	1.6	15
176	In Individuals Following Aneurysmal Subarachnoid Haemorrhage, Hair Cortisol Concentrations Are Higher and More Strongly Associated with Psychological Functioning and Sleep Complaints than in Healthy Controls. <i>Neuropsychobiology</i> , 2017, 75, 12-20.	1.9	11
177	Aerobic Exercise Training in Children and Adolescents with Inflammatory Bowel Disease: Influence on psychological Functioning, Sleep and Physical Performance. <i>European Psychiatry</i> , 2017, 41, S124-S124.	0.2	0
178	Detached mindfulness reduced both depression and anxiety in elderly women with major depressive disorders. <i>Psychiatry Research</i> , 2017, 257, 87-94.	3.3	22
179	The origins of mental toughness—internalizing and externalizing problems at the age of 5 years predict higher mental toughness scores at the age of 14 years. <i>European Psychiatry</i> , 2017, 41, S452-S453.	0.2	0
180	Longitudinal Changes in Sleep Disturbances, Mental Toughness, and Physical Activity in Patients with Multiple Sclerosis. <i>European Psychiatry</i> , 2017, 41, S288-S288.	0.2	0

#	ARTICLE	IF	CITATIONS
181	The Link Between Sleep, Stress and BDNF. <i>European Psychiatry</i> , 2017, 41, S282-S282.	0.2	9
182	Sleep disturbances, mental toughness, and physical activity in patients with multiple sclerosis (MS) compared to healthy adolescents and young adults. <i>European Psychiatry</i> , 2017, 41, s855-s855.	0.2	2
183	In patients with major depressive disorders, depression, stress axis activity and problem solving skills as a proxy of executive functions are unrelated. <i>European Psychiatry</i> , 2017, 41, S524-S524.	0.2	0
184	Depression and loneliness did not affect academic achievement among university students. <i>European Psychiatry</i> , 2017, 41, S541-S541.	0.2	3
185	Rosa Damascena Improved Sexual Dysfunction in Males Under Methadone Treatment““Results from a Double-Blind, Randomized, Placebo-Controlled Clinical Trial. <i>European Psychiatry</i> , 2017, 41, S281-S281.	0.2	0
186	The association of mothers' and fathers' insomnia symptoms with school-aged children's sleep assessed by parent report and in-home sleep-electroencephalography. <i>Sleep Medicine</i> , 2017, 38, 64-70.	1.6	34
187	Rosa Damascena oil improved methadone-related sexual dysfunction in females with opioid use disorder under methadone maintenance therapy ““Results from a double-blind, randomized, and placebo-controlled trial. <i>Journal of Psychiatric Research</i> , 2017, 95, 260-268.	3.1	10
188	Buprenorphine augmentation improved symptoms of OCD, compared to placebo - Results from a randomized, double-blind and placebo-controlled clinical trial. <i>Journal of Psychiatric Research</i> , 2017, 94, 23-28.	3.1	10
189	Vulnerable Narcissism as Key Link Between Dark Triad Traits, Mental Toughness, Sleep Quality and Stress. <i>European Psychiatry</i> , 2017, 41, S261-S261.	0.2	7
190	Which psychological and socio-demographic dimensions predict amphetamine abuse?. <i>European Psychiatry</i> , 2017, 41, s859-s859.	0.2	0
191	In 6- to 8-year-old children, hair cortisol is associated with body mass index and somatic complaints, but not with stress, health-related quality of life, blood pressure, retinal vessel diameters, and cardiorespiratory fitness. <i>Psychoneuroendocrinology</i> , 2017, 76, 1-10.	2.7	43
192	A Twelve-Week Moderate Exercise Programme Improved Symptoms of Depression, Insomnia, and Verbal Learning in Post-Aneurysmal Subarachnoid Haemorrhage Patients: A Comparison with Meningioma Patients and Healthy Controls. <i>Neuropsychobiology</i> , 2017, 76, 59-71.	1.9	17
193	Opposite Impact of REM Sleep on Neurobehavioral Functioning in Children with Common Psychiatric Disorders Compared to Typically Developing Children. <i>Frontiers in Psychology</i> , 2017, 7, 2059.	2.1	24
194	“Always Look on the Bright Side of Life!““ Higher Hypomania Scores Are Associated with Higher Mental Toughness, Increased Physical Activity, and Lower Symptoms of Depression and Lower Sleep Complaints. <i>Frontiers in Psychology</i> , 2017, 8, 2130.	2.1	13
195	“I love you forever (more or less)““ stability and change in adolescents“™ romantic love status and associations with mood states. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 323-329.	1.7	10
196	Effects of gestational age on brain volume and cognitive functions in generally healthy very preterm born children during school-age: A voxel-based morphometry study. <i>PLoS ONE</i> , 2017, 12, e0183519.	2.5	21
197	Psychological wellbeing and physical activity in children and adolescents with inflammatory bowel disease compared to healthy controls. <i>BMC Gastroenterology</i> , 2017, 17, 160.	2.0	22
198	Validation of the Farsi version of the revised Adolescent Sleep Hygiene Scale (ASHSr): a cross-sectional study. <i>BMC Psychiatry</i> , 2017, 17, 408.	2.6	12

#	ARTICLE	IF	CITATIONS
199	Exercise as neuroenhancer in children with ADHD. , 2017, , 191-212.		1
200	Physical activity impacts positively on depression and objective sleep in patients with MS. , 2017, 50, .		0
201	Longitudinal changes in mental toughness, sleep disturbances, and physical activity in patients with multiple sclerosis (MS). <i>Pharmacopsychiatry</i> , 2017, 50, .	3.3	0
202	Psychiatric Disorders and Personality Profiles of Middle-Aged Suicide Attempters with No Evidence of Specific Psychopathological Profiles Referred to an Emergency Department. <i>Iranian Journal of Psychiatry</i> , 2017, 12, 251-257.	0.7	3
203	Effects of psychotherapy in combination with pharmacotherapy, when compared to pharmacotherapy only on blood pressure, depression, and anxiety in female patients with hypertension. <i>Journal of Health Psychology</i> , 2016, 21, 1216-1227.	2.3	23
204	Mental toughness, sleep disturbances, and physical activity in patients with multiple sclerosis compared to healthy adolescents and young adults. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 1571-1579.	2.2	27
205	The current state of physical activity and exercise programs in German-speaking, Swiss psychiatric hospitals: results from a brief online survey. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1309.	2.2	27
206	Exercise is medicine for patients with major depressive disorders : but only if the &ldquo;pill&rdquo; is taken!. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 1977-1981.	2.2	53
207	Does Physical Fitness Buffer the Relationship between Psychosocial Stress, Retinal Vessel Diameters, and Blood Pressure among Primary Schoolchildren?. <i>BioMed Research International</i> , 2016, 2016, 1-11.	1.9	11
208	Effect of adjuvant sleep hygiene psychoeducation and lorazepam on depression and sleep quality in patients with major depressive disorders: results from a randomized three-arm intervention. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1507.	2.2	20
209	Validity and test&ndash;retest reliability of the Persian version of the Montgomery&ndash;Asberg Depression Rating Scale. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 603.	2.2	21
210	Examining Dark Triad traits in relation to mental toughness and physical activity in young adults. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 229.	2.2	43
211	Psychological distress and coping in military cadre candidates. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2237-2243.	2.2	16
212	Physical activity and self-esteem: testing direct and indirect relationships associated with psychological and physical mechanisms. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2617-2625.	2.2	102
213	The Origins of Mental Toughness â€œ Prosocial Behavior and Low Internalizing and Externalizing Problems at Age 5 Predict Higher Mental Toughness Scores at Age 14. <i>Frontiers in Psychology</i> , 2016, 7, 1221.	2.1	31
214	Higher emotional intelligence is related to lower test anxiety among students. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 133.	2.2	12
215	Exercising Impacts on Fatigue, Depression, and Paresthesia in Female Patients with Multiple Sclerosis. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 796-803.	0.4	63
216	Repetitive Transcranial Magnetic Stimulation Improved Symptoms of Obsessive-Compulsive Disorders but Not Executive Functions: Results from a Randomized Clinical Trial with Crossover Design and Sham Condition. <i>Neuropsychobiology</i> , 2016, 74, 115-124.	1.9	33

#	ARTICLE	IF	CITATIONS
217	Validation of the German version of the insomnia severity index in adolescents, young adults and adult workers: results from three cross-sectional studies. <i>BMC Psychiatry</i> , 2016, 16, 174.	2.6	132
218	Sleep Quality, Sleep EEG Pattern, Mental Well-Being and Cortisol Secretion in Patients with Ruptured Aneurysm Post-Treatment: A Comparison with Post-Surgery Meningioma Patients and Controls. <i>Neuropsychobiology</i> , 2016, 73, 148-159.	1.9	13
219	Examining Dark Triad traits in relation to sleep disturbances, anxiety sensitivity and intolerance of uncertainty in young adults. <i>Comprehensive Psychiatry</i> , 2016, 68, 103-110.	3.1	49
220	Demographic and mental history-related data predicted occurrence of psychosis in metamphetamine users. <i>Psychiatry Research</i> , 2016, 240, 431-434.	3.3	15
221	Levels of mania and cognitive performance two years after ECT in patients with bipolar I disorder – results from a follow-up study. <i>Comprehensive Psychiatry</i> , 2016, 69, 71-77.	3.1	10
222	Acute effects of moderate aerobic exercise on specific aspects of executive function in different age and fitness groups: A meta-analysis. <i>Psychophysiology</i> , 2016, 53, 1611-1626.	2.4	361
223	Stress Management in Physical Education Class: An Experiential Approach To Improve Coping Skills and Reduce Stress Perceptions in Adolescents. <i>Journal of Teaching in Physical Education</i> , 2016, 35, 149-158.	1.2	18
224	Salivary and hair glucocorticoids and sleep in very preterm children during school age. <i>Psychoneuroendocrinology</i> , 2016, 72, 166-174.	2.7	36
225	Repetitive Transcranial Magnetic Stimulation Improved Symptoms of Obsessive-Compulsive Disorder, but Also Cognitive Performance: Results from a Randomized Clinical Trial with a Cross-Over Design and Sham Condition. <i>Neuropsychobiology</i> , 2016, 73, 224-232.	1.9	42
226	Mature brain-derived neurotrophic factor (BDNF) is the major player of total BDNF in serum regarding prediction of antidepressant treatment outcome. <i>Psychopharmacology</i> , 2016, 233, 153-155.	3.1	6
227	Assessment of mature serum brain-derived neurotrophic factor (BDNF) is not superior to total serum BDNF in prediction of antidepressant treatment outcome. <i>European Psychiatry</i> , 2016, 33, S410-S410.	0.2	1
228	Adjuvant thiamine improved standard treatment in patients with major depressive disorder: results from a randomized, double-blind, and placebo-controlled clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 695-702.	3.2	36
229	The prevalence and clinical features of amphetamine-induced obsessive compulsive disorder. <i>Drug and Alcohol Dependence</i> , 2016, 160, 157-162.	3.2	16
230	Electroconvulsive therapy (ECT) and aerobic exercise training (AET) increased plasma BDNF and ameliorated depressive symptoms in patients suffering from major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016, 76, 1-8.	3.1	36
231	The relation between anxiety and BMI – is it all in our curves?. <i>Psychiatry Research</i> , 2016, 235, 49-54.	3.3	9
232	The relationship between physical activity and sleep from mid adolescence to early adulthood. A systematic review of methodological approaches and meta-analysis. <i>Sleep Medicine Reviews</i> , 2016, 28, 32-45.	8.5	131
233	Poor Sleep Is Related to Lower Emotional Competence Among Adolescents. <i>Behavioral Sleep Medicine</i> , 2016, 14, 602-614.	2.1	68
234	During early and mid-adolescence, greater mental toughness is related to increased sleep quality and quality of life. <i>Journal of Health Psychology</i> , 2016, 21, 905-915.	2.3	45



#	ARTICLE	IF	CITATIONS
253	Adjuvant Rosa Damascena has a Small Effect on SSRI-induced Sexual Dysfunction in Female Patients Suffering from MDD. <i>Pharmacopsychiatry</i> , 2015, 48, 156-163.	3.3	23
254	Repetitive Transcranial Magnetic Stimulation (rTMS) improves symptoms and reduces clinical illness in patients suffering from OCD – Results from a single-blind, randomized clinical trial with sham cross-over condition. <i>Journal of Psychiatric Research</i> , 2015, 68, 238-244.	3.1	55
255	Compared to controls, patients with ruptured aneurysm and surgical intervention show increase in symptoms of depression and lower cognitive performance, but their objective sleep is not affected. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 96-105.	2.6	9
256	Improved Alertness Is Associated with Early Increase in Serum Brain-Derived Neurotrophic Factor and Antidepressant Treatment Outcome in Major Depression. <i>Neuropsychobiology</i> , 2015, 72, 16-28.	1.9	20
257	Morning cortisol secretion in school-age children is related to the sleep pattern of the preceding night. <i>Psychoneuroendocrinology</i> , 2015, 52, 297-301.	2.7	39
258	Differential effects of exercise on brain opioid receptor binding and activation in rats. <i>Journal of Neurochemistry</i> , 2015, 132, 206-217.	3.9	26
259	Does objectively assessed sleep at five years predict sleep and psychological functioning at 14 years? – “Hmm, yes and no!”. <i>Journal of Psychiatric Research</i> , 2015, 60, 148-155.	3.1	28
260	The role of sleep and the hypothalamic-pituitary-adrenal axis for behavioral and emotional problems in very preterm children during middle childhood. <i>Journal of Psychiatric Research</i> , 2015, 60, 141-147.	3.1	33
261	Longitudinal relationships between perceived stress, exercise self-regulation and exercise involvement among physically active adolescents. <i>Journal of Sports Sciences</i> , 2015, 33, 369-380.	2.0	21
262	Adolescents’™ Electronic Media Use at Night, Sleep Disturbance, and Depressive Symptoms in the Smartphone Age. <i>Journal of Youth and Adolescence</i> , 2015, 44, 405-418.	3.5	600
263	“Tell me, how bright your hypomania is, and I tell you, if you are happily in love!” Among young adults in love, bright side hypomania is related to reduced depression and anxiety, and better sleep quality. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 24-31.	2.4	15
264	A Comparison of Cooperative and Traditional Learning Methods on Learning Mathematics in the 4th and 5th Grades in Holaelan, Ilam, Iran. <i>British Journal of Education Society &amp; Behavioural Science</i> , 2015, 7, 129-136.	0.1	0
265	Sleep duration and subjective psychological well-being in adolescence: a longitudinal study in Switzerland and Norway. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1199.	2.2	41
266	Agitation Predicts Response of Depression to Botulinum Toxin Treatment in a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2014, 5, 36.	2.6	24
267	Cortisol levels and sleep patterns in infants with orofacial clefts undergoing surgery. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1965.	2.2	6
268	“Sleep Well, Our Tough Heroes!” In Adolescence, Greater Mental Toughness is Related to Better Sleep Schedules. <i>Behavioral Sleep Medicine</i> , 2014, 12, 444-454.	2.1	43
269	Randomized controlled trial of aripiprazole versus risperidone for the treatment of amphetamine-induced psychosis. <i>American Journal of Drug and Alcohol Abuse</i> , 2014, 40, 10-15.	2.1	41
270	Among a sample of Iranian premenopausal and menopausal women differences in mood, sleep and health quality are small. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 139-144.	2.4	5



#	ARTICLE	IF	CITATIONS
271	Effect of maternal anxiety on maternal serum and fetal cord blood cortisol. <i>Asia-Pacific Psychiatry</i> , 2014, 6, 435-439.	2.2	10
272	“œI love you more than I can stand!” Romantic love, symptoms of depression and anxiety, and sleep complaints are related among young adults. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 169-174.	2.4	17
273	In School-Age Children Who Were Born Very Preterm Sleep Efficiency Is Associated with Cognitive Function. <i>Neuropsychobiology</i> , 2014, 70, 244-252.	1.9	24
274	Comparing the Effect of Prazosin and Hydroxyzine on Sleep Quality in Patients Suffering from Posttraumatic Stress Disorder. <i>Neuropsychobiology</i> , 2014, 69, 235-242.	1.9	58
275	BDNF: an indicator of insomnia?. <i>Molecular Psychiatry</i> , 2014, 19, 151-152.	7.9	92
276	Sleep problems and their effect in ADHD. <i>Expert Review of Neurotherapeutics</i> , 2014, 14, 287-299.	2.8	107
277	Aerobic Exercise, Ball Sports, Dancing, and Weight Lifting as Moderators of the Relationship between Stress and Depressive Symptoms: An Exploratory Cross-Sectional Study with Swiss University Students. <i>Perceptual and Motor Skills</i> , 2014, 119, 679-697.	1.3	19
278	Attention deficit hyperactivity disorder in children is found to be related to the occurrence of ADHD in siblings and the male gender, but not to birth order, when compared to healthy controls. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 272-279.	2.4	18
279	In a randomized case“control trial with 10-years olds suffering from attention deficit/hyperactivity disorder (ADHD) sleep and psychological functioning improved during a 12-week sleep-training program. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 609-619.	2.6	80
280	Associations between Infants' Crying, Sleep and Cortisol Secretion and Mother's Sleep and Well-Being. <i>Neuropsychobiology</i> , 2014, 69, 39-51.	1.9	18
281	Oral Loading of Sodium Valproate Compared to Intravenous Loading and Oral Maintenance in Acutely Manic Bipolar Patients. <i>Neuropsychobiology</i> , 2014, 70, 29-35.	1.9	5
282	Adolescents With Greater Mental Toughness Show Higher Sleep Efficiency, More Deep Sleep and Fewer Awakenings After Sleep Onset. <i>Journal of Adolescent Health</i> , 2014, 54, 109-113.	2.5	85
283	High baseline BDNF serum levels and early psychopathological improvement are predictive of treatment outcome in major depression. <i>Psychopharmacology</i> , 2014, 231, 2955-2965.	3.1	56
284	High self-perceived exercise exertion before bedtime is associated with greater objectively assessed sleep efficiency. <i>Sleep Medicine</i> , 2014, 15, 1031-1036.	1.6	62
285	P.2.b.037 Increase of alertness correlates with early brain-derived neurotrophic factor serum level rise and treatment outcome in major depression. <i>European Neuropsychopharmacology</i> , 2014, 24, S400-S401.	0.7	0
286	In a randomized, double-blind clinical trial, adjuvant atorvastatin improved symptoms of depression and blood lipid values in patients suffering from severe major depressive disorder. <i>Journal of Psychiatric Research</i> , 2014, 58, 109-114.	3.1	58
287	Fast BDNF serum level increase and diurnal BDNF oscillations are associated with therapeutic response after partial sleep deprivation. <i>Journal of Psychiatric Research</i> , 2014, 59, 1-7.	3.1	62
288	In pre-school children, sleep objectively assessed via actigraphy remains stable over 12 months and is related to psychological functioning, but not to cortisol secretion. <i>Journal of Psychiatric Research</i> , 2014, 55, 22-28.	3.1	30

#	ARTICLE	IF	CITATIONS
289	Increased objectively assessed vigorous-intensity exercise is associated with reduced stress, increased mental health and good objective and subjective sleep in young adults. <i>Physiology and Behavior</i> , 2014, 135, 17-24.	2.1	137
290	In a double-blind, randomized and placebo-controlled trial, adjuvant allopurinol improved symptoms of mania in in-patients suffering from bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014, 24, 1210-1221.	0.7	45
291	Sleep, Aggression, and Psychosocial Adjustment in Male Prisoners. <i>Swiss Journal of Psychology</i> , 2014, 73, 167-176.	0.9	13
292	Aerobic exercise training and burnout: a pilot study with male participants suffering from burnout. <i>BMC Research Notes</i> , 2013, 6, 78.	1.4	87
293	In a double-blind, randomized and placebo-controlled trial, adjuvant memantine improved symptoms in inpatients suffering from refractory obsessive-compulsive disorders (OCD). <i>Psychopharmacology</i> , 2013, 228, 633-640.	3.1	88
294	Both Hair Cortisol Levels and Perceived Stress Predict Increased Symptoms of Depression: An Exploratory Study in Young Adults. <i>Neuropsychobiology</i> , 2013, 68, 100-109.	1.9	48
295	Adolescents with high mental toughness adapt better to perceived stress: A longitudinal study with Swiss vocational students. <i>Personality and Individual Differences</i> , 2013, 54, 808-814.	2.9	91
296	Sleep patterns and psychological functioning in families in northeastern Iran; evidence for similarities between adolescent children and their parents. <i>Journal of Adolescence</i> , 2013, 36, 1103-1113.	2.4	41
297	Objectively assessed physical activity is associated with increased hair cortisol content in young adults. <i>Stress</i> , 2013, 16, 593-599.	1.8	31
298	Executive function performance is reduced during occupational burnout but can recover to the level of healthy controls. <i>Journal of Psychiatric Research</i> , 2013, 47, 1824-1830.	3.1	39
299	In pre-school children, sleep objectively assessed via sleep-EEGs remains stable over 12 months and is related to psychological functioning, but not to cortisol secretion. <i>Journal of Psychiatric Research</i> , 2013, 47, 1809-1814.	3.1	38
300	Additional ECT increases BDNF-levels in patients suffering from major depressive disorders compared to patients treated with citalopram only. <i>Journal of Psychiatric Research</i> , 2013, 47, 908-915.	3.1	61
301	In pre-school children, cortisol secretion remains stable over 12 months and is related to psychological functioning and gender. <i>Journal of Psychiatric Research</i> , 2013, 47, 1409-1416.	3.1	17
302	Increased self-reported and objectively assessed physical activity predict sleep quality among adolescents. <i>Physiology and Behavior</i> , 2013, 120, 46-53.	2.1	151
303	Are Adolescents With High Mental Toughness Levels More Resilient Against Stress?. <i>Stress and Health</i> , 2013, 29, 164-171.	2.6	113
304	Among a sample of Iranian students, adult attention deficit hyperactivity disorder is related to childhood ADHD, but not to age, gender, socioeconomic status, or birth order—an exploratory study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 273-278.	2.4	13
305	Assessment of Cognitive Impairments and Seizure Characteristics in Electroconvulsive Therapy with and without Sodium Valproate in Manic Patients. <i>Neuropsychobiology</i> , 2013, 67, 14-24.	1.9	15
306	Patients Suffering from Restless Legs Syndrome Have Low Internal Locus of Control and Poor Psychological Functioning Compared to Healthy Controls. <i>Neuropsychobiology</i> , 2013, 68, 51-58.	1.9	13

#	ARTICLE	IF	CITATIONS
307	Visually detected <scp>NREM</scp> Stage 2 sleep spindles in kindergarten children are associated with current and future emotional and behavioural characteristics. <i>Journal of Sleep Research</i> , 2013, 22, 129-136.	3.2	27
308	In Iranian female and male adolescents, romantic love is related to hypomania and low depressive symptoms, but also to higher state anxiety. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 98-109.	2.4	21
309	Perceived Fitness Protects against Stressâ€based Mental Health Impairments among Police Officers Who Report Good Sleep. <i>Journal of Occupational Health</i> , 2013, 55, 376-384.	2.1	31
310	Neuroendocrine Regulation and Metabolism of Glucose and Lipids in Primary Chronic Insomnia: A Prospective Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e61780.	2.5	44
311	The Interplay of Stress and Sleep Impacts BDNF Level. <i>PLoS ONE</i> , 2013, 8, e76050.	2.5	84
312	Comparing Efficacy of ECT With and Without Concurrent Sodium Valproate Therapy in Manic Patients. <i>Journal of ECT</i> , 2012, 28, 118-123.	0.6	21
313	Training emotional intelligence improves both emotional intelligence and depressive symptoms in inpatients with borderline personality disorder and depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2012, 16, 197-204.	2.4	35
314	P.1.i.005 Decreased serum brain-derived neurotrophic factor (BDNF) levels in sleep-disturbed subjects. <i>European Neuropsychopharmacology</i> , 2012, 22, S221.	0.7	0
315	Daily Morning Running for 3 Weeks Improved Sleep and Psychological Functioning in Healthy Adolescents Compared With Controls. <i>Journal of Adolescent Health</i> , 2012, 51, 615-622.	2.5	161
316	The relation of objective sleep patterns, depressive symptoms, and sleep disturbances in adolescent children and their parents: A sleep-EEG study with 47 families. <i>Journal of Psychiatric Research</i> , 2012, 46, 1374-1382.	3.1	72
317	Visually detected NREM Stage 2 sleep spindles in kindergarten children are associated with stress challenge and coping strategies. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 259-268.	2.6	19
318	Influence of Mindfulness Practice on Cortisol and Sleep in Long-Term and Short-Term Meditators. <i>Neuropsychobiology</i> , 2012, 65, 109-118.	1.9	124
319	One-stage cleft repair outcome at age 6- to 18-years â€ a comparison to the Eurocleft study data. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2012, 50, 762-768.	0.8	24
320	Adolescents' exercise and physical activity are associated with mental toughness. <i>Mental Health and Physical Activity</i> , 2012, 5, 35-42.	1.8	87
321	Oxybutynin reduces sweating in depressed patients treated with sertraline: a double-blind, placebo-controlled, clinical study. <i>Neuropsychiatric Disease and Treatment</i> , 2012, 8, 407.	2.2	8
322	Cultural and gender-related differences of concepts of love between Iranian and Swiss adults based on Hafezâ€™ poetry of love. <i>Interpersona</i> , 2012, 3, 177-189.	0.5	4
323	The sleeping brain and the neural basis of emotions. <i>Behavioral and Brain Sciences</i> , 2012, 35, 155-156.	0.7	20
324	The interaction of social risk factors and HPA axis dysregulation in predicting emotional symptoms of five- and six-year-old children. <i>Journal of Psychiatric Research</i> , 2012, 46, 290-297.	3.1	28

#	ARTICLE	IF	CITATIONS
325	Pre-schoolers suffering from psychiatric disorders show increased cortisol secretion and poor sleep compared to healthy controls. <i>Journal of Psychiatric Research</i> , 2012, 46, 590-599.	3.1	29
326	Facing depression with botulinum toxin: A randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2012, 46, 574-581.	3.1	175
327	Mood and Learning. , 2012, , 2328-2330.		1
328	Concerns regarding hair cortisol as a biomarker of chronic stress in exercise and sport science. <i>Journal of Sports Science and Medicine</i> , 2012, 11, 571-81.	1.6	30
329	Dream Recall and Its Relationship to Sleep, Perceived Stress, and Creativity Among Adolescents. <i>Journal of Adolescent Health</i> , 2011, 49, 525-531.	2.5	43
330	P.1.c.018 Increased serum BDNF levels after partial sleep deprivation correlate with therapy response and mood improvement in depressive patients. <i>European Neuropsychopharmacology</i> , 2011, 21, S263.	0.7	0
331	Perceived parenting styles differ between genders but not between elite athletes and controls. <i>Adolescent Health, Medicine and Therapeutics</i> , 2011, 2, 9.	0.9	10
332	Sleep and its importance in adolescence and in common adolescent somatic and psychiatric conditions. <i>International Journal of General Medicine</i> , 2011, 4, 425.	1.8	217
333	Children suffering from separation anxiety disorder (SAD) show increased HPA axis activity compared to healthy controls. <i>Journal of Psychiatric Research</i> , 2011, 45, 452-459.	3.1	30
334	Intensive two-day cognitive-behavioral intervention decreases cortisol secretion in soldiers suffering from specific phobia to wear protective mask. <i>Journal of Psychiatric Research</i> , 2011, 45, 1337-1345.	3.1	14
335	In healthy young and elderly adults, hypothalamic-pituitary-adrenocortical axis reactivity (HPA AR) varies with increasing pharmacological challenge and with age, but not with gender. <i>Journal of Psychiatric Research</i> , 2011, 45, 1373-1380.	3.1	17
336	Habitual computer game playing at night is related to depressive symptoms. <i>Personality and Individual Differences</i> , 2011, 51, 117-122.	2.9	82
337	“Bright side”™ and “dark side”™ hypomania are associated with differences in psychological functioning, sleep and physical activity in a non-clinical sample of young adults. <i>Journal of Affective Disorders</i> , 2011, 131, 68-78.	4.1	30
338	The Farsi version of the Hypomania Check-List 32 (HCL-32): Applicability and indication of a four-factorial solution. <i>BMC Psychiatry</i> , 2011, 11, 14.	2.6	29
339	In female adolescents, romantic love is related to hypomanic-like stages and increased physical activity, but not to sleep or depressive symptoms. <i>International Journal of Psychiatry in Clinical Practice</i> , 2011, 15, 164-170.	2.4	17
340	Unfavorable Polysomnographic Sleep Patterns Predict Poor Sleep and Poor Psychological Functioning 3 Years Later in Patients with Restless Legs Syndrome. <i>Neuropsychobiology</i> , 2011, 63, 92-102.	1.9	8
341	“Oh, Baby, Please Don’t Cry!”™: In Infants Suffering from Infantile Colic Hypothalamic-Pituitary-Adrenocortical Axis Activity Is Related to Poor Sleep and Increased Crying Intensity. <i>Neuropsychobiology</i> , 2011, 64, 15-23.	1.9	35
342	Elite Sport is Not an Additional Source of Distress for Adolescents with High Stress Levels. <i>Perceptual and Motor Skills</i> , 2011, 112, 581-599.	1.3	28

#	ARTICLE	IF	CITATIONS
343	Increase of serum BDNF level in depressive patients identifies therapy response and correlates with mood improvement. <i>Pharmacopsychiatry</i> , 2011, 44, .	3.3	0
344	Fitness and Exercise as Correlates of Sleep Complaints. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 893-901.	0.4	76
345	Depression, hypomania, and dysfunctional sleep-related cognitions as mediators between stress and insomnia: The best advice is not always found on the pillow!. <i>International Journal of Stress Management</i> , 2010, 17, 114-134.	1.2	39
346	The relation between sleep and pain among a non-clinical sample of young adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 543-551.	3.2	22
347	Sleep actigraphy pattern and behavioral/emotional difficulties in kindergarten children: Association with hypothalamic-pituitary-adrenocortical (HPA) activity. <i>Journal of Psychiatric Research</i> , 2010, 44, 253-261.	3.1	57
348	Modafinil reduces microsleep during partial sleep deprivation in depressed patients. <i>Journal of Psychiatric Research</i> , 2010, 44, 853-864.	3.1	24
349	The relationship between shift work, perceived stress, sleep and health in Swiss police officers. <i>Journal of Criminal Justice</i> , 2010, 38, 1167-1175.	2.3	76
350	Comparison of Sleep EEG Profiles of Patients Suffering from Restless Legs Syndrome, Restless Legs Syndrome and Depressive Symptoms, and Major Depressive Disorders. <i>Neuropsychobiology</i> , 2010, 61, 41-48.	1.9	14
351	Exercising, sleep-EEG patterns, and psychological functioning are related among adolescents. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 129-140.	2.6	91
352	Evidence of favorable sleep-EEG patterns in adolescent male vigorous football players compared to controls. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 465-475.	2.6	53
353	Associations between satisfaction with life, burnout-related emotional and physical exhaustion, and sleep complaints. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 744-754.	2.6	81
354	High Exercise Levels Are Related to Favorable Sleep Patterns and Psychological Functioning in Adolescents: A Comparison of Athletes and Controls. <i>Journal of Adolescent Health</i> , 2010, 46, 133-141.	2.5	213
355	P.2.c.030 Serum brain-derived neurotrophic factor levels as predictor of antidepressant therapy response. <i>European Neuropsychopharmacology</i> , 2010, 20, S384-S385.	0.7	0
356	Is the increase of hypomanic stages during adolescence related to gender and developmental tasks?. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 594-602.	2.6	11
357	Evidence of favorable sleep-EEG patterns in adolescent male vigorous football players compared to controls. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 1-11.	2.6	34
358	â€œFootball Is Good for Your Sleepâ€™. <i>Journal of Health Psychology</i> , 2009, 14, 1144-1155.	2.3	59
359	Patients with environment-related disorders: Comprehensive results of interdisciplinary diagnostics. <i>International Journal of Hygiene and Environmental Health</i> , 2009, 212, 157-171.	4.3	9
360	Evidence for similarities between adolescents and parents in sleep patterns. <i>Sleep Medicine</i> , 2009, 10, 1124-1131.	1.6	65

#	ARTICLE	IF	CITATIONS
361	Perceived parenting styles, personality traits and sleep patterns in adolescents. <i>Journal of Adolescence</i> , 2009, 32, 1189-1207.	2.4	111
362	Psychosocial Functioning and Sleep Patterns in Children and Adolescents with Cleft Lip and Palate (CLP) Compared with Healthy Controls. <i>Cleft Palate-Craniofacial Journal</i> , 2009, 46, 124-135.	0.9	56
363	Evidence of favorable sleep EEG patterns in adolescent male vigorous football players compared to controls. <i>Pharmacopsychiatry</i> , 2009, 42, .	3.3	1
364	Long-term treatment of patients suffering from Restless Legs syndrome does not improve satisfaction with life and sleep compared to healthy controls. <i>Pharmacopsychiatry</i> , 2009, 42, .	3.3	0
365	Perception and importance of Hafez's poetry of love in modern Iran and Switzerland. <i>Pharmacopsychiatry</i> , 2009, 42, .	3.3	0
366	Electroencephalographic sleep profiles and hypothalamic-pituitary-adrenocortical (HPA)-activity in kindergarten children: Early indication of poor sleep quality associated with increased cortisol secretion. <i>Journal of Psychiatric Research</i> , 2008, 42, 532-543.	3.1	83
367	Neuroendocrine and sleep regulation as predictors of illness course and therapy in depression. <i>European Psychiatry</i> , 2008, 23, S10.	0.2	0
368	Sleep spindles in kindergarten children: Relation to sleep and Hypothalamic-Pituitary-Adrenocortical (Hpa) activity. <i>European Psychiatry</i> , 2008, 23, S86.	0.2	0
369	Sleep Patterns, Work, and Strain among Young Students in Hospitality and Tourism. <i>Industrial Health</i> , 2008, 46, 199-209.	1.0	18
370	Age-related changes in cognitive conflict processing: An event-related potential study. <i>Neurobiology of Aging</i> , 2007, 28, 1925-1935.	3.1	48
371	How do we learn in a negative mood? Effects of a negative mood on transfer and learning. <i>Learning and Instruction</i> , 2007, 17, 1-16.	3.2	93
372	Romantic Love, Hypomania, and Sleep Pattern in Adolescents. <i>Journal of Adolescent Health</i> , 2007, 41, 69-76.	2.5	64
373	Effects of Mood and Problem Solving in Dyads on Transfer. <i>Swiss Journal of Psychology</i> , 2007, 66, 51-65.	0.9	11
374	Interactional behaviour as a marker for screening patients with environment-related complaints. <i>International Journal of Hygiene and Environmental Health</i> , 2007, 210, 79-89.	4.3	6
375	Effect of flumazenil-augmentation on microsleep and mood in depressed patients during partial sleep deprivation. <i>Journal of Psychiatric Research</i> , 2007, 41, 876-884.	3.1	18
376	Hypothalamic-pituitary-adrenocortical (HPA) activity in kindergarten children: Importance of gender and associations with behavioral/emotional difficulties. <i>Journal of Psychiatric Research</i> , 2007, 41, 861-870.	3.1	83
377	Low Frequency of Colorectal Dysplasia in Patients with Long-Standing Inflammatory Bowel Disease Colitis: Detection by Fluorescence Endoscopy. <i>Endoscopy</i> , 2006, 38, 477-482.	1.8	32
378	Adolescents' Self-Reported Sleep Quantity and Sleep-Related Personality Traits - A Pilot Study. <i>Selbsteinschätzung der Schlafquantität und der schlafbezogenen Persönlichkeitsmerkmale von Adoleszenten - Eine Pilotstudie. Somnologie</i> , 2005, 9, 166-171.	1.5	17

#	ARTICLE	IF	CITATIONS
379	Electroencephalographic sleep profiles in treatment course and long-term outcome of major depression: association with DEX/CRH-test response. <i>Journal of Psychiatric Research</i> , 2004, 38, 453-465.	3.1	94
380	Effects of metacognitive thinking and knowledge acquisition in dyads on individual problem solving and transfer performance. <i>Swiss Journal of Psychology</i> , 2003, 62, 251-261.	0.9	14
381	Long-term course of depression: Impact of hypothalamic-pituitary-adrenocortical (HPA) system function and sleep EEG variables. <i>European Neuropsychopharmacology</i> , 2002, 12, 241.	0.7	0
382	Reduction of daytime sleepiness in a depressive patient during adjunct treatment with modafinil. <i>Journal of Psychiatric Research</i> , 2002, 36, 49-52.	3.1	8
383	The combined DEX-CRH test in treatment course and long-term outcome of major depression. <i>Journal of Psychiatric Research</i> , 2002, 36, 287-297.	3.1	91