

Francielli W S Cibirin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8223860/francielli-w-s-cibirin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

1,407
citations

23
h-index

32
g-index

87
ext. papers

1,553
ext. citations

3.3
avg, IF

4.08
L-index

#	Paper	IF	Citations
82	Beneficial effects of <i>Lactococcus lactis</i> subsp. <i>cremoris</i> LL95 treatment in an LPS-induced depression-like model in mice.. <i>Behavioural Brain Research</i> , 2022 , 113847	3.4	1
81	Immunotoxic Assessment of Rosemary Extract. <i>Revista Brasileira De Farmacognosia</i> , 2021 , 31, 788	2	
80	In Vitro Activation and Development of Goat Preantral Follicles Enclosed in Ovarian Tissue Co-cultured with Mesenchymal Stem Cells. <i>Reproductive Sciences</i> , 2021 , 28, 1709-1717	3	1
79	High concentrations of βhydroxybutyrate alter the kinetics of bovine spermatozoa. <i>Andrologia</i> , 2021 , 53, e14148	2.4	1
78	A subchronic low-dose exposure of a glyphosate-based herbicide induces depressive and anxious-like behavior in mice: quercetin therapeutic approach. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 67394-67403	5.1	2
77	Egg white hydrolysate prevents reproductive impairments induced by cadmium in rats. <i>Journal of Functional Foods</i> , 2020 , 67, 103823	5.1	1
76	Anethole Supplementation During Oocyte Maturation Improves In Vitro Production of Bovine Embryos. <i>Reproductive Sciences</i> , 2020 , 27, 1602-1608	3	5
75	Cushioned centrifugation during sperm selection increases the fertilization and cleavage rates of cattle embryos produced in vitro. <i>Animal Reproduction Science</i> , 2020 , 219, 106508	2.1	1
74	Use of synthetic polymers improves the quality of vitrified caprine preantral follicles in the ovarian tissue. <i>Acta Histochemica</i> , 2020 , 122, 151484	2	3
73	First pregnancy after in vitro culture of early antral follicles in goats: Positive effects of anethole on follicle development and steroidogenesis. <i>Molecular Reproduction and Development</i> , 2020 , 87, 966-977	2.6	7
72	Cadmium exposure activates NADPH oxidase, renin-angiotensin system and cyclooxygenase 2 pathways in arteries, inducing hypertension and vascular damage. <i>Toxicology Letters</i> , 2020 , 333, 80-89	4.4	11
71	Anethole improves blastocysts rates together with antioxidant capacity when added during bovine embryo culture rather than in the maturation medium. <i>Zygote</i> , 2019 , 27, 382-385	1.6	3
70	Cationic and anionic unloaded polymeric nanocapsules: Toxicological evaluation in rats shows low toxicity. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 116, 109014	7.5	9
69	Early ovine preantral follicles have a potential to grow until antral stage in two-step culture system in the presence of aqueous extract of <i>Justicia insularis</i> . <i>Reproduction in Domestic Animals</i> , 2019 , 54, 1121-1130	1.6	1
68	In Vitro Probiotic and Antioxidant Potential of subsp. LL95 and Its Effect in Mice Behaviour. <i>Nutrients</i> , 2019 , 11,	6.7	8
67	Anethole Supplementation During Oocyte Maturation Improves In Vitro Production of Bovine Embryos. <i>Reproductive Sciences</i> , 2019 , 1933719119831783	3	3
66	Effect of βbryzanol on testicular degeneration induced by scrotal insulation in rams. <i>Theriogenology</i> , 2019 , 128, 167-175	2.8	3

65	Powdered coconut water (ACP 406□) as an alternative base culture medium for culture of goat preantral follicles enclosed in ovarian tissue. <i>Animal Reproduction</i> , 2019 , 16, 838-845	1.7	1
64	Protective role of Syzygium cumini leaf extracts against paraquat-induced oxidative stress in superoxide-dismutase-deficient Saccharomyces cerevisiae strains. <i>Acta Scientiarum - Biological Sciences</i> , 2019 , 41, e47139	0.3	0
63	Influence of follicle size on bovine oocyte lipid composition, follicular metabolic and stress markers, embryo development and blastocyst lipid content. <i>Reproduction, Fertility and Development</i> , 2019 , 31, 462-472	1.8	12
62	Comparative effect of teas on object recognition test deficit and metabolic changes induced by cafeteria diet. <i>Nutritional Neuroscience</i> , 2019 , 22, 531-540	3.6	6
61	Reduction in Percoll volume increases recovery rate of sex-sorted semen of bulls without affecting sperm quality and early embryonic development. <i>Animal Reproduction Science</i> , 2018 , 192, 146-153	2.1	3
60	Effect of Catalase or Alpha Lipoic Acid Supplementation in the Vitrification Solution of Ovine Ovarian Tissue. <i>Biopreservation and Biobanking</i> , 2018 , 16, 258-269	2.1	7
59	Anethole reduces oxidative stress and improves in vitro survival and activation of primordial follicles. <i>Brazilian Journal of Medical and Biological Research</i> , 2018 , 51, e7129	2.8	20
58	Selenofuranoside improves long-term memory deficits in rats after exposure to monosodium glutamate: Involvement of Na, K-ATPase activity. <i>Physiology and Behavior</i> , 2018 , 184, 27-33	3.5	13
57	Use of a colloid to optimize centrifugation in the selection of bovine sperm for IVF. <i>Semina:Ciencias Agrarias</i> , 2018 , 39, 1607	0.6	2
56	Supplementation of in vitro culture medium with FSH to grow follicles and mature oocytes can be replaced by extracts of Justicia insularis. <i>PLoS ONE</i> , 2018 , 13, e0208760	3.7	7
55	Protects against Male Reproductive Damage Induced by Cyclophosphamide in Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 5758191	6.7	26
54	Effects of cafeteria diet on memory and hippocampal oxidative stress in a rat model of Alzheimer-like disease: Neuroprotection of green tea supplementation. <i>Journal of Functional Foods</i> , 2018 , 49, 277-284	5.1	8
53	In vitro growth and development of isolated secondary follicles from vitrified caprine ovarian cortex. <i>Reproduction, Fertility and Development</i> , 2018 , 30, 359-370	1.8	6
52	Anethole improves the in vitro development of isolated caprine secondary follicles. <i>Theriogenology</i> , 2017 , 89, 226-234	2.8	27
51	Blueberry (Vaccinium ashei Reade) extract ameliorates ovarian damage induced by subchronic cadmium exposure in mice: Potential BAX-D involvement. <i>Environmental Toxicology</i> , 2017 , 32, 188-196	4.2	8
50	Role of EGF on in situ culture of equine preantral follicles and metabolomics profile. <i>Research in Veterinary Science</i> , 2017 , 115, 155-164	2.5	14
49	Supplementation with different teas from Camellia sinensis prevents memory deficits and hippocampus oxidative stress in ischemia-reperfusion. <i>Neurochemistry International</i> , 2017 , 108, 287-295	4.4	24
48	Short-term green tea supplementation prevents recognition memory deficits and ameliorates hippocampal oxidative stress induced by different stroke models in rats. <i>Brain Research Bulletin</i> , 2017 , 131, 78-84	3.9	13

47	Reproductive dysfunction after mercury exposure at low levels: evidence for a role of glutathione peroxidase (GPx) 1 and GPx4 in male rats. <i>Reproduction, Fertility and Development</i> , 2017 , 29, 1803-1812	1.8	12
46	Refining insulin concentrations in culture medium containing growth factors BMP15 and GDF9: An in vitro study of the effects on follicle development of goats. <i>Animal Reproduction Science</i> , 2017 , 185, 118-127	2.1	9
45	Ovarian transport temperature (4 vs 33 °C) impacts differently the in vitro development of isolated goat preantral and antral follicles. <i>Small Ruminant Research</i> , 2017 , 155, 16-23	1.7	6
44	Anti-Inflammatory and Anti-Oxidant Effects of p-Chloro-phenyl-selenoesterol on TNBS-Induced Inflammatory Bowel Disease in Mice. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 709-717	4.7	8
43	Effect of quinine-loaded polysorbate-coated nanocapsules on male and female reproductive systems of rats. <i>Toxicology Research</i> , 2016 , 5, 1561-1572	2.6	5
42	Silicon Reverses Lipid Peroxidation but not Acetylcholinesterase Activity Induced by Long-Term Exposure to Low Aluminum Levels in Rat Brain Regions. <i>Biological Trace Element Research</i> , 2016 , 169, 77-85	4.5	12
41	FSH supplementation to culture medium is beneficial for activation and survival of preantral follicles enclosed in equine ovarian tissue. <i>Theriogenology</i> , 2016 , 85, 1106-12	2.8	18
40	Insulin improves in vitro survival of equine preantral follicles enclosed in ovarian tissue and reduces reactive oxygen species production after culture. <i>Theriogenology</i> , 2016 , 85, 1063-9	2.8	15
39	Effect of heat stress on the survival and development of in vitro cultured bovine preantral follicles and on in vitro maturation of cumulus-oocyte complex. <i>Theriogenology</i> , 2016 , 86, 994-1003	2.8	33
38	Physical exercise prevents motor disorders and striatal oxidative imbalance after cerebral ischemia-reperfusion. <i>Brazilian Journal of Medical and Biological Research</i> , 2015 , 48, 798-804	2.8	12
37	Oxygen tension and oocyte density during in vitro maturation affect the in vitro fertilization of bovine oocytes. <i>Semina: Ciencias Agrarias</i> , 2015 , 36, 4277	0.6	4
36	Selenofuranoside Ameliorates Memory Loss in Alzheimer-Like Sporadic Dementia: AChE Activity, Oxidative Stress, and Inflammation Involvement. <i>Oxidative Medicine and Cellular Longevity</i> , 2015 , 2015, 976908	6.7	12
35	The periovulatory endocrine milieu affects the uterine redox environment in beef cows. <i>Reproductive Biology and Endocrinology</i> , 2015 , 13, 39	5	23
34	Green tea infusion improves cyclophosphamide-induced damage on male mice reproductive system. <i>Toxicology Reports</i> , 2015 , 2, 252-260	4.8	28
33	Effects of green tea and physical exercise on memory impairments associated with aging. <i>Neurochemistry International</i> , 2014 , 78, 53-60	4.4	28
32	Memory deficits and oxidative stress in cerebral ischemia-reperfusion: neuroprotective role of physical exercise and green tea supplementation. <i>Neurobiology of Learning and Memory</i> , 2014 , 114, 242-301	3.1	47
31	Fresh and vitrified bovine preantral follicles have different nutritional requirements during in vitro culture. <i>Cell and Tissue Banking</i> , 2014 , 15, 591-601	2.2	13
30	Reduction of centrifugation force in discontinuous percoll gradients increases in vitro fertilization rates without reducing bovine sperm recovery. <i>Animal Reproduction Science</i> , 2014 , 146, 103-10	2.1	17

29	Catalase addition to vitrification solutions maintains goat ovarian preantral follicles stability. <i>Research in Veterinary Science</i> , 2014 , 97, 140-7	2.5	18
28	Chronic exposure to low doses of mercury impairs sperm quality and induces oxidative stress in rats. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 143-54	3.2	45
27	Frozen and fresh ovarian tissue require different culture media to promote in vitro development of bovine preantral follicles. <i>Biopreservation and Biobanking</i> , 2014 , 12, 317-24	2.1	16
26	Seleno- and telluro-xylofuranosides attenuate Mn-induced toxicity in <i>C. elegans</i> via the DAF-16/FOXO pathway. <i>Food and Chemical Toxicology</i> , 2014 , 64, 192-9	4.7	24
25	Cadmium inhibits the ovary δ -aminolevulinatase activity in vitro and ex vivo: protective role of seleno-furanoside. <i>Journal of Applied Toxicology</i> , 2013 , 33, 679-84	4.1	14
24	Eryzanol protects against acute cadmium-induced oxidative damage in mice testes. <i>Food and Chemical Toxicology</i> , 2013 , 55, 526-32	4.7	43
23	Catechins are not major components responsible for the beneficial effect of <i>Camellia sinensis</i> on the ovarian δ -ALA-D activity inhibited by cadmium. <i>Food and Chemical Toxicology</i> , 2013 , 55, 463-9	4.7	12
22	Apocynin prevents vascular effects caused by chronic exposure to low concentrations of mercury. <i>PLoS ONE</i> , 2013 , 8, e55806	3.7	37
21	Catalase prevents lipid peroxidation and enhances survival of caprine preantral follicles cryopreserved in a 1,2-propanediol-freezing medium. <i>Biopreservation and Biobanking</i> , 2012 , 10, 338-42	2.1	9
20	Antinociceptive and anti-hypernociceptive effects of Se-phenyl thiazolidine-4-carboselenoate in mice. <i>European Journal of Pharmacology</i> , 2011 , 668, 169-76	5.3	33
19	Synthesis of 5?-seleno-xylofuranosides. <i>Tetrahedron</i> , 2010 , 66, 3441-3446	2.4	30
18	Involvement of non-enzymatic antioxidant defenses in the protective effect of diphenyl diselenide on testicular damage induced by cadmium in mice. <i>Journal of Trace Elements in Medicine and Biology</i> , 2009 , 23, 324-33	4.1	11
17	Ebselen attenuates cadmium-induced testicular damage in mice. <i>Journal of Applied Toxicology</i> , 2008 , 28, 322-8	4.1	17
16	Efficacy of diphenyl diselenide against cerebral and pulmonary damage induced by cadmium in mice. <i>Toxicology Letters</i> , 2007 , 173, 181-90	4.4	60
15	Diphenyl diselenide prevents oxidative damage induced by cigarette smoke exposure in lung of rat pups. <i>Toxicology</i> , 2007 , 230, 189-96	4.4	24
14	Cadmium inhibits delta-aminolevulinatase from rat lung in vitro: interaction with chelating and antioxidant agents. <i>Chemico-Biological Interactions</i> , 2007 , 165, 127-37	5	31
13	Heavy metals modulate glutamatergic system in human platelets. <i>Neurochemical Research</i> , 2007 , 32, 953-8	4.6	24
12	Sub-chronic administration of diphenyl diselenide potentiates cadmium-induced testicular damage in mice. <i>Reproductive Toxicology</i> , 2006 , 22, 546-50	3.4	35

11	Bis selenide alkene derivatives: A class of potential antioxidant and antinociceptive agents. <i>Pharmacology Biochemistry and Behavior</i> , 2006 , 83, 221-9	3.9	46
10	2,3-Dimercaptopropanol, 2,3-dimercaptopropane-1-sulfonic acid and meso-2,3-dimercaptosuccinic acid increase lead-induced inhibition of delta-aminolevulinate dehydratase in vitro and ex vivo. <i>Toxicology in Vitro</i> , 2006 , 20, 317-23	3.6	13
9	DMPS and N-acetylcysteine induced renal toxicity in mice exposed to mercury. <i>BioMetals</i> , 2006 , 19, 389-94	3.4	13
8	Antioxidants and metallothionein levels in mercury-treated mice. <i>Cell Biology and Toxicology</i> , 2006 , 22, 429-38	7.4	19
7	Efficacy of 2,3-dimercapto-1-propanesulfonic acid (DMPS) and diphenyl diselenide on cadmium induced testicular damage in mice. <i>Food and Chemical Toxicology</i> , 2005 , 43, 1723-30	4.7	46
6	2,3-Dimercaptopropanol, 2,3-dimercaptopropane-1-sulfonic acid and meso-2,3-dimercaptosuccinic acid acute administration differentially change biochemical parameters in mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005 , 96, 331-4	3.1	2
5	Diphenyl diselenide reverses cadmium-induced oxidative damage on mice tissues. <i>Chemico-Biological Interactions</i> , 2005 , 151, 159-65	5	93
4	Cadmium induced testicular damage and its response to administration of succimer and diphenyl diselenide in mice. <i>Toxicology Letters</i> , 2004 , 152, 255-63	4.4	68
3	High sucrose consumption potentiates the sub-acute cadmium effect on Na ⁺ /K ⁺ -ATPase but not on delta-aminolevulinate dehydratase in mice. <i>Toxicology Letters</i> , 2004 , 153, 333-41	4.4	22
2	2,3-Dimercaptopropanol, 2,3-dimercaptopropane-1-sulfonic acid, and meso-2,3-dimercaptosuccinic acid inhibit delta-aminolevulinate dehydratase from human erythrocytes in vitro. <i>Environmental Research</i> , 2004 , 94, 254-61	7.9	13
1	Interaction between metals and chelating agents affects glutamate binding on brain synaptic membranes. <i>Neurochemical Research</i> , 2003 , 28, 1859-65	4.6	29