

Tanapon Phenrat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8224264/publications.pdf>

Version: 2024-02-01

71
papers

6,682
citations

172207

29
h-index

138251

58
g-index

72
all docs

72
docs citations

72
times ranked

5747
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoparticle Aggregation: Challenges to Understanding Transport and Reactivity in the Environment. <i>Journal of Environmental Quality</i> , 2010, 39, 1909-1924.	1.0	983
2	Aggregation and Sedimentation of Aqueous Nanoscale Zerovalent Iron Dispersions. <i>Environmental Science & Technology</i> , 2007, 41, 284-290.	4.6	917
3	Ionic Strength and Composition Affect the Mobility of Surface-Modified Fe ⁰ Nanoparticles in Water-Saturated Sand Columns. <i>Environmental Science & Technology</i> , 2008, 42, 3349-3355.	4.6	478
4	Stabilization of aqueous nanoscale zerovalent iron dispersions by anionic polyelectrolytes: adsorbed anionic polyelectrolyte layer properties and their effect on aggregation and sedimentation. <i>Journal of Nanoparticle Research</i> , 2008, 10, 795-814.	0.8	467
5	Surface Modifications Enhance Nanoiron Transport and NAPL Targeting in Saturated Porous Media. <i>Environmental Engineering Science</i> , 2007, 24, 45-57.	0.8	403
6	Effect of TCE Concentration and Dissolved Groundwater Solutes on NZVI-Promoted TCE Dechlorination and H ₂ Evolution. <i>Environmental Science & Technology</i> , 2007, 41, 7881-7887.	4.6	317
7	Adsorbed Triblock Copolymers Deliver Reactive Iron Nanoparticles to the Oil/Water Interface. <i>Nano Letters</i> , 2005, 5, 2489-2494.	4.5	302
8	Particle Size Distribution, Concentration, and Magnetic Attraction Affect Transport of Polymer-Modified Fe ⁰ Nanoparticles in Sand Columns. <i>Environmental Science & Technology</i> , 2009, 43, 5079-5085.	4.6	292
9	Partial Oxidation (Aging) and Surface Modification Decrease the Toxicity of Nanosized Zerovalent Iron. <i>Environmental Science & Technology</i> , 2009, 43, 195-200.	4.6	270
10	Adsorbed Polyelectrolyte Coatings Decrease Fe ⁰ Nanoparticle Reactivity with TCE in Water: Conceptual Model and Mechanisms. <i>Environmental Science & Technology</i> , 2009, 43, 1507-1514.	4.6	211
11	Effect of kaolinite, silica fines and pH on transport of polymer-modified zero valent iron nano-particles in heterogeneous porous media. <i>Journal of Colloid and Interface Science</i> , 2012, 370, 1-10.	5.0	181
12	Fe ⁰ Nanoparticles Remain Mobile in Porous Media after Aging Due to Slow Desorption of Polymeric Surface Modifiers. <i>Environmental Science & Technology</i> , 2009, 43, 3824-3830.	4.6	148
13	Estimating Attachment of Nano- and Submicrometer-particles Coated with Organic Macromolecules in Porous Media: Development of an Empirical Model. <i>Environmental Science & Technology</i> , 2010, 44, 4531-4538.	4.6	146
14	Transport and Deposition of Polymer-Modified Fe ⁰ Nanoparticles in 2-D Heterogeneous Porous Media: Effects of Particle Concentration, Fe ⁰ Content, and Coatings. <i>Environmental Science & Technology</i> , 2010, 44, 9086-9093.	4.6	142
15	Hydrophobic Interactions Increase Attachment of Gum Arabic- and PVP-Coated Ag Nanoparticles to Hydrophobic Surfaces. <i>Environmental Science & Technology</i> , 2011, 45, 5988-5995.	4.6	134
16	Effect of Adsorbed Polyelectrolytes on Nanoscale Zero Valent Iron Particle Attachment to Soil Surface Models. <i>Environmental Science & Technology</i> , 2009, 43, 3803-3808.	4.6	123
17	Continuum-based models and concepts for the transport of nanoparticles in saturated porous media: A state-of-the-science review. <i>Advances in Colloid and Interface Science</i> , 2017, 246, 75-104.	7.0	119
18	Empirical correlations to estimate agglomerate size and deposition during injection of a polyelectrolyte-modified Fe ⁰ nanoparticle at high particle concentration in saturated sand. <i>Journal of Contaminant Hydrology</i> , 2010, 118, 152-164.	1.6	98

#	ARTICLE	IF	CITATIONS
19	Polymer-Modified Fe ⁰ Nanoparticles Target Entrapped NAPL in Two Dimensional Porous Media: Effect of Particle Concentration, NAPL Saturation, and Injection Strategy. <i>Environmental Science & Technology</i> , 2011, 45, 6102-6109.	4.6	86
20	Electromagnetic Induction of Zerovalent Iron (ZVI) Powder and Nanoscale Zerovalent Iron (NZVI) Particles Enhances Dechlorination of Trichloroethylene in Contaminated Groundwater and Soil: Proof of Concept. <i>Environmental Science & Technology</i> , 2016, 50, 872-880.	4.6	80
21	A SEM and X-ray study for investigation of solidified/stabilized arsenic-iron hydroxide sludge. <i>Journal of Hazardous Materials</i> , 2005, 118, 185-195.	6.5	71
22	<i>In situ</i> remediation of subsurface contamination: opportunities and challenges for nanotechnology and advanced materials. <i>Environmental Science: Nano</i> , 2019, 6, 1283-1302.	2.2	65
23	Parameter Identifiability in Application of Soft Particle Electrokinetic Theory To Determine Polymer and Polyelectrolyte Coating Thicknesses on Colloids. <i>Langmuir</i> , 2012, 28, 10334-10347.	1.6	45
24	PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. <i>Journal of Contaminant Hydrology</i> , 2012, 131, 9-28.	1.6	42
25	Investigation of magnetic silica with thermoresponsive chitosan coating for drug controlled release and magnetic hyperthermia application. <i>Materials Science and Engineering C</i> , 2019, 97, 23-30.	3.8	39
26	Recycled Concrete Aggregates in Roadways: Laboratory Examination of Self-Cementing Characteristics. <i>Journal of Materials in Civil Engineering</i> , 2015, 27, .	1.3	38
27	Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. <i>Water Research</i> , 2016, 107, 19-28.	5.3	36
28	Parameterization and prediction of nanoparticle transport in porous media: A reanalysis using artificial neural network. <i>Water Resources Research</i> , 2017, 53, 4564-4585.	1.7	34
29	Electromagnetic induction of foam-based nanoscale zerovalent iron (NZVI) particles to thermally enhance non-aqueous phase liquid (NAPL) volatilization in unsaturated porous media: Proof of concept. <i>Chemosphere</i> , 2017, 183, 323-331.	4.2	31
30	Modified MODFLOW-based model for simulating the agglomeration and transport of polymer-modified Fe ⁰ nanoparticles in saturated porous media. <i>Environmental Science and Pollution Research</i> , 2018, 25, 7180-7199.	2.7	29
31	Adsorbed poly(aspartate) coating limits the adverse effects of dissolved groundwater solutes on Fe ⁰ nanoparticle reactivity with trichloroethylene. <i>Environmental Science and Pollution Research</i> , 2018, 25, 7157-7169.	2.7	28
32	Combining biochar and zerovalent iron (BZVI) as a paddy field soil amendment for heavy cadmium (Cd) contamination decreases Cd but increases zinc and iron concentrations in rice grains: a field-scale evaluation. <i>Chemical Engineering Research and Design</i> , 2020, 141, 222-233.	2.7	28
33	Leaching Behaviors of Arsenic from Arsenic-Iron Hydroxide Sludge during TCLP. <i>Journal of Environmental Engineering, ASCE</i> , 2008, 134, 671-682.	0.7	25
34	Vetiver plantlets in aerated system degrade phenol in illegally dumped industrial wastewater by phytochemical and rhizomicrobial degradation. <i>Environmental Science and Pollution Research</i> , 2017, 24, 13235-13246.	2.7	25
35	An examination of natural rubber modified asphalt: Effects of rubber latex contents based on macro- and micro-observation analyses. <i>Construction and Building Materials</i> , 2021, 289, 123158.	3.2	24
36	Assessing potential hydrogen cyanide exposure from cyanide-contaminated mine tailing management practices in Thailand's gold mining. <i>Journal of Environmental Management</i> , 2019, 249, 109357.	3.8	23

#	ARTICLE	IF	CITATIONS
37	XRD and Unconfined Compressive Strength Study for a Qualitative Examination of Calcium-Arsenic Compounds Retardation of Cement Hydration in Solidified/Stabilized Arsenic-Iron Hydroxide Sludge. <i>Journal of Environmental Engineering, ASCE</i> , 2007, 133, 595-607.	0.7	17
38	Legal obstacles for the circular economy in Thailand: Illegal dumping of recyclable hazardous industrial waste. <i>Journal of Cleaner Production</i> , 2021, 302, 126969.	4.6	17
39	Constructed sediment microbial fuel cell for treatment of fat, oil, grease (FOG) trap effluent: Role of anode and cathode chamber amendment, electrode selection, and scalability. <i>Chemosphere</i> , 2022, 286, 131619.	4.2	17
40	Nanoscale zerovalent iron particles for magnet-assisted soil washing of cadmium-contaminated paddy soil: proof of concept. <i>Environmental Chemistry</i> , 2019, 16, 446.	0.7	14
41	Ten-Year Monitored Natural Recovery of Lead-Contaminated Mine Tailing in Klity Creek, Kanchanaburi Province, Thailand. <i>Environmental Health Perspectives</i> , 2016, 124, 1511-1520.	2.8	13
42	Community Citizen Science for Risk Management of a Spontaneously Combusting Coal-Mine Waste Heap in Ban Chaung, Dawei District, Myanmar. <i>GeoHealth</i> , 2020, 4, e2020GH000249.	1.9	12
43	Physicochemistry of Polyelectrolyte Coatings that Increase Stability, Mobility, and Contaminant Specificity of Reactive Nanoparticles Used for Groundwater Remediation. , 2009, , 249-267.		11
44	Comparative analysis of public participation in the EIA process for Thai overseas investment projects: Krabi coal terminal, Hongsa coal power plant, and Dawei special economic zone. <i>Impact Assessment and Project Appraisal</i> , 2017, 35, 325-339.	1.0	8
45	Comparison of a new mass-concentration, chain-reaction model with the population-balance model for early- and late-stage aggregation of shattered graphene oxide nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 582, 123862.	2.3	8
46	Physiologically based pharmacokinetic modeling of hydrogen cyanide in humans following the oral administration of potassium cyanide and cyanogenic glycosides from food. <i>Human and Ecological Risk Assessment (HERA)</i> , 2020, 26, 1496-1511.	1.7	8
47	Aggregation and sedimentation of shattered graphene oxide nanoparticles in dynamic environments: a solid-body rotational approach. <i>Environmental Science: Nano</i> , 2018, 5, 1859-1872.	2.2	7
48	Treatability Study for a TCE Contaminated Area using Nanoscale- and Microscale-Zerovalent Iron Particles: Reactivity and Reactive Life Time. <i>ACS Symposium Series</i> , 2010, , 183-202.	0.5	6
49	Arsenic residue in residential area after cleanup of pesticide illegal dumping sources in Thanh Hoa province, Central Vietnam. <i>Environmental Forensics</i> , 2018, 19, 66-78.	1.3	6
50	Nanoscale Zerovalent Iron (NZVI) for Environmental Decontamination: A Brief History of 20 Years of Research and Field-Scale Application. , 2019, , 1-43.		6
51	Enhanced degradation of methylene blue by a solution plasma process catalyzed by incidentally co-generated copper nanoparticles. <i>Water Science and Technology</i> , 2019, 79, 967-974.	1.2	6
52	Assessment of Lead (Pb) Leakage From Abandoned Mine Tailing Ponds to Klity Creek, Kanchanaburi Province, Thailand. <i>GeoHealth</i> , 2021, 5, e2020GH000252.	1.9	5
53	Characteristics and Performance of Cement Modified-Base Course Material in Western Australia. <i>Journal of Materials in Civil Engineering</i> , 2014, 26, 04014056.	1.3	4
54	Chemical Reduction and Oxidation of Organic Contaminants by Nanoscale Zerovalent Iron. , 2019, , 97-155.		4

#	ARTICLE	IF	CITATIONS
55	Acid-Assisted Recycling of Iron Hydroxide Sludge as a Coagulant for Metalworking Fluid Wastewater Treatment. <i>Waste and Biomass Valorization</i> , 2019, 10, 3635-3645.	1.8	4
56	Human continuous hydrogen cyanide inhalation predictor with a physiologically based pharmacokinetic (PBPK) model. <i>Environmental Science and Pollution Research</i> , 2020, 27, 24650-24658.	2.7	4
57	Nanoscale Zero-Valent Iron Particles for Water Treatment: From Basic Principles to Field-Scale Applications. <i>Applied Environmental Science and Engineering for A Sustainable Future</i> , 2020, , 19-52.	0.2	4
58	Using sequential H ₂ O ₂ addition to sustain 1,2-dichloroethane detoxification by a nanoscale zerovalent iron-induced Fenton's system at a natural pH. <i>Chemosphere</i> , 2022, 305, 135376.	4.2	4
59	Rhizomicrobial-augmented mature vetiver root system rapidly degrades phenol in illegally dumped industrial wastewater. , 0, 159, 40-52.		3
60	Assessing Potential Health Impacts of Cyanide-Contaminated Seepage in Paddy Field Near a Gold Mine in Thailand: Cyanide Speciation and Vapor Intrusion Modeling. <i>Exposure and Health</i> , 2022, 14, 459-473.	2.8	3
61	Technological and policy innovations toward cleaner development. <i>Clean Technologies and Environmental Policy</i> , 2022, 24, 1009-1011.	2.1	3
62	Physicochemistry of Polyelectrolyte Coatings that Increase Stability, Mobility, and Contaminant Specificity of Reactive Nanoparticles Used for Groundwater Remediation. , 2014, , 473-490.		1
63	State of Knowledge and Future Needs for NZVI Applications in Subsurface Remediation. , 2019, , 563-579.		1
64	Colloidal and Surface Science and Engineering for Bare and Polymer-Modified NZVI Applications: Dispersion Stability, Mobility in Porous Media, and Contaminant Specificity. , 2019, , 201-233.		1
65	Mechanistic, Mechanistic-Based Empirical, and Continuum-Based Concepts and Models for the Transport of Polyelectrolyte-Modified Nanoscale Zerovalent Iron (NZVI) in Saturated Porous Media. , 2019, , 235-291.		1
66	Editorial: frontier technology for water treatment and pollutant removal is key for securing the present, correcting the past, and sustaining the future. <i>Water Science and Technology</i> , 2019, 79, iii-v.	1.2	1
67	Electromagnetic Induction of Nanoscale Zerovalent Iron for Enhanced Thermal Dissolution/Desorption and Dechlorination of Chlorinated Volatile Organic Compounds. , 2019, , 415-434.		1
68	Vadose Zone Remediation of Dense Nonaqueous Phase Liquid Residuals Using Foam-Based Nanoscale Zerovalent Iron Particles with Low-Frequency Electromagnetic Field. , 2019, , 471-494.		0
69	Electrical resistivity tomography as a tool for community citizen science: A case study of community-driven investigation outside of the fence line. , 2021, , .		0
70	Three lines of evidence: Using geophysical approaches, geochemical approaches, and visual observation to assess potential leakage of mine water from tailing storage facility of a gold mine in Thailand. , 2021, , .		0
71	USING ELECTRICAL RESISTIVITY IMAGING TO ASSESS SOIL AND GROUNDWATER CONTAMINATION FROM ACCIDENTAL SPILL OF CHROME PROCESS WATER THROUGH REINFORCED CONCRETE FLOOR. , 2019, , .		0