

Allan Buras

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8224279/allan-buras-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,144
citations

23
h-index

45
g-index

80
ext. papers

3,071
ext. citations

6.1
avg. IF

5.56
L-index

#	Paper	IF	Citations
70	Climate-change-driven growth decline of European beech forests.. <i>Communications Biology</i> , 2022 , 5, 163	6.7	7
69	Jet stream position explains regional anomalies in European beech forest productivity and tree growth.. <i>Nature Communications</i> , 2022 , 13, 2015	17.4	0
68	Refining the standardized growth change method for pointer year detection: accounting for statistical bias and estimating the deflection period. <i>Dendrochronologia</i> , 2022 , 125964	2.8	0
67	The European Forest Condition Monitor: Using Remotely Sensed Forest Greenness to Identify Hot Spots of Forest Decline.. <i>Frontiers in Plant Science</i> , 2021 , 12, 689220	6.2	1
66	Growing faster, longer or both? Modelling plastic response of <i>Juniperus communis</i> growth phenology to climate change. <i>Global Ecology and Biogeography</i> , 2021 , 30, 2229	6.1	3
65	Diverging growth performance of co-occurring trees (<i>Picea abies</i>) and shrubs (<i>Pinus mugo</i>) at the treeline ecotone of Central European mountain ranges. <i>Agricultural and Forest Meteorology</i> , 2021 , 308-309, 108608	5.8	3
64	Stationarity of climate-growth response is only marginally influenced by the soil moisture regime in Western Siberia. <i>Dendrochronologia</i> , 2021 , 69, 125873	2.8	0
63	Excess forest mortality is consistently linked to drought across Europe. <i>Nature Communications</i> , 2020 , 11, 6200	17.4	58
62	Higher susceptibility of beech to drought in comparison to oak. <i>Dendrochronologia</i> , 2020 , 64, 125780	2.8	8
61	Capturing the Impact of the 2018 European Drought and Heat across Different Vegetation Types Using OCO-2 Solar-Induced Fluorescence. <i>Remote Sensing</i> , 2020 , 12, 3249	5	9
60	Provenance selection and site conditions determine growth performance of pedunculate oak. <i>Dendrochronologia</i> , 2020 , 61, 125705	2.8	13
59	Growth and resilience responses of Scots pine to extreme droughts across Europe depend on predrought growth conditions. <i>Global Change Biology</i> , 2020 , 26, 4521-4537	11.4	39
58	Global plant trait relationships extend to the climatic extremes of the tundra biome. <i>Nature Communications</i> , 2020 , 11, 1351	17.4	19
57	Global assessment of relationships between climate and tree growth. <i>Global Change Biology</i> , 2020 , 26, 3212-3220	11.4	40
56	Reduced above-ground growth and wood density but increased wood chemical concentrations of Scots pine on relict charcoal hearths. <i>Science of the Total Environment</i> , 2020 , 717, 137189	10.2	11
55	Does Coltsfoot (<i>Tussilago farfara</i> L.) have an autumn temperature control to limit precocious flowering in spring?. <i>International Journal of Climatology</i> , 2020 , 40, 4518-4527	3.5	2
54	Towards a new approach for dendroprovenancing pines in the Mediterranean Iberian Peninsula. <i>Dendrochronologia</i> , 2020 , 60, 125688	2.8	9

53	A first assessment of the impact of the extreme 2018 summer drought on Central European forests. <i>Basic and Applied Ecology</i> , 2020 , 45, 86-103	3.2	191
52	Higher Winter-Spring Temperature and Winter-Spring/Summer Moisture Availability Increase Scots Pine Growth on Coastal Dune Microsites Around the South Baltic Sea. <i>Frontiers in Forests and Global Change</i> , 2020 , 3,	3.7	6
51	A novel approach for the identification of pointer years. <i>Dendrochronologia</i> , 2020 , 63, 125746	2.8	5
50	Standardized drought indices in ecological research: Why one size does not fit all. <i>Global Change Biology</i> , 2020 , 26, 322-324	11.4	53
49	Quantifying impacts of the 2018 drought on European ecosystems in comparison to 2003. <i>Biogeosciences</i> , 2020 , 17, 1655-1672	4.6	124
48	No systematic effects of sampling direction on climate-growth relationships in a large-scale, multi-species tree-ring data set. <i>Dendrochronologia</i> , 2019 , 57, 125624	2.8	12
47	Two millennia of Main region (southern Germany) hydroclimate variability. <i>Climate of the Past</i> , 2019 , 15, 1677-1690	3.9	5
46	Limitations at the Limit? Diminishing of Genetic Effects in Norway Spruce Provenance Trials. <i>Frontiers in Plant Science</i> , 2019 , 10, 306	6.2	23
45	Multi-variable approach pinpoints origin of oak wood with higher precision. <i>Journal of Biogeography</i> , 2019 , 46, 1163-1177	4.1	12
44	Removing the no-analogue bias in modern accelerated tree growth leads to stronger medieval drought. <i>Scientific Reports</i> , 2019 , 9, 2509	4.9	13
43	Tree growth influenced by warming winter climate and summer moisture availability in northern temperate forests. <i>Global Change Biology</i> , 2019 , 26, 2505	11.4	49
42	Traditional plant functional groups explain variation in economic but not size-related traits across the tundra biome. <i>Global Ecology and Biogeography</i> , 2019 , 28, 78-95	6.1	24
41	Influence of larval outbreaks on the climate reconstruction potential of an Arctic shrub. <i>Dendrochronologia</i> , 2018 , 49, 36-43	2.8	6
40	Towards a better understanding of long-term wood-chemistry variations in old-growth forests: A case study on ancient <i>Pinus uncinata</i> trees from the Pyrenees. <i>Science of the Total Environment</i> , 2018 , 625, 220-232	10.2	29
39	Does sex matter? Gender-specificity and its influence on site-chronologies in the common dioecious shrub <i>Juniperus communis</i> . <i>Dendrochronologia</i> , 2018 , 49, 118-126	2.8	4
38	Climate sensitivity is affected by growth differentiation along the length of <i>Juniperus communis</i> L. shrub stems in the Ural Mountains. <i>Dendrochronologia</i> , 2018 , 49, 29-35	2.8	4
37	An 810-year history of cold season temperature variability for northern Poland. <i>Boreas</i> , 2018 , 47, 443-453.	4.4	12
36	Rain Microstructure Parameters Vary with Large-Scale Weather Conditions in Lausanne, Switzerland. <i>Remote Sensing</i> , 2018 , 10, 811	5	11

35	Divergent growth of Norway spruce on Babia Góra Mountain in the western Carpathians. <i>Dendrochronologia</i> , 2018 , 50, 33-43	2.8	15
34	Projecting Tree Species Composition Changes of European Forests for 2061-2090 Under RCP 4.5 and RCP 8.5 Scenarios. <i>Frontiers in Plant Science</i> , 2018 , 9, 1986	6.2	66
33	Are Scots pine forest edges particularly prone to drought-induced mortality?. <i>Environmental Research Letters</i> , 2018 , 13, 025001	6.2	53
32	Climate Regimes Override Micro-Site Effects on the Summer Temperature Signal of Scots Pine at Its Northern Distribution Limits. <i>Frontiers in Plant Science</i> , 2018 , 9, 1597	6.2	8
31	Tundra Trait Team: A database of plant traits spanning the tundra biome. <i>Global Ecology and Biogeography</i> , 2018 , 27, 1402-1411	6.1	27
30	Environment drives spatiotemporal patterns of clonality in white spruce (<i>Picea glauca</i>) in Alaska. <i>Canadian Journal of Forest Research</i> , 2018 , 48, 1577-1586	1.9	4
29	Plant functional trait change across a warming tundra biome. <i>Nature</i> , 2018 , 562, 57-62	50.4	264
28	LiDAR derived topography and forest stand characteristics largely explain the spatial variability observed in MODIS land surface phenology. <i>Remote Sensing of Environment</i> , 2018 , 218, 231-244	13.2	19
27	Testing the stability of transfer functions. <i>Dendrochronologia</i> , 2017 , 42, 56-62	2.8	17
26	A comment on the expressed population signal. <i>Dendrochronologia</i> , 2017 , 44, 130-132	2.8	112
25	Shrubs shed light on 20th century Greenland Ice Sheet melting. <i>Boreas</i> , 2017 , 46, 667-677	2.4	6
24	Soil properties affect the drought susceptibility of Norway spruce. <i>Dendrochronologia</i> , 2017 , 45, 81-89	2.8	23
23	Wood anatomy of <i>Juniperus communis</i> : a promising proxy for palaeoclimate reconstructions in the Arctic. <i>Polar Biology</i> , 2017 , 40, 977-988	2	7
22	Allometric Models to Predict Aboveground Woody Biomass of Black Locust (<i>Robinia pseudoacacia</i> L.) in Short Rotation Coppice in Previous Mining and Agricultural Areas in Germany. <i>Forests</i> , 2017 , 8, 328	2.8	12
21	High frequency growth variability of White spruce clones does not differ from non-clonal trees at Alaskan treelines. <i>Dendrochronologia</i> , 2017 , 44, 187-192	2.8	14
20	Common trends in elements? Within- and between-tree variations of wood-chemistry measured by X-ray fluorescence - A dendrochemical study. <i>Science of the Total Environment</i> , 2016 , 566-567, 1245-1253	10.2	30
19	GORRAM: Introducing accurate operational-speed radiative transfer Monte Carlo solvers. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2016 , 176, 50-61	2.1	
18	Data on the occurrence of corticolous myxomycetes from Denali National Park, Alaska. <i>Data in Brief</i> , 2016 , 7, 1196-8	1.2	

17	Tuning the Voices of a Choir: Detecting Ecological Gradients in Time-Series Populations. <i>PLoS ONE</i> , 2016 , 11, e0158346	3.7	38
16	Effects of Different Methods on the Comparison between Land Surface and Ground Phenology: A Methodological Case Study from South-Western Germany. <i>Remote Sensing</i> , 2016 , 8, 753	5	26
15	Habitat conditions and phenological tree traits overrule the influence of tree genotype in the needle mycobiome-Picea glauca system at an arctic treeline ecotone. <i>New Phytologist</i> , 2016 , 211, 1221-31	9.8	35
14	Ecological factors limiting occurrence of corticolous myxomycetes: A case study from Alaska. <i>Fungal Ecology</i> , 2016 , 21, 16-23	4.1	13
13	Climate sensitivity of shrub growth across the tundra biome. <i>Nature Climate Change</i> , 2015 , 5, 887-891	21.4	347
12	Correcting the calculation of Gleichmäßigkeit. <i>Dendrochronologia</i> , 2015 , 34, 29-30	2.8	49
11	Shrubs tracing sea surface temperature--Calluna vulgaris on the Faroe Islands. <i>International Journal of Biometeorology</i> , 2015 , 59, 1567-75	3.7	11
10	Can We Use Tree Rings of Black Alder to Reconstruct Lake Levels? A Case Study for the Mecklenburg Lake District, Northeastern Germany. <i>PLoS ONE</i> , 2015 , 10, e0137054	3.7	5
9	Straight lines or eccentric eggs? A comparison of radial and spatial ring width measurements and its implications for climate transfer functions. <i>Dendrochronologia</i> , 2014 , 32, 313-326	2.8	25
8	Productivity and carbon sequestration of Populus euphratica at the Amu River, Turkmenistan. <i>Forestry</i> , 2013 , 86, 429-439	2.2	12
7	Spatial distribution and carbon stock of the Saxaul vegetation of the winter-cold deserts of Middle Asia. <i>Journal of Arid Environments</i> , 2013 , 90, 29-35	2.5	21
6	Allometric variability of Haloxylon species in Central Asia. <i>Forest Ecology and Management</i> , 2012 , 274, 1-9	3.9	22
5	Can shrubs help to reconstruct historical glacier retreats?. <i>Environmental Research Letters</i> , 2012 , 7, 044001	3.1	15
4	Structure and wood biomass of near-natural floodplain forests along the Central Asian rivers Tarim and Amu Darya. <i>Forestry</i> , 2012 , 85, 193-202	2.2	28
3	Divergent occurrences of juvenile and adult trees are explained by both environmental change and ontogenetic effects. <i>Ecography</i> ,	6.5	1
2	Quantifying impacts of the drought 2018 on European ecosystems in comparison to 2003		7
1	Supplementary material to "Quantifying impacts of the drought 2018 on European ecosystems in comparison to 2003"		7