Akira Yoshimi

List of Publications by Year
in descending order

44 papers	1,659 citations	361413 20 h-index	330143 37 g-index
46 all docs	46 docs citations	46 times ranked	1480 citing authors

#	Article	IF	Citations
1	A Glycosylphosphatidylinositol-Anchored Î±-Amylase Encoded by amyD Contributes to a Decrease in the Molecular Mass of Cell Wall Î±-1,3-Glucan in Aspergillus nidulans. Frontiers in Fungal Biology, 2022, 2, .	2.0	3
2	Adsorption Kinetics and Self-Assembled Structures of Aspergillus oryzae Hydrophobin RolA on Hydrophobic and Charged Solid Surfaces. Applied and Environmental Microbiology, 2022, 88, AEM0208721.	3.1	3
3	Cell Wall Integrity and Its Industrial Applications in Filamentous Fungi. Journal of Fungi (Basel,) Tj ETQq1 1 0.784314 rgBT /Overlock 1	3.5	8
4	Hyperosmotic medium partially restores the growth defect and the impaired production of sterigmatocystein of an Aspergillus nidulans Î”pmtC mutant in a HogA-independent manner. FEMS Microbiology Letters, 2021, 368, .	1.8	0
5	Downregulation of the ypdA Gene Encoding an Intermediate of His-Asp Phosphorelay Signaling in Aspergillus nidulans Induces the Same Cellular Effects as the Phenylpyrrole Fungicide Fludioxonil. Frontiers in Fungal Biology, 2021, 2, .	2.0	2
6	Improved recombinant protein production in Aspergillus oryzae lacking both Î±-1,3-glucan and galactosaminogalactan in batch culture with a lab-scale bioreactor. Journal of Bioscience and Bioengineering, 2021, , .	2.2	8
7	Metabolic Engineering Techniques to Increase the Productivity of Primary and Secondary Metabolites Within Filamentous Fungi. Frontiers in Fungal Biology, 2021, 2, .	2.0	3
8	Analysis of the self-assembly process of Aspergillus oryzae hydrophobin RolA by Langmuirâ€“Blodgett method. Bioscience, Biotechnology and Biochemistry, 2020, 84, 678-685.	1.3	3
9	The mechanisms of hyphal pellet formation mediated by polysaccharides, Î±-1,3-glucan and galactosaminogalactan, in Aspergillus species. Fungal Biology and Biotechnology, 2020, 7, 10.	5.1	26
10	Both Galactosaminogalactan and Î±-1,3-Glucan Contribute to Aggregation of Aspergillus oryzae Hyphae in Liquid Culture. Frontiers in Microbiology, 2019, 10, 2090.	3.5	27
11	Novel Antifungal Compound Z-705 Specifically Inhibits Protein Kinase C of Filamentous Fungi. Applied and Environmental Microbiology, 2019, 85, .	3.1	11
12	[Mini Review] Understanding Hyphal Adhesion via the Analysis of the Cell Surface Polysaccharides in Filamentous Fungi and Its Application to High Density Culture. Bulletin of Applied Glycoscience, 2019, 9, 177-183.	0.0	0
13	Aspergillus flavus GPI-anchored protein-encoding ecm33 has a role in growth, development, aflatoxin biosynthesis, and maize infection. Applied Microbiology and Biotechnology, 2018, 102, 5209-5220.	3.6	27
14	Molecular Mass and Localization of Î±-1,3-Glucan in Cell Wall Control the Degree of Hyphal Aggregation in Liquid Culture of Aspergillus nidulans. Frontiers in Microbiology, 2018, 9, 2623.	3.5	24
15	Cell wall structure of secreted laccase-silenced strain in Lentinula edodes. Fungal Biology, 2018, 122, 1192-1200.	2.5	22
16	Heterologous Production of a Novel Cyclic Peptide Compound, KK-1, in Aspergillus oryzae. Frontiers in Microbiology, 2018, 9, 690.	3.5	16
17	Cell wall Î±-1,3-glucan prevents Î±-amylase adsorption onto fungal cell in submerged culture of Aspergillus oryzae. Journal of Bioscience and Bioengineering, 2017, 124, 47-53.	2.2	30
18	Function and Biosynthesis of Cell Wall Î±-1,3-Glucan in Fungi. Journal of Fungi (Basel, Switzerland), 2017, 3, 63.	3.5	90

#	Article	IF	Citations
19	Characterization of Cell Wall Î±-1,3-Glucanâ€“Deficient Mutants in <i>Aspergillus oryzae</i> Isolated by a Screening Method Based on Their Sensitivities to Congo Red or Lysing Enzymes. Journal of Applied Glycoscience (1999), 2017, 64, 65-73.	0.7	3
20	Cell wall structure and biogenesis in<i>Aspergillus</i>species. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1700-1711.	1.3	84
21	Class of cyclic ribosomal peptide synthetic genes in filamentous fungi. Fungal Genetics and Biology, 2016, 86, 58-70.	2.1	84
22	Increased enzyme production under liquid culture conditions in the industrial fungus <i>Aspergillus oryzae</i> by disruption of the genes encoding cell wall Î±-1,3-glucan synthase. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1853-1863.	1.3	42
23	Expression of ustR and the Golgi protease KexB are required for ustiloxin B biosynthesis in Aspergillus oryzae. AMB Express, 2016, 6, 9.	3.0	22
24	Substantial decrease in cell wall Î±-1,3-glucan caused by disruption of the kexB gene encoding a subtilisin-like processing protease in Aspergillus oryzae. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1781-1791.	1.3	10
25	Mitogen-activated protein kinases MpkA and MpkB independently affect micafungin sensitivity in <i>Aspergillus nidulans</i>. Bioscience, Biotechnology and Biochemistry, 2015, 79, 836-844.	1.3	20
26	Ionic interaction of positive amino acid residues of fungal hydrophobin <scp>RolA</scp> with acidic amino acid residues of cutinase <scp>CutL1</scp>. Molecular Microbiology, 2015, 96, 14-27.	2.5	16
27	Response and Adaptation to Cell Wall Stress and Osmotic Stress in Aspergillus Species. , 2015, , 199-218.		2
28	Functional Analysis of the Î±-1,3-Glucan Synthase Genes agsA and agsB in Aspergillus nidulans: AgsB Is the Major Î±-1,3-Glucan Synthase in This Fungus. PLoS ONE, 2013, 8, e54893.	2.5	95
29	NikA/TcsC Histidine Kinase Is Involved in Conidiation, Hyphal Morphology, and Responses to Osmotic Stress and Antifungal Chemicals in Aspergillus fumigatus. PLoS ONE, 2013, 8, e80881.	2.5	67
30	ãƒã,¹ãƒ‰ã,¯ãƒ»å¦ç”Ÿã®å®Ÿé¨“å®ã§ã®é œ‡ç½²å¯¾å¿œãëçµŒéŽ. Kagaku To Seibutsu, 2012, 50, 224-227.	0.0	0
31	Use of the Aspergillus oryzae actin gene promoter in a novel reporter system for exploring antifungal compounds and their target genes. Applied Microbiology and Biotechnology, 2010, 87, 1829-1840.	3.6	10
32	Dic2 and Dic3 loci confer osmotic adaptation and fungicidal sensitivity independent of the HOG pathway in Cochliobolus heterostrophus. Mycological Research, 2009, 113, 1208-1215.	2.5	14
33	The MAPKK kinase ChSte11 regulates sexual/asexual development, melanization, pathogenicity, and adaptation to oxidative stress in Cochliobolus heterostrophus. Current Genetics, 2009, 55, 439-448.	1.7	56
34	Dynamics of cell wall components of <i>Magnaporthe grisea</i> during infectious structure development. Molecular Microbiology, 2009, 73, 553-570.	2.5	135
35	Transcriptional profiling for Aspergillus nidulans HogA MAPK signaling pathway in response to fludioxonil and osmotic stress. Fungal Genetics and Biology, 2009, 46, 868-878.	2.1	87
36	ç³¸çŠ¶èŒã«ãŠã'ã‚‹ç´°èƒžå£æ§‹ç¯‰ã‚·ã‚°ãƒŠãƒ«. Kagaku To Seibutsu, 2009, 47, 861-867.	0.0	0

#	Article	IF	Citations
37	ç—…åŽŸç³¸çŠ¶èŒã®æµ¸é€åœ§å¿œç”³ã‚·ã‚°ãƒŠãƒ«ä¼é”çµŒè·¯. Kagaku To Seibutsu, 2009, 47, 644-650.	0.0	0
38	MpkA-Dependent and -Independent Cell Wall Integrity Signaling in Aspergillus nidulans. Eukaryotic Cell, 2007, 6, 1497-1510.	3.4	157
39	Two-Component Response Regulators Ssk1p and Skn7p Additively Regulate High-Osmolarity Adaptation and Fungicide Sensitivity in Cochliobolus heterostrophus. Eukaryotic Cell, 2007, 6, 171-181.	3.4	69
40	Novel Reporter Gene Expression Systems for Monitoring Activation of theAspergillus nidulansHOG Pathway. Bioscience, Biotechnology and Biochemistry, 2007, 71, 1724-1730.	1.3	23
41	Group III Histidine Kinase Is a Positive Regulator of Hog1-Type Mitogen-Activated Protein Kinase in Filamentous Fungi. Eukaryotic Cell, 2005, 4, 1820-1828.	3.4	118
42	Fungicide activity through activation of a fungal signalling pathway. Molecular Microbiology, 2004, 53, 1785-1796.	2.5	215
43	Characterization and genetic analysis of laboratory mutants of Cochliobolus heterostrophus resistant to dicarboximide and phenylpyrrole fungicides. Journal of General Plant Pathology, 2003, 69, 101-108.	1.0	23
44	Meiotic Silencing in Dothideomycetous Bipolaris maydis. Frontiers in Fungal Biology, 0, 3, .	2.0	2