

Laurence Ar Moore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8226144/publications.pdf>

Version: 2024-02-01

158
papers

13,156
citations

53751

45
h-index

26591

107
g-index

167
all docs

167
docs citations

167
times ranked

17085
citing authors

#	ARTICLE	IF	CITATIONS
1	Process evaluation of complex interventions: Medical Research Council guidance. <i>BMJ, The</i> , 2015, 350, h1258-h1258.	3.0	3,602
2	A new framework for developing and evaluating complex interventions: update of Medical Research Council guidance. <i>BMJ, The</i> , 2021, 374, n2061.	3.0	1,567
3	The need for a complex systems model of evidence for public health. <i>Lancet, The</i> , 2017, 390, 2602-2604.	6.3	719
4	An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. <i>Lancet, The</i> , 2008, 371, 1595-1602.	6.3	477
5	Realist randomised controlled trials: A new approach to evaluating complex public health interventions. <i>Social Science and Medicine</i> , 2012, 75, 2299-2306.	1.8	456
6	Validity of self-reported height and weight and predictors of bias in adolescents. <i>Journal of Adolescent Health</i> , 2005, 37, 371-375.	1.2	310
7	Exploratory randomised controlled trial of a mindfulness-based weight loss intervention for women. <i>Appetite</i> , 2009, 52, 396-404.	1.8	300
8	Effectiveness of multifaceted educational programme to reduce antibiotic dispensing in primary care: practice based randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2012, 344, d8173-d8173.	2.4	239
9	Process evaluation in complex public health intervention studies: the need for guidance. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 101-102.	2.0	228
10	Framework for the development and evaluation of complex interventions: gap analysis, workshop and consultation-informed update. <i>Health Technology Assessment</i> , 2021, 25, 1-132.	1.3	184
11	Development of a framework for the co-production and prototyping of public health interventions. <i>BMC Public Health</i> , 2017, 17, 689.	1.2	156
12	School smoking policies and smoking prevalence among adolescents: multilevel analysis of cross-sectional data from Wales. <i>Tobacco Control</i> , 2001, 10, 117-123.	1.8	154
13	Exploratory studies to decide whether and how to proceed with full-scale evaluations of public health interventions: a systematic review of guidance. <i>Pilot and Feasibility Studies</i> , 2018, 4, 104.	0.5	150
14	Improving the reporting of public health intervention research: advancing TREND and CONSORT. <i>Journal of Public Health</i> , 2008, 30, 103-109.	1.0	138
15	An evaluation of the effectiveness and cost effectiveness of the National Exercise Referral Scheme in Wales, UK: a randomised controlled trial of a public health policy initiative. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 745-753.	2.0	123
16	The effects of the school environment on student health: A systematic review of multi-level studies. <i>Health and Place</i> , 2013, 21, 180-191.	1.5	109
17	A longitudinal social network analysis of peer influence, peer selection, and smoking behavior among adolescents in British schools.. <i>Health Psychology</i> , 2012, 31, 450-459.	1.3	108
18	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. <i>BMJ, The</i> , 2013, 346, f1191-f1191.	3.0	106

#	ARTICLE	IF	CITATIONS
19	Developing and evaluating complex interventions: updating Medical Research Council guidance to take account of new methodological and theoretical approaches. <i>Lancet, The</i> , 2018, 392, S2.	6.3	106
20	Knowledge translation strategies to improve the use of evidence in public health decision making in local government: intervention design and implementation plan. <i>Implementation Science</i> , 2013, 8, 121.	2.5	104
21	Why schools should promote students' health and wellbeing. <i>BMJ, The</i> , 2014, 348, g3078.	3.0	103
22	Sedentary behaviour, physical activity and weight problems in adolescents in Wales. <i>Public Health</i> , 2005, 119, 518-524.	1.4	100
23	Effects of the Heartbeat Wales programme over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison of results from Wales and a matched reference area. <i>BMJ: British Medical Journal</i> , 1998, 316, 818-822.	2.4	92
24	A systematic review of the relationships between family functioning, pubertal timing and adolescent substance use. <i>Addiction</i> , 2013, 108, 487-496.	1.7	88
25	Identifying influential young people to undertake effective peer-led health promotion: the example of A Stop Smoking In Schools Trial (ASSIST). <i>Health Education Research</i> , 2009, 24, 977-988.	1.0	87
26	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. <i>Health Services and Delivery Research</i> , 2016, 4, 1-136.	1.4	83
27	The relative efficacy of two levels of a primary care intervention for family members affected by the addiction problem of a close relative: a randomized trial. <i>Addiction</i> , 2009, 104, 49-58.	1.7	76
28	Socioeconomic inequalities in childhood exposure to secondhand smoke before and after smoke-free legislation in three UK countries. <i>Journal of Public Health</i> , 2012, 34, 599-608.	1.0	71
29	Study protocol for the "HelpMeDolt" randomised controlled feasibility trial: an app, web and social support-based weight loss intervention for adults with obesity. <i>BMJ Open</i> , 2017, 7, e017159.	0.8	65
30	The DEBIT trial: an intervention to reduce antipsychotic polypharmacy prescribing in adult psychiatry wards – a cluster randomized controlled trial. <i>Psychological Medicine</i> , 2008, 38, 705-715.	2.7	64
31	Changes in child exposure to secondhand smoke after implementation of smoke-free legislation in Wales: a repeated cross-sectional study. <i>BMC Public Health</i> , 2009, 9, 430.	1.2	64
32	Improving teenagers' knowledge of emergency contraception: cluster randomised controlled trial of a teacher led intervention. <i>BMJ: British Medical Journal</i> , 2002, 324, 1179-1179.	2.4	63
33	The impact of school fruit tuck shops and school food policies on children's fruit consumption: a cluster randomised trial of schools in deprived areas. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 926-931.	2.0	62
34	Electronic-cigarette use among young people in Wales: evidence from two cross-sectional surveys. <i>BMJ Open</i> , 2015, 5, e007072-e007072.	0.8	62
35	Exploratory studies to inform full-scale evaluations of complex public health interventions: the need for guidance. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 865-866.	2.0	60
36	When and how do "effective" interventions need to be adapted and/or re-evaluated in new contexts? The need for guidance. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 481-482.	2.0	59

#	ARTICLE	IF	CITATIONS
37	A socio-ecological perspective on behavioural interventions to influence food choice in schools: alternative, complementary or synergistic?. <i>Public Health Nutrition</i> , 2013, 16, 1000-1005.	1.1	55
38	Associations between deprivation, attitudes towards eating breakfast and breakfast eating behaviours in 9-11-year-olds. <i>Public Health Nutrition</i> , 2007, 10, 582-589.	1.1	54
39	Actor-based analysis of peer influence in A Stop Smoking In Schools Trial (ASSIST). <i>Social Networks</i> , 2012, 34, 359-369.	1.3	54
40	Use of data linkage to measure the population health effect of non-health-care interventions. <i>Lancet, The</i> , 2014, 383, 1517-1519.	6.3	54
41	The effects on student health of interventions modifying the school environment: systematic review. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 677-681.	2.0	52
42	Health locus of control and value for health in smokers and nonsmokers.. <i>Health Psychology</i> , 1997, 16, 179-182.	1.3	51
43	Binge drinking: prevalence, patterns and policy. <i>Health Education Research</i> , 1994, 9, 497-505.	1.0	50
44	Understanding evidence: a statewide survey to explore evidence-informed public health decision-making in a local government setting. <i>Implementation Science</i> , 2014, 9, 188.	2.5	50
45	Mixed-method process evaluation of the Welsh National Exercise Referral Scheme. <i>Health Education</i> , 2013, 113, 476-501.	0.4	46
46	Preventing socioeconomic inequalities in health behaviour in adolescents in Europe: Background, design and methods of project TEENAGE. <i>BMC Public Health</i> , 2009, 9, 125.	1.2	45
47	Medical students' perspective on the teaching of medical statistics in the undergraduate medical curriculum. <i>Statistics in Medicine</i> , 2002, 21, 1003-1006.	0.8	44
48	Reducing Smoking in Adolescents: Cost-Effectiveness Results From the Cluster Randomized ASSIST (A) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.4	42
49	E-cigarette use and intentions to smoke among 10-11-year-old never-smokers in Wales. <i>Tobacco Control</i> , 2016, 25, 147-152.	1.8	42
50	Cost-effectiveness of a national exercise referral programme for primary care patients in Wales: results of a randomised controlled trial. <i>BMC Public Health</i> , 2013, 13, 1021.	1.2	41
51	Impacts of the Primary School Free Breakfast Initiative on socio-economic inequalities in breakfast consumption among 9-11-year-old schoolchildren in Wales. <i>Public Health Nutrition</i> , 2014, 17, 1280-1289.	1.1	41
52	Facilitating adherence to physical activity: exercise professionals' experiences of the National Exercise Referral Scheme in Wales. a qualitative study. <i>BMC Public Health</i> , 2011, 11, 935.	1.2	40
53	Protocol for a systematic review of the effects of schools and school-environment interventions on health: evidence mapping and syntheses. <i>BMC Public Health</i> , 2011, 11, 453.	1.2	38
54	The development and implementation of a peer-led intervention to prevent smoking among secondary school students using their established social networks. <i>Health Education Journal</i> , 2004, 63, 266-284.	0.6	37

#	ARTICLE	IF	CITATIONS
55	12-Month follow-up after brief interventions in primary care for family members affected by the substance misuse problem of a close relative. <i>Addiction Research and Theory</i> , 2011, 19, 362-374.	1.2	37
56	Rationale, design and conduct of a comprehensive evaluation of a school-based peer-led anti-smoking intervention in the UK: the ASSIST cluster randomised trial [ISRCTN55572965]. <i>BMC Public Health</i> , 2005, 5, 43.	1.2	35
57	Socioeconomic Patterning in Changes in Child Exposure to Secondhand Smoke After Implementation of Smoke-Free Legislation in Wales. <i>Nicotine and Tobacco Research</i> , 2011, 13, 903-910.	1.4	35
58	Questionnaire survey of users of NHS walk-in centres: observational study. <i>British Journal of General Practice</i> , 2002, 52, 554-60.	0.7	35
59	Have e-cigarettes renormalised or displaced youth smoking? Results of a segmented regression analysis of repeated cross sectional survey data in England, Scotland and Wales. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054584.	1.8	34
60	A pragmatic randomised controlled trial of the Welsh National Exercise Referral Scheme: protocol for trial and integrated economic and process evaluation. <i>BMC Public Health</i> , 2010, 10, 352.	1.2	33
61	Demographic characteristics and health behaviours of consenters to medical examination. Results from the Welsh Heart Health Survey. <i>Journal of Epidemiology and Community Health</i> , 1992, 46, 455-459.	2.0	32
62	Free breakfasts in schools: design and conduct of a cluster randomised controlled trial of the Primary School Free Breakfast Initiative in Wales [ISRCTN18336527]. <i>BMC Public Health</i> , 2007, 7, 258.	1.2	31
63	An exploratory cluster randomised controlled trial of knowledge translation strategies to support evidence-informed decision-making in local governments (The KT4LG study). <i>BMC Public Health</i> , 2011, 11, 34.	1.2	31
64	Prevalence of smoking restrictions and child exposure to secondhand smoke in cars and homes: a repeated cross-sectional survey of children aged 10-11 years in Wales. <i>BMJ Open</i> , 2015, 5, e006914-e006914.	0.8	31
65	Association between breakfast consumption and educational outcomes in 9-11-year-old children. <i>Public Health Nutrition</i> , 2016, 19, 1575-1582.	1.1	31
66	Teeth Tales: a community-based child oral health promotion trial with migrant families in Australia. <i>BMJ Open</i> , 2015, 5, e007321-e007321.	0.8	30
67	On the feasibility of conducting randomised trials in education: case study of a sex education intervention. <i>British Educational Research Journal</i> , 2003, 29, 673-689.	1.4	29
68	Psychosocial mediators of change in physical activity in the Welsh national exercise referral scheme: secondary analysis of a randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 109.	2.0	29
69	The effectiveness of school-based smoking prevention interventions among low- and high-SES European teenagers. <i>Health Education Research</i> , 2012, 27, 459-469.	1.0	28
70	An application of Extended Normalisation Process Theory in a randomised controlled trial of a complex social intervention: Process evaluation of the Strengthening Families Programme (10-14) in Wales, UK. <i>SSM - Population Health</i> , 2017, 3, 255-265.	1.3	27
71	High fidelity? How should we consider variations in the delivery of school-based health promotion interventions?. <i>Health Education Journal</i> , 2009, 68, 44-62.	0.6	26
72	Stemming the Tide of Antibiotic Resistance (STAR): A protocol for a trial of a complex intervention addressing the 'why' and 'how' of appropriate antibiotic prescribing in general practice. <i>BMC Family Practice</i> , 2009, 10, 20.	2.9	26

#	ARTICLE	IF	CITATIONS
73	From policy to plate: Barriers to implementing healthy eating policies in primary schools in Wales. <i>Health Policy</i> , 2010, 94, 239-245.	1.4	26
74	Methods don't make assumptions, researchers do: A response to Marchal et al.. <i>Social Science and Medicine</i> , 2013, 94, 81-82.	1.8	26
75	A Transdisciplinary Complex Adaptive Systems (T-CAS) Approach to Developing a National School-Based Culture of Prevention for Health Improvement: the School Health Research Network (SHRN) in Wales. <i>Prevention Science</i> , 2021, 22, 50-61.	1.5	26
76	Regression Discontinuity Designs in Health. <i>Epidemiology</i> , 2021, 32, 87-93.	1.2	25
77	Drug Use Among 15-16 Year Olds in Wales, 1990-94. <i>Drugs: Education, Prevention and Policy</i> , 1995, 2, 305-316.	0.8	24
78	Cognitive, Behavioral, and Social Factors Are Associated with Bias in Dietary Questionnaire Self-Reports by Schoolchildren Aged 9 to 11 Years. <i>Journal of the American Dietetic Association</i> , 2008, 108, 1865-1873.	1.3	24
79	Are physical activity interventions equally effective in adolescents of low and high socio-economic status (SES): results from the European Teenage project. <i>Health Education Research</i> , 2011, 26, 119-130.	1.0	24
80	Public health evaluation: which designs work, for whom and under what circumstances?. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 596-597.	2.0	23
81	The more schools do to promote healthy eating, the healthier the dietary choices by students. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 889-895.	2.0	23
82	Mental health disorders and adolescent peer relationships. <i>Social Science and Medicine</i> , 2020, 253, 112973.	1.8	22
83	Development and testing of a computerised 24-h recall questionnaire measuring fruit and snack consumption among 9-11 year olds. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 809-816.	1.3	21
84	Integration of Motivational Interviewing into Practice in the National Exercise Referral Scheme in Wales: A Mixed Methods Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2012, 40, 313-330.	0.9	21
85	Implementation of a peer-led school based smoking prevention programme: a mixed methods process evaluation. <i>BMC Public Health</i> , 2019, 19, 742.	1.2	21
86	The social, physical and temporal characteristics of primary school dining halls and their implications for children's eating behaviours. <i>Health Education</i> , 2010, 110, 399-411.	0.4	20
87	Preventing disease through opportunistic, rapid engagement by primary care teams using behaviour change counselling (PRE-EMPT): protocol for a general practice-based cluster randomised trial. <i>BMC Family Practice</i> , 2010, 11, 69.	2.9	20
88	NAP SACC UK: protocol for a feasibility cluster randomised controlled trial in nurseries and at home to increase physical activity and healthy eating in children aged 2-4 years. <i>BMJ Open</i> , 2016, 6, e010622.	0.8	20
89	Are randomised controlled trials positivist? Reviewing the social science and philosophy literature to assess positivist tendencies of trials of social interventions in public health and health services. <i>Trials</i> , 2018, 19, 238.	0.7	20
90	A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. <i>BMC Public Health</i> , 2019, 19, 865.	1.2	19

#	ARTICLE	IF	CITATIONS
91	Associations of human crystalline lens retrodots and waterclefts with visual impairment: an observational study. <i>Investigative Ophthalmology and Visual Science</i> , 2002, 43, 2105-9.	3.3	19
92	Getting it right: designing adolescent-centred smoking cessation services. <i>Addiction</i> , 2007, 102, 1147-1150.	1.7	18
93	Peer-led intervention to prevent and reduce STI transmission and improve sexual health in secondary schools (STASH): protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 180.	0.5	18
94	Longitudinal Social Network Analysis of Peer, Family, and School Contextual Influences on Adolescent Drinking Frequency. <i>Journal of Adolescent Health</i> , 2019, 65, 350-358.	1.2	18
95	Health improvement, nutrition-related behaviour and the role of school meals: the usefulness of a socio-ecological perspective to inform policy design, implementation and evaluation. <i>Critical Public Health</i> , 2011, 21, 441-454.	1.4	17
96	Normative and cognitive correlates of breakfast skipping in 11-year-old schoolchildren in Wales. <i>Appetite</i> , 2009, 53, 332-337.	1.8	16
97	Beliefs about alcohol, health locus of control, value for health and reported consumption in a representative population sample. <i>Health Education Research</i> , 1998, 13, 25-32.	1.0	15
98	Are fruit tuck shops in primary schools effective in increasing pupils' fruit consumption? A randomised controlled trial. <i>Nutrition and Food Science</i> , 2000, 30, 35-39.	0.4	15
99	Cultural adaptation and intervention integrity: a response to Skarstrand, Sundell and Andreasson. <i>European Journal of Public Health</i> , 2014, 24, 354-355.	0.1	15
100	An exploratory trial implementing a community-based child oral health promotion intervention for Australian families from refugee and migrant backgrounds: a protocol paper for Teeth Tales. <i>BMJ Open</i> , 2014, 4, e004260.	0.8	15
101	Peer-to-Peer Sharing of Social Media Messages on Sexual Health in a School-Based Intervention: Opportunities and Challenges Identified in the STASH Feasibility Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e20898.	2.1	15
102	An exploratory cluster randomised trial of a university halls of residence based social norms marketing campaign to reduce alcohol consumption among 1st year students. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013, 8, 15.	1.0	14
103	Identifying Well-Connected Opinion Leaders for Informal Health Promotion: The Example of the ASSIST Smoking Prevention Program. <i>Health Communication</i> , 2016, 31, 946-953.	1.8	14
104	Current changes in smoking attitudes and behaviours among adolescents in Wales, 1986-1992. <i>Journal of Public Health</i> , 1994, 16, 165-171.	1.0	13
105	What do other local providers think of NHS walk-in centres? Results of a postal survey. <i>Public Health</i> , 2005, 119, 39-44.	1.4	13
106	Evaluating the free school breakfast initiative in Wales: methodological issues. <i>British Food Journal</i> , 2007, 109, 206-215.	1.6	12
107	An exploratory cluster randomised trial of a university halls of residence based social norms intervention in Wales, UK. <i>BMC Public Health</i> , 2012, 12, 186.	1.2	12
108	Preventing substance misuse: study protocol for a randomised controlled trial of the Strengthening Families Programme 10-14 UK (SFP 10-14 UK). <i>BMC Public Health</i> , 2014, 14, 49.	1.2	12

#	ARTICLE	IF	CITATIONS
109	Environmental tobacco smoke exposure among infants, children and young people: now is no time to relax. Archives of Disease in Childhood, 2017, 102, 117-118.	1.0	12
110	Modelling Store Choice: A Segmented Approach Using Stated Preference Analysis. Transactions of the Institute of British Geographers, 1989, 14, 461.	1.8	11
111	An exploratory randomised controlled trial of a premises-level intervention to reduce alcohol-related harm including violence in the United Kingdom. BMC Public Health, 2012, 12, 412.	1.2	11
112	Methodological development of an exploratory randomised controlled trial of an early years' nutrition intervention: the CHERRY programme (Choosing healthy housing healthy) Tj ETQq0,0,0 rgBT /Overlock 1 280-294.	1.4	11
113	A rank based social norms model of how people judge their levels of drunkenness whilst intoxicated. BMC Public Health, 2016, 16, 798.	1.2	11
114	MECHANISMS Study: Using Game Theory to Assess the Effects of Social Norms and Social Networks on Adolescent Smoking in Schools Study Protocol. Frontiers in Public Health, 2020, 8, 377.	1.3	11
115	The reduction of intoxication and disorder in premises licensed to serve alcohol: An exploratory randomised controlled trial. BMC Public Health, 2010, 10, 607.	1.2	10
116	The effectiveness of an intervention to reduce alcohol-related violence in premises licensed for the sale and on-site consumption of alcohol: a randomized controlled trial. Addiction, 2017, 112, 1898-1906.	1.7	10
117	Preventing alcohol misuse in young people: an exploratory cluster randomised controlled trial of the Kids, Adults Together (KAT) programme. Public Health Research, 2015, 3, 1-188.	0.5	10
118	Adapting the ASSIST model of informal peer-led intervention delivery to the Talk to FRANK drug prevention programme in UK secondary schools (ASSIST+FRANK): intervention development, refinement and a pilot cluster randomised controlled trial. Public Health Research, 2017, 5, 1-98.	0.5	10
119	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. Public Health Research, 2019, 7, 1-164.	0.5	10
120	Segmentation of store choice models using stated preferences. Papers in Regional Science, 1990, 69, 121-131.	1.0	9
121	A survey of health promotion in Welsh primary schools, 1993. Health Education Journal, 1994, 53, 237-248.	0.6	9
122	Brief report: Multilevel analysis of school smoking policy and pupil smoking behaviour in Wales. Journal of Adolescence, 2011, 34, 385-389.	1.2	9
123	Exploring subgroup effects by socioeconomic position of three effective school-based dietary interventions: the European TEENAGE project. International Journal of Public Health, 2013, 59, 493-502.	1.0	9
124	Exploring child dental service use among migrant families in metropolitan Melbourne, Australia. Australian Dental Journal, 2015, 60, 200-204.	0.6	9
125	Planning and running fruit tuck shops in primary schools. Health Education, 2001, 101, 61-68.	0.4	8
126	The Relative Importance of Different Measures of Peer Smoking on Adolescent Smoking Behavior: Cross-Sectional and Longitudinal Analyses of a Large British Cohort. Journal of Adolescent Health, 2010, 47, 58-66.	1.2	8

#	ARTICLE	IF	CITATIONS
127	All-Wales licensed premises intervention (AWLPI): a randomised controlled trial to reduce alcohol-related violence. <i>BMC Public Health</i> , 2014, 14, 21.	1.2	8
128	Feasibility study of peer-led and school-based social network Intervention (STASH) to promote adolescent sexual health. <i>Pilot and Feasibility Studies</i> , 2021, 7, 125.	0.5	8
129	An app-, web- and social support-based weight loss intervention for adults with obesity: the HelpMeDolt! feasibility RCT. <i>Public Health Research</i> , 2020, 8, 1-270.	0.5	8
130	Provision of emergency contraception in general practice and confidentiality for the under 16's: Results of a postal survey by general practitioners in Avon. <i>Journal of Family Planning and Reproductive Health Care</i> , 2001, 27, 193-196.	0.9	7
131	A peer-led intervention to promote sexual health in secondary schools: the STASH feasibility study. <i>Public Health Research</i> , 2020, 8, 1-152.	0.5	7
132	Effectiveness of a cognitive behavioural workbook for changing beliefs about antipsychotic polypharmacy: analysis from a cluster randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 520-528.	0.9	6
133	Supporting the needs of public health decision-makers and review authors in the UK. <i>Journal of Public Health</i> , 2015, 37, 172-174.	1.0	6
134	Changes from 1986 to 2006 in reasons for liking leisure-time physical activity among adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 951-959.	1.3	6
135	Research and teaching functions in undergraduate projectwork: some integrating themes. <i>Journal of Geography in Higher Education</i> , 1988, 12, 187-194.	1.4	5
136	Primary health care action to reduce child home accidents: a review. <i>Health Education Journal</i> , 1996, 55, 322-331.	0.6	5
137	Neurotic symptoms, stress, or deprivation: which is most closely associated with incidence of suicide? An ecological study of English Health Authorities. <i>Psychological Medicine</i> , 2002, 32, 1131-1136.	2.7	5
138	Implementation of a Cooking Bus intervention to support cooking in schools in Wales, UK. <i>Health Education</i> , 2017, 117, 234-251.	0.4	5
139	Parents and adolescent smoking. <i>Journal of the Institute of Health Education</i> , 1996, 33, 104-109.	0.1	4
140	Emergency contraception: a survey of knowledge and attitudes among PSHE co-ordinators in Avon secondary schools. <i>Health Education Journal</i> , 2000, 59, 329-339.	0.6	4
141	A cross-sectional observational study of the nutritional intake of UK primary school children from deprived and non-deprived backgrounds: implications for school breakfast schemes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 86.	2.0	4
142	Distribution of sexual health knowledge and attitudes in adolescent social networks: social network analysis of data from the STIs and Sexual Health feasibility study. <i>Lancet, The</i> , 2018, 392, S60.	6.3	4
143	Development of guidance for feasibility studies to decide whether and how to proceed to full-scale evaluation of complex public health interventions: a systematic review. <i>Lancet, The</i> , 2018, 392, S7.	6.3	4
144	The relative importance of perceived substance misuse use by different peers on smoking, alcohol and illicit drug use in adolescence. <i>Drug and Alcohol Dependence</i> , 2019, 204, 107464.	1.6	4

#	ARTICLE	IF	CITATIONS
145	Diffusion of effects of the ASSIST school-based smoking prevention intervention to non-participating family members: a secondary analysis of a randomized controlled trial. <i>Addiction</i> , 2020, 115, 986-991.	1.7	4
146	Life Education Centres: an evaluation of a mobile health education resource in Wales for children. <i>Health Education Journal</i> , 1995, 54, 393-404.	0.6	3
147	Process evaluation of an environmental health risk audit and action plan intervention to reduce alcohol related violence in licensed premises. <i>BMC Public Health</i> , 2016, 16, 455.	1.2	3
148	Exploratory trial of a school-based alcohol prevention intervention with a family component. <i>Health Education</i> , 2016, 116, 410-431.	0.4	2
149	Social Network Research contribution to evaluating process in a feasibility study of a peer-led and school-based sexual health intervention. <i>Scientific Reports</i> , 2021, 11, 12244.	1.6	2
150	Accelerometry-assessed sleep duration and timing in late childhood and adolescence in Scottish schoolchildren: A feasibility study. <i>PLoS ONE</i> , 2020, 15, e0242080.	1.1	2
151	Effectiveness of the Strengthening Families Programme in the UK at preventing substance misuse in 10-14 year-olds: a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e049647.	0.8	2
152	An exploratory randomised controlled trial of a public health nutrition intervention delivered in children's centres in Islington and Cornwall. <i>Lancet, The</i> , 2013, 382, S100.	6.3	1
153	Parents' and staff's views of adapting the Nutrition and Physical Activity Self-Assessment for Childcare in UK nurseries to improve physical activity and healthy eating. <i>Lancet, The</i> , 2016, 388, S27.	6.3	1
154	"Breakfast: how important is it really?" A response. <i>Public Health Nutrition</i> , 2016, 19, 1720-1721.	1.1	1
155	All-Wales Licensed Premises Intervention (AWLPI): a randomised controlled trial of an intervention to reduce alcohol-related violence. <i>Public Health Research</i> , 2015, 3, 1-152.	0.5	1
156	Improving the usefulness and practice of evidence synthesis: views and experiences of public health decision makers and review authors in the UK. <i>Lancet, The</i> , 2014, 384, S81.	6.3	0
157	Adaptation of the ASSIST peer-led smoking intervention to deliver information from the Talk to FRANK drug education website (ASSIST+FRANK): a pilot cluster-randomised controlled trial. <i>Lancet, The</i> , 2017, 390, S1.	6.3	0
158	A Stop Smoking in Schools Trial (ASSIST) a decade on: insights from a mixed method process evaluation. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.3	0