

Laurence Ar Moore

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8226144/laurence-ar-moore-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

8,714
citations

40
h-index

91
g-index

167
ext. papers

10,827
ext. citations

5.7
avg, IF

5.93
L-index

#	Paper	IF	Citations
151	Process evaluation of complex interventions: Medical Research Council guidance. <i>BMJ, The</i> , 2015 , 350, h1258	5.9	2489
150	The need for a complex systems model of evidence for public health. <i>Lancet, The</i> , 2017 , 390, 2602-2604	4.0	486
149	Realist randomised controlled trials: a new approach to evaluating complex public health interventions. <i>Social Science and Medicine</i> , 2012 , 75, 2299-306	5.1	374
148	An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. <i>Lancet, The</i> , 2008 , 371, 1595-602	4.0	351
147	Validity of self-reported height and weight and predictors of bias in adolescents. <i>Journal of Adolescent Health</i> , 2005 , 37, 371-5	5.8	268
146	Exploratory randomised controlled trial of a mindfulness-based weight loss intervention for women. <i>Appetite</i> , 2009 , 52, 396-404	4.5	259
145	Effectiveness of multifaceted educational programme to reduce antibiotic dispensing in primary care: practice based randomised controlled trial. <i>BMJ, The</i> , 2012 , 344, d8173	5.9	193
144	A new framework for developing and evaluating complex interventions: update of Medical Research Council guidance. <i>BMJ, The</i> , 2021 , 374, n2061	5.9	147
143	Taking account of context in population health intervention research: guidance for producers, users and funders of research		146
142	School smoking policies and smoking prevalence among adolescents: multilevel analysis of cross-sectional data from Wales. <i>Tobacco Control</i> , 2001 , 10, 117-23	5.3	124
141	Improving the reporting of public health intervention research: advancing TREND and CONSORT. <i>Journal of Public Health</i> , 2008 , 30, 103-9	3.5	112
140	Exploratory studies to decide whether and how to proceed with full-scale evaluations of public health interventions: a systematic review of guidance. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 104	1.9	103
139	An evaluation of the effectiveness and cost effectiveness of the National Exercise Referral Scheme in Wales, UK: a randomised controlled trial of a public health policy initiative. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 745-53	5.1	101
138	Development of a framework for the co-production and prototyping of public health interventions. <i>BMC Public Health</i> , 2017 , 17, 689	4.1	94
137	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. <i>BMJ, The</i> , 2013 , 346, f1191	5.9	91
136	Developing and evaluating complex interventions: updating Medical Research Council guidance to take account of new methodological and theoretical approaches. <i>Lancet, The</i> , 2018 , 392, S2	4.0	90
135	A longitudinal social network analysis of peer influence, peer selection, and smoking behavior among adolescents in British schools. <i>Health Psychology</i> , 2012 , 31, 450-9	5	88

134	Sedentary behaviour, physical activity and weight problems in adolescents in Wales. <i>Public Health</i> , 2005 , 119, 518-24	4	86
133	The effects of the school environment on student health: a systematic review of multi-level studies. <i>Health and Place</i> , 2013 , 21, 180-91	4.6	80
132	Effects of the Heartbeat Wales programme over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison of results from Wales and a matched reference area. <i>BMJ: British Medical Journal</i> , 1998 , 316, 818-22		77
131	Identifying influential young people to undertake effective peer-led health promotion: the example of A Stop Smoking In Schools Trial (ASSIST). <i>Health Education Research</i> , 2009 , 24, 977-88	1.8	72
130	Knowledge translation strategies to improve the use of evidence in public health decision making in local government: intervention design and implementation plan. <i>Implementation Science</i> , 2013 , 8, 121	8.4	65
129	A systematic review of the relationships between family functioning, pubertal timing and adolescent substance use. <i>Addiction</i> , 2013 , 108, 487-96	4.6	64
128	Socioeconomic inequalities in childhood exposure to secondhand smoke before and after smoke-free legislation in three UK countries. <i>Journal of Public Health</i> , 2012 , 34, 599-608	3.5	60
127	The relative efficacy of two levels of a primary care intervention for family members affected by the addiction problem of a close relative: a randomized trial. <i>Addiction</i> , 2009 , 104, 49-58	4.6	57
126	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. <i>Health Services and Delivery Research</i> , 2016 , 4, 1-136	1.5	57
125	Study protocol for the 'HelpMeDolt!' randomised controlled feasibility trial: an app, web and social support-based weight loss intervention for adults with obesity. <i>BMJ Open</i> , 2017 , 7, e017159	3	56
124	Changes in child exposure to secondhand smoke after implementation of smoke-free legislation in Wales: a repeated cross-sectional study. <i>BMC Public Health</i> , 2009 , 9, 430	4.1	56
123	Electronic-cigarette use among young people in Wales: evidence from two cross-sectional surveys. <i>BMJ Open</i> , 2015 , 5, e007072	3	55
122	The DEBIT trial: an intervention to reduce antipsychotic polypharmacy prescribing in adult psychiatry wards - a cluster randomized controlled trial. <i>Psychological Medicine</i> , 2008 , 38, 705-15	6.9	54
121	The impact of school fruit tuck shops and school food policies on children's fruit consumption: a cluster randomised trial of schools in deprived areas. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 926-31	5.1	53
120	Associations between deprivation, attitudes towards eating breakfast and breakfast eating behaviours in 9-11-year-olds. <i>Public Health Nutrition</i> , 2007 , 10, 582-9	3.3	50
119	Improving teenagers' knowledge of emergency contraception: cluster randomised controlled trial of a teacher led intervention. <i>BMJ, The</i> , 2002 , 324, 1179	5.9	48
118	Actor-based analysis of peer influence in A Stop Smoking In Schools Trial (ASSIST). <i>Social Networks</i> , 2012 , 34, 359-369	3.9	47
117	Binge drinking: prevalence, patterns and policy. <i>Health Education Research</i> , 1994 , 9, 497-505	1.8	47

116	The effects on student health of interventions modifying the school environment: systematic review. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 677-81	5.1	46
115	Health locus of control and value for health in smokers and nonsmokers.. <i>Health Psychology</i> , 1997 , 16, 179-182	5	44
114	Reducing smoking in adolescents: cost-effectiveness results from the cluster randomized ASSIST (A Stop Smoking In Schools Trial). <i>Nicotine and Tobacco Research</i> , 2012 , 14, 161-8	4.9	39
113	E-cigarette use and intentions to smoke among 10-11-year-old never-smokers in Wales. <i>Tobacco Control</i> , 2016 , 25, 147-52	5.3	38
112	A socio-ecological perspective on behavioural interventions to influence food choice in schools: alternative, complementary or synergistic?. <i>Public Health Nutrition</i> , 2013 , 16, 1000-5	3.3	37
111	Medical students' perspective on the teaching of medical statistics in the undergraduate medical curriculum. <i>Statistics in Medicine</i> , 2002 , 21, 1003-6; discussion 1007	2.3	37
110	Protocol for a systematic review of the effects of schools and school-environment interventions on health: evidence mapping and syntheses. <i>BMC Public Health</i> , 2011 , 11, 453	4.1	36
109	Preventing socioeconomic inequalities in health behaviour in adolescents in Europe: background, design and methods of project TEENAGE. <i>BMC Public Health</i> , 2009 , 9, 125	4.1	36
108	Framework for the development and evaluation of complex interventions: gap analysis, workshop and consultation-informed update. <i>Health Technology Assessment</i> , 2021 , 25, 1-132	4.4	36
107	The development and implementation of a peer-led intervention to prevent smoking among secondary school students using their established social networks. <i>Health Education Journal</i> , 2004 , 63, 266-284	1.5	34
106	Facilitating adherence to physical activity: exercise professionals' experiences of the National Exercise Referral Scheme in Wales: a qualitative study. <i>BMC Public Health</i> , 2011 , 11, 935	4.1	32
105	Socioeconomic patterning in changes in child exposure to secondhand smoke after implementation of smoke-free legislation in Wales. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 903-10	4.9	32
104	Questionnaire survey of users of NHS walk-in centres: observational study. <i>British Journal of General Practice</i> , 2002 , 52, 554-60	1.6	32
103	Understanding evidence: a statewide survey to explore evidence-informed public health decision-making in a local government setting. <i>Implementation Science</i> , 2014 , 9, 188	8.4	31
102	Impacts of the Primary School Free Breakfast Initiative on socio-economic inequalities in breakfast consumption among 9-11-year-old schoolchildren in Wales. <i>Public Health Nutrition</i> , 2014 , 17, 1280-9	3.3	31
101	Mixed-method process evaluation of the Welsh National Exercise Referral Scheme. <i>Health Education</i> , 2013 , 113, 476-501	1	30
100	Rationale, design and conduct of a comprehensive evaluation of a school-based peer-led anti-smoking intervention in the UK: the ASSIST cluster randomised trial [ISRCTN55572965]. <i>BMC Public Health</i> , 2005 , 5, 43	4.1	30
99	Cost-effectiveness of a national exercise referral programme for primary care patients in Wales: results of a randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 1021	4.1	29

98	Use of data linkage to measure the population health effect of non-health-care interventions. <i>Lancet, The</i> , 2014 , 383, 1517-1519	4.0	28
97	Free breakfasts in schools: design and conduct of a cluster randomised controlled trial of the Primary School Free Breakfast Initiative in Wales [ISRCTN18336527]. <i>BMC Public Health</i> , 2007 , 7, 258	4.1	28
96	Demographic characteristics and health behaviours of consenters to medical examination. Results from the Welsh Heart Health Survey. <i>Journal of Epidemiology and Community Health</i> , 1992 , 46, 455-9	5.1	28
95	Prevalence of smoking restrictions and child exposure to secondhand smoke in cars and homes: a repeated cross-sectional survey of children aged 10-11 years in Wales. <i>BMJ Open</i> , 2015 , 5, e006914	3	27
94	An exploratory cluster randomised controlled trial of knowledge translation strategies to support evidence-informed decision-making in local governments (The KT4LG study). <i>BMC Public Health</i> , 2011 , 11, 34	4.1	27
93	12-Month follow-up after brief interventions in primary care for family members affected by the substance misuse problem of a close relative. <i>Addiction Research and Theory</i> , 2011 , 19, 362-374	2.6	27
92	A pragmatic randomised controlled trial of the Welsh National Exercise Referral Scheme: protocol for trial and integrated economic and process evaluation. <i>BMC Public Health</i> , 2010 , 10, 352	4.1	27
91	On the feasibility of conducting randomised trials in education: case study of a sex education intervention. <i>British Educational Research Journal</i> , 2003 , 29, 673-689	1.6	27
90	High fidelity? How should we consider variations in the delivery of school-based health promotion interventions?. <i>Health Education Journal</i> , 2009 , 68, 44-62	1.5	25
89	From policy to plate: barriers to implementing healthy eating policies in primary schools in Wales. <i>Health Policy</i> , 2010 , 94, 239-45	3.2	23
88	Are physical activity interventions equally effective in adolescents of low and high socio-economic status (SES): results from the European Teenage project. <i>Health Education Research</i> , 2011 , 26, 119-30	1.8	23
87	The effectiveness of school-based smoking prevention interventions among low- and high-SES European teenagers. <i>Health Education Research</i> , 2012 , 27, 459-69	1.8	23
86	Association between breakfast consumption and educational outcomes in 9-11-year-old children. <i>Public Health Nutrition</i> , 2016 , 19, 1575-82	3.3	23
85	Methods don't make assumptions, researchers do: a response to Marchal et al. <i>Social Science and Medicine</i> , 2013 , 94, 81-2	5.1	22
84	Stemming the Tide of Antibiotic Resistance (STAR): a protocol for a trial of a complex intervention addressing the 'why' and 'how' of appropriate antibiotic prescribing in general practice. <i>BMC Family Practice</i> , 2009 , 10, 20	2.6	22
83	Have e-cigarettes renormalised or displaced youth smoking? Results of a segmented regression analysis of repeated cross sectional survey data in England, Scotland and Wales. <i>Tobacco Control</i> , 2020 , 29, 207-216	5.3	21
82	Teeth Tales: a community-based child oral health promotion trial with migrant families in Australia. <i>BMJ Open</i> , 2015 , 5, e007321	3	21
81	Psychosocial mediators of change in physical activity in the Welsh national exercise referral scheme: secondary analysis of a randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 109	8.4	21

80	Public health evaluation: which designs work, for whom and under what circumstances?. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 596-7	5.1	19
79	Cognitive, behavioral, and social factors are associated with bias in dietary questionnaire self-reports by schoolchildren aged 9 to 11 years. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 1865-73		19
78	Drug Use Among 15-16 Year Olds in Wales, 1990-94. <i>Drugs: Education, Prevention and Policy</i> , 1995 , 2, 305-316	1.2	19
77	A Transdisciplinary Complex Adaptive Systems (T-CAS) Approach to Developing a National School-Based Culture of Prevention for Health Improvement: the School Health Research Network (SHRN) in Wales. <i>Prevention Science</i> , 2021 , 22, 50-61	4	19
76	The more schools do to promote healthy eating, the healthier the dietary choices by students. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 889-95	5.1	18
75	Preventing disease through opportunistic, rapid engagement by primary care teams using behaviour change counselling (PRE-EMPT): protocol for a general practice-based cluster randomised trial. <i>BMC Family Practice</i> , 2010 , 11, 69	2.6	18
74	Development and testing of a computerised 24-h recall questionnaire measuring fruit and snack consumption among 9-11 year olds. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 809-16	5.2	18
73	Integration of motivational interviewing into practice in the national exercise referral scheme in Wales: a mixed methods study. <i>Behavioural and Cognitive Psychotherapy</i> , 2012 , 40, 313-30	2.1	17
72	An application of Extended Normalisation Process Theory in a randomised controlled trial of a complex social intervention: Process evaluation of the Strengthening Families Programme (10-14) in Wales, UK. <i>SSM - Population Health</i> , 2017 , 3, 255-265	3.8	16
71	Associations of human crystalline lens retrodots and waterclefts with visual impairment: an observational study. <i>Investigative Ophthalmology and Visual Science</i> , 2002 , 43, 2105-9		16
70	Are randomised controlled trials positivist? Reviewing the social science and philosophy literature to assess positivist tendencies of trials of social interventions in public health and health services. <i>Trials</i> , 2018 , 19, 238	2.8	15
69	Getting it right: designing adolescent-centred smoking cessation services. <i>Addiction</i> , 2007 , 102, 1147-50	4.6	15
68	Cultural adaptation and intervention integrity: a response to Skårstrand, Sundell and Andr�asson. <i>European Journal of Public Health</i> , 2014 , 24, 354-5	2.1	14
67	The social, physical and temporal characteristics of primary school dining halls and their implications for children's eating behaviours. <i>Health Education</i> , 2010 , 110, 399-411	1	14
66	An exploratory cluster randomised trial of a university halls of residence based social norms marketing campaign to reduce alcohol consumption among 1st year students. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013 , 8, 15	3.4	13
65	Health improvement, nutrition-related behaviour and the role of school meals: the usefulness of a socio-ecological perspective to inform policy design, implementation and evaluation. <i>Critical Public Health</i> , 2011 , 21, 441-454	2.6	13
64	Beliefs about alcohol, health locus of control, value for health and reported consumption in a representative population sample. <i>Health Education Research</i> , 1998 , 13, 25-32	1.8	13
63	NAP SACC UK: protocol for a feasibility cluster randomised controlled trial in nurseries and at home to increase physical activity and healthy eating in children aged 2-4 years. <i>BMJ Open</i> , 2016 , 6, e010622	3	13

62	Peer-led intervention to prevent and reduce STI transmission and improve sexual health in secondary schools (STASH): protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 180	1.9	13
61	Preventing substance misuse: study protocol for a randomised controlled trial of the Strengthening Families Programme 10-14 UK (SFP 10-14 UK). <i>BMC Public Health</i> , 2014 , 14, 49	4.1	12
60	An exploratory cluster randomised trial of a university halls of residence based social norms intervention in Wales, UK. <i>BMC Public Health</i> , 2012 , 12, 186	4.1	12
59	Normative and cognitive correlates of breakfast skipping in 9-11-year-old schoolchildren in Wales. <i>Appetite</i> , 2009 , 53, 332-7	4.5	12
58	Evaluating the free school breakfast initiative in Wales: methodological issues. <i>British Food Journal</i> , 2007 , 109, 206-215	2.8	12
57	What do other local providers think of NHS walk-in centres? Results of a postal survey. <i>Public Health</i> , 2005 , 119, 39-44	4	12
56	Are fruit tuck shops in primary schools effective in increasing pupils' fruit consumption? A randomised controlled trial. <i>Nutrition and Food Science</i> , 2000 , 30, 35-39	1.5	12
55	An exploratory trial implementing a community-based child oral health promotion intervention for Australian families from refugee and migrant backgrounds: a protocol paper for Teeth Tales. <i>BMJ Open</i> , 2014 , 4, e004260	3	11
54	Implementation of a peer-led school based smoking prevention programme: a mixed methods process evaluation. <i>BMC Public Health</i> , 2019 , 19, 742	4.1	10
53	Current changes in smoking attitudes and behaviours among adolescents in Wales, 1986-1992. <i>Journal of Public Health</i> , 1994 , 16, 165-71	3.5	10
52	Longitudinal Social Network Analysis of Peer, Family, and School Contextual Influences on Adolescent Drinking Frequency. <i>Journal of Adolescent Health</i> , 2019 , 65, 350-358	5.8	9
51	Identifying Well-Connected Opinion Leaders for Informal Health Promotion: The Example of the ASSIST Smoking Prevention Program. <i>Health Communication</i> , 2016 , 31, 946-53	3.2	9
50	Exploring subgroup effects by socioeconomic position of three effective school-based dietary interventions: the European TEENAGE project. <i>International Journal of Public Health</i> , 2014 , 59, 493-502	4	9
49	Brief report: multilevel analysis of school smoking policy and pupil smoking behaviour in Wales. <i>Journal of Adolescence</i> , 2011 , 34, 385-9	3.4	9
48	The reduction of intoxication and disorder in premises licensed to serve alcohol: an exploratory randomised controlled trial. <i>BMC Public Health</i> , 2010 , 10, 607	4.1	9
47	Modelling Store Choice: A Segmented Approach Using Stated Preference Analysis. <i>Transactions of the Institute of British Geographers</i> , 1989 , 14, 461	2.5	9
46	Segmentation of store choice models using stated preferences. <i>Papers in Regional Science</i> , 1990 , 69, 121-131	1.8	9
45	A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. <i>BMC Public Health</i> , 2019 , 19, 865	4.1	8

44	Methodological development of an exploratory randomised controlled trial of an early years' nutrition intervention: the CHERRY programme (Choosing Healthy Eating when Really Young). <i>Maternal and Child Nutrition</i> , 2014 , 10, 280-94	3.4	8
43	The effectiveness of an intervention to reduce alcohol-related violence in premises licensed for the sale and on-site consumption of alcohol: a randomized controlled trial. <i>Addiction</i> , 2017 , 112, 1898-1906	4.6	8
42	An exploratory randomised controlled trial of a premises-level intervention to reduce alcohol-related harm including violence in the United Kingdom. <i>BMC Public Health</i> , 2012 , 12, 412	4.1	8
41	The relative importance of different measures of peer smoking on adolescent smoking behavior: cross-sectional and longitudinal analyses of a large British cohort. <i>Journal of Adolescent Health</i> , 2010 , 47, 58-66	5.8	8
40	A rank based social norms model of how people judge their levels of drunkenness whilst intoxicated. <i>BMC Public Health</i> , 2016 , 16, 798	4.1	8
39	Regression Discontinuity Designs in Health: A Systematic Review. <i>Epidemiology</i> , 2021 , 32, 87-93	3.1	8
38	Exploring child dental service use among migrant families in metropolitan Melbourne, Australia. <i>Australian Dental Journal</i> , 2015 , 60, 200-4	2.3	7
37	Planning and running fruit tuck shops in primary schools. <i>Health Education</i> , 2001 , 101, 61-68	1	7
36	A survey of health promotion in Welsh primary schools, 1993. <i>Health Education Journal</i> , 1994 , 53, 237-248	3.5	7
35	Preventing alcohol misuse in young people: an exploratory cluster randomised controlled trial of the Kids, Adults Together (KAT) programme. <i>Public Health Research</i> , 2015 , 3, 1-188	1.7	7
34	Adapting the ASSIST model of informal peer-led intervention delivery to the Talk to FRANK drug prevention programme in UK secondary schools (ASSIST + FRANK): intervention development, refinement and a pilot cluster randomised controlled trial. <i>Public Health Research</i> , 2017 , 5, 1-98	1.7	7
33	All-Wales licensed premises intervention (AWLPI): a randomised controlled trial to reduce alcohol-related violence. <i>BMC Public Health</i> , 2014 , 14, 21	4.1	6
32	MECHANISMS Study: Using Game Theory to Assess the Effects of Social Norms and Social Networks on Adolescent Smoking in Schools-Study Protocol. <i>Frontiers in Public Health</i> , 2020 , 8, 377	6	6
31	Mental health disorders and adolescent peer relationships. <i>Social Science and Medicine</i> , 2020 , 253, 112973	5.1	6
30	Supporting the needs of public health decision-makers and review authors in the UK. <i>Journal of Public Health</i> , 2015 , 37, 172-4	3.5	5
29	Effectiveness of a cognitive behavioural workbook for changing beliefs about antipsychotic polypharmacy: analysis from a cluster randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 520-8	2.5	5
28	Primary health care action to reduce child home accidents: a review. <i>Health Education Journal</i> , 1996 , 55, 322-331	1.5	5
27	Research and teaching functions in undergraduate projectwork: some integrating themes. <i>Journal of Geography in Higher Education</i> , 1988 , 12, 187-194	1.6	5

26	Changes from 1986 to 2006 in reasons for liking leisure-time physical activity among adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016 , 26, 951-9	4.6	5
25	A cross-sectional observational study of the nutritional intake of UK primary school children from deprived and non-deprived backgrounds: implications for school breakfast schemes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 86	8.4	4
24	Provision of emergency contraception in general practice and confidentiality for the under 16's: results of a postal survey by general practitioners in Avon. <i>Journal of Family Planning and Reproductive Health Care</i> , 2001 , 27, 193-6		4
23	Neurotic symptoms, stress, or deprivation: which is most closely associated with incidence of suicide? An ecological study of English Health Authorities. <i>Psychological Medicine</i> , 2002 , 32, 1131-6	6.9	4
22	Emergency contraception: a survey of knowledge and attitudes among PSHE co-ordinators in Avon secondary schools. <i>Health Education Journal</i> , 2000 , 59, 329-339	1.5	4
21	Development of guidance for feasibility studies to decide whether and how to proceed to full-scale evaluation of complex public health interventions: a systematic review. <i>Lancet, The</i> , 2018 , 392, S7	4.0	4
20	Evaluation of community-based obesity interventions 157-166		4
19	Implementation of a Cooking Bus intervention to support cooking in schools in Wales, UK. <i>Health Education</i> , 2017 , 117, 234-251	1	3
18	The relative importance of perceived substance misuse use by different peers on smoking, alcohol and illicit drug use in adolescence. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107464	4.9	3
17	Parents and adolescent smoking. <i>Journal of the Institute of Health Education</i> , 1996 , 33, 104-109		3
16	An app-, web- and social support-based weight loss intervention for adults with obesity: the HelpMeDolt! feasibility RCT. <i>Public Health Research</i> , 2020 , 8, 1-270	1.7	3
15	A peer-led intervention to promote sexual health in secondary schools: the STASH feasibility study. <i>Public Health Research</i> , 2020 , 8, 1-152	1.7	3
14	Peer-to-Peer Sharing of Social Media Messages on Sexual Health in a School-Based Intervention: Opportunities and Challenges Identified in the STASH Feasibility Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20898	7.6	3
13	Life Education Centres: an evaluation of a mobile health education resource in Wales for children. <i>Health Education Journal</i> , 1995 , 54, 393-404	1.5	2
12	Randomised controlled trials of complex interventions and large-scale transformation of services		2
11	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. <i>Public Health Research</i> , 2019 , 7, 1-164	1.7	2
10	Diffusion of effects of the ASSIST school-based smoking prevention intervention to non-participating family members: a secondary analysis of a randomized controlled trial. <i>Addiction</i> , 2020 , 115, 986-991	4.6	2
9	Process evaluation of an environmental health risk audit and action plan intervention to reduce alcohol related violence in licensed premises. <i>BMC Public Health</i> , 2016 , 16, 455	4.1	2

8	Distribution of sexual health knowledge and attitudes in adolescent social networks: social network analysis of data from the STIs and Sexual Health feasibility study. <i>Lancet, The</i> , 2018 , 392, S60	4 ⁰	2
7	All-Wales Licensed Premises Intervention (AWLPI): a randomised controlled trial of an intervention to reduce alcohol-related violence. <i>Public Health Research</i> , 2015 , 3, 1-152	1.7	1
6	Feasibility study of peer-led and school-based social network Intervention (STASH) to promote adolescent sexual health. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 125	1.9	1
5	Exploratory trial of a school-based alcohol prevention intervention with a family component. <i>Health Education</i> , 2016 , 116, 410-431	1	1
4	Accelerometry-assessed sleep duration and timing in late childhood and adolescence in Scottish schoolchildren: A feasibility study. <i>PLoS ONE</i> , 2020 , 15, e0242080	3.7	0
3	'Breakfast: how important is it really?' A response. <i>Public Health Nutrition</i> , 2016 , 19, 1720-1	3.3	
2	Social Network Research contribution to evaluating process in a feasibility study of a peer-led and school-based sexual health intervention. <i>Scientific Reports</i> , 2021 , 11, 12244	4.9	
1	Effectiveness of the Strengthening Families Programme in the UK at preventing substance misuse in 10-14 year-olds: a pragmatic randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e049647	3	