

Julio Bobes

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8228336/julio-bobes-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

437 papers	13,458 citations	54 h-index	103 g-index
535 ext. papers	16,908 ext. citations	4 avg, IF	6.05 L-index

#	Paper	IF	Citations
437	Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care. <i>World Psychiatry</i> , 2011 , 10, 52-77	14.4	1288
436	Suicide prevention strategies revisited: 10-year systematic review. <i>Lancet Psychiatry</i> , 2016 , 3, 646-59	23.3	773
435	Physical illness in patients with severe mental disorders. II. Barriers to care, monitoring and treatment guidelines, plus recommendations at the system and individual level. <i>World Psychiatry</i> , 2011 , 10, 138-51	14.4	489
434	Prevalence of pathological internet use among adolescents in Europe: demographic and social factors. <i>Addiction</i> , 2012 , 107, 2210-22	4.6	376
433	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
432	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. <i>Lancet</i> , 2015 , 385, 1536-44	40	299
431	Adolescent subthreshold-depression and anxiety: psychopathology, functional impairment and increased suicide risk. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013 , 54, 670-7	7.9	278
430	A randomised, double-blind, placebo-controlled, efficacy study of nalmefene, as-needed use, in patients with alcohol dependence. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1432-42	1.2	231
429	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
428	Physical activity in European adolescents and associations with anxiety, depression and well-being. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 111-122	5.5	208
427	Life-time prevalence and psychosocial correlates of adolescent direct self-injurious behavior: a comparative study of findings in 11 European countries. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 337-48	7.9	208
426	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
425	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019 , 56, 14-34	6	170
424	Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2001 , 16, 239-45	6	164
423	Paroxetine in social phobia/social anxiety disorder. Randomised, double-blind, placebo-controlled study. Paroxetine Study Group. <i>British Journal of Psychiatry</i> , 1999 , 175, 120-6	5.4	162
422	Cardiovascular and metabolic risk in outpatients with schizophrenia treated with antipsychotics: results of the CLAMORS Study. <i>Schizophrenia Research</i> , 2007 , 90, 162-73	3.6	157
421	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154

420	Frequency of sexual dysfunction and other reproductive side-effects in patients with schizophrenia treated with risperidone, olanzapine, quetiapine, or haloperidol: the results of the EIRE study. <i>Journal of Sex and Marital Therapy</i> , 2003 , 29, 125-47	2.7	150
419	Brain glucose metabolism in borderline personality disorder. <i>Journal of Psychiatric Research</i> , 1997 , 31, 531-41	5.2	144
418	Prevalence of negative symptoms in outpatients with schizophrenia spectrum disorders treated with antipsychotics in routine clinical practice: findings from the CLAMORS study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 280-6	4.6	143
417	Healthy lifestyle habits and 10-year cardiovascular risk in schizophrenia spectrum disorders: an analysis of the impact of smoking tobacco in the CLAMORS schizophrenia cohort. <i>Schizophrenia Research</i> , 2010 , 119, 101-9	3.6	122
416	Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 1093-102	5.5	121
415	Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. <i>Sleep Medicine</i> , 2014 , 15, 248-54	4.6	107
414	Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. <i>Journal of Adolescent Health</i> , 2017 , 61, 179-186	5.8	106
413	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. <i>BMC Psychiatry</i> , 2017 , 17, 250	4.2	100
412	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018 , 5, 797-807	23.3	100
411	Quality of life in schizophrenic patients. <i>Dialogues in Clinical Neuroscience</i> , 2007 , 9, 215-26	5.7	97
410	The prevalence of metabolic syndrome in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008 , 106, 197-201	6.6	95
409	Weight gain in patients with schizophrenia treated with risperidone, olanzapine, quetiapine or haloperidol: results of the EIRE study. <i>Schizophrenia Research</i> , 2003 , 62, 77-88	3.6	95
408	EPA guidance on tobacco dependence and strategies for smoking cessation in people with mental illness. <i>European Psychiatry</i> , 2014 , 29, 65-82	6	92
407	Saving and empowering young lives in Europe (SEYLE): a randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 192	4.1	92
406	Extended-release quetiapine fumarate (quetiapine XR): a once-daily monotherapy effective in generalized anxiety disorder. Data from a randomized, double-blind, placebo- and active-controlled study. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 305-20	5.8	90
405	Pathological Internet use among adolescents: Comparing gamers and non-gamers. <i>Psychiatry Research</i> , 2015 , 228, 128-35	9.9	89
404	Symptomatic remission and social/vocational functioning in outpatients with schizophrenia: prevalence and associations in a cross-sectional study. <i>European Psychiatry</i> , 2007 , 22, 490-8	6	86
403	The general problem of increased somatic comorbidity in bipolar patients 2010 , 9,		78

402	S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S420-S420	1.3	78
401	T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S119-S119	1.3	78
400	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S222-S223	1.3	78
399	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 386-98	6.5	77
398	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
397	Quality of life measures in schizophrenia. <i>European Psychiatry</i> , 2005 , 20 Suppl 3, S313-7	6	75
396	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019 , 18, 173-182	14.4	73
395	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71
394	A European perspective on social anxiety disorder. <i>European Psychiatry</i> , 2000 , 15, 5-16	6	70
393	Recommendations for buprenorphine and methadone therapy in opioid use disorder: a European consensus. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 1987-1999	4	67
392	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , 2012 , 140, 125-41	6.6	64
391	Pathological Internet Use and Risk-Behaviors among European Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	64
390	Recovery from schizophrenia: results from a 1-year follow-up observational study of patients in symptomatic remission. <i>Schizophrenia Research</i> , 2009 , 115, 58-66	3.6	62
389	A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: findings from the CLAMORS study. <i>Schizophrenia Research</i> , 2008 , 104, 1-12	3.6	62
388	Cardiovascular risk in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2009 , 115, 302-8	6.6	59
387	Randomised clinical trial comparing oral versus depot formulations of zuclopenthixol in patients with schizophrenia and previous violence. <i>European Psychiatry</i> , 2006 , 21, 34-40	6	59
386	Bi-directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 209-215	7.9	58
385	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54

384	Using topiramate or naltrexone for the treatment of alcohol-dependent patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 1251-9	3.7	54
383	The saving and empowering young lives in Europe (SEYLE) randomized controlled trial (RCT): methodological issues and participant characteristics. <i>BMC Public Health</i> , 2013 , 13, 479	4.1	49
382	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011 , 4, 9-18	2.7	49
381	Evaluation of the Two-Way Communication Checklist as a clinical intervention. Results of a multinational, randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004 , 184, 79-83	5.4	46
380	Spanish adaptation and validation of the Brief Negative Symptoms Scale. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1726-9	7.3	45
379	Teacher satisfaction with school and psychological well-being affects their readiness to help children with mental health problems. <i>Health Education Journal</i> , 2014 , 73, 382-393	1.5	45
378	A 25-year follow-up of patients admitted to methadone treatment for the first time: mortality and gender differences. <i>Addictive Behaviors</i> , 2011 , 36, 1184-90	4.2	45
377	Psychometric evaluation of the negative syndrome of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 559-66	5.1	44
376	Remission in schizophrenia: results from a 1-year follow-up observational study. <i>Schizophrenia Research</i> , 2009 , 108, 214-22	3.6	44
375	Pathological Internet Use Is on the Rise Among European Adolescents. <i>Journal of Adolescent Health</i> , 2016 , 59, 236-9	5.8	43
374	Sleep-EEG in borderline patients without concomitant major depression: a comparison with major depressives and normal control subjects. <i>Psychiatry Research</i> , 2001 , 105, 87-95	9.9	43
373	Risk-behaviour screening for identifying adolescents with mental health problems in Europe. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 611-20	5.5	42
372	Topiramate for the treatment of alcohol dependence: comparison with naltrexone. <i>European Addiction Research</i> , 2011 , 17, 29-36	4.6	42
371	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
370	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018 , 44, S468-S479	1.3	41
369	Association study between obsessive-compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 765-70	5.5	41
368	Are older adults also at higher psychological risk from COVID-19?. <i>Aging and Mental Health</i> , 2021 , 25, 1297-1304	3.5	40
367	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39

366	Assessing and treating alcohol relapse risk in liver transplantation candidates. <i>Alcohol and Alcoholism</i> , 2015 , 50, 164-72	3.5	38
365	Violence among schizophrenia out-patients compliant with medication: prevalence and associated factors. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 218-25	6.5	38
364	COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. <i>Schizophrenia Research</i> , 2020 , 223, 192-198	3.6	38
363	Genetic variability at IMPA2, INPP1 and GSK3 β increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1452-62	1.2	36
362	Maintenance treatment with depot opioid antagonists in subcutaneous implants: an alternative in the treatment of opioid dependence. <i>Addiction Biology</i> , 2003 , 8, 429-38	4.6	36
361	The role of genetic variability in the SLC6A4, BDNF and GABRA6 genes in anxiety-related traits. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 194-202	6.5	35
360	Child coping, parent coping assistance, and post-traumatic stress following paediatric physical injury. <i>Child: Care, Health and Development</i> , 2013 , 39, 171-7	2.8	35
359	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 26-31	5.5	35
358	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
357	Association between victimization by bullying and direct self injurious behavior among adolescence in Europe: a ten-country study. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1183-1193	5.5	34
356	Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , 2008 , 157, 131-7	9.9	34
355	Sensitivity to change, discriminative performance, and cutoff criteria to define remission for embedded short scales of the Hamilton depression rating scale (HAMD). <i>Journal of Affective Disorders</i> , 2007 , 102, 93-9	6.6	34
354	Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 741-5	5.5	34
353	Suicide prevention for youth--a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. <i>BMC Public Health</i> , 2012 , 12, 776	4.1	33
352	Substance use or abuse, internet use, psychopathology and suicidal ideation in adolescents. <i>Revista De Psicologia De La Salud</i> , 2017 , 29, 97-104	1	33
351	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018 , 197, 182-191	3.6	33
350	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 363-374	3.8	32
349	Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. <i>Journal of Global Health</i> , 2020 , 10, 020505	4.3	32

348	Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. <i>European Psychiatry</i> , 2015 , 30, 622-7	6	31
347	How can we promote smoking cessation in people with schizophrenia in practice? A clinical overview. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 122-30	6.5	31
346	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30
345	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 695-700	5.5	30
344	Safety and effectiveness of olanzapine versus conventional antipsychotics in the acute treatment of first-episode schizophrenic inpatients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003 , 27, 473-81	5.5	30
343	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
342	Psychometric properties of the Revised Physical and Social Anhedonia Scales in non-clinical young adults. <i>Spanish Journal of Psychology</i> , 2009 , 12, 815-22	1	29
341	Spanish consensus on physical health of patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2008 , 1, 26-37	2.7	29
340	Managing acute exacerbations of schizophrenia: focus on quetiapine. <i>Current Medical Research and Opinion</i> , 2004 , 20, 619-26	2.5	29
339	Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. <i>Psychological Medicine</i> , 2016 , 46, 2133-44	6.9	28
338	Pregabalin for the discontinuation of long-term benzodiazepines use: an assessment of its effectiveness in daily clinical practice. <i>European Psychiatry</i> , 2012 , 27, 301-7	6	28
337	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. <i>European Neuropsychopharmacology</i> , 2017 , 27, 418-421	1.2	27
336	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 134-42	2.7	27
335	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , 2016 , 20, 45-58	2.3	27
334	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014 , 159, 107-13	3.6	27
333	Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 272-84	3.8	27
332	Position statement of the European Psychiatric Association (EPA) on the value of antidepressants in the treatment of unipolar depression. <i>European Psychiatry</i> , 2012 , 27, 114-28	6	27
331	Use of MDMA and other illicit drugs by young adult males in northern Spain. A five-year study. <i>European Addiction Research</i> , 2002 , 8, 147-54	4.6	27

330	Quality of life in schizophrenia: Long-term follow-up in 362 chronic Spanish schizophrenic outpatients undergoing risperidone maintenance treatment. <i>European Psychiatry</i> , 1998 , 13, 158-63	6	27
329	Treatment adherence and quality of sleep in schizophrenia outpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014 , 18, 70-6	2.4	26
328	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 266-76	6.5	26
327	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
326	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 188-196	3.6	25
325	Pharmacogenetic study of antipsychotic induced acute extrapyramidal symptoms in a first episode psychosis cohort: role of dopamine, serotonin and glutamate candidate genes. <i>Pharmacogenomics Journal</i> , 2016 , 16, 439-45	3.5	25
324	Antipsychotic switching in bipolar disorders: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 497-507	5.8	25
323	Borderline personality traits in nonclinical young adults. <i>Journal of Personality Disorders</i> , 2011 , 25, 542-56.6		25
322	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , 2008 , 18, 213-8	2.9	25
321	Economic consequences of the adverse reactions related with antipsychotics: an economic model comparing tolerability of ziprasidone, olanzapine, risperidone, and haloperidol in Spain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 1287-97	5.5	25
320	Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. <i>European Psychiatry</i> , 2018 , 47, 50-59	6	24
319	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 150, 421-6	3.6	24
318	Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: findings from the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2011 , 21, 867-75	1.2	24
317	Is the biological nature of depressive symptoms in borderline patients without concomitant Axis I pathology idiosyncratic? Sleep EEG comparison with recurrent brief, major depression and control subjects. <i>Psychiatry Research</i> , 2004 , 129, 65-73	9.9	24
316	Suicide, unemployment, and economic recession in Spain. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 70-77	2.7	23
315	Impact of substance use on the physical health of patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 437-45	6.5	23
314	Functional impairment as a defining feature of: amnesic MCI cognitive, emotional, and demographic correlates. <i>International Psychogeriatrics</i> , 2012 , 24, 1494-504	3.4	23
313	Association between the Stin2 VNTR polymorphism of the serotonin transporter gene and treatment outcome in alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , 2008 , 43, 516-22	3.5	23

312	Correlates of sexual initiation among European adolescents. <i>PLoS ONE</i> , 2018 , 13, e0191451	3.7	23
311	Multiple somatic symptoms in primary care: A field study for ICD-11 PHC, WHOQ revised classification of mental disorders in primary care settings. <i>Journal of Psychosomatic Research</i> , 2016 , 91, 48-54	4.1	23
310	Clinical impact of a gluten-free diet on health-related quality of life in seven fibromyalgia syndrome patients with associated celiac disease. <i>BMC Gastroenterology</i> , 2013 , 13, 157	3	22
309	Psychometric properties of the Spanish version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in patients with severe mental disorders. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1371-1382	1.1	22
308	Validation of the Spanish version of the Changes in Sexual Functioning Questionnaire (CSFQ). <i>Journal of Sex and Marital Therapy</i> , 2000 , 26, 119-31	2.7	22
307	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
306	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. <i>European Psychiatry</i> , 2020 , 63, e14	6	21
305	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	21
304	Remarkable prevalence of coeliac disease in patients with irritable bowel syndrome plus fibromyalgia in comparison with those with isolated irritable bowel syndrome: a case-finding study. <i>Arthritis Research and Therapy</i> , 2013 , 15, R201	5.7	21
303	Recommendations for switching antipsychotics. A position statement of the Spanish Society of Psychiatry and the Spanish Society of Biological Psychiatry. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011 , 4, 150-68	2.7	21
302	Persistent Negative Symptoms in First-Episode Psychosis: Early Cognitive and Social Functioning Correlates and Differences Between Early and Adult Onset. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1414-1422	4.6	21
301	Factors associated with different smoking status in European adolescents: results of the SEYLE study. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1319-1329	5.5	20
300	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20
299	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
298	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 960-965	1.3	20
297	Alcohol consumption patterns among adolescents are related to family structure and exposure to drunkenness within the family: results from the SEYLE project. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 12700-15	4.6	20
296	Biological nature of depressive symptoms in borderline personality disorder: endocrine comparison to recurrent brief and major depression. <i>Journal of Psychiatric Research</i> , 2002 , 36, 137-45	5.2	20
295	Serotonin gene polymorphisms in patients with panic disorder. <i>Actas Espanolas De Psiquiatria</i> , 2005 , 33, 210-5	0.7	20

294	A cost-effectiveness analysis of school-based suicide prevention programmes. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1295-1304	5.5	19
293	Association between GSK3 β gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, 510-8	1.2	19
292	2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 446-52	6.5	19
291	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 681-697	5.8	18
290	Help-seeking behaviour following school-based screening for current suicidality among European adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 973-82	4.5	18
289	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response: Association With IMPA2, INPP1, and GSK3B Genes. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 600-4	1.7	18
288	Pro-/antiinflammatory dysregulation in early psychosis: results from a 1-year follow-up study. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	18
287	Concordance of standard and modified NCEP ATP III criteria for identification of metabolic syndrome in outpatients with schizophrenia treated with antipsychotics: a corollary from the CLAMORS study. <i>Schizophrenia Research</i> , 2008 , 99, 23-8	3.6	18
286	Association between heroin dependence and 5-HT2A receptor gene polymorphisms. <i>European Addiction Research</i> , 2008 , 14, 47-52	4.6	18
285	Evaluating changes in sexual functioning in depressed patients: sensitivity to change of the CSFQ. <i>Journal of Sex and Marital Therapy</i> , 2002 , 28, 93-103	2.7	18
284	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. <i>Schizophrenia Research</i> , 2016 , 176, 272-280	3.6	17
283	Guilt and depression: two different factors in individuals with negative symptoms of schizophrenia. <i>European Psychiatry</i> , 2013 , 28, 327-31	6	17
282	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1518-24	5.5	17
281	Psychometric performance of the Oviedo Sleep Questionnaire in patients with severe mental disorder. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009 , 2, 169-77	2.7	17
280	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. <i>Psychiatric Genetics</i> , 2010 , 20, 171-8	2.9	17
279	Quality of Life in Obsessive-Compulsive Disorder. <i>CNS Spectrums</i> , 2000 , 5, 37-39	1.8	17
278	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020 , 50, 1884-1897	6.9	17
277	Polymorphisms of the IL-1 gene complex are associated with alcohol dependence in Spanish Caucasians: data from an association study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 2147-53	3.7	16

276	24-Hour opiate detoxification and antagonist induction at home--the Asturian method. A report on 1368 procedures. <i>Addiction Biology</i> , 2002 , 7, 243-50	4.6	16
275	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatria Y Salud Mental</i> , 2016 , 9, 219-227	2.7	16
274	Effects of the economic crisis on demand due to mental disorders in Asturias: data from the Asturias Cumulative Psychiatric Case Register (2000-2010). <i>Actas Espanolas De Psiquiatria</i> , 2014 , 42, 108-137	4.7	16
273	The negative syndrome of schizophrenia: three -underlying components are better than two. <i>Schizophrenia Research</i> , 2015 , 166, 115-8	3.6	15
272	Inverse association between negative symptoms and body mass index in chronic schizophrenia. <i>Schizophrenia Research</i> , 2018 , 192, 69-74	3.6	15
271	Cardiovascular and metabolic risk in outpatients with schizoaffective disorder treated with antipsychotics: results from the CLAMORS study. <i>European Psychiatry</i> , 2012 , 27, 267-74	6	15
270	Change in psychiatrists' attitudes towards the physical health care of patients with schizophrenia coinciding with the dissemination of the consensus on physical health in patients with schizophrenia. <i>European Psychiatry</i> , 2011 , 26, 305-12	6	15
269	Effects of pregabalin on subjective sleep disturbance symptoms during withdrawal from long-term benzodiazepine use. <i>European Addiction Research</i> , 2011 , 17, 262-70	4.6	15
268	Safety of olanzapine versus conventional antipsychotics in the treatment of patients with acute schizophrenia. A naturalistic study. <i>European Neuropsychopharmacology</i> , 2003 , 13, 39-48	1.2	15
267	The importance of psychosocial interventions and patient involvement in the treatment of schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 35-51	2.4	15
266	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15
265	Neurologic soft signs in borderline personality disorder. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 541-6	4.6	15
264	The incidence of hospital-treated attempted suicide in Oviedo, Spain. <i>Crisis</i> , 2012 , 33, 46-53	2.8	15
263	Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behavior-A Prospective Multicenter Study. <i>Journal of Adolescent Health</i> , 2020 , 66, 195-201	5.8	15
262	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
261	Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. <i>BJPsych Open</i> , 2017 , 3, 291-299	5	14
260	Cognitive Performance associated to functional outcomes in stable outpatients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 146-158	2.8	14
259	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2702-2710	6.9	14

258	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
257	Métodos de exploración de la función cognitiva en la práctica clínica. <i>Psiquiatría Biológica</i> , 2016 , 23, 29-33	0.2	13
256	Antipsychotic switching in schizoaffective disorder: A systematic review. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 495-513	3.8	13
255	Interconnection between biological abnormalities in borderline personality disorder: use of the Bayesian networks model. <i>Psychiatry Research</i> , 2011 , 186, 315-9	9.9	13
254	Measurement Invariance of the Reynolds Depression Adolescent Scale across Gender and Age. <i>International Journal of Testing</i> , 2010 , 10, 133-148	1.5	13
253	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017 , 27, 647-656	1.2	12
252	A longitudinal examination of the interpersonal theory of suicide and effects of school-based suicide prevention interventions in a multinational study of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 1104-1111	7.9	12
251	Factors associated with hospitalization after suicide spectrum behaviors: results from a multicenter study in Spain. <i>Archives of Suicide Research</i> , 2015 , 19, 17-34	2.3	12
250	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
249	Comorbidity of Physical and Anxiety Symptoms in Adolescent: Functional Impairment, Self-Rated Health and Subjective Well-Being. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	12
248	Effect of one year of a gluten-free diet on the clinical evolution of irritable bowel syndrome plus fibromyalgia in patients with associated lymphocytic enteritis: a case-control study. <i>Arthritis Research and Therapy</i> , 2014 , 16, 421	5.7	12
247	The cost-effectiveness of paliperidone extended release in Spain. <i>Journal of Medical Economics</i> , 2012 , 15 Suppl 1, 26-34	2.4	12
246	Interleukin-1 gene complex in schizophrenia: an association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 678-80	3.5	12
245	Current status of quality of life assessment in schizophrenic patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251 Suppl 2, II38-42	5.1	12
244	Apolipoprotein E genotype and schizophrenia: further negative evidence. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 71-5	6.5	12
243	Therapeutic advances: Paroxetine for the treatment of social anxiety disorder 2000 , 11, 99-104		12
242	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2021 , 54, 21-40	1.2	12
241	5-HTTLPR-brain-derived neurotrophic factor (BDNF) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 137-149	3.8	12

240	Dimensional analysis of depressive, anxious and somatic symptoms presented by primary care patients and their relationship with ICD-11 PHC proposed diagnoses. <i>Psychological Medicine</i> , 2019 , 49, 764-771	6.9	11
239	Spanish consensus on the physical health of patients with depressive disorders. <i>Revista De Psiquiatría Y Salud Mental</i> , 2014 , 7, 195-207	2.7	11
238	Concentrations in plasma clozapine levels in schizophrenic and schizoaffective patients. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 192-196	2.7	11
237	Clinical meaningful outcomes in schizophrenia: remission and recovery. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011 , 4, 53-65	2.7	11
236	Use of cocaine by secondary school students in northern Spain. <i>European Addiction Research</i> , 2003 , 9, 138-43	4.6	11
235	High degree of tolerability for monotherapy with high doses of quetiapine: a case report. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 1048-9	4.6	11
234	Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 1287-1298	6.5	11
233	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e182	5.1	11
232	Clinical staging in severe mental disorders; bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019 , 12, 106-115	2.7	11
231	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019 , 255, 15-22	6.6	10
230	Baseline results from the European non-interventional Antipsychotic Long acting injection in schizophrenia (ALTO) study. <i>European Psychiatry</i> , 2018 , 52, 85-94	6	10
229	Cardiovascular Risk in Early Psychosis: Relationship with Inflammation and Clinical Features 6 Months after Diagnosis. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 410-422	5.8	10
228	Predictors of posttreatment drinking outcomes in patients with alcohol dependence. <i>European Addiction Research</i> , 2015 , 21, 19-30	4.6	10
227	Satisfaction with Life of Schizophrenia Outpatients and Their Caregivers: Differences between Patients with and without Self-Reported Sleep Complaints. <i>Schizophrenia Research and Treatment</i> , 2013 , 2013, 502172	0.6	10
226	A cross-cultural comparison between Spain and the USA: temperament and character distribution by sex and age. <i>Psychiatry Research</i> , 2011 , 186, 397-401	9.9	10
225	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
224	Psychopathology is associated with reproductive health risk in European adolescents. <i>Reproductive Health</i> , 2018 , 15, 186	3.5	10
223	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018 , 11, 130-140	2.7	9

222	Disability and health-related quality of life in outpatients with generalised anxiety disorder treated in psychiatric clinics: is there still room for improvement?. <i>Annals of General Psychiatry</i> , 2011 , 10, 7	3.4	9
221	Self-perceived needs are related to violent behavior among schizophrenia outpatients. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 666-71	1.8	9
220	Safety and effectiveness of olanzapine in monotherapy: a multivariate analysis of a naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005 , 29, 944-51	5.5	9
219	Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. <i>Behavioral Sleep Medicine</i> , 2021 , 1-16	4.2	9
218	Obstetric Phenotypes in the Heterogeneity of Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2018 , 206, 882-886	1.8	9
217	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018 , 28, 863-874	1.2	9
216	Risky Drinkers Underestimate their Own Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2017 , 52, 516-517	3.5	8
215	Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1671-1681	5.5	8
214	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , 2020 , 34, 514-523	4.6	8
213	Changes in administrative prevalence of mental disorders over a 13-year period in Asturias (northern Spain). <i>Revista De Psiquiatría Y Salud Mental</i> , 2013 , 6, 60-6	2.7	8
212	Why prudence is needed when interpreting articles reporting clinical trial results in mental health. <i>Trials</i> , 2017 , 18, 143	2.8	8
211	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , 2008 , 18, 147-50	2.9	8
210	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019 , 249, 199-207	6.6	8
209	History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. <i>European Addiction Research</i> , 2019 , 25, 111-118	4.6	7
208	Could structural changes in the retinal layers be a new biomarker of mental disorders? A systematic review and thematic synthesis. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019 , 12, 116-129	2.7	7
207	Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. <i>Journal of School Violence</i> , 2020 , 19, 456-469	2.5	7
206	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): rationale, objectives, design and sample description. <i>Revista De Psiquiatría Y Salud Mental</i> , 2014 , 7, 166-78	2.7	7
205	Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire - brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	7

204	Switching to ziprasidone in the clinical practice setting: an open-label study. <i>International Journal of Psychiatry in Medicine</i> , 2013 , 45, 125-42	1	7
203	Sociodemographic factors associated with personality traits assessed through the TCI. <i>Personality and Individual Differences</i> , 2010 , 48, 809-814	3.3	7
202	Effects of carbamazepine on dexamethasone suppression and sleep electroencephalography in borderline personality disorder. <i>Neuropsychobiology</i> , 2002 , 45, 113-9	4	7
201	Assessing the severity of functional impairment of psychiatric disorders: equipercntile linking the mini-ICF-APP and CGI. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 174	3	7
200	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
199	Primary care physicians' use of the proposed classification of common mental disorders for ICD-11. <i>Family Practice</i> , 2017 , 34, 574-580	1.9	6
198	Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , 2019 , 280, 112509	9.9	6
197	Association of cannabinoid receptor genes () polymorphisms and panic disorder. <i>Anxiety, Stress and Coping</i> , 2020 , 33, 256-265	3.1	6
196	Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 15937-42	4.6	6
195	Frequency of Extrapyramidal Adverse Reactions in Schizophrenic Outpatients Treated with Risperidone, Olanzapine, Quetiapine or Haloperidol : Results of the EIRE Study. <i>Clinical Drug Investigation</i> , 2002 , 22, 609-622	3.2	6
194	Developments in the treatment of drug dependence. <i>Current Opinion in Psychiatry</i> , 2000 , 13, 333-338	4.9	6
193	Validez de la versi3n espa3ola de la Hypersensitive Narcissism Scale (HSNS) en una Unidad de Conductas Adictivas. <i>Revista De Psicología De La Salud</i> , 2010 , 22, 29	1	6
192	Diagnostic consequences of a new category of anxious depression and a reduced duration requirement for anxiety symptoms in the ICD-11 PHC. <i>Journal of Affective Disorders</i> , 2019 , 245, 120-125	6.6	6
191	Can interleukin-2 and interleukin-13 be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2019 , 12, 9-16	2.7	6
190	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021 , 64, e25	6	6
189	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
188	Longitudinal effects of clozapine concentration and clozapine to N-desmethylozapine ratio on cognition: A mediation model. <i>European Neuropsychopharmacology</i> , 2020 , 33, 158-163	1.2	5
187	Phenotypic factors associated with amisulpride-induced weight gain in first-episode psychosis patients (from the OPTiMiSE cohort). <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 283-290	6.5	5

186	Effectiveness of a multi-component Smoking Cessation Support Programme (McSCSP) for patients with severe mental disorders: study design. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 11, 373-89	4.6	5
185	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , 2007 , 3, 32	4.1	5
184	Validity and reliability of the Spanish versions of the Bech-Rafaelsen@ mania and melancholia scales for bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 207-15	6.5	5
183	The sufficiency of the HAM-D6 as an outcome instrument in the acute therapy of antidepressants in the outpatient setting. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 146-50	2.4	5
182	Negative evidences in association between apolipoprotein E polymorphism and panic disorder. <i>European Psychiatry</i> , 2006 , 21, 59-61	6	5
181	N-acetyltransferase-2 polymorphisms and schizophrenia. <i>European Psychiatry</i> , 2006 , 21, 333-7	6	5
180	Gender differences in addiction severity. <i>Revista De Psicologia De La Salud</i> , 2016 , 28, 221-230	1	5
179	Efectividad a largo plazo de los tratamientos de mantenimiento con metadona en personas con adicción a derivados opiáceos. <i>Revista De Psicologia De La Salud</i> , 2012 , 24, 179	1	5
178	Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	5
177	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
176	Latent profile analysis of psychosis liability in a community-derived sample of adolescents: Links with mental health difficulties, suicidal ideation, bipolar-like experiences and psychotic-like experiences. <i>Microbial Biotechnology</i> , 2019 , 13, 1111-1120	3.3	5
175	Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. <i>Psychiatry Research</i> , 2018 , 269, 688-691	9.9	5
174	Genome wide analysis of rare copy number variations in alcohol abuse or dependence. <i>Journal of Psychiatric Research</i> , 2018 , 103, 212-218	5.2	5
173	Immigration and recommended care after a suicide attempt in Europe: equity or bias?. <i>European Journal of Public Health</i> , 2014 , 24, 63-5	2.1	4
172	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009 , 2, 35-41	2.7	4
171	Quality of Life in Schizophrenia. <i>European Psychiatry</i> , 1997 , 12, 116s-116s	6	4
170	Searching for a predictive peripheral biological model in parasuicidal behaviour. <i>European Psychiatry</i> , 1997 , 12, 75-81	6	4
169	Treatment of severely psychotic inpatients with schizophrenia: olanzapine versus other antipsychotic drugs. <i>International Clinical Psychopharmacology</i> , 2002 , 17, 287-95	2.2	4

168	Sexual dysfunction in depressed patients undergoing treatment with antidepressants. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 311-7	2.4	4
167	Necesidad de evaluación de la patología dual en contexto penitenciario. <i>Revista De Psicología De La Salud</i> , 2011 , 23, 37	1	4
166	Narcisismo manifiesto, narcisismo encubierto y trastornos de personalidad en una Unidad de Conductas Adictivas: validez predictiva de respuesta a tratamiento. <i>Revista De Psicología De La Salud</i> , 2010 , 22, 107	1	4
165	Patología dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacológico. <i>Revista De Psicología De La Salud</i> , 2014 , 26, 254	1	4
164	Alcoholism and its treatment approach from a citizen perspective. <i>Revista De Psicología De La Salud</i> , 2016 , 28, 163-73	1	4
163	Prevention of recurrent suicidal behavior: Case management and psychoeducation. <i>Psicothema</i> , 2019 , 31, 107-113	2	4
162	Twelve-month service use, suicidality and mental health problems of European adolescents after a school-based screening for current suicidality. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	4
161	Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020 , 63, e82	6	4
160	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021 , 26, 290-298	1.8	4
159	Network structure of psychotic-like experiences in adolescents: Links with risk and protective factors. <i>Microbial Biotechnology</i> , 2021 , 15, 595-605	3.3	4
158	Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. <i>Addictive Behaviors</i> , 2021 , 121, 107003	4.2	4
157	Chronic obstructive pulmonary disease in severe mental illness: A timely diagnosis to advance the process of quitting smoking. <i>European Psychiatry</i> , 2021 , 64, e22	6	4
156	Psychometric properties of the Spanish version of the screening scale for DSM-IV Generalized Anxiety Disorder of Carroll and Davidson. <i>Actas Espanolas De Psiquiatria</i> , 2006 , 34, 83-93	0.7	4
155	Suicide, unemployment, and economic recession in Spain. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 70-77	0.2	3
154	Relevant risk factors of repeated suicidal attempts in a sample of outpatients. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 11-21	2.7	3
153	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 232, 229-236	6.6	3
152	Clinical staging in severe mental disorders: Bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 106-115	0.2	3
151	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3

150	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation Questionnaire in patients with severe mental disorders. <i>Comprehensive Psychiatry</i> , 2012 , 53, 1237-42	7.3	3
149	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2011 , 4, 9-18	0.2	3
148	The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , 2012 , 24, 347-55	3.6	3
147	Psychosocial factors associated with cancer behavioural risk in relatives of cancer patients. <i>European Journal of Cancer Prevention</i> , 2004 , 13, 105-11	2	3
146	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020 , 223, 271-278	3.6	3
145	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	3
144	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
143	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
142	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 219-227	0.2	3
141	Influence of secondary sources in the Brief Negative Symptom Scale. <i>Schizophrenia Research</i> , 2019 , 204, 452-454	3.6	3
140	Quality of Life in Obsessive-Compulsive Disorder 2007 , 293-303		3
139	Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. <i>European Neuropsychopharmacology</i> , 2020 , 40, 17-30	1.2	2
138	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018 , 11, 169-175	2.7	2
137	Childhood trauma in suicide attempters: Case-control study. <i>European Psychiatry</i> , 2016 , 33, S111-S111	6	2
136	Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). <i>International Journal of Clinical and Health Psychology</i> , 2016 , 16, 58-75	5.1	2
135	Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 77-91	0.2	2
134	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014 , 7, 113-120	0.2	2
133	Recommendations for the prevention and management of suicidal behaviour. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012 , 5, 8-23	0.2	2

132	Safety, effectiveness, and patterns of use of olanzapine in acute schizophrenia: a multivariate analysis of a large naturalistic study in the hospital setting. <i>Medicina Clínica</i> , 2005 , 124, 481-6	1	2
131	Trends in suicide in the elderly in Asturias (Spain). <i>European Psychiatry</i> , 1995 , 10, 339-44	6	2
130	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
129	Factors associated with tobacco consumption in patients with depression. <i>Revista De Psicología De La Salud</i> , 2019 , 31, 298-308	1	2
128	Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019 , 12, 77-91	2.7	2
127	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 ,	2.7	2
126	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 ,	2.7	2
125	Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 ,	2.7	2
124	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2
123	A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. <i>Sensors</i> , 2020 , 20,	3.8	2
122	Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. <i>Scientific Reports</i> , 2020 , 10, 15963	4.9	2
121	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	2
120	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 164-176	2.7	2
119	Smoking Status and Cost of Illness in Patients with Depressive Disorder Based on the National Health Survey in Spain. <i>Substance Use and Misuse</i> , 2019 , 54, 713-723	2.2	2
118	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2018 , 11, 130-140	0.2	2
117	Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021.. <i>Journal of Global Health</i> , 2022 , 12, 05001	4.3	2
116	EPICOG-SCH: A brief battery to screen cognitive impact of schizophrenia in stable outpatients. <i>Schizophrenia Research: Cognition</i> , 2017 , 8, 7-20	2.8	1
115	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 676	5	1

114	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
113	Real-Time Assessment of Stress and Stress Response Using Digital Phenotyping: A Study Protocol. <i>Frontiers in Digital Health</i> , 2020 , 2, 544418	2.3	1
112	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
111	Effectiveness of pharmacogenetic information in the treatment of major depressive disorder: results from the AB-GEN randomized clinical trial. <i>European Neuropsychopharmacology</i> , 2016 , 26, S404-S405	1.3	1
110	Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. <i>European Psychiatry</i> , 2016 , 33, s261-s262	6	1
109	Patient characteristics driving clinical utility in psychiatric pharmacogenetics: a reanalysis from the AB-GEN multicentric trial. <i>Journal of Neural Transmission</i> , 2019 , 126, 95-99	4.3	1
108	"Readiness to Change" Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , 2019 , 25, 256-262	4.6	1
107	The new challenge in identifying the negative syndrome of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2013 , 6, 141-143	0.2	1
106	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, S370-S371	1.2	1
105	Concentrations in plasma clozapine levels in schizophrenic and schizoaffective patients. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 192-196	0.2	1
104	Spanish consensus on the physical health of patients with depressive disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014 , 7, 195-207	0.2	1
103	Impact of the Spanish Consensus on Physical Health of Patients with Schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2010 , 3, 119-127	0.2	1
102	Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
101	P.6.c.005 Benzodiazepines use withdrawal tapering gradually with pregabalin: findings from the medical practice. <i>European Neuropsychopharmacology</i> , 2009 , 19, S652	1.2	1
100	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
99	Tobacco and cognitive performance in schizophrenia patients: the design of the COGNICO study. <i>Revista De Psicología De La Salud</i> , 2016 , 29, 6-12	1	1
98	Predictive factors of alcohol consumption in adolescents: data from 1-year follow-up prospective study. <i>Revista De Psicología De La Salud</i> , 2019 , 31, 52-63	1	1
97	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1

96	Cognitive functioning in patients with alcohol use disorder who start outpatient treatment. <i>Revista De Psicología De La Salud</i> , 2021 , 33, 161-174	1	1
95	Screening for anxiety and depression in Primary Care: Utility of 2 brief scales adapted to the ICD-11-PC. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 ,	2.7	1
94	The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. <i>Frontiers in Psychiatry</i> , 2020 , 11, 538172	5	1
93	Assessing the severity of psychiatric disorders using the Health of the Nation Outcome Scales: An equipercenile linking analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 1192-1199	2.6	1
92	Psychopathological Symptom Load and Distinguishable Cerebral Blood Flow Velocity Patterns in Patients With Schizophrenia and Healthy Controls: A Functional Transcranial Doppler Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 679021	5	1
91	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 164-176	0.2	1
90	Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. <i>European Psychiatry</i> , 2016 , 33, s250-s250	6	1
89	Early versus late stage schizophrenia. What markers make the difference?. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 159-165	3.8	1
88	Alcohol use and risk factors for self-harm behavior in Spanish adolescents. <i>Revista De Psicología De La Salud</i> , 2021 , 33, 53-62	1	1
87	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1
86	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2021 , 1-8	1.8	1
85	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. <i>Frontiers in Psychiatry</i> , 2021 , 12, 700747	5	1
84	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 1-9	6.9	1
83	Quality of Life Assessment in Schizophrenia 1999 , 239-248		1
82	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia.. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2022 , 15, 14-21	0.2	1
81	Aumento de peso y síndrome metabólico. <i>Psiquiatría Biológica</i> , 2015 , 22, 3-9	0.2	0
80	Psychiatry residency during the COVID-19 pandemic: Navigating uncharted waters. <i>Asian Journal of Psychiatry</i> , 2020 , 53, 102214	6.7	0
79	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 134-142	0.2	0

78	Suicide prevention in Spain: An uncovered clinical need. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014 , 7, 1-4	0.2	o
77	Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia.. <i>Nature Communications</i> , 2022 , 13, 51	17.4	o
76	A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , 2021 , e13104	4.6	o
75	Does ICD-11 improve the epidemiological and nosological purposes of mental, behavioral and developmental disorders?. <i>Revista De Psicología De La Salud</i> , 2019 , 31, 183-188	1	o
74	Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 , 13, 229-231	2.7	o
73	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662	1.3	o
72	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 66-68	2.7	o
71	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	o
70	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6	o
69	Excessive and pathological Internet use - Risk-behavior or psychopathology?. <i>Addictive Behaviors</i> , 2021 , 123, 107045	4.2	o
68	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110440	5.5	o
67	Utility and Validity of the Brief Psychiatric Rating Scale (BPRS) as a Transdiagnostic Scale. <i>Psychiatry Research</i> , 2022 , 114659	9.9	o
66	Can interleukin-2 and interleukin-1β be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 9-16	0.2	
65	Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. <i>European Neuropsychopharmacology</i> , 2019 , 29, S376-S377	1.2	
64	Farewell letter from the previous Editor of RPSM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 , 13, 51-52	2.7	
63	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2018 , 11, 169-175	0.2	
62	Response to Remarkable prevalence of celiac disease in patients with irritable bowel syndrome plus fibromyalgia in comparison with those with isolated irritable bowel syndrome: a case-finding study. <i>Arthritis Research and Therapy</i> , 2014 , 16, 403	5.7	
61	Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014 , 7, 131-138	0.2	

60	P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. <i>European Neuropsychopharmacology</i> , 2013 , 23, S613-S614	1.2
59	Is it Feasible and Effective to Help Patients with Severe Mental Disorders to Quit Smoking?. <i>European Psychiatry</i> , 2017 , 41, S32-S33	6
58	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2014 , 7, 166-178	0.2
57	P.3.f.002 Epidemiologic naturalistic study to determine the relationship between the Personal and Social Performance (PSP) scale and the perceived sleep quality in schizophrenia. <i>European Neuropsychopharmacology</i> , 2012 , 22, S356	1.2
56	Sexual dysfunction in patients with schizophrenia vs bipolar disorder. <i>European Psychiatry</i> , 2011 , 26, 1540-1542	
55	Clinical meaningful outcomes in schizophrenia: remission and recovery. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2011 , 4, 53-65	0.2
54	Spanish Consensus on Physical Health in Patients with Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
53	Cardiovascular and Respiratory Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
52	Nutritional, Metabolic and Endocrine Disorders in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
51	Gynaecological and Obstetric Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
50	Spanish Consensus on Physical Health in Patients with Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
49	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 35-41	0.2
48	Psychometric performance of the Oviedo Sleep Questionnaire in patients with severe mental disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 169-177	0.2
47	P.2.e.009 Gynaecological and obstetric comorbidities in patients with bipolar disorder: a systematic review. <i>European Neuropsychopharmacology</i> , 2009 , 19, S453-S454	1.2
46	P.3.a.025 Influence of knowledge of the Spanish consensus on physical health in schizophrenic patients in clinical practice. <i>European Neuropsychopharmacology</i> , 2009 , 19, S494-S495	1.2
45	Prevalence of Metabolic Syndrome and Coronary Heart Disease Risk in Patients with Schizoaffective Disorder: Clamors Study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
44	Differences in Personality Traits Evaluated by TCI According to Physical Illness. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
43	Spanish Consensus on Physical Health of Patients With Bipolar Disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2008 , 1, 26-37	0.2

42	The "Seroquel" Outcomes Study (SOS): Efficacy and tolerability of quetiapine in a long-term, naturalistic study of patients with schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 222-32	2.4
41	P.3.c.037 Neuropsychological performance and cognitive disability in schizophrenia outpatients. <i>European Neuropsychopharmacology</i> , 2007 , 17, S445-S446	1.2
40	P.3.c.050 Psychopathology and metabolic syndrome (MS) in psychotic patients: the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2006 , 16, S423-S424	1.2
39	Is antipsychotic-induced weight gain related to sexual dysfunction?. <i>European Neuropsychopharmacology</i> , 2002 , 12, 282-283	1.2
38	P01.163 For how long can be expected a sustained improvement in schizophrenic patients treated with antipsychotics? A clinical experience with risperidone. <i>European Psychiatry</i> , 2000 , 15, 363s-364s	6
37	P02.320 Safety and effectiveness of olanzapine versus typical antipsychotic drugs in the treatment of inpatients with schizophrenia (Europa study). <i>European Psychiatry</i> , 2000 , 15, 409s-409s	6
36	Study to determine relevant health outcome measures in opioid use disorder: Multicriteria decision analysis. <i>Revista De Psicología De La Salud</i> , 2021 , 33, 109-120	1
35	Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 186-195	0.2
34	Functional transcranial Doppler: Selection of methods for statistical analysis and representation of changes in flow velocity. <i>Health Science Reports</i> , 2021 , 4, e400	2.2
33	Calidad de vida y discapacidad en pacientes con trastorno obsesivo-compulsivo. <i>European Psychiatry (Ed Española)</i> , 2001 , 8, 436-442	
32	Remisión sintomática y funcionamiento social/profesional en pacientes con esquizofrenia tratados ambulatoriamente: prevalencia y asociaciones en un estudio transversal. <i>European Psychiatry (Ed Española)</i> , 2008 , 15, 65-74	
31	A Review of Quality-of-Life Assessment Measures in Schizophrenia: Limitations and Future Developments 2016 , 65-77	
30	Evaluation of symptomatology on schizophrenia. <i>Medical Psychiatry</i> , 2009 , 32-38	
29	Relevant risk factors of repeated suicidal attempts in a sample of outpatients. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2020 , 13, 11-21	0.2
28	P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. <i>European Neuropsychopharmacology</i> , 2020 , 40, S141-S142	1.2
27	P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2020 , 40, S281-S282	1.2
26	P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. <i>European Neuropsychopharmacology</i> , 2020 , 40, S393-S394	1.2
25	Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2020 , 13, 229-231	0.2

24	The King@ neurologist. <i>Lancet Neurology, The</i> , 2020 , 19, 977	24.1
23	Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. <i>Schizophrenia Research</i> , 2020 , 222, 516-519	3.6
22	Treatments for Opioid Dependence and Methadone 2016 , 595-602	
21	Smoking cessation programs for persons with schizophrenia: An urgent unmet need. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 181-184	0.2
20	Obsessive-compulsive disorder: The usefulness of a pharmacological practice guideline. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 131-133	0.2
19	P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, S268-S269	1.2
18	P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. <i>European Neuropsychopharmacology</i> , 2019 , 29, S407-S408	1.2
17	Barriers to complete recovery of major depression: cross-sectional, multi-centre study on clinical practice. RECORD study. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019 , 12, 141-150	2.7
16	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 66-68	0.2
15	The training of Psychiatry resident: Summary of the discussion table held during the XXII National Congress of Psychiatry. Spain, 2019. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 74-76	2.7
14	The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. <i>European Psychiatry</i> , 2021 , 64, S583-S583	6
13	Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. <i>European Psychiatry</i> , 2021 , 64, S806-S806	6
12	Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. <i>European Psychiatry</i> , 2021 , 64, S177-S178	6
11	COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. <i>European Psychiatry</i> , 2021 , 64, S674-S675	6
10	Factors associated with real-world functioning in first stages of schizophrenia disorder. <i>European Psychiatry</i> , 2021 , 64, S805-S805	6
9	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia.. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2022 , 15, 22-28	0.2
8	P.0564 Active suicidal ideation one year after the beginning of COVID-19 pandemic in a large spanish sample: risk and protective factors. <i>European Neuropsychopharmacology</i> , 2021 , 53, S414-S415	1.2
7	P.0787 Women with schizophrenia have better communication capacity than men, but surprisingly, alogia plays no role on it. <i>European Neuropsychopharmacology</i> , 2021 , 53, S575	1.2

6	P.0786 Cognitive and depressive symptoms lose their impact on real world functioning in the later stages of schizophrenia in both genders. <i>European Neuropsychopharmacology</i> , 2021 , 53, S574	1.2
5	P.0647 Psychological impact in patients with common mental disorders after six months of COVID-19 outbreak. <i>European Neuropsychopharmacology</i> , 2021 , 53, S476-S477	1.2
4	P.0397 Orexin a in patients with bipolar disorder treated with lithium. <i>European Neuropsychopharmacology</i> , 2021 , 53, S285-S286	1.2
3	P.0776 Premorbid childhood and adolescent functioning trajectories in patients with first-episode of schizophrenia using Latent Class Growth Analysis: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2021 , 53, S566	1.2
2	Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. <i>Psicothema</i> , 2021 , 33, 473-480	2
1	Is it possible to stage schizophrenia? A systematic review.. <i>Translational Psychiatry</i> , 2022 , 12, 197	8.6