

Galina G Skibo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8228435/galina-g-skibo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

1,673
citations

17
h-index

40
g-index

76
ext. papers

1,827
ext. citations

3.1
avg, IF

3.87
L-index

#	Paper	IF	Citations
75	PSA-NCAM is required for activity-induced synaptic plasticity. <i>Neuron</i> , 1996 , 17, 413-22	13.9	536
74	A synthetic neural cell adhesion molecule mimetic peptide promotes synaptogenesis, enhances presynaptic function, and facilitates memory consolidation. <i>Journal of Neuroscience</i> , 2004 , 24, 4197-204	6.6	147
73	Microglia and astrocytes in the adult rat brain: comparative immunocytochemical analysis demonstrates the efficacy of lipocortin 1 immunoreactivity. <i>Neuroscience</i> , 2000 , 96, 195-203	3.9	124
72	Synaptic potentiation induces increased glial coverage of excitatory synapses in CA1 hippocampus. <i>Hippocampus</i> , 2009 , 19, 753-62	3.5	97
71	Synaptic inputs from stroke-injured brain to grafted human stem cell-derived neurons activated by sensory stimuli. <i>Brain</i> , 2017 , 140, 692-706	11.2	77
70	A synthetic NCAM-derived peptide, FGL, protects hippocampal neurons from ischemic insult both in vitro and in vivo. <i>European Journal of Neuroscience</i> , 2005 , 22, 1589-96	3.5	56
69	Tenascin-R-deficient mice show structural alterations of symmetric perisomatic synapses in the CA1 region of the hippocampus. <i>Journal of Comparative Neurology</i> , 2003 , 456, 338-49	3.4	55
68	Ischemia-induced modifications in hippocampal CA1 stratum radiatum excitatory synapses. <i>Hippocampus</i> , 2006 , 16, 814-25	3.5	53
67	Store-operated Ca ²⁺ entry in astrocytes: different spatial arrangement of endoplasmic reticulum explains functional diversity in vitro and in situ. <i>Cell Calcium</i> , 2008 , 43, 591-601	4	44
66	Early reaction of astroglial cells in rat hippocampus to streptozotocin-induced diabetes. <i>Neuroscience Letters</i> , 2008 , 444, 181-5	3.3	36
65	Activity in grafted human iPS cell-derived cortical neurons integrated in stroke-injured rat brain regulates motor behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 9094-9100	11.5	24
64	Hippocampus remodeling by chronic stress accompanied by GR, proteasome and caspase-3 overexpression. <i>Brain Research</i> , 2014 , 1593, 83-94	3.7	24
63	Excitatory synaptic activity is associated with a rapid structural plasticity of inhibitory synapses on hippocampal CA1 pyramidal cells. <i>Neuropharmacology</i> , 2011 , 60, 757-64	5.5	24
62	Microglia in organotypic hippocampal slice culture and effects of hypoxia: ultrastructure and lipocortin-1 immunoreactivity. <i>Neuroscience</i> , 2000 , 96, 427-38	3.9	23
61	Distribution of microglia and astrocytes in different regions of the normal adult rat brain. <i>Neurophysiology</i> , 1997 , 29, 343-351	0.6	22
60	Fibroblast growth factor-2 overexpression in transplanted neural progenitors promotes perivascular cluster formation with a neurogenic potential. <i>Stem Cells</i> , 2009 , 27, 1309-17	5.8	21
59	Morphological and functional changes in rat hippocampal slice cultures after short-term oxygen-glucose deprivation. <i>Journal of Cellular and Molecular Medicine</i> , 2004 , 8, 241-8	5.6	20

58	Contribution of protease-activated receptor 1 in status epilepticus-induced epileptogenesis. <i>Neurobiology of Disease</i> , 2015 , 78, 68-76	7.5	17
57	Neurotropic and Trophic Action of Lion's Mane Mushroom Hericium erinaceus (Bull.: Fr.) Pers. (Aphylophoromycetideae) Extracts on Nerve Cells in Vitro. <i>International Journal of Medicinal Mushrooms</i> , 2007 , 9, 15-28	1.3	17
56	Hippocampal GABAergic interneurons coexpressing alpha7-nicotinic receptors and connexin-36 are able to improve neuronal viability under oxygen-glucose deprivation. <i>Brain Research</i> , 2015 , 1616, 134-45	3.7	15
55	Grafted human pluripotent stem cell-derived cortical neurons integrate into adult human cortical neural circuitry. <i>Stem Cells Translational Medicine</i> , 2020 , 9, 1365-1377	6.9	15
54	Technique to quantify local clustering of synaptic vesicles using single section data. <i>Microscopy Research and Technique</i> , 2004 , 65, 287-91	2.8	15
53	Post-tetanic depression of GABAergic synaptic transmission in rat hippocampal cell cultures. <i>Neuroscience Letters</i> , 2002 , 323, 5-8	3.3	15
52	Lingonberries and their two separated fractions differently alter the gut microbiota, improve metabolic functions, reduce gut inflammatory properties, and improve brain function in ApoE-/mice fed high-fat diet. <i>Nutritional Neuroscience</i> , 2020 , 23, 600-612	3.6	15
51	Blockade of endogenous neuraminidase leads to an increase of neuronal excitability and activity-dependent synaptogenesis in the rat hippocampus. <i>European Journal of Neuroscience</i> , 2010 , 32, 1889-96	3.5	14
50	An electron microscopic analysis of rubrospinal tract termination in the spinal cord of the cat. <i>Brain Research</i> , 1975 , 85, 511-6	3.7	14
49	Impact of colostrum and plasma immunoglobulin intake on hippocampus structure during early postnatal development in pigs. <i>International Journal of Developmental Neuroscience</i> , 2014 , 35, 64-71	2.7	13
48	Lateral patterns of the neural cell adhesion molecule on the surface of hippocampal cells developing in vitro. <i>Neuroscience</i> , 1993 , 55, 491-8	3.9	13
47	HIF-1-mediated upregulation of SERCA2b: The endogenous mechanism for alleviating the ischemia-induced intracellular Ca(2+) store dysfunction in CA1 and CA3 hippocampal neurons. <i>Cell Calcium</i> , 2016 , 59, 251-61	4	10
46	Cytoskeleton-mediated, age-dependent lateral topography of lectin-gold-labelled molecules on the plasma membrane of cultured neurons: a statistical view. <i>Neuroscience</i> , 1993 , 52, 369-79	3.9	10
45	Brief anoxia preconditioning and HIF prolyl-hydroxylase inhibition enhances neuronal resistance in organotypic hippocampal slices on model of ischemic damage. <i>Brain Research</i> , 2011 , 1386, 175-83	3.7	9
44	Growth related changes in sugar determinants on the surface of C6 glioma cells in culture: a cytochemical lectin-binding study. <i>Journal of Neuroscience Research</i> , 1995 , 42, 192-8	4.4	8
43	The spatial pattern of the synaptic vesicular apparatus as a correlate of transmitter storage models. <i>Neuroscience Letters</i> , 1991 , 131, 156-8	3.3	8
42	The axosomatic contacts on the bursting neuron of the snail Helix pomatia. I. Ultrastructural features of the axosomatic contacts. <i>Cellular and Molecular Neurobiology</i> , 1984 , 4, 31-41	4.6	8
41	Long-term fate of grafted hippocampal neural progenitor cells following ischemic injury. <i>Journal of Neuroscience Research</i> , 2014 , 92, 964-74	4.4	7

40	Comparative ultrastructural analysis of mitochondria in the CA1 and CA3 hippocampal pyramidal cells following global ischemia in Mongolian gerbils. <i>Anatomical Record</i> , 2011 , 294, 1057-65	2.1	7
39	Effect of neuraminidase treatment on persistent epileptiform activity in the rat hippocampus. <i>Pharmacological Reports</i> , 2011 , 63, 840-4	3.9	7
38	Structural modifications of astrocytes in the hippocampus after experimental cerebral ischemia in gerbils. <i>Neurophysiology</i> , 2005 , 37, 359-364	0.6	7
37	Extracellular matrix heparin induces alteration of the cell adhesion during brain development. <i>Neurochemistry International</i> , 2002 , 40, 277-83	4.4	6
36	Neural cell adhesion molecule (N-CAM) distribution may predict the effect of neurotoxins on the brain. <i>Toxicon</i> , 1995 , 33, 577-81	2.8	6
35	Computer simulation approach to the quantification of immunogold labelling on plasma membrane of cultured neurons. <i>Journal of Neuroscience Methods</i> , 2000 , 96, 11-7	3	5
34	Neurodegenerative changes in the hippocampus within the early period of experimental diabetes mellitus. <i>Neurophysiology</i> , 2008 , 40, 26-33	0.6	4
33	Changes in the neural cell adhesion molecule patterns on the rat glial cell surfaces with development and contact formation in vitro. <i>Neuroscience Letters</i> , 1993 , 154, 17-9	3.3	4
32	Blocking effect of intraperitoneal injection of phenylalanine on high-threshold calcium currents in rat hippocampal neurones. <i>Brain Research</i> , 1991 , 552, 228-31	3.7	4
31	Ultrastructural study of mouse adipose-derived stromal cells induced towards osteogenic direction. <i>Microscopy Research and Technique</i> , 2016 , 79, 557-64	2.8	3
30	Relationship of Grafted FGF-2-Overexpressing Neural Stem/Progenitor Cells With the Vasculature in the Cerebral Cortex. <i>Cell Transplantation</i> , 2016 , 25, 1359-69	4	3
29	Diet-induced changes in brain structure and behavior in old gerbils. <i>Nutrition and Diabetes</i> , 2015 , 5, e1634.7	2	
28	Diet supplemented with pancreatic-like enzymes of microbial origin restores the hippocampal neuronal plasticity and behaviour in young pigs with experimental exocrine pancreatic insufficiency. <i>Journal of Functional Foods</i> , 2015 , 14, 270-277	5.1	2
27	Role of the synaptic microenvironment in functional modification of synaptic transmission. <i>Neurophysiology</i> , 1999 , 31, 79-81	0.6	2
26	Hypoxia-Inducible Factor: Pattern of the Effects and Their Dualism. <i>Neurophysiology</i> , 2015 , 47, 252-261	0.6	1
25	Early molecular events in the hippocampus of rats with streptozotocin-induced diabetes. <i>Neurophysiology</i> , 2007 , 39, 435-438	0.6	1
24	Estimation of the number of synaptic vesicles in asymmetric synapses between hippocampal neurons. <i>Neurophysiology</i> , 2006 , 38, 182-185	0.6	1
23	The axosomatic contacts on the bursting neuron of the snail <i>Helix pomatia</i> . II. Ultrastructural localization of adenylate cyclase. <i>Cellular and Molecular Neurobiology</i> , 1984 , 4, 43-52	4.6	1

22	Structural features of synaptic connections between descending systems and spinal neurons in the cat. <i>Neuroscience</i> , 1979 , 4, 965-71	3.9	1
21	Glycine receptors are involved in hippocampal neuronal damage caused by oxygen-glucose deficiency. <i>Cell Biology International</i> , 2018 , 42, 1423-1431	4.5	
20	Co-Expression of Glutamic Acid Decarboxylase Isoform 67, Membrane Nicotinic Acetylcholine Receptors, and Connexin 36 in Ischemia-Resistant Hippocampal Interneurons. <i>Neurophysiology</i> , 2012 , 43, 394-396	0.6	
19	Cooperation of HIF- and NCAM-mediated mechanisms in cell viability of hippocampal cultures after oxygen-glucose deprivation. <i>Cell Biology International</i> , 2017 , 41, 1119-1126	4.5	
18	Structural plasticity of synapses in hippocampal slices after oxygen-glucose deprivation. <i>Neurophysiology</i> , 2011 , 43, 223-226	0.6	
17	Integration of Grafted Neural Progenitor Cells in a Host Hippocampal Circuitry after Ischemic Injury. <i>Neurophysiology</i> , 2011 , 43, 324-326	0.6	
16	The role of hyaluronate in morphogenesis of the neurons. <i>Neurophysiology</i> , 1997 , 29, 16-21	0.6	
15	Microglial cells of the rat brain in postnatal period (comparative immunocytochemical analysis). <i>Neurophysiology</i> , 1997 , 29, 145-152	0.6	
14	Behavioral reactions of gerbils and structural alterations in their hippocampus after cerebral ischemia-reperfusion. <i>Neurophysiology</i> , 2007 , 39, 396-405	0.6	
13	Age-related changes in synaptic vesicle pools of axo-dendritic synapses on hippocampal CA1 pyramidal neurons in mice. <i>Neurophysiology</i> , 2006 , 38, 344-347	0.6	
12	Effect of a Peptide Mimetic of NCAM on the Structure and Metabolic Activity of Organotypic Hippocampal Cultures during Induced Ischemia. <i>Neurophysiology</i> , 2002 , 34, 233-236	0.6	
11	Analysis of Spatial Distribution of Vesicles in Presynaptic Terminals of the Hippocampus in vivo and in vitro. <i>Neurophysiology</i> , 2000 , 32, 300-304	0.6	
10	Modeling of Myelination and Demyelination Processes in Cell Culture of the Rat Cerebellum. <i>Neurophysiology</i> , 2000 , 32, 383-389	0.6	
9	Changes in the topography of a number of outer membrane proteins in cultured neurons in conditions of selective lesioning of different elements of the cytoskeleton with neurotoxins. <i>Neuroscience and Behavioral Physiology</i> , 2000 , 30, 513-20	0.3	
8	Comparative morphometric analysis of lateral and medial perforant path synapses in the dentate gyrus of adult rats. <i>Neurophysiology</i> , 2000 , 32, 177-178	0.6	
7	Prospects for the studies of the cellular and molecular mechanisms of brain damage on a model system of cultured hippocampal slices. <i>Neurophysiology</i> , 1999 , 31, 89-93	0.6	
6	Cell adhesion molecule (NCAM): Its role in the development and functioning of cultured hippocampal neurons. <i>Neurophysiology</i> , 1999 , 31, 199-202	0.6	
5	Reaction of microglia and astrocytes in the rat brain cortex to free-electron laser irradiation. <i>Neurophysiology</i> , 1999 , 31, 271-275	0.6	

- 4 Spatial distribution of synaptic vesicles in presynaptic terminals: Computer simulation. 0.6
Neurophysiology, **1999**, 31, 276-279
- 3 Phenylalanine intraperitoneal injection effect on high-voltage calcium channels in rat hippocampal neurons. *Neurophysiology*, **1991**, 23, 84-88 0.6
- 2 Mitochondrial Events Determine the Status of Hippocampal Cells in the Post-Ischemic Period. 4.3
Neuroscience Bulletin, **2021**, 37, 1246-1250
- 1 Varying Dietary Component Ratios and Lingonberry Supplementation May Affect the Hippocampal Structure of ApoE-/ Mice.. *Frontiers in Nutrition*, **2022**, 9, 565051 6.2