

Katherine L B Borden

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8228858/katherine-l-b-borden-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

6,358
citations

46
h-index

79
g-index

110
ext. papers

7,084
ext. citations

7.3
avg, IF

5.97
L-index

#	Paper	IF	Citations
103	Identification and characterization of the interaction between the methyl-7-guanosine cap maturation enzyme RNMT and the cap-binding protein eIF4E.. <i>Journal of Molecular Biology</i> , 2022 , 167451-167461	6.5	4
102	H, C and N chemical shift assignments of the C-terminal domain of human UDP-Glucuronosyltransferase 2B7 (UGT2B7-C). <i>Biomolecular NMR Assignments</i> , 2021 , 15, 323-328	0.7	0
101	To cap it all off, again: dynamic capping and recapping of coding and non-coding RNAs to control transcript fate and biological activity. <i>Cell Cycle</i> , 2021 , 20, 1347-1360	4.7	4
100	The diversity, plasticity, and adaptability of cap-dependent translation initiation and the associated machinery. <i>RNA Biology</i> , 2020 , 17, 1239-1251	4.8	11
99	The Nuclear Pore Complex and mRNA Export in Cancer. <i>Cancers</i> , 2020 , 13,	6.6	10
98	The eukaryotic translation initiation factor eIF4E elevates steady-state mG capping of coding and noncoding transcripts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 26773-26783	11.5	10
97	Nuclear eIF4E Stimulates 3SEnd Cleavage of Target RNAs. <i>Cell Reports</i> , 2019 , 27, 1397-1408.e4	10.6	11
96	CDK9 and mTOR: trading places. <i>Blood</i> , 2019 , 133, 1167-1168	2.2	0
95	Biochemical and Structural Insights into the Eukaryotic Translation Initiation Factor eIF4E. <i>Current Protein and Peptide Science</i> , 2019 , 20, 525-535	2.8	12
94	Structural studies of the eIF4E-VPg complex reveal a direct competition for capped RNA: Implications for translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 24056-24065	11.5	28
93	GLI1-Inducible Glucuronidation Targets a Broad Spectrum of Drugs. <i>ACS Chemical Biology</i> , 2019 , 14, 348-355	4.5	7
92	Overcoming Drug Resistance through the Development of Selective Inhibitors of UDP-Glucuronosyltransferase Enzymes. <i>Journal of Molecular Biology</i> , 2019 , 431, 258-272	6.5	10
91	Targeting EIF4E signaling with ribavirin in infant acute lymphoblastic leukemia. <i>Oncogene</i> , 2019 , 38, 2241-2262	19	19
90	Chemical shift assignment of the viral protein genome-linked (VPg) from potato virus Y. <i>Biomolecular NMR Assignments</i> , 2019 , 13, 9-13	0.7	3
89	BRAF/MAPK and GSK3 signaling converges to control MITF nuclear export. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E8668-E8677	11.5	28
88	The Impact of Post-transcriptional Control: Better Living Through RNA Regulons. <i>Frontiers in Genetics</i> , 2018 , 9, 512	4.5	12
87	Backbone assignment of the apo-form of the human C-terminal domain of UDP-glucuronosyltransferase 1A (UGT1A). <i>Biomolecular NMR Assignments</i> , 2018 , 12, 315-318	0.7	1

86	A biochemical framework for eIF4E-dependent mRNA export and nuclear recycling of the export machinery. <i>Rna</i> , 2017 , 23, 927-937	5.8	44
85	The eukaryotic translation initiation factor eIF4E harnesses hyaluronan production to drive its malignant activity. <i>ELife</i> , 2017 , 6,	8.9	10
84	Ribavirin, an eIF4E Inhibitor, As a Potential Anti-Lymphoma Therapeutic - Preclinical and Early Clinical Data. <i>Blood</i> , 2016 , 128, 3045-3045	2.2	1
83	Importin 8 mediates m7G cap-sensitive nuclear import of the eukaryotic translation initiation factor eIF4E. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 5263-8 ^{11.5}		30
82	Combinatorial targeting of nuclear export and translation of RNA inhibits aggressive B-cell lymphomas. <i>Blood</i> , 2016 , 127, 858-68	2.2	54
81	The eukaryotic translation initiation factor eIF4E wears a "cap" for many occasions. <i>Translation</i> , 2016 , 4, e1220899		25
80	Molecular Pathways: GLI1-Induced Drug Glucuronidation in Resistant Cancer Cells. <i>Clinical Cancer Research</i> , 2015 , 21, 2207-10	12.9	12
79	The eukaryotic translation initiation factor eIF4E in the nucleus: taking the road less traveled. <i>Immunological Reviews</i> , 2015 , 263, 210-23	11.3	36
78	A phase I trial of ribavirin and low-dose cytarabine for the treatment of relapsed and refractory acute myeloid leukemia with elevated eIF4E. <i>Haematologica</i> , 2015 , 100, e7-9	6.6	55
77	Multiple Export Mechanisms for mRNAs. <i>Cells</i> , 2015 , 4, 452-73	7.9	50
76	Sonic Hedgehog factor Gli1: As good as resistant. <i>Molecular and Cellular Oncology</i> , 2015 , 2, e961827	1.2	
75	LIMD2 is a small LIM-only protein overexpressed in metastatic lesions that regulates cell motility and tumor progression by directly binding to and activating the integrin-linked kinase. <i>Cancer Research</i> , 2014 , 74, 1390-1403	10.1	19
74	The sonic hedgehog factor GLI1 imparts drug resistance through inducible glucuronidation. <i>Nature</i> , 2014 , 511, 90-3	50.4	129
73	When will resistance be futile?. <i>Cancer Research</i> , 2014 , 74, 7175-80	10.1	3
72	RSK regulates activated BRAF signalling to mTORC1 and promotes melanoma growth. <i>Oncogene</i> , 2013 , 32, 2917-2926	9.2	43
71	Aiding and abetting cancer: mRNA export and the nuclear pore. <i>Trends in Cell Biology</i> , 2013 , 23, 328-35	18.3	52
70	The oncogene eIF4E: using biochemical insights to target cancer. <i>Journal of Interferon and Cytokine Research</i> , 2013 , 33, 227-38	3.5	61
69	Conformational changes induced in the eukaryotic translation initiation factor eIF4E by a clinically relevant inhibitor, ribavirin triphosphate. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 434, 614-9	3.4	25

68	eIF4E3 acts as a tumor suppressor by utilizing an atypical mode of methyl-7-guanosine cap recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 3877-82	11.5	62
67	Mechanisms and insights into drug resistance in cancer. <i>Frontiers in Pharmacology</i> , 2013 , 4, 28	5.6	380
66	The Eukaryotic Translation Initiation Factor 4E (eIF4E) Has Oncogenic Functions and May Represent a New Therapeutic Target In Diffuse Large B Cell Lymphoma (DLBCL). <i>Blood</i> , 2013 , 122, 3785-3785	2.2	4
65	A New Form Of Therapeutic Resistance: Drug Glucuronidation Regulated By The Sonic Hedgehog Factor Gli1. <i>Blood</i> , 2013 , 122, 821-821	2.2	
64	MALT1 small molecule inhibitors specifically suppress ABC-DLBCL in vitro and in vivo. <i>Cancer Cell</i> , 2012 , 22, 812-24	24.3	182
63	The oncogene eIF4E reprograms the nuclear pore complex to promote mRNA export and oncogenic transformation. <i>Cell Reports</i> , 2012 , 2, 207-15	10.6	92
62	Structural insights into the allosteric effects of 4EBP1 on the eukaryotic translation initiation factor eIF4E. <i>Journal of Molecular Biology</i> , 2012 , 415, 781-92	6.5	41
61	The Development of Novel Therapies for the Treatment of Acute Myeloid Leukemia (AML). <i>Cancers</i> , 2012 , 4, 1161-79	6.6	4
60	Activation loop phosphorylation of ERK3/ERK4 by group I p21-activated kinases (PAKs) defines a novel PAK-ERK3/4-MAPK-activated protein kinase 5 signaling pathway. <i>Journal of Biological Chemistry</i> , 2011 , 286, 6470-8	5.4	44
59	Ribavirin treatment effects on breast cancers overexpressing eIF4E, a biomarker with prognostic specificity for luminal B-type breast cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 2874-84	12.9	93
58	Targeting the oncogene eIF4E in cancer: From the bench to clinical trials. <i>Clinical and Investigative Medicine</i> , 2011 , 34, E315	0.9	20
57	Chemosensitization of Diffuse Large B Cell Lymphoma by Demethylating Nucleoside Analogues. <i>Blood</i> , 2011 , 118, 1617-1617	2.2	
56	A Phase I Combination Study of Ribavirin and Low Dose Cytarabine Arabinoside (ara-C) in M4/M5 Acute Myeloid Leukemia (AML) and AML with High eIF4E,. <i>Blood</i> , 2011 , 118, 3606-3606	2.2	
55	Structural characterization of the Z RING-eIF4E complex reveals a distinct mode of control for eIF4E. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5441-6 ^{11.5}	11.5	58
54	Cell biology. Puzzled by PML. <i>Science</i> , 2010 , 330, 1183-4	33.3	2
53	An antiviral disulfide compound blocks interaction between arenavirus Z protein and cellular promyelocytic leukemia protein. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 393, 625-30 ⁴	3.4	18
52	Ribavirin as an anti-cancer therapy: acute myeloid leukemia and beyond?. <i>Leukemia and Lymphoma</i> , 2010 , 51, 1805-15	1.9	96
51	The Eukaryotic Translation Initiation Factor eIF4E, a Recently Identified Therapeutic Target In AML, Is a Direct Transcriptional Target of NFkB. <i>Blood</i> , 2010 , 116, 3146-3146	2.2	

50	The eukaryotic translation initiation factor 4E (eIF4E) and HuR RNA operons collaboratively regulate the expression of survival and proliferative genes. <i>Cell Cycle</i> , 2009 , 8, 959-964	4.7	24
49	Tissue targeting in cancer: eIF4Es tale. <i>Clinical Cancer Research</i> , 2009 , 15, 4254-5	12.9	2
48	Control of p53 multimerization by Ubc13 is JNK-regulated. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 12676-81	11.5	38
47	Stability of eukaryotic translation initiation factor 4E mRNA is regulated by HuR, and this activity is dysregulated in cancer. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1152-62	4.8	71
46	Two fundamentally distinct PCNA interaction peptides contribute to chromatin assembly factor 1 function. <i>Molecular and Cellular Biology</i> , 2009 , 29, 6353-65	4.8	47
45	A mechanism of nucleocytoplasmic trafficking for the homeodomain protein PRH. <i>Molecular and Cellular Biochemistry</i> , 2009 , 332, 173-81	4.2	6
44	Molecular dissection of the eukaryotic initiation factor 4E (eIF4E) export-competent RNP. <i>EMBO Journal</i> , 2009 , 28, 1087-98	13	101
43	Molecular targeting of the oncogene eIF4E in acute myeloid leukemia (AML): a proof-of-principle clinical trial with ribavirin. <i>Blood</i> , 2009 , 114, 257-60	2.2	234
42	Targeting the Oncogene eIF4E with Ribavirin: A Novel Therapeutic Avenue in Acute Myeloid Leukemia.. <i>Blood</i> , 2009 , 114, 2085-2085	2.2	
41	Ribavirin targets eIF4E dependent Akt survival signaling. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 375, 341-5	3.4	42
40	The Proline-Rich Homeodomain (PRH/HEX) Protein Is Down-Regulated in Liver during Infection with Lymphocytic Choriomeningitis Virus. <i>Journal of Virology</i> , 2008 , 82, 8954-8954	6.6	78
39	PU.1 expression is modulated by the balance of functional sense and antisense RNAs regulated by a shared cis-regulatory element. <i>Genes and Development</i> , 2008 , 22, 2085-92	12.6	136
38	The eIF4E RNA regulon promotes the Akt signaling pathway. <i>Journal of Cell Biology</i> , 2008 , 181, 51-63	7.3	77
37	NMR assignment of the arenaviral protein Z from Lassa fever virus. <i>Biomolecular NMR Assignments</i> , 2008 , 2, 81-4	0.7	13
36	The Mdm2 RING domain C-terminus is required for supramolecular assembly and ubiquitin ligase activity. <i>EMBO Journal</i> , 2007 , 26, 90-101	13	162
35	Controlling gene expression through RNA regulons: the role of the eukaryotic translation initiation factor eIF4E. <i>Cell Cycle</i> , 2007 , 6, 65-9	4.7	121
34	The structurally disordered KRAB repression domain is incorporated into a protease resistant core upon binding to KAP-1-RBCC domain. <i>Journal of Molecular Biology</i> , 2007 , 370, 269-89	6.5	20
33	Regulation of p53 localization and activity by Ubc13. <i>Molecular and Cellular Biology</i> , 2006 , 26, 8901-13	4.8	80

32	eIF4E is a central node of an RNA regulon that governs cellular proliferation. <i>Journal of Cell Biology</i> , 2006 , 175, 415-26	7.3	209
31	Cap-free structure of eIF4E suggests a basis for conformational regulation by its ligands. <i>EMBO Journal</i> , 2006 , 25, 5138-49	13	79
30	eIF4E promotes nuclear export of cyclin D1 mRNAs via an element in the 3'UTR. <i>Journal of Cell Biology</i> , 2005 , 169, 245-56	7.3	137
29	The proline-rich homeodomain (PRH/HEX) protein is down-regulated in liver during infection with lymphocytic choriomeningitis virus. <i>Journal of Virology</i> , 2005 , 79, 2461-73	6.6	28
28	Further evidence that ribavirin interacts with eIF4E. <i>Rna</i> , 2005 , 11, 1762-6	5.8	71
27	Eukaryotic translation initiation factor 4E activity is modulated by HOXA9 at multiple levels. <i>Molecular and Cellular Biology</i> , 2005 , 25, 1100-12	4.8	72
26	Phosphorylation of the eukaryotic translation initiation factor eIF4E contributes to its transformation and mRNA transport activities. <i>Cancer Research</i> , 2004 , 64, 8639-42	10.1	202
25	Structure of the C-terminal RING finger from a RING-IBR-RING/TRIAD motif reveals a novel zinc-binding domain distinct from a RING. <i>Journal of Molecular Biology</i> , 2004 , 340, 1117-29	6.5	79
24	Ribavirin suppresses eIF4E-mediated oncogenic transformation by physical mimicry of the 7-methyl guanosine mRNA cap. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 18105-10	11.5	227
23	Physical mechanisms and biological significance of supramolecular protein self-assembly. <i>Current Protein and Peptide Science</i> , 2004 , 5, 125-34	2.8	36
22	The proline-rich homeodomain protein, PRH, is a tissue-specific inhibitor of eIF4E-dependent cyclin D1 mRNA transport and growth. <i>EMBO Journal</i> , 2003 , 22, 689-703	13	120
21	UV-C-induced DNA damage leads to p53-dependent nuclear trafficking of PML. <i>Oncogene</i> , 2003 , 22, 1620-8	4.8	46
20	Aberrant eukaryotic translation initiation factor 4E-dependent mRNA transport impedes hematopoietic differentiation and contributes to leukemogenesis. <i>Molecular and Cellular Biology</i> , 2003 , 23, 8992-9002	4.8	157
19	Finding a role for PML in APL pathogenesis: a critical assessment of potential PML activities. <i>Leukemia</i> , 2002 , 16, 1906-17	10.7	31
18	Pondering the promyelocytic leukemia protein (PML) puzzle: possible functions for PML nuclear bodies. <i>Molecular and Cellular Biology</i> , 2002 , 22, 5259-69	4.8	264
17	Gamma interferon and cadmium treatments modulate eukaryotic initiation factor 4E-dependent mRNA transport of cyclin D1 in a PML-dependent manner. <i>Molecular and Cellular Biology</i> , 2002 , 22, 6183-98	4.8	50
16	Control of biochemical reactions through supramolecular RING domain self-assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 15404-9	11.5	104
15	Self-assembly properties of a model RING domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 667-72	11.5	88

14	Role of the promyelocytic leukemia protein PML in the interferon sensitivity of lymphocytic choriomeningitis virus. <i>Journal of Virology</i> , 2001 , 75, 6204-8	6.6	69
13	The RING domains of the promyelocytic leukemia protein PML and the arenaviral protein Z repress translation by directly inhibiting translation initiation factor eIF4E. <i>Journal of Molecular Biology</i> , 2001 , 312, 609-23	6.5	121
12	The yeast two-hybrid system and its pharmaceutical significance. <i>Pharmaceutical Research</i> , 2000 , 17, 1049-55	4.5	10
11	The lymphocytic choriomeningitis virus RING protein Z associates with eukaryotic initiation factor 4E and selectively represses translation in a RING-dependent manner. <i>Journal of Virology</i> , 2000 , 74, 3293-300	6.6	106
10	RING domains: master builders of molecular scaffolds?. <i>Journal of Molecular Biology</i> , 2000 , 295, 1103-12	6.5	347
9	The promyelocytic leukemia protein PML interacts with the proline-rich homeodomain protein PRH: a RING may link hematopoiesis and growth control. <i>Oncogene</i> , 1999 , 18, 7091-100	9.2	56
8	Structure/function in neuroprotection and apoptosis. <i>Annals of Neurology</i> , 1998 , 44, S65-71	9.4	17
7	Two RING finger proteins, the oncoprotein PML and the arenavirus Z protein, colocalize with the nuclear fraction of the ribosomal P proteins. <i>Journal of Virology</i> , 1998 , 72, 3819-26	6.6	101
6	An arenavirus RING (zinc-binding) protein binds the oncoprotein promyelocyte leukemia protein (PML) and relocates PML nuclear bodies to the cytoplasm. <i>Journal of Virology</i> , 1998 , 72, 758-66	6.6	135
5	The promyelocytic leukemia protein PML has a pro-apoptotic activity mediated through its RING domain. <i>FEBS Letters</i> , 1997 , 418, 30-4	3.8	67
4	The p53-associated protein MDM2 contains a newly characterized zinc-binding domain called the RING finger. <i>Trends in Biochemical Sciences</i> , 1994 , 19, 198-9	10.3	83
3	Characterisation of a novel cysteine/histidine-rich metal binding domain from <i>Xenopus</i> nuclear factor XNF7. <i>FEBS Letters</i> , 1993 , 335, 255-60	3.8	31
2	Sequence-specific NMR assignments of the trp repressor from <i>Escherichia coli</i> using three-dimensional ¹⁵ N/ ¹ H heteronuclear techniques. <i>FEBS Journal</i> , 1992 , 204, 137-46		11
1	Determination of the orientations of tryptophan analogues bound to the trp repressor and the relationship to activation. <i>FEBS Journal</i> , 1991 , 202, 459-70		12