

# Naoko Yoshii

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8230449/publications.pdf>

Version: 2024-02-01

9  
papers

90  
citations

1937685  
4  
h-index

1588992  
8  
g-index

9  
all docs

9  
docs citations

9  
times ranked

189  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impaired nuclear factor erythroid 2-related factor 2 expression increases apoptosis of airway epithelial cells in patients with chronic obstructive pulmonary disease due to cigarette smoking. <i>BMC Pulmonary Medicine</i> , 2016, 16, 27.	2.0	44
2	The intervention by an antimicrobial stewardship team can improve clinical and microbiological outcomes of resistant gram-negative bacteria. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 1001-1006.	1.7	17
3	Clinical characteristics of bacteremia caused by hypermucoviscous <i>Klebsiella pneumoniae</i> at a tertiary hospital. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 95, 84-88.	1.8	14
4	The Comparison of the Efficacy of Baloxavir and Neuraminidase Inhibitors for Patients with Influenza A in Clinical Practice. <i>Internal Medicine</i> , 2020, 59, 1509-1513.	0.7	7
5	Blood culture reports by infectious disease physicians can improve prognosis of bacteremia, including weekend-onset cases. <i>International Journal of Infectious Diseases</i> , 2020, 100, 174-179.	3.3	3
6	Invasive pulmonary aspergillosis caused by <i>Aspergillus terreus</i> diagnosed using virtual bronchoscopic navigation and endobronchial ultrasonography with guide sheath and successfully treated with liposomal amphotericin B. <i>Infection</i> , 2021, 49, 1049-1054.	4.7	2
7	The effect of intervention by an antimicrobial stewardship team on anaerobic bacteremia. <i>Anaerobe</i> , 2020, 64, 102214.	2.1	2
8	Idiopathic Obliterative Bronchiolitis in a Young Woman: A Rare Case of a Transbronchial Lung Biopsy Contributing to the Diagnosis. <i>Internal Medicine</i> , 2022, 61, 2759-2764.	0.7	1
9	Simulation of the Dosing Regimen of the Anti-MRSA Drug Daptomycin in a Patient Receiving Thrice-weekly Hemodialysis: Is It Reasonable to Administer 1.5 Times Dosage before the 72-hour Interval after Dialysis?. <i>Japanese Journal of Clinical Pharmacology and Therapeutics</i> , 2020, 51, 325-330.	0.1	0