

# Yanjie Su

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8231210/yanjie-su-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137  
papers

5,225  
citations

43  
h-index

67  
g-index

141  
ext. papers

6,375  
ext. citations

6.3  
avg, IF

5.82  
L-index

#	Paper	IF	Citations
137	Nitrogen-doped, carbon-rich, highly photoluminescent carbon dots from ammonium citrate. <i>Nanoscale</i> , <b>2014</b> , 6, 1890-5	7.7	668
136	Diffusion engineering of ions and charge carriers for stable efficient perovskite solar cells. <i>Nature Communications</i> , <b>2017</b> , 8, 15330	17.4	290
135	A green heterogeneous synthesis of N-doped carbon dots and their photoluminescence applications in solid and aqueous states. <i>Nanoscale</i> , <b>2014</b> , 6, 10307-15	7.7	258
134	Controllable Synthesis of Fluorescent Carbon Dots and Their Detection Application as Nanoprobes. <i>Nano-Micro Letters</i> , <b>2013</b> , 5, 247-259	19.5	200
133	Fast one-step synthesis of N-doped carbon dots by pyrolyzing ethanolamine. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 7477-7481	7.1	126
132	Design of Hetero-Nanostructures on MoS Nanosheets To Boost NO Room-Temperature Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 22640-22649	9.5	121
131	Efficient long lifetime room temperature phosphorescence of carbon dots in a potash alum matrix. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 2798-2801	7.1	116
130	Three-dimensional conductive networks based on stacked SiO@graphene frameworks for enhanced gas sensing. <i>Nanoscale</i> , <b>2017</b> , 9, 109-118	7.7	102
129	An ultrasensitive NO <sub>2</sub> gas sensor based on a hierarchical Cu <sub>2</sub> O/CuO mesocrystal nanoflower. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 17120-17131	13	92
128	Exceptional negative thermal expansion and viscoelastic properties of graphene oxide paper. <i>Carbon</i> , <b>2012</b> , 50, 2804-2809	10.4	87
127	A new strategy to prepare N-doped holey graphene for high-volumetric supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 9739-9743	13	84
126	A non-enzymatic glucose sensor based on the composite of cubic Cu nanoparticles and arc-synthesized multi-walled carbon nanotubes. <i>Biosensors and Bioelectronics</i> , <b>2013</b> , 47, 86-91	11.8	76
125	Morphology Control and Photocatalysis Enhancement by in Situ Hybridization of Cuprous Oxide with Nitrogen-Doped Carbon Quantum Dots. <i>Langmuir</i> , <b>2016</b> , 32, 9418-27	4	76
124	One-step electrodeposition of nickel cobalt sulfide nanosheets on Ni nanowire film for hybrid supercapacitor. <i>Electrochimica Acta</i> , <b>2018</b> , 259, 617-625	6.7	70
123	Tunable band gap Cu <sub>2</sub> ZnSnS <sub>4</sub> xSe <sub>4</sub> (1-x) nanocrystals: experimental and first-principles calculations. <i>CrystEngComm</i> , <b>2011</b> , 13, 2222	3.3	67
122	Enhanced NO <sub>2</sub> sensing performance of reduced graphene oxide by in situ anchoring carbon dots. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 6862-6871	7.1	66
121	Enhanced formaldehyde detection based on Ni doping of SnO <sub>2</sub> nanoparticles by one-step synthesis. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 263, 120-128	8.5	66

120	Paper-like graphene-Ag composite films with enhanced mechanical and electrical properties. <i>Nanoscale Research Letters</i> , <b>2013</b> , 8, 32	5	66
119	ZnO nanowire/reduced graphene oxide nanocomposites for significantly enhanced photocatalytic degradation of Rhodamine 6G. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2014</b> , 56, 251-253	3.3	60
118	Two-dimensional NiO nanosheets with enhanced room temperature NO sensing performance via Al doping. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 19043-19049	3.6	59
117	Construction of MoS <sub>2</sub> /SnO <sub>2</sub> heterostructures for sensitive NO <sub>2</sub> detection at room temperature. <i>Applied Surface Science</i> , <b>2019</b> , 493, 613-619	6.7	58
116	Blue and green photoluminescence graphene quantum dots synthesized from carbon fibers. <i>Materials Letters</i> , <b>2013</b> , 93, 161-164	3.3	57
115	Hydrothermal synthesis of hexagonal CuSe nanoflakes with excellent sunlight-driven photocatalytic activity. <i>CrystEngComm</i> , <b>2014</b> , 16, 9185-9190	3.3	56
114	Interface engineered WS <sub>2</sub> /ZnS heterostructures for sensitive and reversible NO <sub>2</sub> room temperature sensing. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 296, 126666	8.5	55
113	Carbon quantum dots decorated Cu <sub>2</sub> S nanowire arrays for enhanced photoelectrochemical performance. <i>Nanoscale</i> , <b>2016</b> , 8, 8559-67	7.7	54
112	Light-assisted recovery for a highly-sensitive NO <sub>2</sub> sensor based on RGO-CeO <sub>2</sub> hybrids. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 270, 119-129	8.5	54
111	One-pot liquid-phase exfoliation from graphite to graphene with carbon quantum dots. <i>Nanoscale</i> , <b>2015</b> , 7, 10527-34	7.7	52
110	One-step synthesis of 2D C <sub>3</sub> N <sub>4</sub> -tin oxide gas sensors for enhanced acetone vapor detection. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 253, 641-651	8.5	52
109	Cobalt Doping To Boost the Electrochemical Properties of Ni@Ni S Nanowire Films for High-Performance Supercapacitors. <i>ChemSusChem</i> , <b>2017</b> , 10, 4056-4065	8.3	51
108	Direct Inkjet Printing of Aqueous Inks to Flexible All-Solid-State Graphene Hybrid Micro-Supercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 46044-46053	9.5	50
107	Highly Enhanced Visible-Light-Driven Photoelectrochemical Performance of ZnO-Modified InS Nanosheet Arrays by Atomic Layer Deposition. <i>Nano-Micro Letters</i> , <b>2018</b> , 10, 45	19.5	49
106	Two-dimensional Cd-doped porous Co <sub>3</sub> O <sub>4</sub> nanosheets for enhanced room-temperature NO <sub>2</sub> sensing performance. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 305, 127393	8.5	49
105	Ultrasensitive room temperature NO <sub>2</sub> sensors based on liquid phase exfoliated WSe <sub>2</sub> nanosheets. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 300, 127013	8.5	48
104	Carbon nanomaterials synthesized by arc discharge hot plasma. <i>Carbon</i> , <b>2015</b> , 83, 90-99	10.4	46
103	Sonochemical synthesis of hierarchical WO <sub>3</sub> flower-like spheres for highly efficient triethylamine detection. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 306, 127536	8.5	46

102	Controllable synthesis of crescent-shaped porous NiO nanoplates for conductometric ethanol gas sensors. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 296, 126642	8.5	45
101	A one-pot synthesis of reduced graphene oxide-CuS quantum dot hybrids for optoelectronic devices. <i>Nanoscale</i> , <b>2013</b> , 5, 8889-93	7.7	45
100	Rapid solid-phase microwave synthesis of highly photoluminescent nitrogen-doped carbon dots for Fe(3+) detection and cellular bioimaging. <i>Nanotechnology</i> , <b>2016</b> , 27, 395706	3.4	45
99	Controlled growth of vertically aligned ultrathin InS nanosheet arrays for photoelectrochemical water splitting. <i>Nanoscale</i> , <b>2018</b> , 10, 1153-1161	7.7	45
98	Glucose-assisted synthesis of hierarchical flower-like Co <sub>3</sub> O <sub>4</sub> nanostructures assembled by porous nanosheets for enhanced acetone sensing. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 288, 699-706	8.5	44
97	Arc synthesis of double-walled carbon nanotubes in low pressure air and their superior field emission properties. <i>Carbon</i> , <b>2013</b> , 58, 92-98	10.4	44
96	A Z-scheme photocatalyst for enhanced photocatalytic H <sub>2</sub> evolution, constructed by growth of 2D plasmonic MoO <sub>3</sub> nanoplates onto 2D g-CN nanosheets. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 567, 213-223	9.3	44
95	Controllable synthesis of heterostructured CuO/NiO nanotubes and their synergistic effect for glycol gas sensing. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 304, 127347	8.5	43
94	Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene/graphene nanocomposites: Synthesis and application in electrochemical energy storage. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 815, 152403	5.7	43
93	Hierarchically ZnInS nanosheet-constructed microwire arrays: template-free synthesis and excellent photocatalytic performances. <i>Nanoscale</i> , <b>2018</b> , 10, 4735-4744	7.7	38
92	Low-cost synthesis of single-walled carbon nanotubes by low-pressure air arc discharge. <i>Materials Research Bulletin</i> , <b>2014</b> , 50, 23-25	5.1	38
91	Gold nanobipyramid@cuprous oxide jujube-like nanostructures for plasmon-enhanced photocatalytic performance. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 234, 26-36	21.8	36
90	Synthesis of CuInS <sub>2</sub> nanowire arrays via solution transformation of Cu <sub>2</sub> S self-template for enhanced photoelectrochemical performance. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 203, 715-724	21.8	35
89	Synthesis of single-walled carbon nanotubes with selective diameter distributions using DC arc discharge under CO mixed atmosphere. <i>Applied Surface Science</i> , <b>2011</b> , 257, 3123-3127	6.7	35
88	Novel Sn <sub>x</sub> Se <sub>1-x</sub> nanocrystals with tunable band gap: experimental and first-principles calculations. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 12605		34
87	Hierarchical CoNi <sub>2</sub> S <sub>4</sub> nanosheet/nanotube array structure on carbon fiber cloth for high-performance hybrid supercapacitors. <i>Electrochimica Acta</i> , <b>2019</b> , 305, 81-89	6.7	33
86	Two-dimensional MoSe nanosheets via liquid-phase exfoliation for high-performance room temperature NO gas sensors. <i>Nanotechnology</i> , <b>2019</b> , 30, 445503	3.4	33
85	Scalable synthesis of Fe <sub>2</sub> O <sub>3</sub> /CNT composite as high-performance anode material for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 770, 116-124	5.7	32

84	Facile synthesis and photoelectric properties of carbon dots with upconversion fluorescence using arc-synthesized carbon by-products. <i>RSC Advances</i> , <b>2014</b> , 4, 4839	3.7	32
83	Rapid mass production of ZnO nanowires by a modified carbothermal reduction method. <i>Materials Letters</i> , <b>2011</b> , 65, 832-835	3.3	31
82	Diameter-control of single-walled carbon nanotubes produced by magnetic field-assisted arc discharge. <i>Carbon</i> , <b>2012</b> , 50, 2556-2562	10.4	30
81	Non-woven fabric electrodes based on graphene-based fibers for areal-energy-dense flexible solid-state supercapacitors. <i>Chemical Engineering Journal</i> , <b>2020</b> , 392, 123692	14.7	30
80	Highly repeatable and sensitive three-dimensional Fe <sub>2</sub> O <sub>3</sub> @reduced graphene oxide gas sensors by magnetic-field assisted assembly process. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 306, 127546	8.5	29
79	Prickly Ni <sub>3</sub> S <sub>2</sub> nanowires modified CdS nanoparticles for highly enhanced visible-light photocatalytic H <sub>2</sub> production. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 6618-6626	6.7	28
78	Controlled one-step synthesis of spiky polycrystalline nickel nanowires with enhanced magnetic properties. <i>CrystEngComm</i> , <b>2014</b> , 16, 8442	3.3	25
77	Controllable synthesis and photoelectric property of hexagonal SnS <sub>2</sub> nanoflakes by Triton X-100 assisted hydrothermal method. <i>Materials Letters</i> , <b>2013</b> , 111, 204-207	3.3	24
76	Large-scale synthesis of few-walled carbon nanotubes by DC arc discharge in low-pressure flowing air. <i>Materials Research Bulletin</i> , <b>2013</b> , 48, 3232-3235	5.1	23
75	Hierarchically CuInS <sub>2</sub> Nanosheet-Constructed Nanowire Arrays for Photoelectrochemical Water Splitting. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1600494	4.6	22
74	Gas sensor based on defective graphene/pristine graphene hybrid towards high sensitivity detection of NO <sub>2</sub> . <i>AIP Advances</i> , <b>2019</b> , 9, 075207	1.5	22
73	Inkjet-Printed Ultrathin MoS <sub>2</sub> -Based Electrodes for Flexible In-Plane Microsupercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 39444-39454	9.5	22
72	Graphene van der Waals heterostructures for high-performance photodetectors. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 11056-11067	7.1	21
71	Structural improvement of CVD multi-walled carbon nanotubes by a rapid annealing process. <i>Diamond and Related Materials</i> , <b>2012</b> , 25, 24-28	3.5	21
70	Highly Sensitive Broadband Single-Walled Carbon Nanotube Photodetectors Enhanced by Separated Graphene Nanosheets. <i>Advanced Optical Materials</i> , <b>2018</b> , 6, 1800791	8.1	21
69	In situ preparation of magnetic Ni-Au/graphene nanocomposites with electron-enhanced catalytic performance. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 706, 377-386	5.7	20
68	Facile synthesis of amine-functionalized graphene quantum dots with highly pH-sensitive photoluminescence. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , <b>2017</b> , 25, 704-709	1.8	20
67	Synthesis of straight multi-walled carbon nanotubes by arc discharge in air and their field emission properties. <i>Journal of Materials Science</i> , <b>2012</b> , 47, 6535-6541	4.3	20

66	Rapid synthesis and characterization of magnesium oxide nanocubes via DC arc discharge. <i>Materials Letters</i> , <b>2011</b> , 65, 100-103	3.3	20
65	Dual-targeted therapy in HER2-positive breast cancer cells with the combination of carbon dots/HER3 siRNA and trastuzumab. <i>Nanotechnology</i> , <b>2020</b> , 31, 335102	3.4	20
64	Three-Dimensional Fe <sub>3</sub> O <sub>4</sub> @Reduced Graphene Oxide Heterojunctions for High-Performance Room-Temperature NO <sub>2</sub> Sensors. <i>Frontiers in Materials</i> , <b>2019</b> , 6,	4	19
63	One-pot preparation of thin nanoporous copper foils with enhanced light absorption and SERS properties. <i>CrystEngComm</i> , <b>2015</b> , 17, 1296-1304	3.3	19
62	Semiconducting single-walled carbon nanotube/graphene van der Waals junctions for highly sensitive all-carbon hybrid humidity sensors. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 3386-3394	7.1	19
61	Facile one-pot synthesis and band gap calculations of ZnxCd <sub>1-x</sub> S nanorods. <i>Materials Letters</i> , <b>2013</b> , 102-103, 94-97	3.3	19
60	Graphene/GaAs heterojunction for highly sensitive, self-powered Visible/NIR photodetectors. <i>Materials Science in Semiconductor Processing</i> , <b>2020</b> , 111, 104989	4.3	18
59	A hybrid catalyst composed of reduced graphene oxide/Cu <sub>2</sub> S quantum dots as a transparent counter electrode for dye sensitized solar cells. <i>RSC Advances</i> , <b>2015</b> , 5, 9075-9078	3.7	16
58	Magnetic-field-induced diameter-selective synthesis of single-walled carbon nanotubes. <i>Nanoscale</i> , <b>2012</b> , 4, 1717-21	7.7	16
57	Linear humidity response of carbon dot-modified molybdenum disulfide. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 4083-4091	3.6	15
56	Hydrothermal synthesis of porous copper microspheres towards efficient 4-nitrophenol reduction. <i>Materials Research Bulletin</i> , <b>2016</b> , 83, 329-335	5.1	15
55	Band gap tunable Sn-doped PbSe nanocrystals: solvothermal synthesis and first-principles calculations. <i>CrystEngComm</i> , <b>2012</b> , 14, 7408	3.3	15
54	Length-controlled synthesis of single-walled carbon nanotubes by arc discharge with variable cathode diameters. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2012</b> , 44, 1548-1551	3	15
53	Highly sensitive NO gas sensors based on hexagonal SnS nanoplates operating at room temperature. <i>Nanotechnology</i> , <b>2020</b> , 31, 075501	3.4	15
52	Synthesis of carbon nanotubes on graphene quantum dot surface by catalyst free chemical vapor deposition. <i>Carbon</i> , <b>2014</b> , 68, 399-405	10.4	14
51	One-pot synthesis of ultranarrow single crystal ZnSe nanowires. <i>Materials Letters</i> , <b>2012</b> , 67, 269-272	3.3	14
50	Synthesis of ternary Pb <sub>x</sub> Sn <sub>1-x</sub> S nanocrystals with tunable band gap. <i>CrystEngComm</i> , <b>2011</b> , 13, 6628	3.3	14
49	Facile synthesis of single-crystalline mesoporous NiO nanosheets as high-performance anode materials for Li-ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 13853-13860 <sup>2.1</sup>		13

48	Construction, Application and Verification of a Novel Formaldehyde Gas Sensor System Based on Ni-Doped SnO <sub>2</sub> Nanoparticles. <i>IEEE Sensors Journal</i> , <b>2021</b> , 21, 11023-11030	4	12
47	Highly sensitive and recoverable room-temperature NO <sub>2</sub> gas detection realized by 2D/0D MoS <sub>2</sub> /ZnS heterostructures with synergistic effects. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 347, 130608	8.5	12
46	Bandgap tuning and photocatalytic activities of CuSe <sub>1-x</sub> S <sub>x</sub> nanoflakes. <i>Ceramics International</i> , <b>2016</b> , 42, 211-219	5.1	11
45	Self-Powered Broadband Photodetector Based on Single-Walled Carbon Nanotube/GaAs Heterojunctions. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 15532-15539	8.3	11
44	Multichannel Room-Temperature Gas Sensors Based on Magnetic-Field-Aligned 3D FeO@SiO <sub>2</sub> @Reduced Graphene Oxide Spheres. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 37418-37426	9.5	11
43	Highly Sensitive Room-Temperature NO <sub>2</sub> Gas Sensors Based on Three-Dimensional Multiwalled Carbon Nanotube Networks on SiO <sub>2</sub> Nanospheres. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 13915-13923	8.3	11
42	Zn(x)Cd(1-x)Se nanomultipods with tunable band gaps: synthesis and first-principles calculations. <i>Nanotechnology</i> , <b>2013</b> , 24, 235706	3.4	10
41	Hierarchical WS <sub>2</sub> /WO <sub>3</sub> Nanohybrids with P <sub>25</sub> Heterojunctions for NO <sub>2</sub> Detection. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 1626-1634	5.6	10
40	Self-templated growth of CuInS <sub>2</sub> nanosheet arrays for photoelectrochemical water splitting. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 809, 151794	5.7	9
39	Enhancing the photosensitivity of C <sub>60</sub> nanorod visible photodetectors by coupling with Cu <sub>2</sub> O nanocubes. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 1715-1721	7.1	8
38	Highly compressible carbon nanowires synthesized by coating single-walled carbon nanotubes. <i>Carbon</i> , <b>2011</b> , 49, 3579-3584	10.4	8
37	A Novel Artificial Neuron-Like Gas Sensor Constructed from CuS Quantum Dots/BiS Nanosheets. <i>Nano-Micro Letters</i> , <b>2021</b> , 14, 8	19.5	8
36	Design of p-p heterojunctions based on CuO decorated WS <sub>2</sub> nanosheets for sensitive NH <sub>3</sub> gas sensing at room temperature. <i>Nanotechnology</i> , <b>2021</b> , 32,	3.4	8
35	Hexagonally ordered microbowl arrays decorated with ultrathin CuInS <sub>2</sub> nanosheets for enhanced photoelectrochemical performance. <i>Journal of Energy Chemistry</i> , <b>2020</b> , 51, 134-142	12	7
34	Controllable Synthesis of Fluorescent Carbon Dots and Their Detection Application as Nanoprobes <b>2013</b> , 5, 247		7
33	Binder-Free, Flexible, and Self-Standing Non-Woven Fabric Anodes Based on Graphene/Si Hybrid Fibers for High-Performance Li-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 27270-27277	9.5	7
32	Wearable NO <sub>2</sub> sensing and wireless application based on ZnS nanoparticles/nitrogen-doped reduced graphene oxide. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 345, 130423	8.5	7
31	Hierarchically porous micro/nanostructured copper surfaces with enhanced antireflection and hydrophobicity. <i>Applied Surface Science</i> , <b>2016</b> , 361, 11-17	6.7	6

30	NO gas sensor based on graphene decorated with Ge quantum dots. <i>Nanotechnology</i> , <b>2019</b> , 30, 074004	3.4	5
29	Laser-Induced MoO/Sulfur-Doped Graphene Hybrid Frameworks as Efficient Antibacterial Agents. <i>Langmuir</i> , <b>2021</b> , 37, 1596-1604	4	5
28	Noble metal (Ag, Au, Pd and Pt) doped TaS monolayer for gas sensing: a first-principles investigation. <i>Physical Chemistry Chemical Physics</i> , <b>2021</b> , 23, 18359-18368	3.6	5
27	Synthesis and optoelectronic properties of reduced graphene oxide/InP quantum dot hybrids. <i>RSC Advances</i> , <b>2016</b> , 6, 97861-97864	3.7	4
26	Controlled synthesis of different metal oxide nanostructures by direct current arc discharge. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2013</b> , 13, 1078-81	1.3	4
25	Enhancing room-temperature NO detection of cobalt phthalocyanine based gas sensor at an ultralow laser exposure. <i>Physical Chemistry Chemical Physics</i> , <b>2020</b> , 22, 18499-18506	3.6	4
24	PANI/Graphene quantum dots/graphene co-coated compressed non-woven towel for wearable energy storage. <i>Synthetic Metals</i> , <b>2020</b> , 270, 116571	3.6	4
23	Enhancing room-temperature NO gas sensing performance based on a metal phthalocyanine/graphene quantum dot hybrid material.. <i>RSC Advances</i> , <b>2021</b> , 11, 5618-5628	3.7	4
22	Carbon Foam Fibers with a Concentric Tube-Core/Three-Dimensional Nanosheet-Sheath Structure for High-Performance Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , <b>2021</b> , 8, 873-879	4.3	4
21	Room temperature DMMP gas sensing based on cobalt phthalocyanine derivative/graphene quantum dot hybrid materials.. <i>RSC Advances</i> , <b>2021</b> , 11, 14805-14813	3.7	4
20	ZnO Nanotapered Arrays With Successively Modulated Sharpness Via a Supersaturation-Controlled Hydrothermal Reaction for Efficient Field Emitters. <i>IEEE Nanotechnology Magazine</i> , <b>2016</b> , 15, 261-267	2.6	3
19	3D highly efficient photonic micro concave-pit arrays for enhanced solar water splitting. <i>Nanoscale</i> , <b>2019</b> , 11, 18071-18080	7.7	3
18	Vapor-phase chemical synthesis of magnesium oxide nanowires by DC arc discharge. <i>Journal of Nanoparticle Research</i> , <b>2011</b> , 13, 3229-3233	2.3	3
17	ZnO nanoplate clusters with numerous enlarged catalytic interface exposures via a hydrothermal method for improved and recyclable photocatalytic activity. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 1576-1583	2.1	3
16	Binary nanosheet frameworks of graphene/polyaniline composite for high-areal flexible supercapacitors. <i>Materials Chemistry and Physics</i> , <b>2021</b> , 273, 125128	4.4	3
15	Enhanced electron field emission characteristics of single-walled carbon nanotube films by ultrasonic bonding. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2014</b> , 63, 165-168	3	2
14	Photolithography enhancement by incorporating photoluminescent nanoscale cesium iodide molecular dots into the photoresists. <i>Journal of Nanoparticle Research</i> , <b>2013</b> , 15, 1	2.3	2
13	Group III dopant segregation and semiconductor-to-metal transition in ZnO nanowires: a first principles study. <i>RSC Advances</i> , <b>2013</b> , 3, 19793	3.7	2



12	In-plane Defect Engineering Enabling Ultra-stable Graphene Paper-based Hosts for Lithium Metal Anodes. <i>ChemElectroChem</i> , <b>2021</b> , 8, 3273-3281	4.3	2
11	Classification and concentration prediction of VOCs with high accuracy based on an electronic nose using an ELM-ELM integrated algorithm. <i>IEEE Sensors Journal</i> , <b>2022</b> , 1-1	4	2
10	Conducting polymer-bridged three-dimensional heterojunctions of reduced graphene oxide/Fe <sub>2</sub> O <sub>3</sub> hybrids for high-performance NO <sub>2</sub> gas sensing. <i>Results in Surfaces and Interfaces</i> , <b>2022</b> , 7, 100057	0	1
9	Microwave-Assisted Chitosan-Functionalized Graphene Oxide as Controlled Intracellular Drug Delivery Nanosystem for Synergistic Antitumour Activity. <i>Nanoscale Research Letters</i> , <b>2021</b> , 16, 75	5	0
8	Metal-organic frameworks and their derivatives as anode material in lithium-ion batteries: Recent advances towards novel configurations. <i>International Journal of Energy Research</i> ,	4.5	0
7	All-Carbon van der Waals Heterojunction Photodetectors. <i>Springer Series in Materials Science</i> , <b>2022</b> , 131-147	0.9	1
6	Carbon-Based Heterojunction Broadband Photodetectors. <i>Springer Series in Materials Science</i> , <b>2022</b> , 91-129	0.9	1
5	Introduction of Carbon Nanostructures. <i>Springer Series in Materials Science</i> , <b>2022</b> , 1-26	0.9	1
4	Carbon Nanotube/semiconductor van der Waals Heterojunction Solar Cells. <i>Springer Series in Materials Science</i> , <b>2022</b> , 149-170	0.9	1
3	Characterizations of Carbon Nanotubes and Graphene. <i>Springer Series in Materials Science</i> , <b>2022</b> , 65-90	0.9	1
2	Toward All-Carbon Hybrid Solar Cells. <i>Springer Series in Materials Science</i> , <b>2022</b> , 171-185	0.9	1
1	Controlled Growths of Carbon Nanotubes and Graphene. <i>Springer Series in Materials Science</i> , <b>2022</b> , 41-64	0.9	1