

Elvira LÃ³pez-Tamames

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8233601/publications.pdf>

Version: 2024-02-01

57
papers

2,722
citations

147726

31
h-index

175177

52
g-index

57
all docs

57
docs citations

57
times ranked

2499
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Process Parameters on Sourdough Microbiota, Physical Properties and Sensory Profile. <i>Food Reviews International</i> , 2023, 39, 334-348.	4.3	8
2	Revalorization of Cava (Spanish Sparkling Wine) Lees on Sourdough Fermentation. <i>Fermentation</i> , 2022, 8, 133.	1.4	3
3	By-Product Revalorization: Cava Lees Can Improve the Fermentation Process and Change the Volatile Profile of Bread. <i>Foods</i> , 2022, 11, 1361.	1.9	4
4	Inhibition of Biogenic Amines Formation in Fermented Foods by the Addition of Cava Lees. <i>Frontiers in Microbiology</i> , 2021, 12, 818565.	1.5	6
5	Ultrahigh-Performance Liquid Chromatography (UHPLC)–Tandem Mass Spectrometry (MS/MS) Quantification of Nine Target Indoles in Sparkling Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 4772-4776.	2.4	14
6	Assessment of the aroma profiles of low-alcohol beers using HS-SPME–GC-MS. <i>Food Research International</i> , 2014, 57, 196-202.	2.9	105
7	Kinetics of Browning, Phenolics, and 5-Hydroxymethylfurfural in Commercial Sparkling Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1159-1166.	2.4	34
8	Changes in RNA Catabolites of Sparkling Wines During the Biological Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6028-6035.	2.4	6
9	Browning during biological aging and commercial storage of Cava sparkling wine and the use of 5-HMF as a quality marker. <i>Food Research International</i> , 2013, 53, 226-231.	2.9	30
10	Identification of 5-hydroxymethyl-2-furfural (5-HMF) in Cava sparkling wines by LC-DAD-MS/MS and NMR spectrometry. <i>Food Chemistry</i> , 2013, 141, 3373-3380.	4.2	38
11	Sparkling Wines: Features and Trends from Tradition. <i>Advances in Food and Nutrition Research</i> , 2012, 66, 1-45.	1.5	26
12	Ultrastructural changes of sparkling wine lees during long-term aging in real enological conditions. <i>FEMS Yeast Research</i> , 2012, 12, 466-476.	1.1	21
13	Characterisation of volatile composition of white salsify (<i>Tragopogon porrifolius</i> L.) by headspace solid-phase microextraction (HS-SPME) and simultaneous distillation–extraction (SDE) coupled to GC–MS. <i>Food Chemistry</i> , 2011, 129, 557-564.	4.2	39
14	Surface properties of <i>Saccharomyces cerevisiae</i> lees during sparkling wine ageing and their effect on flocculation. <i>International Journal of Food Microbiology</i> , 2010, 140, 125-130.	2.1	19
15	Antioxidant activity of lees cell surface during sparkling wine sur lie aging. <i>International Journal of Food Microbiology</i> , 2010, 143, 48-53.	2.1	36
16	Changes in the Sorption of Diverse Volatiles by <i>Saccharomyces cerevisiae</i> Lees during Sparkling Wine Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12426-12430.	2.4	35
17	Evolution of Sesquiterpene Hydrocarbons in Virgin Olive Oil during Fruit Ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 6972-6976.	2.4	18
18	Assessment of Volatile and Sensory Profiles between Base and Sparkling Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 2455-2461.	2.4	82

#	ARTICLE	IF	CITATIONS
19	Viability of total phenol index value as quality marker of sparkling wines, "œcavas" Food Chemistry, 2009, 114, 782-790.	4.2	20
20	Volatile phenols in virgin olive oils: Influence of olive variety on their formation during fruits storage. Food Chemistry, 2009, 116, 651-656.	4.2	30
21	Analysis of Sparkling Wine Lees Surface Volatiles by Optimized Headspace Solid-Phase Microextraction. Journal of Agricultural and Food Chemistry, 2009, 57, 3279-3285.	2.4	34
22	Influence of Olives™ Storage Conditions on the Formation of Volatile Phenols and Their Role in Off-Odor Formation in the Oil. Journal of Agricultural and Food Chemistry, 2009, 57, 1449-1455.	2.4	25
23	Membrane separation technology for the reduction of alcoholic degree of a white model wine. LWT - Food Science and Technology, 2009, 42, 1390-1395.	2.5	63
24	Assessment of some diterpenoids in commercial distilled gin. Analytica Chimica Acta, 2008, 628, 222-229.	2.6	25
25	Sensory Characterization of Dry Gins with Different Volatile Profiles. Journal of Food Science, 2008, 73, S286-93.	1.5	13
26	Different commercial yeast strains affecting the volatile and sensory profile of cava base wine. International Journal of Food Microbiology, 2008, 124, 48-57.	2.1	97
27	The occurrence of volatile and semi-volatile aromatic hydrocarbons in virgin olive oils from north-eastern Italy. Food Control, 2007, 18, 1204-1210.	2.8	25
28	Volatile profiles of sparkling wines obtained by three extraction methods and gas chromatography-mass spectrometry (GC-MS) analysis. Food Chemistry, 2007, 105, 428-435.	4.2	93
29	Comparative study of different extraction techniques for the analysis of virgin olive oil aroma. Food Chemistry, 2007, 105, 1171-1178.	4.2	75
30	HS-SPME coupled to GC/MS for quality control of Juniperus communis L. berries used for gin aromatization. Food Chemistry, 2007, 105, 1748-1754.	4.2	49
31	Volatile and semi-volatile components of oak wood chips analysed by Accelerated Solvent Extraction (ASE) coupled to gas chromatography-mass spectrometry (GC-MS). Food Chemistry, 2007, 102, 1260-1269.	4.2	71
32	Monoterpene and sesquiterpene hydrocarbons of virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry. Journal of Chromatography A, 2006, 1125, 117-123.	1.8	50
33	Development of volatile compounds of cava (Spanish sparkling wine) during long ageing time in contact with lees. Food Chemistry, 2006, 95, 237-242.	4.2	96
34	Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry. Journal of Chromatography A, 2005, 1090, 146-154.	1.8	88
35	Characterization of Volatiles in Different Dry Gins. Journal of Agricultural and Food Chemistry, 2005, 53, 10154-10160.	2.4	53
36	Assessment of the Volatile Composition of Juices of Apricot, Peach, and Pear According to Two Pectolytic Treatments. Journal of Agricultural and Food Chemistry, 2005, 53, 7837-7843.	2.4	46

#	ARTICLE	IF	CITATIONS
37	Volatile Compounds of Red and White Wines by Headspace-Solid-Phase Microextraction Using Different Fibers. <i>Journal of Chromatographic Science</i> , 2004, 42, 310-316.	0.7	71
38	Relationship between foam parameters obtained by the gas-sparging method and sensory evaluation of sparkling wines. <i>Journal of the Science of Food and Agriculture</i> , 2004, 84, 127-133.	1.7	36
39	Characterisation of volatile compounds of fruit juices and nectars by HS/SPME and GC/MS. <i>Food Chemistry</i> , 2004, 87, 627-637.	4.2	143
40	Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection. <i>Journal of Chromatography A</i> , 2003, 983, 19-33.	1.8	219
41	Solid-Phase Microextraction in the Analysis of Virgin Olive Oil Volatile Fraction:Â Modifications Induced by Oxidation and Suitable Markers of Oxidative Status. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 6564-6571.	2.4	161
42	Solid-Phase Microextraction in the Analysis of Virgin Olive Oil Volatile Fraction:Â Characterization of Virgin Olive Oils from Two Distinct Geographical Areas of Northern Italy. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 6572-6577.	2.4	133
43	Foam Aptitude of Trepata and Monastrell Red Varieties in Cava Elaboration. 1. Base Wine Characteristics. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 5596-5599.	2.4	36
44	Foam Aptitude of Trepata and Monastrell Red Varieties in Cava Elaboration. 2. Second Fermentation and Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 5600-5604.	2.4	29
45	Influence of Fatty Acids on Wine Foaming. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 7042-7045.	2.4	36
46	Influence of Yield and Maturation Index on Polysaccharides and Other Compounds of Grape Juice. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 4604-4607.	2.4	14
47	Quality of base and sparkling wines as influenced by the type of fining agent added pre-fermentation. <i>Food Chemistry</i> , 1999, 66, 35-42.	4.2	33
48	Effect of grape pectic enzyme treatment on foaming properties of white musts and wines. <i>Food Chemistry</i> , 1999, 65, 169-173.	4.2	20
49	Prediction of Wine Foaming. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 3743-3748.	2.4	12
50	Improved size-exclusion high-performance liquid chromatographic method for the simple analysis of grape juice and wine polysaccharides. <i>Journal of Chromatography A</i> , 1998, 823, 339-347.	1.8	25
51	Foaming in Grape Juices of White Varieties. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 2526-2529.	2.4	29
52	Foam Measurements in Wines:Â Comparison of Parameters Obtained by Gas Sparging Method. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 4687-4690.	2.4	16
53	Potential Aroma in Several Varieties of Spanish Grapes. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 1729-1735.	2.4	72
54	Pectic Enzyme Treatment Effects on Quality of White Grape Musts and Wines. <i>Journal of Food Science</i> , 1997, 62, 1142-1149.	1.5	17

#	ARTICLE	IF	CITATIONS
55	Determination of free fatty acids and their ethyl esters in musts and wines. Journal of Chromatography A, 1997, 776, 283-291.	1.8	35
56	Characteristics of Sparkling Base Wines Affecting Foam Behavior. Journal of Agricultural and Food Chemistry, 1996, 44, 989-995.	2.4	62
57	Influence of Variety and Aging on Foaming Properties of Sparkling Wine (Cava). 1. Journal of Agricultural and Food Chemistry, 1996, 44, 3826-3829.	2.4	46