

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/823420/guo-liu-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85 papers	591 citations	13 h-index	19 g-index
121 ext. papers	800 ext. citations	2.7 avg, IF	4.07 L-index

#	Paper	IF	Citations
85	Synthesis of Highly Oversized TE ₁₀ to TE ₁₁ Mode Converter Based on Elliptical Waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1	4.1	
84	Circular TE ₁₁ Mode Content Analysis Technique for High-Power Gyro-TWT System. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 70, 1169-1177	4.1	
83	Influence of the Output Window Reflection on the Performance of W-Band Gyrotron Traveling Wave Tubes. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-7	2.9	4
82	A More Accurate Measurement Method of the Dielectric Material Properties With High Tolerance Using an Overmoded Waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-7	4.1	1
81	Design and Analysis of a Diode Magnetron Injection Gun for a G-Band Gyro-TWT. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-6	2.9	3
80	Design and Cold Test of a G-Band 10-kW-Level Pulse TE ₁₁ Mode Gyrotron Traveling-Wave Tube. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-7	2.9	5
79	Design and Measurement of Terahertz-Band Rectangular TE ₁₀ to Circular TE _{n1} / TE _{0p} / TE _{1q} Mode Converters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1	4.1	
78	High Average Power Test of a W-band Broadband Gyrotron Traveling Wave Tube. <i>IEEE Electron Device Letters</i> , 2022 , 1-1	4.4	4
77	Design and Experiment of a Dielectric-Loaded Gyro-TWT With a Single Depressed Collector. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-6	2.9	
76	High Average Power Investigation of Dielectric Dissipation in the W-Band Gyro-TWT. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-7	2.9	1
75	Investigation of High Interaction Efficiency of Sheet Beam TWT Based on All-Period Optimization and Beam Bunching Analysis. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 6451-6457	2.9	2
74	The High-Order Coalesced TM ₁₁ -Like Mode Operation for 220 GHz Sheet Beam Traveling-Wave Tube. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2021 , 11, 159-164	3.4	5
73	A Wideband High-Voltage Longitudinal Output Structure for Ka-Band Sheet Beam Traveling-Wave Tubes. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 2042-2047	4.1	5
72	A High-Power Sheet Beam Slow-Wave Structure of Traveling Wave Tubes. <i>IEEE Electron Device Letters</i> , 2021 , 42, 747-750	4.4	4
71	Design, Microfabrication, and Characterization of a Subterahertz-Band High-Order Overmoded Double-Staggered Grating Waveguide for Multiple-Sheet Electron Beam Devices. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 3021-3027	2.9	2
70	Microwave Measurement of a Compact Circular TE ₁₁ Mode Coupler Loaded With Ridges. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 359-363	2.9	
69	Continuous Wave Operation of a Ka-Band Broadband High-Power Sheet Beam Traveling-Wave Tube. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1069-1072	4.4	6

68	Coaxial Control in Iteration Synthesis of Axis-Perturbed Mode Converter. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 31, 1039-1042	2.6	1
67	Broadband and High Power Meta-Surface Dielectric Window for W-Band Gyrotron Traveling Wave Tubes. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1386-1389	4.4	4
66	Design and Measurement of a Broadband Beryllium Oxide Window With High Power Handling Capability. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 4711-4716	2.9	0
65	Investigation of a Multibeam Magnetron Injection Gun for a W-Band Sectorial-Tunnel Gyro-TWT. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 5211-5214	2.9	
64	Influence of the Background Plasma on the Performance for X-Band Gyrotron Traveling Wave Tubes 2021 ,		2
63	Analysis of Phase Characteristics of Gyrotron Traveling-Wave Tubes. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 2170-2175	2.9	1
62	Design, Fabrication, and Cold Test of a High Frequency System for an H-Band Sheet Beam Travelling Wave Tube. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2020 , 10, 292-301	3.4	5
61	Electron Gun Thermal Depended Properties Analysis of a High-Power $\{W\}$ -Band Sheet Beam Extended Oscillator. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 684-689	2.9	1
60	Wideband Rectangular TE ₁₀ to TE $\{n\}$ Mode Converters for Terahertz-Band High-Order Overmoded Planar Slow-Wave Structures. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 1259-1265	2.9	3
59	Corrections to Design and Measurement of a Broadband Compact TE ₁₁ Mode Input Coupler for an X-Band Gyrotron Traveling Wave Tube <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 4641-4641	4.1	1
58	Millimetre-wave design and verification of a meta-surface dielectric window made of polytetrafluoroethylene in Ka- and Q-band. <i>IET Microwaves, Antennas and Propagation</i> , 2020 , 14, 2007-2010	1.6	6
57	Analysis of the Synthesis Method for Broadband Oversized TE ₀₁ -to-TE ₁₁ Mode Converter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 620-627	4.1	4
56	Design and Measurement of a Broadband Compact TE ₁₁ Mode Input Coupler for an X-Band Gyrotron Traveling Wave Tube. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 4554-4559	4.1	5
55	Terahertz ultrasensitive biosensing metamaterial and metasurface based on spoof surface plasmon polaritons. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2020 , 33, e2529	1	5
54	Proof-of-Principle Experiment of a 20-kW-Average-Power Ka-Band Gyro-Traveling Wave Tube With a Cut-Off Waveguide Section. <i>IEEE Electron Device Letters</i> , 2020 , 41, 769-772	4.4	7
53	PID Modeling and Experiment of the Hot Test of Gyrotron Traveling Wave Tubes. <i>IEEE Transactions on Plasma Science</i> , 2019 , 47, 2812-2817	1.3	
52	Design of a High-Gain $\{X\}$ -Band Megawatt Gyrotron Traveling-Wave Tube. <i>IEEE Transactions on Plasma Science</i> , 2019 , 47, 2818-2822	1.3	4
51	Design of a Broad-band Circular Waveguide TE ₂₁ Mode Generator for Cold Test of Gyro-TWT 2019 ,		1

50	A microwave biosensor based on spoof surface plasmon polaritons for in vivo measurement of the water content of human skin tissues. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 205401	3	11
49	Design and Experiment of a High Average Power Ku-Band TE01 Mode Gyro-TWT. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 1559-1566	2.9	9
48	Design of a TE01-Mode Waveguide Bend Based on an Elliptical Waveguide Structure. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 906-914	4.1	8
47	Thermal Analysis of Micro-Channel Cooling for a Megawatt Gyrotron Travelling Wave Tube 2019 ,		2
46	Design and Millimeter-Wave Measurement of a Wideband Power Coupling Structure for Sheet Electron Beam Devices. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 3171-3177	2.9	7
45	Design and Test of Broadband Rectangular Waveguide TE10 to Circular Waveguide TE21 and TE01 Mode Converters. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 3573-3579	2.9	11
44	Experimental Study of a 6 kW W-band PCM Focused Sheet Beam EIO 2019 ,		7
43	High-Efficiency Study of an SBEIO Based on the SAA Optimization. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 4938-4942	2.9	2
42	Demonstration of a Planar $\{W\}$ -Band, kW-Level Extended Interaction Oscillator Based on a Pseudospark-Sourced Sheet Electron Beam. <i>IEEE Electron Device Letters</i> , 2018 , 39, 432-435	4.4	46
41	Theoretical and Experimental Investigations on a Gaussian-Like Beam Output System for Ku-Band Gyro-TWT. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 1976-1981	2.9	1
40	Design and Experiment of a High Power and Broadband Ku-Band TE11 Mode Gyro-TWT. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 1962-1968	2.9	8
39	Experimental demonstration of a terahertz extended interaction oscillator driven by a pseudospark-sourced sheet electron beam. <i>Applied Physics Letters</i> , 2018 , 112, 033504	3.4	22
38	Automatic Hot-Test System for High Average/Continuous-Wave Power Gyro-TWTs. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 1139-1145	2.9	3
37	Terahertz backward wave radiation from the interaction of high-order mode and double sheet electron beams. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 055107	3	18
36	Initial Investigation on Diffractive-Wave Feedback Mechanism of Confocal Gyro-TWAs. <i>IEEE Electron Device Letters</i> , 2018 , 39, 436-439	4.4	5
35	. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 1535-1541	2.9	6
34	Curved Geometry Collector Design for High-Power Gyrotraveling Wave Tubes. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 2327-2333	2.9	0
33	Broadband High-Efficiency Input Coupler With Mode Selectivity for a W-Band Confocal Gyro-TWA. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018 , 66, 1895-1901	4.1	5

32	Study of Performance Improvement for a Q -Band Sheet-Beam Traveling-Wave Tube. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 3970-3975	2.9	7
31	Simulation study of a high-order mode terahertz radiation source based on an orthogonal grating waveguide and multiple sheet electron beams. <i>Optics Express</i> , 2018 , 26, 8040-8048	3.3	16
30	Experimental Study on rf Circuits of Confocal Gyrotron Travelling-Wave Amplifiers. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2018 , 39, 749-760	2.2	
29	. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 2340-2346	2.9	3
28	Efficient Heat Dissipation Study of High-Power W -Band Sheet Beam Extended Interaction Oscillator. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 5075-5081	2.9	4
27	Broadband and compact rectangular waveguide twist by using rigid waveguide. <i>Electronics Letters</i> , 2018 , 54, 835-837	1.1	4
26	Terahertz biosensing metamaterial absorber for virus detection based on spoof surface plasmon polaritons. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2018 , 28, e21448	1.5	29
25	Investigation on High Average Power Operations of Gyro-TWTs With Dielectric-Loaded Waveguide Circuits. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 3012-3018	2.9	13
24	Simulation and Experiment of PID Applied to the Automatic Voltage Control of Gyrotron Traveling Wave Tubes. <i>IEEE Transactions on Plasma Science</i> , 2018 , 46, 2446-2451	1.3	2
23	Design and microwave measurement of a Ka-band HE11 mode corrugated horn for the Faraday rotator. <i>IET Microwaves, Antennas and Propagation</i> , 2017 , 11, 75-80	1.6	6
22	A W-Band TE12-Mode Input Converter With Nonuniform Bragg Cavities. <i>IEEE Transactions on Plasma Science</i> , 2017 , 45, 649-653	1.3	4
21	Automatic Hot Test of Gyrotron-Travelling Wave Tubes by Adaptive PID Feedback Control. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 1310-1314	2.9	6
20	Broadband rectangular TE mode exciter with H-plane power dividers for 100 GHz confocal gyro-devices. <i>Review of Scientific Instruments</i> , 2017 , 88, 074701	1.7	4
19	The PCM focused millimeter-wave sheet beam TWT 2017 ,		6
18	A Millimeter Wave High-Order TE13 Mode Converter. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 2907-2911	2.9	8
17	Design and Microwave Measurement of a Broadband Compact Power Coupler for Sheet Beam Traveling Wave Tubes. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 814-818	2.9	14
16	Ultrawideband Coalesced-Mode Operation for a Sheet-Beam Traveling-Wave Tube. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 504-511	2.9	19
15	A TE13 Mode Converter for High-Order Mode Gyrotron-Travelling-Wave Tubes. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 486-490	2.9	16

14	Design and measurement of a TE ₁₃ input converter for high order mode gyrotron travelling wave amplifiers. <i>Physics of Plasmas</i> , 2016 , 23, 033101	2.1	5
13	An Improved Slow-Wave Structure for the Sheet-Beam Traveling-Wave Tube. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 2089-2096	2.9	9
12	. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 3733-3739	2.9	7
11	Study of a High-Efficiency 34-GHz Sheet Beam Extended Interaction Oscillator With Low Filling Factor. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 4074-4080	2.9	23
10	Wideband Circular TE ₂₁ and TE ₀₁ Mode Converters With Same Exciting Topologies. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 4088-4095	2.9	19
9	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 4108-4116	4.1	15
8	RF Design, Thermal Analysis, and Cold Test of a Ku-Band Continuous Wave Sheet Beam Traveling Wave Tube. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 3844-3850	2.9	7
7	Design and microwave test of an ultrawideband input/output structure for sheet beam travelling wave tubes. <i>Review of Scientific Instruments</i> , 2015 , 86, 064703	1.7	7
6	1.2THz backward wave radiation generated by double bunched sheet beams 2015 ,		1
5	Design and experimental study of a broadband U-band TE ₀₁ gyrotron traveling wave tube 2015 ,		4
4	Theoretical analysis and design optimization of wideband input/output branch waveguide couplers for a sheet beam traveling wave tube. <i>Journal of Electromagnetic Waves and Applications</i> , 2015 , 29, 2002-2013	1.3	4
3	Comparative analysis on TM ₁₁₀ -2 π mode and TM ₁₁₀ - π mode as the operating mode for W-band sheet beam klystron. <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 1089-1099	1.3	2
2	Simulation of a G-band sheet beam backward wave oscillator with double staggered metallic rod array. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 345102	3	13
1	Design and Experiment of a Q-band Gyro-TWT Loaded With Lossy Dielectric. <i>IEEE Transactions on Electron Devices</i> , 2012 , 59, 3612-3617	2.9	48