Antonio Convit

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8234908/antonio-convit-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 68 6,543 35 h-index g-index citations papers 68 7,267 5.45 5.5 L-index avg, IF ext. papers ext. citations

#	Paper Paper	IF	Citations
66	Does obesity-associated insulin resistance affect brain structure and function of adolescents differentially by sex?. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 319, 111417	2.9	1
65	The Neutrophil to Lymphocyte Ratio Is Associated With the Risk of Subsequent Dementia in the Framingham Heart Study <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 773984	5.3	1
64	Obesity impacts brain metabolism and structure independently of amyloid and tau pathology in healthy elderly. <i>Alzheimerls and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e120	52 ²	3
63	Lifestyle and vascular risk effects on MRI-based biomarkers of Alzheimer\ddisease: a cross-sectional study of middle-aged adults from the broader New York City area. <i>BMJ Open</i> , 2018 , 8, e019362	3	40
62	Cognitive functions among predominantly minority urban adolescents with metabolic syndrome. <i>Applied Neuropsychology: Child</i> , 2018 , 7, 157-163	1.4	9
61	Insulin Sensitivity and Inflammation Mediate the Impact of Fitness on Cerebrovascular Health in Adolescents. <i>Childhood Obesity</i> , 2017 , 13, 205-212	2.5	5
60	Obese Adolescents Show Reduced Cognitive Processing Speed Compared with Healthy Weight Peers. <i>Childhood Obesity</i> , 2017 , 13, 190-196	2.5	23
59	Insulin resistance among obese middle-aged is associated with decreased cerebrovascular reactivity. <i>Neurology</i> , 2017 , 89, 249-255	6.5	17
58	Asian Adolescents with Excess Weight are at Higher Risk for Insulin Resistance than Non-Asian Peers. <i>Obesity</i> , 2017 , 25, 1974-1979	8	5
57	Fitness, insulin sensitivity, and frontal lobe integrity in adults with overweight and obesity. <i>Obesity</i> , 2016 , 24, 1283-9	8	8
56	Effects of aging on slow-wave sleep dynamics and human spatial navigational memory consolidation. <i>Neurobiology of Aging</i> , 2016 , 42, 142-149	5.6	53
55	Does Inflammation Mediate the Association Between Obesity and Insulin Resistance?. <i>Inflammation</i> , 2016 , 39, 994-1003	5.1	19
54	Obesity, fitness, and brain integrity in adolescence. <i>Appetite</i> , 2015 , 93, 44-50	4.5	26
53	Outcomes of The BODY Project: A Program to Halt Obesity and Its Medical Consequences in High School Students. <i>Journal of Community Health</i> , 2015 , 40, 1149-54	4	1
52	Cerebral perfusion in insulin resistance and type 2 diabetes. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 95-102	7.3	42
51	Preliminary evidence of cognitive and brain abnormalities in uncomplicated adolescent obesity. <i>Obesity</i> , 2014 , 22, 1865-71	8	94
50	Obesity: cerebral damage in obesity-associated metabolic syndrome. <i>Nature Reviews Endocrinology</i> , 2014 , 10, 642-4	15.2	10

(2011-2014)

49	BMI modulates calorie-dependent dopamine changes in accumbens from glucose intake. <i>PLoS ONE</i> , 2014 , 9, e101585	3.7	30
48	Hispanic Youth With Excess Weight Display Psychological Distress: Do the Youth Self-Report Norms Accurately Capture This Phenomenon?. <i>Hispanic Journal of Behavioral Sciences</i> , 2014 , 36, 195-210	0.7	1
47	Neural substrates of verbal memory impairments in adults with type 2 diabetes mellitus. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014 , 36, 74-87	2.1	31
46	Retinal vessel alterations and cerebral white matter microstructural damage in obese adolescents with metabolic syndrome. <i>JAMA Pediatrics</i> , 2014 , 168, e142815	8.3	13
45	Association of obesity-mediated insulin resistance and hypothalamic volumes: possible sex differences. <i>Disease Markers</i> , 2013 , 35, 249-59	3.2	11
44	Impact of blood sample collection and processing methods on glucose levels in community outreach studies. <i>Journal of Environmental and Public Health</i> , 2013 , 2013, 256151	2.6	16
43	Retinal vessel abnormalities as a possible biomarker of brain volume loss in obese adolescents. <i>Obesity</i> , 2013 , 21, E577-85	8	13
42	Preliminary evidence for obesity and elevations in fasting insulin mediating associations between cortisol awakening response and hippocampal volumes and frontal atrophy. Psychoneuroendocrinology, 2012, 37, 1270-6	5	40
41	Type 2 diabetes affects hippocampus volume differentially in men and women. Diabetes/Metabolism Research and Reviews, 2012 , 28, 76-83	7.5	41
40	High cortisol levels are associated with low quality food choice in type 2 diabetes. <i>Endocrine</i> , 2012 , 41, 76-81	4	19
39	Impact of metabolic syndrome on cognition and brain: a selected review of the literature. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 2060-7	9.4	278
38	Preliminary evidence for obesity-associated insulin resistance in adolescents without elevations of inflammatory cytokines. <i>Diabetology and Metabolic Syndrome</i> , 2012 , 4, 26	5.6	15
37	The Banishing Obesity and Diabetes in Youth (BODY) Project: description and feasibility of a program to halt obesity-associated disease among urban high school students. <i>Journal of Community Health</i> , 2012 , 37, 365-71	4	15
36	Obesity and metabolic syndrome and functional and structural brain impairments in adolescence. <i>Pediatrics</i> , 2012 , 130, e856-64	7.4	182
35	Obesity, metabolic syndrome, and insulin resistance in urban high school students of minority race/ethnicity. <i>JAMA Pediatrics</i> , 2012 , 166, 1030-6		29
34	Obesity, orbitofrontal structure and function are associated with food choice: a cross-sectional study. <i>BMJ Open</i> , 2011 , 1, e000175	3	60
33	Disinhibited eating in obese adolescents is associated with orbitofrontal volume reductions and executive dysfunction. <i>Obesity</i> , 2011 , 19, 1382-7	8	248
32	Obesity-mediated inflammation may damage the brain circuit that regulates food intake. <i>Brain Research</i> , 2011 , 1373, 101-9	3.7	86

31	Abnormal cholesterol is associated with prefrontal white matter abnormalities among obese adults, a diffusion tensor imaging study. <i>Neuroradiology Journal</i> , 2011 , 1, 989-997	2	6
30	Obese Adolescents with Type 2 Diabetes Mellitus Have Hippocampal and Frontal Lobe Volume Reductions. <i>Neuroscience and Medicine</i> , 2011 , 2, 34-42	0.3	53
29	The role of the fusiform-amygdala system in the pathophysiology of autism. <i>Archives of General Psychiatry</i> , 2010 , 67, 397-405		94
28	Metabolic syndrome is associated with learning and recall impairment in middle age. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 356-62	2.6	48
27	Emotional and neutral declarative memory impairments and associated white matter microstructural abnormalities in adults with type 2 diabetes. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 174, 223-30	2.9	58
26	A blunted cortisol awakening response and hippocampal atrophy in type 2 diabetes mellitus. <i>Psychoneuroendocrinology</i> , 2009 , 34, 815-21	5	96
25	Modifiers of cognitive function and brain structure in middle-aged and elderly individuals with type 2 diabetes mellitus. <i>Brain Research</i> , 2009 , 1280, 186-94	3.7	178
24	Plasma BDNF is reduced among middle-aged and elderly women with impaired insulin function: evidence of a compensatory mechanism. <i>Brain and Cognition</i> , 2009 , 71, 147-52	2.7	21
23	Retinal vessel abnormalities are associated with elevated fasting insulin levels and cerebral atrophy in nondiabetic individuals. <i>Ophthalmology</i> , 2009 , 116, 1175-81	7.3	14
22	Dissociation of cognitive and emotional empathy in adults with Asperger syndrome using the Multifaceted Empathy Test (MET). <i>Journal of Autism and Developmental Disorders</i> , 2008 , 38, 464-73	4.6	530
21	Who cares? Revisiting empathy in Asperger syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2007 , 37, 709-15	4.6	231
20	Hypothalamic-pituitary-adrenal axis dysregulation and memory impairments in type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2439-45	5.6	119
19	Hypercholesterolemia in Asperger syndrome: independence from lifestyle, obsessive-compulsive behavior, and social anxiety. <i>Psychiatry Research</i> , 2007 , 149, 321-4	9.9	31
18	Diabetes, sugar-coated but harmful to the brain. Current Opinion in Pharmacology, 2007, 7, 638-42	5.1	29
17	The Wamygdala theory of autismWevisited: linking structure to behavior. <i>Neuropsychologia</i> , 2006 , 44, 18	3939	62
16	Introducing MASC: a movie for the assessment of social cognition. <i>Journal of Autism and Developmental Disorders</i> , 2006 , 36, 623-36	4.6	479
15	Subjective memory complaints in aging are associated with elevated cortisol levels. <i>Neurobiology of Aging</i> , 2005 , 26, 1357-63	5.6	48
14	Links between cognitive impairment in insulin resistance: an explanatory model. <i>Neurobiology of Aging</i> , 2005 , 26 Suppl 1, 31-5	5.6	157

LIST OF PUBLICATIONS

13	Hypertension and hypothalamo-pituitary-adrenal axis hyperactivity affect frontal lobe integrity. Journal of Clinical Endocrinology and Metabolism, 2005 , 90, 3262-7	5.6	55
12	Magnetic resonance and PET studies in the early diagnosis of Alzheimer disease. <i>Expert Review of Neurotherapeutics</i> , 2004 , 4, 831-49	4.3	34
11	Reduced glucose tolerance is associated with poor memory performance and hippocampal atrophy among normal elderly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2019-22	11.5	250
10	Basal hypothalamo-pituitary-adrenal axis activity and corticotropin feedback in young and older men: relationships to magnetic resonance imaging-derived hippocampus and cingulate gyrus volumes. <i>Neuroendocrinology</i> , 2002 , 75, 241-9	5.6	79
9	Salivary cortisol day profiles in elderly with mild cognitive impairment. <i>Psychoneuroendocrinology</i> , 2002 , 27, 777-89	5	55
8	Cortisol differentially affects memory in young and elderly men <i>Behavioral Neuroscience</i> , 2001 , 115, 1002-1011	2.1	172
7	Hippocampal formation glucose metabolism and volume losses in MCI and AD. <i>Neurobiology of Aging</i> , 2001 , 22, 529-39	5.6	448
6	Volumetric analysis of the pre-frontal regions: findings in aging and schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2001 , 107, 61-73	2.9	106
5	MRI volume of the amygdala: a reliable method allowing separation from the hippocampal formation. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 90, 113-23	2.9	92
4	MRI of entorhinal cortex in mild Alzheimer Widisease. <i>Lancet, The</i> , 1999 , 353, 38-40	40	164
3	Cortisol levels during human aging predict hippocampal atrophy and memory deficits. <i>Nature Neuroscience</i> , 1998 , 1, 69-73	25.5	1240
2	Contribution of structural neuroimaging to the early diagnosis of Alzheimer disease. <i>International Psychogeriatrics</i> , 1997 , 9 Suppl 1, 183-90; discussion 247-52	3.4	68
1	Age-related changes in brain: I. Magnetic resonance imaging measures of temporal lobe volumes in normal subjects. <i>Psychiatric Quarterly</i> , 1995 , 66, 343-55	4.1	33