Lelia Duley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/823650/publications.pdf

Version: 2024-02-01

29994 22764 112 15,485 213 54 citations h-index g-index papers 231 231 231 13112 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The Global Impact of Pre-eclampsia and Eclampsia. Seminars in Perinatology, 2009, 33, 130-137.	1.1	2,043
2	Do women with pre-eclampsia, and their babies, benefit from magnesium sulphate? The Magpie Trial: a randomised placebo-controlled trial. Lancet, The, 2002, 359, 1877-1890.	6.3	1,311
3	Antiplatelet agents for prevention of pre-eclampsia: a meta-analysis of individual patient data. Lancet, The, 2007, 369, 1791-1798.	6.3	887
4	Maternal mortality associated with hypertensive disorders of pregnancy in Africa, Asia, Latin America and the Caribbean. BJOG: an International Journal of Obstetrics and Gynaecology, 1992, 99, 547-553.	1.1	434
5	Antiplatelet agents for preventing pre-eclampsia and its complications. The Cochrane Library, 2007, , CD004659.	1.5	395
6	Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems., 2010,, CD001059.		394
7	Tranexamic acid for hyperacute primary IntraCerebral Haemorrhage (TICH-2): an international randomised, placebo-controlled, phase 3 superiority trial. Lancet, The, 2018, 391, 2107-2115.	6.3	309
8	Effect of timing of umbilical cord clamping and other strategies to influence placental transfusion at preterm birth on maternal and infant outcomes. The Cochrane Library, 2019, 2019, CD003248.	1.5	258
9	Effect of timing of umbilical cord clamping and other strategies to influence placental transfusion at preterm birth on maternal and infant outcomes. The Cochrane Library, 2012, , CD003248.	1.5	251
10	Efficacy and cost-effectiveness of nurse-led care involving education and engagement of patients and a treat-to-target urate-lowering strategy versus usual care for gout: a randomised controlled trial. Lancet, The, 2018, 392, 1403-1412.	6.3	235
11	Methods of prediction and prevention of pre-eclampsia: systematic reviews of accuracy and effectiveness literature with economic modelling. Health Technology Assessment, 2008, 12, iii-iv, 1-270.	1.3	232
12	Delayed versus Immediate Cord Clamping in Preterm Infants. New England Journal of Medicine, 2017, 377, 2445-2455.	13.9	228
13	Magnesium sulphate and other anticonvulsants for women with pre-eclampsia. The Cochrane Library, 2010, , CD000025.	1.5	217
14	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. The Cochrane Library, 2014, , CD002252.	1.5	214
15	Antiplatelet drugs for prevention of pre-eclampsia and its consequences: systematic review. BMJ: British Medical Journal, 2001, 322, 329-333.	2.4	195
16	Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems. The Cochrane Library, 2014, , CD001059.	1.5	191
17	Antioxidants for preventing pre-eclampsia. The Cochrane Library, 2008, , CD004227.	1.5	182
18	Marine oil, and other prostaglandin precursor, supplementation for pregnancy uncomplicated by pre-eclampsia or intrauterine growth restriction. The Cochrane Library, 2006, , CD003402.	1.5	180

#	Article	IF	Citations
19	Statistical Analysis of Individual Participant Data Meta-Analyses: A Comparison of Methods and Recommendations for Practice. PLoS ONE, 2012, 7, e46042.	1.1	177
20	Antiplatelet therapy before or after 16 weeks' gestation for preventing preeclampsia: an individual participant data meta-analysis. American Journal of Obstetrics and Gynecology, 2017, 216, 121-128.e2.	0.7	174
21	Dietary calcium supplementation for prevention of pre-eclampsia and related problems: a systematic review and commentary. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 933-943.	1.1	167
22	Drugs for treatment of very high blood pressure during pregnancy. The Cochrane Library, 2013, , CD001449.	1.5	167
23	Alternative versus standard packages of antenatal care for low-risk pregnancy. , 2010, , CD000934.		160
24	Pre-eclampsia and the hypertensive disorders of pregnancy. British Medical Bulletin, 2003, 67, 161-176.	2.7	158
25	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy., 2007,, CD002252.		157
26	Barbados Low Dose Aspirin Study in Pregnancy (BLASP): a randomised trial for the prevention of pre-eclampsia and its complications. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 286-292.	1.1	156
27	Measures of satisfaction with care during labour and birth: a comparative review. BMC Pregnancy and Childbirth, 2013, 13, 108.	0.9	152
28	Specific barriers to the conduct of randomized trials. Clinical Trials, 2008, 5, 40-48.	0.7	144
29	Assessing the neuroprotective benefits for babies of antenatal magnesium sulphate: An individual participant data meta-analysis. PLoS Medicine, 2017, 14, e1002398.	3.9	142
30	Measuring placental transfusion for term births: weighing babies with cord intact. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 70-75.	1.1	139
31	Management of pre-eclampsia. BMJ: British Medical Journal, 2006, 332, 463-468.	2.4	132
32	Antiplatelet therapy with aspirin, clopidogrel, and dipyridamole versus clopidogrel alone or aspirin and dipyridamole in patients with acute cerebral ischaemia (TARDIS): a randomised, open-label, phase 3 superiority trial. Lancet, The, 2018, 391, 850-859.	6.3	125
33	Alternative versus standard packages of antenatal care for low-risk pregnancy. The Cochrane Library, 2015, 2015, CD000934.	1.5	124
34	Magnesium sulphate versus diazepam for eclampsia. The Cochrane Library, 2010, , CD000127.	1.5	121
35	Quadrupling Inhaled Glucocorticoid Dose to Abort Asthma Exacerbations. New England Journal of Medicine, 2018, 378, 902-910.	13.9	119
36	Drugs for treatment of very high blood pressure during pregnancy. , 2006, , CD001449.		114

#	Article	IF	Citations
37	Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems., 2006,, CD001059.		110
38	Evaluating Progestogens for Preventing Preterm birth International Collaborative (EPPPIC): meta-analysis of individual participant data from randomised controlled trials. Lancet, The, 2021, 397, 1183-1194.	6.3	110
39	Randomised trial of cord clamping and initial stabilisation at very preterm birth. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F6-F14.	1.4	109
40	Magnesium sulphate and other anticonvulsants for women with pre-eclampsia., 2003,, CD000025.		108
41	Methodological and technical issues related to the diagnosis, screening, prevention, and treatment of pre-eclampsia and eclampsia. International Journal of Gynecology and Obstetrics, 2004, 85, S28-S41.	1.0	105
42	Oral beta-blockers for mild to moderate hypertension during pregnancy. The Cochrane Library, 2003, ,	1.5	101
43	Antiplatelet agents for preventing pre-eclampsia and its complications. The Cochrane Library, 2019, 2019, .	1.5	101
44	Parents' views on care of their very premature babies in neonatal intensive care units: a qualitative study. BMC Pediatrics, 2014, 14, 230.	0.7	97
45	Parents' first moments with their very preterm babies: a qualitative study. BMJ Open, 2013, 3, e002487.	0.8	87
46	Calcium supplementation during pregnancy: a systematic review of randomised controlled trials. BJOG: an International Journal of Obstetrics and Gynaecology, 1994, 101, 753-758.	1.1	86
47	Magnesium sulphate versus phenytoin for eclampsia. The Cochrane Library, 2010, , CD000128.	1.5	85
48	Gentamicin compared with ceftriaxone for the treatment of gonorrhoea (G-ToG): a randomised non-inferiority trial. Lancet, The, 2019, 393, 2511-2520.	6.3	84
49	Magnesium sulphate regimens for women with eclampsia: messages from the Collaborative Eclampsia Trial. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 103-105.	1.1	83
50	Translating research into policy and practice in developing countries: a case study of magnesium sulphate for pre-eclampsia. BMC Health Services Research, 2005, 5, 68.	0.9	82
51	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. The Cochrane Library, 2018, 2018, CD002252.	1.5	82
52	Cost-effectiveness of prophylactic magnesium sulphate for 9996 women with pre-eclampsia from 33 countries: economic evaluation of the Magpie Trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 144-151.	1.1	79
53	Clinical pharmacokinetic properties of magnesium sulphate in women with preâ€eclampsia and eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 356-366.	1.1	79
54	Different strategies for diagnosing gestational diabetes to improve maternal and infant health. The Cochrane Library, 2017, 2017, CD007122.	1.5	70

#	Article	IF	CITATIONS
55	Umbilical Cord Management for Newborns & Samp; It; 34 Weeks' Gestation: A Meta-analysis. Pediatrics, 2021, 147, .	1.0	68
56	Altered dietary salt for preventing pre-eclampsia, and its complications. The Cochrane Library, 2005, , CD005548.	1.5	67
57	Providing newborn resuscitation at the mother $\hat{a} \in \mathbb{N}$ s bedside: assessing the safety, usability and acceptability of a mobile trolley. BMC Pediatrics, 2014, 14, 135.	0.7	67
58	Exercise or other physical activity for preventing pre-eclampsia and its complications. The Cochrane Library, 2006, , CD005942.	1.5	64
59	Top 15 UK research priorities for preterm birth. Lancet, The, 2014, 383, 2041-2042.	6.3	62
60	Magnesium sulphate versus diazepam for eclampsia. , 2003, , CD000127.		60
61	Evaluation of the Ages and Stages Questionnaires in identifying children with neurosensory disability in the Magpie Trial followâ€up study. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 1803-1808.	0.7	56
62	Nitric oxide for preventing pre-eclampsia and its complications. The Cochrane Library, 2007, , CD006490.	1.5	55
63	Care during the third stage of labour: A postal survey of UK midwives and obstetricians. BMC Pregnancy and Childbirth, 2010, 10, 23.	0.9	55
64	Magnesium sulphate versus lytic cocktail for eclampsia. The Cochrane Library, 2010, , CD002960.	1.5	54
65	Parents' experiences and satisfaction with care during the birth of their very preterm baby: a qualitative study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 637-643.	1.1	53
66	Antiplatelet agents for preventing and treating pre-eclampsia., 2000,, CD000492.		50
67	Intravenous tranexamic acid for hyperacute primary intracerebral hemorrhage: Protocol for a randomized, placebo-controlled trial. International Journal of Stroke, 2016, 11, 683-694.	2.9	50
68	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. Journal of Clinical Epidemiology, 2019, 106, 108-120.	2.4	49
69	Use of anticonvulsants in eclampsia and pre-eclampsia: survey of obstetricians in the United Kingdom and Republic of Ireland. BMJ: British Medical Journal, 1998, 316, 975-976.	2.4	48
70	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy., 2001,, CD002252.		48
71	Interventionist versus expectant care for severe pre-eclampsia before term., 2002,, CD003106.		48
72	Antiplatelet agents for preventing pre-eclampsia and its complications., 2003,, CD004659.		48

#	Article	IF	CITATIONS
73	Interventionist versus expectant care for severe pre-eclampsia between 24 and 34 weeks' gestation. The Cochrane Library, 2013, , CD003106.	1.5	47
74	Alternative magnesium sulphate regimens for women with pre-eclampsia and eclampsia. The Cochrane Library, 2011, 2011, CD007388.	1.5	46
75	Plasma volume expansion for treatment of pre-eclampsia. The Cochrane Library, 1999, , CD001805.	1.5	44
76	Magnesium sulphate versus phenytoin for eclampsia., 2003,, CD000127.		41
77	Rest during pregnancy for preventing pre-eclampsia and its complications in women with normal blood pressure. The Cochrane Library, 2006, , CD005939.	1.5	41
78	Providing immediate neonatal care and resuscitation at birth beside the mother: parents' views, a qualitative study. BMJ Open, 2015, 5, e008495.	0.8	41
79	Magnesium sulphate versus lytic cocktail for eclampsia. , 2000, , CD002960.		40
80	The effectiveness of gentamicin in the treatment of Neisseria gonorrhoeae: a systematic review. Systematic Reviews, 2014, 3, 104.	2.5	38
81	A systematic review of maternal and infant outcomes following magnesium sulfate for pre-eclampsia/eclampsia in real-world use. International Journal of Gynecology and Obstetrics, 2012, 118, 90-96.	1.0	37
82	Timing of cord clamping in very preterm infants: more evidence is needed. American Journal of Obstetrics and Gynecology, 2014, 211, 118-123.	0.7	37
83	The ethical issues regarding consent to clinical trials with pre-term or sick neonates: a systematic review (framework synthesis) of the empirical research. Trials, 2015, 16, 502.	0.7	34
84	Evidence and practice: the magnesium sulphate story. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2005, 19, 57-74.	1.4	33
85	Innovation in immediate neonatal care: development of the Bedside Assessment, Stabilisation and Initial Cardiorespiratory Support (BASICS) trolley. BMJ Innovations, 2015, 1, 53-58.	1.0	33
86	Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. Health Technology Assessment, 2018, 22, 1-124.	1.3	33
87	Progesterone for preventing pre-eclampsia and its complications. The Cochrane Library, 2006, , CD006175.	1.5	32
88	Interventions for preventing pre-eclampsia and its consequences: generic protocol. The Cochrane Library, 2005, , .	1.5	31
89	Garlic for preventing pre-eclampsia and its complications. The Cochrane Library, 2006, , CD006065.	1.5	31
90	Providing immediate neonatal care and resuscitation at birth beside the mother: clinicians' views, a qualitative study. BMJ Open, 2015, 5, e008494.	0.8	31

#	Article	IF	Citations
91	Different strategies for diagnosing gestational diabetes to improve maternal and infant health., 2015, 1, CD007122.		31
92	What are the main inefficiencies in trial conduct: a survey of UKCRC registered clinical trials units in the UK. Trials, 2018, 19, 15.	0.7	30
93	Optimal timing of umbilical cord clamping for term and preterm babies. Early Human Development, 2013, 89, 905-908.	0.8	29
94	Interventionist versus expectant care for severe pre-eclampsia between 24 and 34 weeks' gestation. The Cochrane Library, 2018, 2018, CD003106.	1.5	29
95	Antioxidants for preventing pre-eclampsia. , 2005, , CD004227.		28
96	Magnesium sulphate for pre-eclampsia and eclampsia: the evidence so far. BJOG: an International Journal of Obstetrics and Gynaecology, 1994, 101, 565-567.	1.1	27
97	Drugs for treatment of very high blood pressure during pregnancy. , 2002, , CD001449.		27
98	Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems., 2002,, CD001059.		27
99	Reduced salt intake compared to normal dietary salt, or high intake, in pregnancy. The Cochrane Library, 1999, , CD001687.	1.5	25
100	Cord pilot trial - immediate versus deferred cord clamping for very preterm birth (before 32Âweeks) Tj ETQq0 0 0	rgBT /Ove	erlock 10 Tf 50 25
101	Influence of Gestational Age at Initiation of Antihypertensive Therapy. Hypertension, 2018, 71, 1170-1177.	1.3	25
102	Randomized controlled trial of topical corticosteroid and homeâ€based narrowband ultraviolet B for active and limited vitiligo: results of the HI‣ight Vitiligo Trial*. British Journal of Dermatology, 2021, 184, 828-839.	1.4	25
103	Socio-economic and ethnic factors in stillbirth and neonatal mortality in the NE Thames Regional Health Authority (NETRHA) 1983. BJOG: an International Journal of Obstetrics and Gynaecology, 1990, 97, 237-244.	1.1	24
104	Magnesium sulphate in eclampsia. Lancet, The, 1998, 352, 67.	6.3	24
105	Safety and Efficacy of Intensive vs. Guideline Antiplatelet Therapy in High-Risk Patients with Recent Ischemic Stroke or Transient Ischemic Attack: Rationale and Design of the Triple Antiplatelets for Reducing Dependency after Ischaemic Stroke (TARDIS) Trial (ISRCTN47823388). International Journal of Stroke, 2015, 10, 1159-1165.	2.9	24
106	Uterine muscle relaxant drugs for threatened miscarriage. The Cochrane Library, 2005, , CD002857.	1.5	23
107	Women's Experiences of Participating in the Magpie Trial: A Postal Survey in the United Kingdom. Birth, 2009, 36, 220-229.	1.1	23
108	Interventions for treating pre-eclampsia and its consequences: generic protocol. The Cochrane Library, $0, , .$	1.5	23

#	Article	IF	CITATIONS
109	Use of biochemical tests of placental function for improving pregnancy outcome. The Cochrane Library, 2015, 2015, CD011202.	1.5	23
110	Effects of delayed versus immediate umbilical cord clamping in reducing death or major disability at 2 years corrected age among very preterm infants (APTS): a multicentre, randomised clinical trial. The Lancet Child and Adolescent Health, 2022, 6, 150-157.	2.7	23
111	Measuring parents' experiences and satisfaction with care during very preterm birth: a questionnaire development study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1294-1301.	1.1	22
112	Does research make better doctors?. Lancet, The, 1994, 343, 58-59.	6.3	21
113	Randomised trial of cord clamping at very preterm birth: outcomes at 2 years. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2020, 105, 292-298.	1.4	20
114	Erasing the global divide in health research. BMJ: British Medical Journal, 1997, 314, 390-390.	2.4	20
115	Effective Care in Pregnancy and Childbirth: A Synopsis. Birth, 2001, 28, 41-51.	1.1	19
116	Development of a standardised set of metrics for monitoring site performance in multicentre randomised trials: a Delphi study. Trials, 2018, 19, 557.	0.7	19
117	The role of electronic journals in reducing publication bias. Informatics for Health and Social Care, 1999, 24, 223-229.	1.0	18
118	Magnesium sulphate and pre-eclampsia. BMJ: British Medical Journal, 1999, 319, 3-4.	2.4	18
119	Top research priorities for preterm birth: results of a prioritisation partnership between people affected by preterm birth and healthcare professionals. BMC Pregnancy and Childbirth, 2019, 19, 528.	0.9	18
120	Home-based narrowband UVB, topical corticosteroid or combination for children and adults with vitiligo: HI-Light Vitiligo three-arm RCT. Health Technology Assessment, 2020, 24, 1-128.	1.3	18
121	Role of Magnesium Sulfate in Seizure Prevention in Patients with Eclampsia and Pre-Eclampsia. Drug Safety, 1996, 15, 188-199.	1.4	17
122	Tranexamic acid to improve functional status in adults with spontaneous intracerebral haemorrhage: the TICH-2 RCT. Health Technology Assessment, 2019, 23, 1-48.	1.3	17
123	Different strategies for diagnosing gestational diabetes to improve maternal and infant health. , 2011, , CD007122.		16
124	Systematic review and network meta-analysis with individual participant data on cord management at preterm birth (iCOMP): study protocol. BMJ Open, 2020, 10, e034595.	0.8	16
125	Blinded randomised controlled trial of low-dose Adjuvant Steroids in Adults admitted to hospital with Pandemic influenza (ASAP): a trial â€⁻in hibernation', ready for rapid activation. Health Technology Assessment, 2015, 19, 1-78.	1.3	15
126	Randomised trials relevant to mental health conducted in low and middle-income countries: a survey. BMC Psychiatry, 2008, 8, 69.	1.1	14

#	Article	IF	CITATIONS
127	Alternative positions for the baby at birth before clamping the umbilical cord. The Cochrane Library, 2010, , CD007555.	1.5	14
128	The ethical issues regarding consent to clinical trials with pre-term or sick neonates: a systematic review (framework synthesis) of the analytical (theoretical/philosophical) research. Trials, 2016, 17, 443.	0.7	14
129	Clinicians' views and experiences of offering two alternative consent pathways for participation in a preterm intrapartum trial: a qualitative study. Trials, 2017, 18, 196.	0.7	14
130	Gentamicin, azithromycin and ceftriaxone in the treatment of gonorrhoea: the relationship between antibiotic MIC and clinical outcome. Journal of Antimicrobial Chemotherapy, 2019, 75, 449-457.	1.3	14
131	Aspirin for preventing and treating pre-eclampsia. BMJ: British Medical Journal, 1999, 318, 751-752.	2.4	13
132	Antiplatelet agents for preventing and treating pre-eclampsia. The Cochrane Library, 2007, , CD000492.	1.5	13
133	Women's views and experiences of two alternative consent pathways for participation in a preterm intrapartum trial: a qualitative study. Trials, 2017, 18, 422.	0.7	13
134	Outcome Assessment by Central Adjudicators Versus Site Investigators in Stroke Trials. Stroke, 2019, 50, 2187-2196.	1.0	13
135	Care during the third stage of labour: obstetricians views and practice in an Albanian maternity hospital. BMC Pregnancy and Childbirth, 2010, 10, 4.	0.9	11
136	Population Pharmacokinetic Modeling to Evaluate Standard Magnesium Sulfate Treatments and Alternative Dosing Regimens for Women With Preeclampsia. Journal of Clinical Pharmacology, 2019, 59, 374-385.	1.0	11
137	Magnesium sulphate should be used for eclamptic fits. BMJ: British Medical Journal, 1996, 312, 639-639.	2.4	11
138	Magnesium sulphate in eclampsia. Lancet, The, 1998, 351, 1061-1062.	6.3	10
139	Timing of umbilical cord clamping: midwives' views and practice. British Journal of Midwifery, 2008, 16, 236-239.	0.1	10
140	Magpie Trial in the UK: methods and additional data for women and children at 2 years following pregnancy complicated by pre-eclampsia. BMC Pregnancy and Childbirth, 2009, 9, 15.	0.9	10
141	Gentamicin versus ceftriaxone for the treatment of gonorrhoea (G-TOG trial): study protocol for a randomised trial. Trials, 2016, 17, 558.	0.7	10
142	Fifteen-minute consultation: stabilisation of the high-risk newborn infant beside the mother. Archives of Disease in Childhood: Education and Practice Edition, 2017, 102, 235-238.	0.3	10
143	Evaluating progestogens for prevention of preterm birth international collaborative (EPPPIC) individual participant data (IPD) meta-analysis: protocol. Systematic Reviews, 2017, 6, 235.	2.5	10
144	Randomised trials in maternal and perinatal medicine: global partnerships are the way forward. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1244-1247.	1.1	9

#	Article	IF	Citations
145	Magnesium sulfate compared with lytic cocktail for women with eclampsia. International Journal of Gynecology and Obstetrics, 2002, 76, 3-8.	1.0	9
146	A feasibility study investigating the acceptability and design of a multicentre randomised controlled trial of needle fasciotomy versus limited fasciectomy for the treatment of Dupuytren's contractures of the fingers (HAND-1): study protocol for a randomised controlled trial. Trials, 2017, 18, 392.	0.7	9
147	Monitoring performance of sites within multicentre randomised trials: a systematic review of performance metrics. Trials, 2018, 19, 562.	0.7	9
148	Reduced fetal movement intervention Trial-2 (ReMIT-2): protocol for a pilot randomised controlled trial of standard care informed by the result of a placental growth factor (PIGF) blood test versus standard care alone in women presenting with reduced fetal movement at or after $36+\hat{a}\in\%0$ weeks gestation. Trials, 2018 , 19 , 531 .	0.7	9
149	Magnesium and eclampsia. Lancet, The, 1995, 346, 1365.	6.3	8
150	Anonymity of authorship. Lancet, The, 1995, 345, 1372.	6.3	8
151	Policies for care during the third stage of labour: a survey of maternity units in Syria. BMC Pregnancy and Childbirth, 2010, 10, 32.	0.9	8
152	Home interventions and light therapy for the treatment of vitiligo (HI-Light Vitiligo Trial): study protocol for a randomised controlled trial. BMJ Open, 2018, 8, e018649.	0.8	8
153	Triple versus guideline antiplatelet therapy to prevent recurrence after acute ischaemic stroke or transient ischaemic attack: the TARDIS RCT. Health Technology Assessment, 2018, 22, 1-76.	1.3	8
154	Doing the undoable: Magpie Trial long-term follow-up. Lancet, The, 2007, 369, 13-14.	6.3	7
155	Cord pilot trial: update to randomised trial protocol. Trials, 2015, 16, 407.	0.7	7
156	Alternative Magnesium Sulfate Dosing Regimens for Women With Preeclampsia: A Population Pharmacokinetic Exposureâ€Response Modeling and Simulation Study. Journal of Clinical Pharmacology, 2019, 59, 1519-1526.	1.0	7
157	Glyceryl trinitrate in management of preterm labour. Lancet, The, 1994, 344, 553-554.	6.3	6
158	Systematic Reviews: What can They do for You?. Journal of the Royal Society of Medicine, 1996, 89, 242-244.	1.1	6
159	Tocolytic magnesium sulphate and paediatric mortality. Lancet, The, 1998, 351, 293.	6.3	6
160	The Magpie Trial. Lancet, The, 2002, 360, 1331-1332.	6.3	6
161	Perinatal research in developing countries – Is it possible?. Seminars in Fetal and Neonatal Medicine, 2006, 11, 89-96.	1.1	6
162	Cochrane Column. International Journal of Epidemiology, 2007, 36, 290-293.	0.9	6

#	Article	IF	CITATIONS
163	Commentary: But why should women be weighed routinely during pregnancy?. International Journal of Epidemiology, 2007, 36, 1283-1284.	0.9	6
164	An economic evaluation of the randomized controlled trial of topical corticosteroid and homeâ€based narrowband ultraviolet B for active and limited vitiligo (the HI‣ight Vitiligo Trial)*. British Journal of Dermatology, 2021, 184, 840-848.	1.4	6
165	Baseline characteristics of the 3096 patients recruited into the †Triple Antiplatelets for Reducing Dependency after Ischemic Stroke' trial. International Journal of Stroke, 2017, 12, 524-538.	2.9	5
166	Women's experiences of participating in a randomised trial comparing alternative policies for timing of cord clamping at very preterm birth: a questionnaire study. Trials, 2019, 20, 225.	0.7	5
167	Commentary: Sources of bias must be controlled. BMJ: British Medical Journal, 1997, 315, 220-220.	2.4	5
168	Pre-eclampsia, eclampsia, and hypertension. Clinical Evidence, 2011, 2011, .	0.2	5
169	Brief Consent Methods Enable Rapid Enrollment in Acute Stroke Trial: Results From the TICH-2 Randomized Controlled Trial. Stroke, 2022, 53, 1141-1148.	1.0	5
170	The management of pre-eclampsia. The Obstetrician and Gynaecologist, 2000, 2, 45-48.	0.2	4
171	When should the umbilical cord be clamped?. BMJ, The, 2015, 351, h4206.	3.0	4
172	FourFold Asthma Study (FAST): a study protocol for a randomised controlled trial evaluating the clinical cost-effectiveness of temporarily quadrupling the dose of inhaled steroid to prevent asthma exacerbations. Trials, 2016, 17, 499.	0.7	4
173	Identifying women giving birth preterm and care at the time of birth: a prospective audit of births at six hospitals in India, Kenya, Pakistan and Uganda. BMC Pregnancy and Childbirth, 2020, 20, 439.	0.9	4
174	A randomised feasibility trial comparing needle fasciotomy with limited fasciectomy treatment for Dupuytren's contractures. Pilot and Feasibility Studies, 2020, 6, 7.	0.5	4
175	Temporarily quadrupling the dose of inhaled steroid to prevent asthma exacerbations: FAST. Health Technology Assessment, 2018, 22, 1-82.	1.3	4
176	Gentamicin as an alternative to ceftriaxone in the treatment of gonorrhoea: the G-TOG non-inferiority RCT. Health Technology Assessment, 2019, 23, 1-104.	1.3	4
177	Improving quality of care and outcome at very preterm birth: the Preterm Birth research programme, including the Cord pilot RCT. Programme Grants for Applied Research, 2019, 7, 1-280.	0.4	4
178	Anticonvulsants for eclampsia. Lancet, The, 1995, 346, 501-502.	6.3	3
179	Delayed umbilical cord clamping: potential for change in obstetric practice. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 767-768.	1.1	3
180	Axillary treatment for patients with early breast cancer and lymph node metastasis: systematic review protocol. World Journal of Surgical Oncology, 2013, 11, 6.	0.8	3

#	Article	IF	Citations
181	PC.117â€lmmediate versus deferred cord clamping for very preterm birth: a pilot randomised trial. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, A76.3-A77.	1.4	3
182	When an external pilot is successful, should it be possible to transform it into an internal pilot by continuing recruitment into the full trial is ready? A case study of the cord pilot trial. Trials, 2015, 16,	0.7	3
183	Can site performance be predicted? Results of an evaluation of the performance of a site selection questionnaire in five multicentre trials. Trials, $2015, 16, .$	0.7	3
184	Improving readiness for recruitment through simulated trial activation: the Adjuvant Steroids in Adults with Pandemic influenza (ASAP) trial. Trials, 2017, 18, 546.	0.7	3
185	Cord pilot trial, comparing alternative policies for timing of cord clamping before 32 weeks gestation: follow-up for women up to one year. BMC Pregnancy and Childbirth, 2019, 19, 78.	0.9	3
186	Pre-eclampsia, eclampsia, and hypertension. Clinical Evidence, 2008, 2008, .	0.2	3
187	Magnesium sulphate in the treatment of eclampsia and pre-eclampsia: an overview of the evidence from randomised trials. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 756-757.	1.1	2
188	Antiplatelet agents for prevention of pre-eclampsia – Authors' reply. Lancet, The, 2007, 370, 1685-1686.	6.3	2
189	PPO.23â€Top 15 research priorities for preterm birth with clinicians and service users' involvement – outcomes from a James Lind Alliance priority setting partnership. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, A158.1-A158.	1.4	2
190	OP0268â€Nurse-led care versus general practitioner care of people with gout: a uk community-based randomised controlled trial. , 2017, , .		2
191	Optimising recruitment to the HAND-1 RCT feasibility study: integration of the QuinteT Recruitment Intervention (QRI). Pilot and Feasibility Studies, 2020, 6, 173.	0.5	2
192	Promoting safe motherhood. Lancet, The, 1992, 339, 812.	6.3	1
193	Magnesium sulphate: a review of clinical pharmacology applied to obstetrics. BJOG: an International Journal of Obstetrics and Gynaecology, 1999, 106, 180-180.	1.1	1
194	Randomised trials relevant to mental health conducted in low and middle-income countries: protocol for a survey of studies published in 1991, 1995 and 2000 and assessment of their relevance. BMC Psychiatry, 2006, 6, 40.	1.1	1
195	PC.113â€Experience of Providing Bedside Stabilisation of Preterm Neonates with Current Equipment: Abstract PC.113 Table. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, A75.2-A75.	1.4	1
196	Associations between the timing and dosing of aspirin prophylaxis and term and preterm pre-eclampsia. BMJ Evidence-Based Medicine, 2018, 23, 159-160.	1.7	1
197	More studies are needed before giving magnesium sulphate for pre-eclampsia. BMJ: British Medical Journal, 1999, 318, 809-809.	2.4	1
198	More evidence is needed to inform practice. BMJ: British Medical Journal, 2011, 342, d122-d122.	2.4	1

#	Article	IF	CITATIONS
199	O registro de ensaios clÃnicos como garantia do uso das evidências cientÃficas nas decisões sobre cuidados em saúde. Cadernos De Saude Publica, 2008, 24, 2732-2732.	0.4	1
200	Conclusions are not supported by results. BMJ: British Medical Journal, 1995, 310, 806-806.	2.4	1
201	Late Breaking Abstract - Can a self-management plan, which includes a four-fold increase in inhaled corticosteroid dose, reduce severe asthma exacerbations: a randomised, pragmatic trial., 2017, , .		1
202	Hydralazine boluses for the treatment of severe hypertension in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 83-83.	1.1	0
203	The magpie trial: magnesium sulphate for pre-eclampsia. British Journal of Midwifery, 1999, 7, 617-619.	0.1	0
204	Pre-eclampsia. Lancet, The, 2001, 357, 312.	6.3	0
205	Individualising use of aspirin to prevent pre-eclampsia: a framework for clinical decision making. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 288-289.	1.1	0
206	Clinical trials and the public. Journal of Evidence-Based Medicine, 2012, 5, 192-193.	2.4	0
207	PC.119â€Ethical issues regarding consent to trials involving preterm or sick infants: a systematic review (framework synthesis). Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, A77.2-A77.	1.4	0
208	Improving quality and efficiency of trial with a novel approach to standard operating procedures (SOPS): case study from a CTU. Trials, 2015 , 16 , .	0.7	0
209	Conducting a randomised trial during an influenza pandemic: an example of a trial set up and â€~hibernated' ready to activate and recruit within 4 weeks. Trials, 2015, 16, .	0.7	0
210	Site identification and selection: current practices within the trial managers network and NIHR chief investigators. Trials, $2015,16,1$	0.7	0
211	What are the main inefficiencies in trial conduct? A survey of staff at registered clinical trials units. Trials, 2015, 16, .	0.7	0
212	Clinicians' and womens' experiences of two consent pathways in a trial of timing of clamping at very preterm birth: a qualitative study. Trials, 2015, 16, .	0.7	0
213	Gestational hypertension before term: observe or deliver?. Lancet, The, 2015, 385, 2441-2443.	6.3	O