

Ian M Anderson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8237139/ian-m-anderson-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

9,455
citations

51
h-index

95
g-index

167
ext. papers

11,018
ext. citations

5.1
avg, IF

6.09
L-index

#	Paper	IF	Citations
156	Selective serotonin reuptake inhibitors versus tricyclic antidepressants: a meta-analysis of efficacy and tolerability. <i>Journal of Affective Disorders</i> , 2000, 58, 19-36	6.6	653
155	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2005, 19, 567-96	4.6	449
154	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: a revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2014, 28, 403-39	4.6	387
153	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015, 29, 459-525	4.6	381
152	Magnetic resonance imaging studies in unipolar depression: systematic review and meta-regression analyses. <i>European Neuropsychopharmacology</i> , 2012, 22, 1-16	1.2	360
151	Efficacy and tolerability of venlafaxine compared with selective serotonin reuptake inhibitors and other antidepressants: a meta-analysis. <i>British Journal of Psychiatry</i> , 2002, 180, 396-404	5.4	360
150	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008, 22, 343-96	4.6	341
149	Effects of lesions of the orbitofrontal cortex on sensitivity to delayed and probabilistic reinforcement. <i>Psychopharmacology</i> , 2002, 160, 290-8	4.7	327
148	Systematic review and guide to selection of selective serotonin reuptake inhibitors. <i>Drugs</i> , 1999, 57, 507-33	12.1	264
147	The efficacy of selective serotonin re-uptake inhibitors in depression: a meta-analysis of studies against tricyclic antidepressants. <i>Journal of Psychopharmacology</i> , 1994, 8, 238-49	4.6	218
146	Affective cognition and its disruption in mood disorders. <i>Neuropsychopharmacology</i> , 2011, 36, 153-82	8.7	217
145	The effect of citalopram pretreatment on neuronal responses to neuropsychological tasks in normal volunteers: an fMRI study. <i>Neuropsychopharmacology</i> , 2005, 30, 1724-34	8.7	216
144	State-dependent changes in hippocampal grey matter in depression. <i>Molecular Psychiatry</i> , 2013, 18, 1265-72	205	
143	Meta-analytical studies on new antidepressants. <i>British Medical Bulletin</i> , 2001, 57, 161-78	5.4	198
142	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018, 23, 133-142	15.1	188
141	Dieting reduces plasma tryptophan and alters brain 5-HT function in women. <i>Psychological Medicine</i> , 1990, 20, 785-91	6.9	136
140	Increased amygdala responses to sad but not fearful faces in major depression: relation to mood state and pharmacological treatment. <i>American Journal of Psychiatry</i> , 2012, 169, 841-50	11.9	135

139	CNR1 gene is associated with high neuroticism and low agreeableness and interacts with recent negative life events to predict current depressive symptoms. <i>Neuropsychopharmacology</i> , 2009, 34, 2019-27	8.7	130
138	The effect of serotonergic and noradrenergic antidepressants on face emotion processing in depressed patients. <i>Journal of Affective Disorders</i> , 2009, 118, 87-93	6.6	130
137	Relationship between 5-HT function and impulsivity and aggression in male offenders with personality disorders. <i>British Journal of Psychiatry</i> , 2001, 178, 352-9	5.4	129
136	Bipolar disorder. <i>BMJ, The</i> , 2012, 345, e8508	5.9	120
135	The CREB1-BDNF-NTRK2 pathway in depression: multiple gene-cognition-environment interactions. <i>Biological Psychiatry</i> , 2011, 69, 762-71	7.9	117
134	The burden of treatment-resistant depression: A systematic review of the economic and quality of life literature. <i>Journal of Affective Disorders</i> , 2019, 242, 195-210	6.6	112
133	Neurobiological substrates of antisocial and borderline personality disorder: preliminary results of a functional fMRI study. <i>Criminal Behaviour and Mental Health</i> , 2004, 14, 39-54	1.4	109
132	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. <i>NeuroReport</i> , 2007, 18, 1351-5	1.7	107
131	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008, 18, 535-49	1.2	105
130	Neuronal effects of acute citalopram detected by pharmacoMRI. <i>Psychopharmacology</i> , 2005, 180, 680-6	4.7	99
129	Temporal discounting in major depressive disorder. <i>Psychological Medicine</i> , 2014, 44, 1825-34	6.9	95
128	Effects of quinolinic acid-induced lesions of the orbital prefrontal cortex on inter-temporal choice: a quantitative analysis. <i>Psychopharmacology</i> , 2002, 165, 9-17	4.7	94
127	Psychoeducation for relapse prevention in bipolar disorder: a systematic review of efficacy in randomized controlled trials. <i>Bipolar Disorders</i> , 2015, 17, 349-62	3.8	90
126	State-dependent alteration in face emotion recognition in depression. <i>British Journal of Psychiatry</i> , 2011, 198, 302-8	5.4	87
125	Effects of orbital prefrontal cortex dopamine depletion on inter-temporal choice: a quantitative analysis. <i>Psychopharmacology</i> , 2004, 175, 206-14	4.7	87
124	Serotonergic modulation of neuronal responses to behavioural inhibition and reinforcing stimuli: an fMRI study in healthy volunteers. <i>European Journal of Neuroscience</i> , 2006, 23, 552-60	3.5	84
123	Effect of acute tryptophan depletion on CO ₂ -induced anxiety in patients with panic disorder and normal volunteers. <i>British Journal of Psychiatry</i> , 2000, 176, 182-8	5.4	78
122	Predictive value of pharmacological activity for the relative efficacy of antidepressant drugs. Meta-regression analysis. <i>British Journal of Psychiatry</i> , 2000, 177, 292-302	5.4	74

121	Brain galanin system genes interact with life stresses in depression-related phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1666-73	11.5	71
120	The effect of rate of antidepressant tapering on the incidence of discontinuation symptoms: a randomised study. <i>Journal of Psychopharmacology</i> , 2008 , 22, 330-2	4.6	71
119	Attenuated responses to emotional expressions in women with generalized anxiety disorder. <i>Psychological Medicine</i> , 2011 , 41, 1009-18	6.9	66
118	Effects of quinolinic acid-induced lesions of the nucleus accumbens core on inter-temporal choice: a quantitative analysis. <i>Psychopharmacology</i> , 2007 , 195, 71-84	4.7	66
117	Recognising and managing antidepressant discontinuation symptoms. <i>Advances in Psychiatric Treatment</i> , 2007 , 13, 447-457		65
116	Validation of the Mood Disorder Questionnaire for screening for bipolar disorder in a UK sample. <i>Journal of Affective Disorders</i> , 2008 , 110, 180-4	6.6	62
115	Quantitative frontal and temporal structural MRI studies in personality-disordered offenders and control subjects. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 116, 133-49	2.9	62
114	L-Tryptophan and prolactin release: Evidence for interaction between 5-HT1 and 5-HT2 receptors. <i>Human Psychopharmacology</i> , 1986 , 1, 93-97	2.3	62
113	The effects of real versus hypothetical reward on delay and probability discounting. <i>Quarterly Journal of Experimental Psychology</i> , 2010 , 63, 1072-84	1.8	61
112	Assessing human 5-HT function in vivo with pharmacoMRI. <i>Neuropharmacology</i> , 2008 , 55, 1029-37	5.5	61
111	Effect of pindolol on endocrine and temperature responses to buspirone in healthy volunteers. <i>Psychopharmacology</i> , 1992 , 106, 428-32	4.7	61
110	The effect of orbital prefrontal cortex lesions on performance on a progressive ratio schedule: implications for models of inter-temporal choice. <i>Behavioural Brain Research</i> , 2005 , 156, 145-52	3.4	60
109	The relationship between serotonergic function and the Psychopathy Checklist: Screening Version. <i>Journal of Psychopharmacology</i> , 2003 , 17, 216-22	4.6	60
108	The effects of gepirone on neuroendocrine function and temperature in humans. <i>Psychopharmacology</i> , 1990 , 100, 498-503	4.7	57
107	Significant association between the C(-1019)G functional polymorphism of the HTR1A gene and impulsivity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 592-599	3.5	55
106	Ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT): a multicentre, double-blind, randomised, parallel-group, superiority trial. <i>Lancet Psychiatry</i> , 2017 , 4, 365-377	23.3	54
105	Neuronal correlates and serotonergic modulation of behavioural inhibition and reward in healthy and antisocial individuals. <i>Journal of Psychiatric Research</i> , 2010 , 44, 123-31	5.2	51
104	Role of the orbital prefrontal cortex in choice between delayed and uncertain reinforcers: a quantitative analysis. <i>Behavioural Processes</i> , 2003 , 64, 239-250	1.6	49

103	Reversed frontotemporal connectivity during emotional face processing in remitted depression. <i>Biological Psychiatry</i> , 2012 , 72, 604-11	7.9	48
102	Clomipramine enhances prolactin and growth hormone responses to L-tryptophan. <i>Psychopharmacology</i> , 1986 , 89, 131-3	4.7	48
101	Interaction between a history of depression and rumination on neural response to emotional faces. <i>Psychological Medicine</i> , 2011 , 41, 1845-55	6.9	44
100	Variations in the cannabinoid receptor 1 gene predispose to migraine. <i>Neuroscience Letters</i> , 2009 , 461, 116-20	3.3	40
99	The effect of acute citalopram on face emotion processing in remitted depression: a pharmacoMRI study. <i>European Neuropsychopharmacology</i> , 2011 , 21, 140-8	1.2	39
98	d-Fenfluramine in panic disorder: a dual role for 5-hydroxytryptamine. <i>Psychopharmacology</i> , 2000 , 149, 251-8	4.7	39
97	Effects of lesions of the nucleus accumbens core on inter-temporal choice: further observations with an adjusting-delay procedure. <i>Behavioural Brain Research</i> , 2009 , 202, 272-7	3.4	38
96	Executive and memory function and its relationship to trait impulsivity and aggression in personality disordered offenders. <i>Journal of Forensic Psychiatry Psychology</i> , 2002 , 13, 503-526		34
95	Decreased plasma tryptophan concentration in major depression: relationship to melancholia and weight loss. <i>Journal of Affective Disorders</i> , 1990 , 20, 185-91	6.6	34
94	Diminished neural and cognitive responses to facial expressions of disgust in patients with psoriasis: a functional magnetic resonance imaging study. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2613-9	4.3	32
93	Reduced medial prefrontal responses to social interaction images in remitted depression. <i>Archives of General Psychiatry</i> , 2012 , 69, 37-45		31
92	Effect of quinolinic acid-induced lesions of the nucleus accumbens core on performance on a progressive ratio schedule of reinforcement: implications for inter-temporal choice. <i>Psychopharmacology</i> , 2008 , 197, 339-50	4.7	31
91	Neural correlates of choice behavior related to impulsivity and venturesomeness. <i>Neuropsychologia</i> , 2011 , 49, 2311-20	3.2	30
90	Effect of disconnecting the orbital prefrontal cortex from the nucleus accumbens core on inter-temporal choice behaviour: a quantitative analysis. <i>Behavioural Brain Research</i> , 2008 , 191, 272-9	3.4	30
89	Social-economical decision making in current and remitted major depression. <i>Psychological Medicine</i> , 2015 , 45, 1301-13	6.9	29
88	Adjunctive fast repetitive transcranial magnetic stimulation in depression. <i>British Journal of Psychiatry</i> , 2007 , 190, 533-4	5.4	29
87	Effect of acute tryptophan depletion on the response to controllable and uncontrollable noise stress. <i>Biological Psychiatry</i> , 2005 , 57, 295-300	7.9	29
86	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). <i>BMJ, The</i> , 2018 , 363, k4218	5.9	29

85	The HTR1A and HTR1B receptor genes influence stress-related information processing. <i>European Neuropsychopharmacology</i> , 2011 , 21, 129-39	1.2	28
84	Risk-taking behavior in a gambling task associated with variations in the tryptophan hydroxylase 2 gene: relevance to psychiatric disorders. <i>Neuropsychopharmacology</i> , 2010 , 35, 1109-19	8.7	28
83	Clinical trials of antidepressant medications are producing meaningless results. <i>British Journal of Psychiatry</i> , 2003 , 183, 102-4	5.4	28
82	5-HT modulation of pain perception in humans. <i>Psychopharmacology</i> , 2017 , 234, 2929-2939	4.7	27
81	Choice between reinforcer delays versus choice between reinforcer magnitudes: differential Fos expression in the orbital prefrontal cortex and nucleus accumbens core. <i>Behavioural Brain Research</i> , 2010 , 213, 269-77	3.4	26
80	The effect of chronic fluvoxamine on hormonal and psychological responses to buspirone in normal volunteers. <i>Psychopharmacology</i> , 1996 , 128, 74-82	4.7	26
79	Antidepressant augmentation with metyrapone for treatment-resistant depression (the ADD study): a double-blind, randomised, placebo-controlled trial. <i>Lancet Psychiatry</i> , 2016 , 3, 117-27	23.3	25
78	Epistatic interaction of CREB1 and KCNJ6 on rumination and negative emotionality. <i>European Neuropsychopharmacology</i> , 2011 , 21, 63-70	1.2	24
77	A survey of the teaching and assessment of undergraduate psychiatry in the medical schools of the United Kingdom and Ireland. <i>Medical Teacher</i> , 2009 , 31, 1024-9	3	24
76	Efficacy, safety and tolerability of quetiapine augmentation in treatment resistant depression: an open-label, pilot study. <i>Journal of Affective Disorders</i> , 2009 , 117, 116-9	6.6	23
75	Neuronal nitric oxide synthase (NOS1) polymorphisms interact with financial hardship to affect depression risk. <i>Neuropsychopharmacology</i> , 2014 , 39, 2857-66	8.7	22
74	Regional default mode network connectivity in major depressive disorder: modulation by acute intravenous citalopram. <i>Translational Psychiatry</i> , 2019 , 9, 116	8.6	21
73	Variability in the effect of 5-HTTLPR on depression in a large European population: the role of age, symptom profile, type and intensity of life stressors. <i>PLoS ONE</i> , 2015 , 10, e0116316	3.7	21
72	Effect of quinolinic acid-induced lesions of the subthalamic nucleus on performance on a progressive-ratio schedule of reinforcement: a quantitative analysis. <i>Behavioural Brain Research</i> , 2008 , 195, 223-30	3.4	20
71	Development and validation of the Generalized Anxiety Disorder Inventory (GADI). <i>Journal of Psychopharmacology</i> , 2007 , 21, 145-52	4.6	20
70	Drug treatment of depression: reflections on the evidence. <i>Advances in Psychiatric Treatment</i> , 2003 , 9, 11-20		20
69	Effects of Different Stressors Are Modulated by Different Neurobiological Systems: The Role of GABA-A Versus CB1 Receptor Gene Variants in Anxiety and Depression. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 138	6.1	18
68	Detection of the acute effects of hydrocortisone in the hippocampus using pharmacological fMRI. <i>European Neuropsychopharmacology</i> , 2012 , 22, 867-74	1.2	18

67	Time-dependent neuronal changes associated with craving in opioid dependence: an fMRI study. <i>Addiction Biology</i> , 2018, 23, 1168-1178	4.6	17
66	Quantitative analysis of the effect of lesions of the subthalamic nucleus on intertemporal choice: further evidence for enhancement of the incentive value of food reinforcers. <i>Behavioural Pharmacology</i> , 2009, 20, 437-46	2.4	16
65	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-136	4.4	16
64	Metergoline abolishes the prolactin response to buspirone. <i>Psychopharmacology</i> , 1990, 100, 283-4	4.7	15
63	Rumination in migraine: Mediating effects of brooding and reflection between migraine and psychological distress. <i>Psychology and Health</i> , 2016, 31, 1481-1497	2.9	14
62	Clozapine monotherapy for catatonic schizophrenia: should clozapine be the treatment of choice, with catatonia rather than psychosis as the main therapeutic index?. <i>Journal of Psychopharmacology</i> , 2005, 19, 432-3	4.6	14
61	Guidelines for choice of selective serotonin reuptake inhibitor in depressive illness. <i>Advances in Psychiatric Treatment</i> , 2001, 7, 170-180		14
60	Information processing in anxiety: a pilot study of the effect of manipulating 5-HT function. <i>Journal of Psychopharmacology</i> , 1998, 12, 155-60	4.6	14
59	Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: a potential risk mechanism for depression. <i>Translational Psychiatry</i> , 2016, 6, e745	8.6	14
58	Managing inadequate antidepressant response in depressive illness. <i>British Medical Bulletin</i> , 2015, 115, 183-201	5.4	13
57	Variants in the CNR1 gene predispose to headache with nausea in the presence of life stress. <i>Genes, Brain and Behavior</i> , 2017, 16, 384-393	3.6	13
56	Enhanced subgenual cingulate response to altruistic decisions in remitted major depressive disorder. <i>NeuroImage: Clinical</i> , 2014, 4, 701-10	5.3	13
55	Mirtazapine antagonises the subjective, hormonal and neuronal effects of m-chlorophenylpiperazine (mCPP) infusion: a pharmacological-challenge fMRI (phMRI) study. <i>NeuroImage</i> , 2011, 58, 497-507	7.9	13
54	Financial difficulties but not other types of recent negative life events show strong interactions with 5-HTTLPR genotype in the development of depressive symptoms. <i>Translational Psychiatry</i> , 2016, 6, e798	8.6	13
53	TOMM40 rs2075650 may represent a new candidate gene for vulnerability to major depressive disorder. <i>Neuropsychopharmacology</i> , 2014, 39, 1743-53	8.7	12
52	Genetic variants in the catechol-o-methyltransferase gene are associated with impulsivity and executive function: relevance for major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 928-40	3.5	12
51	Effect of moderate weight loss on prolactin secretion in normal female volunteers. <i>Psychiatry Research</i> , 1989, 29, 161-7	9.9	11
50	Study protocol for the randomised controlled trial: Ketamine augmentation of ECT to improve outcomes in depression (Ketamine-ECT study). <i>BMC Psychiatry</i> , 2015, 15, 257	4.2	10

49	Treatment of bipolar affective disorder in clinical practice. <i>Journal of Psychopharmacology</i> , 2001, 15, 55-7	4.6	10
48	New approaches to treating resistant depression. <i>BJ Psych Advances</i> , 2015, 21, 315-323	0.8	9
47	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 66	2.8	9
46	The effect of moderate weight loss on overnight growth hormone and cortisol secretion in healthy female volunteers. <i>Journal of Affective Disorders</i> , 1989, 16, 197-202	6.6	9
45	A new stress sensor and risk factor for suicide: the T allele of the functional genetic variant in the GABRA6 gene. <i>Scientific Reports</i> , 2017, 7, 12887	4.9	8
44	A comparison of permutation and parametric testing for between group effective connectivity differences using DCM. <i>NeuroImage</i> , 2010, 50, 509-15	7.9	8
43	CANMAT guidelines for depression: clear and user-friendly. <i>Journal of Affective Disorders</i> , 2009, 117 Suppl 1, S3-4	6.6	7
42	Management of diabetes mellitus occurring during treatment with olanzapine: report of six cases and clinical implications. <i>Journal of Psychopharmacology</i> , 2004, 18, 128-32	4.6	7
41	The new antidepressants. <i>Current Anaesthesia and Critical Care</i> , 1999, 10, 32-39		7
40	Prolactin response to the dopamine antagonist, metoclopramide, in depression. <i>Biological Psychiatry</i> , 1991, 30, 313-6	7.9	7
39	Associations between childhood maltreatment and inflammatory markers. <i>BJPsych Open</i> , 2019, 5, e3	5	6
38	Cognitive function after electroconvulsive therapy for depression: relationship to clinical response. <i>Psychological Medicine</i> , 2021, 51, 1647-1656	6.9	6
37	Study protocol for the randomised controlled trial: antiglucocorticoid augmentation of anti-Depressants in Depression (The ADD Study). <i>BMC Psychiatry</i> , 2013, 13, 205	4.2	6
36	Prescribing antidepressants for depression: time to be dimensional and inclusive. <i>British Journal of General Practice</i> , 2011, 61, 50-2	1.6	6
35	Changes in pharmacological treatment for bipolar disorder over time in Manchester: a comparison with Lloyd et al. (2003). <i>Journal of Psychopharmacology</i> , 2004, 18, 441-4	4.6	6
34	Randomised controlled trial of ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT study). <i>Efficacy and Mechanism Evaluation</i> , 2017, 4, 1-112	1.7	6
33	Changes in the neural correlates of self-blame following mindfulness-based cognitive therapy in remitted depressed participants. <i>Psychiatry Research - Neuroimaging</i> , 2020, 304, 111152	2.9	6
32	Pharmacological treatment of unipolar depression. <i>Current Topics in Behavioral Neurosciences</i> , 2013 , 14, 263-89	3.4	5

31	Commentary on Re-evaluation of the efficacy and tolerability of venlafaxine versus SSRI: meta-analysis by Weinmann et al.. <i>Psychopharmacology</i> , 2008 , 196, 521-522	4.7	5
30	Randomised controlled trial of Antiglucocorticoid augmentation (metyrapone) of antiDepressants in Depression (ADD Study). <i>Efficacy and Mechanism Evaluation</i> , 2015 , 2, 1-98	1.7	5
29	Frontal haemodynamic responses in depression and the effect of electroconvulsive therapy. <i>Journal of Psychopharmacology</i> , 2019 , 33, 1003-1014	4.6	3
28	Electroconvulsive therapy (ECT) versus sham ECT for depression: do study limitations invalidate the evidence (and mean we should stop using ECT)??. <i>BJ Psych Advances</i> , 2021 , 27, 285-291	0.8	3
27	"Out, out, brief candle! Life's but a walking shadow": Is Associated With Current Suicidal Ideation but Not With Previous Suicide Attempts and Interacts With Recent Relationship Problems. <i>Frontiers in Psychiatry</i> , 2020 , 11, 567	5	2
26	Commentary on STAR*D: a summary and UK perspective. <i>Journal of Psychopharmacology</i> , 2009 , 23, 613-4; discussion 622-4	4.6	2
25	Pharmacological Treatments for Worry: Focus on Generalised Anxiety Disorder	305-334	2
24	Managing Depression in Clinical Practice 2010 ,		2
23	Prescribing for moderate or severe unipolar depression in patients under the long-term care of UK adult mental health services. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320930492	4.9	1
22	Making decisions in the absence of high quality clinical evidence: we need to bring some science into the judgement. <i>Journal of Psychopharmacology</i> , 2005 , 19, 133	4.6	1
21	A meta-analysis of the efficacy of selective serotonin reuptake inhibitors compared to tricyclic antidepressants in depression. <i>European Neuropsychopharmacology</i> , 1994 , 4, 332	1.2	1
20	Inflamed Mind: Multiple Genetic Variants of Influence Suicide Risk Phenotypes in Interaction With Early and Recent Adversities in a Linkage Disequilibrium-Based Clumping Analysis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 746206	5	1
19	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1342-1349	4.6	1
18	P2RX7 gene variation mediates the effect of childhood adversity and recent stress on the severity of depressive symptoms. <i>PLoS ONE</i> , 2021 , 16, e0252766	3.7	1
17	Spatiotemporal brain activation pattern following acute citalopram challenge is dose dependent and associated with neuroticism: A human phMRI study. <i>Neuropharmacology</i> , 2020 , 170, 107807	5.5	1
16	Positive Shifts in Emotion Evaluation Following Mindfulness-Based Cognitive Therapy (MBCT) in Remitted Depressed Participants. <i>Mindfulness</i> , 2021 , 12, 623-635	2.9	1
15	Cost-effectiveness model for a hypothetical monotherapy vs standard of care in adult patients with treatment-resistant depression. <i>ClinicoEconomics and Outcomes Research</i> , 2019 , 11, 257-270	1.7	0
14	Drug information not regulation is needed. <i>Journal of Psychopharmacology</i> , 2004 , 18, 14-5; author reply 18-9	4.6	0

13	Cueing emotional memories during slow wave sleep modulates next-day activity in the orbitofrontal cortex and the amygdala.. <i>NeuroImage</i> , 2022 , 253, 119120	7.9	o
12	Does electroconvulsive therapy damage the brain?. <i>Lancet Psychiatry, the</i> , 2018 , 5, 294-295	23.3	
11	Ketamine-ECT Study - Author's reply. <i>Lancet Psychiatry, the</i> , 2017 , 4, 662	23.3	
10	Unipolar depression and dysthymia. <i>Medicine</i> , 2012 , 40, 591-595	0.6	
9	No medication without representation? Generalizing from antidepressant clinical efficacy trials to clinical practice. <i>Psychological Medicine</i> , 2011 , 41, 1349-51	6.9	
8	Management of treatment nonresponse 2009 , 77-84		
7	Principles of therapy 2011 , 27-43		
6	Medications 2011 , 45-58		
5	Continuation and maintenance treatment 2011 , 85-90		
4	Management of treatment nonresponse 2011 , 77-84		
3	Principles of Therapy 2014 , 31-49		
2	Management of Treatment Nonresponse 2014 , 89-97		
1	Unipolar depressive disorders. <i>Medicine</i> , 2016 , 44, 654-660	0.6	