

Ian M Anderson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8237139/ian-m-anderson-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

9,455
citations

51
h-index

95
g-index

167
ext. papers

11,018
ext. citations

5.1
avg. IF

6.09
L-index

#	Paper	IF	Citations
156	Cueing emotional memories during slow wave sleep modulates next-day activity in the orbitofrontal cortex and the amygdala.. <i>NeuroImage</i> , 2022 , 253, 119120	7.9	0
155	Cognitive function after electroconvulsive therapy for depression: relationship to clinical response. <i>Psychological Medicine</i> , 2021 , 51, 1647-1656	6.9	6
154	Inflamed Mind: Multiple Genetic Variants of Influence Suicide Risk Phenotypes in Interaction With Early and Recent Adversities in a Linkage Disequilibrium-Based Clumping Analysis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 746206	5	1
153	P2RX7 gene variation mediates the effect of childhood adversity and recent stress on the severity of depressive symptoms. <i>PLoS ONE</i> , 2021 , 16, e0252766	3.7	1
152	Positive Shifts in Emotion Evaluation Following Mindfulness-Based Cognitive Therapy (MBCT) in Remitted Depressed Participants. <i>Mindfulness</i> , 2021 , 12, 623-635	2.9	1
151	Electroconvulsive therapy (ECT) versus sham ECT for depression: do study limitations invalidate the evidence (and mean we should stop using ECT)?. <i>BJ Psych Advances</i> , 2021 , 27, 285-291	0.8	3
150	"Out, out, brief candle! Life's but a walking shadow": Is Associated With Current Suicidal Ideation but Not With Previous Suicide Attempts and Interacts With Recent Relationship Problems. <i>Frontiers in Psychiatry</i> , 2020 , 11, 567	5	2
149	Prescribing for moderate or severe unipolar depression in patients under the long-term care of UK adult mental health services. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320930492	4.9	1
148	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1342-1349	4.6	1
147	Changes in the neural correlates of self-blame following mindfulness-based cognitive therapy in remitted depressed participants. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 304, 111152	2.9	6
146	Spatiotemporal brain activation pattern following acute citalopram challenge is dose dependent and associated with neuroticism: A human phMRI study. <i>Neuropharmacology</i> , 2020 , 170, 107807	5.5	1
145	Regional default mode network connectivity in major depressive disorder: modulation by acute intravenous citalopram. <i>Translational Psychiatry</i> , 2019 , 9, 116	8.6	21
144	Associations between childhood maltreatment and inflammatory markers. <i>BJPsych Open</i> , 2019 , 5, e3	5	6
143	Cost-effectiveness model for a hypothetical monotherapy vs standard of care in adult patients with treatment-resistant depression. <i>ClinicoEconomics and Outcomes Research</i> , 2019 , 11, 257-270	1.7	0
142	Effects of Different Stressors Are Modulated by Different Neurobiological Systems: The Role of GABA-A Versus CB1 Receptor Gene Variants in Anxiety and Depression. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 138	6.1	18
141	The burden of treatment-resistant depression: A systematic review of the economic and quality of life literature. <i>Journal of Affective Disorders</i> , 2019 , 242, 195-210	6.6	112
140	Frontal haemodynamic responses in depression and the effect of electroconvulsive therapy. <i>Journal of Psychopharmacology</i> , 2019 , 33, 1003-1014	4.6	3

139	Does electroconvulsive therapy damage the brain?. <i>Lancet Psychiatry,the</i> , 2018 , 5, 294-295	23.3	
138	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
137	Time-dependent neuronal changes associated with craving in opioid dependence: an fMRI study. <i>Addiction Biology</i> , 2018 , 23, 1168-1178	4.6	17
136	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-136	4.4	16
135	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). <i>BMJ, The</i> , 2018 , 363, k4218	5.9	29
134	Ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT): a multicentre, double-blind, randomised, parallel-group, superiority trial. <i>Lancet Psychiatry,the</i> , 2017 , 4, 365-377	23.3	54
133	A new stress sensor and risk factor for suicide: the T allele of the functional genetic variant in the GABRA6 gene. <i>Scientific Reports</i> , 2017 , 7, 12887	4.9	8
132	5-HT modulation of pain perception in humans. <i>Psychopharmacology</i> , 2017 , 234, 2929-2939	4.7	27
131	Ketamine-ECT Study - Author's reply. <i>Lancet Psychiatry,the</i> , 2017 , 4, 662	23.3	
130	Variants in the CNR1 gene predispose to headache with nausea in the presence of life stress. <i>Genes, Brain and Behavior</i> , 2017 , 16, 384-393	3.6	13
129	Randomised controlled trial of ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT study). <i>Efficacy and Mechanism Evaluation</i> , 2017 , 4, 1-112	1.7	6
128	Rumination in migraine: Mediating effects of brooding and reflection between migraine and psychological distress. <i>Psychology and Health</i> , 2016 , 31, 1481-1497	2.9	14
127	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 66	2.8	9
126	Antidepressant augmentation with metyrapone for treatment-resistant depression (the ADD study): a double-blind, randomised, placebo-controlled trial. <i>Lancet Psychiatry,the</i> , 2016 , 3, 117-27	23.3	25
125	Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: a potential risk mechanism for depression. <i>Translational Psychiatry</i> , 2016 , 6, e745	8.6	14
124	Financial difficulties but not other types of recent negative life events show strong interactions with 5-HTTLPR genotype in the development of depressive symptoms. <i>Translational Psychiatry</i> , 2016 , 6, e798	8.6	13
123	Unipolar depressive disorders. <i>Medicine</i> , 2016 , 44, 654-660	0.6	
122	Psychoeducation for relapse prevention in bipolar disorder: a systematic review of efficacy in randomized controlled trials. <i>Bipolar Disorders</i> , 2015 , 17, 349-62	3.8	90

121	Social-economical decision making in current and remitted major depression. <i>Psychological Medicine</i> , 2015 , 45, 1301-13	6.9	29
120	New approaches to treating resistant depression. <i>BJ Psych Advances</i> , 2015 , 21, 315-323	0.8	9
119	Managing inadequate antidepressant response in depressive illness. <i>British Medical Bulletin</i> , 2015 , 115, 183-201	5.4	13
118	Study protocol for the randomised controlled trial: Ketamine augmentation of ECT to improve outcomes in depression (Ketamine-ECT study). <i>BMC Psychiatry</i> , 2015 , 15, 257	4.2	10
117	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015 , 29, 459-525	4.6	381
116	Variability in the effect of 5-HTTLPR on depression in a large European population: the role of age, symptom profile, type and intensity of life stressors. <i>PLoS ONE</i> , 2015 , 10, e0116316	3.7	21
115	Randomised controlled trial of Antiglucocorticoid augmentation (metyrapone) of antidepressants in Depression (ADD Study). <i>Efficacy and Mechanism Evaluation</i> , 2015 , 2, 1-98	1.7	5
114	Brain galanin system genes interact with life stresses in depression-related phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1666-73	11.5	71
113	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: a revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2014 , 28, 403-39	4.6	387
112	Neuronal nitric oxide synthase (NOS1) polymorphisms interact with financial hardship to affect depression risk. <i>Neuropsychopharmacology</i> , 2014 , 39, 2857-66	8.7	22
111	TOMM40 rs2075650 may represent a new candidate gene for vulnerability to major depressive disorder. <i>Neuropsychopharmacology</i> , 2014 , 39, 1743-53	8.7	12
110	Temporal discounting in major depressive disorder. <i>Psychological Medicine</i> , 2014 , 44, 1825-34	6.9	95
109	Enhanced subgenual cingulate response to altruistic decisions in remitted major depressive disorder. <i>NeuroImage: Clinical</i> , 2014 , 4, 701-10	5.3	13
108	Principles of Therapy 2014 , 31-49		
107	Management of Treatment Nonresponse 2014 , 89-97		
106	Study protocol for the randomised controlled trial: antiglucocorticoid augmentation of antidepressants in Depression (The ADD Study). <i>BMC Psychiatry</i> , 2013 , 13, 205	4.2	6
105	State-dependent changes in hippocampal grey matter in depression. <i>Molecular Psychiatry</i> , 2013 , 18, 1265-72	5.2	205
104	Pharmacological treatment of unipolar depression. <i>Current Topics in Behavioral Neurosciences</i> , 2013 , 14, 263-89	3.4	5

103	Bipolar disorder. <i>BMJ, The</i> , 2012 , 345, e8508	5.9	120
102	Magnetic resonance imaging studies in unipolar depression: systematic review and meta-regression analyses. <i>European Neuropsychopharmacology</i> , 2012 , 22, 1-16	1.2	360
101	Genetic variants in the catechol-o-methyltransferase gene are associated with impulsivity and executive function: relevance for major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 928-40	3.5	12
100	Reversed frontotemporal connectivity during emotional face processing in remitted depression. <i>Biological Psychiatry</i> , 2012 , 72, 604-11	7.9	48
99	Unipolar depression and dysthymia. <i>Medicine</i> , 2012 , 40, 591-595	0.6	
98	Detection of the acute effects of hydrocortisone in the hippocampus using pharmacological fMRI. <i>European Neuropsychopharmacology</i> , 2012 , 22, 867-74	1.2	18
97	Reduced medial prefrontal responses to social interaction images in remitted depression. <i>Archives of General Psychiatry</i> , 2012 , 69, 37-45		31
96	Increased amygdala responses to sad but not fearful faces in major depression: relation to mood state and pharmacological treatment. <i>American Journal of Psychiatry</i> , 2012 , 169, 841-50	11.9	135
95	The CREB1-BDNF-NTRK2 pathway in depression: multiple gene-cognition-environment interactions. <i>Biological Psychiatry</i> , 2011 , 69, 762-71	7.9	117
94	Mirtazapine antagonises the subjective, hormonal and neuronal effects of m-chlorophenylpiperazine (mCPP) infusion: a pharmacological-challenge fMRI (phMRI) study. <i>NeuroImage</i> , 2011 , 58, 497-507	7.9	13
93	The effect of acute citalopram on face emotion processing in remitted depression: a pharmacMRI study. <i>European Neuropsychopharmacology</i> , 2011 , 21, 140-8	1.2	39
92	The HTR1A and HTR1B receptor genes influence stress-related information processing. <i>European Neuropsychopharmacology</i> , 2011 , 21, 129-39	1.2	28
91	Epistatic interaction of CREB1 and KCNJ6 on rumination and negative emotionality. <i>European Neuropsychopharmacology</i> , 2011 , 21, 63-70	1.2	24
90	Prescribing antidepressants for depression: time to be dimensional and inclusive. <i>British Journal of General Practice</i> , 2011 , 61, 50-2	1.6	6
89	State-dependent alteration in face emotion recognition in depression. <i>British Journal of Psychiatry</i> , 2011 , 198, 302-8	5.4	87
88	Neural correlates of choice behavior related to impulsivity and venturesomeness. <i>Neuropsychologia</i> , 2011 , 49, 2311-20	3.2	30
87	Affective cognition and its disruption in mood disorders. <i>Neuropsychopharmacology</i> , 2011 , 36, 153-82	8.7	217
86	Interaction between a history of depression and rumination on neural response to emotional faces. <i>Psychological Medicine</i> , 2011 , 41, 1845-55	6.9	44

85	Attenuated responses to emotional expressions in women with generalized anxiety disorder. <i>Psychological Medicine</i> , 2011 , 41, 1009-18	6.9	66
84	No medication without representation? Generalizing from antidepressant clinical efficacy trials to clinical practice. <i>Psychological Medicine</i> , 2011 , 41, 1349-51	6.9	
83	Principles of therapy 2011 , 27-43		
82	Medications 2011 , 45-58		
81	Continuation and maintenance treatment 2011 , 85-90		
80	Management of treatment nonresponse 2011 , 77-84		
79	The effects of real versus hypothetical reward on delay and probability discounting. <i>Quarterly Journal of Experimental Psychology</i> , 2010 , 63, 1072-84	1.8	61
78	Risk-taking behavior in a gambling task associated with variations in the tryptophan hydroxylase 2 gene: relevance to psychiatric disorders. <i>Neuropsychopharmacology</i> , 2010 , 35, 1109-19	8.7	28
77	Choice between reinforcer delays versus choice between reinforcer magnitudes: differential Fos expression in the orbital prefrontal cortex and nucleus accumbens core. <i>Behavioural Brain Research</i> , 2010 , 213, 269-77	3.4	26
76	A comparison of permutation and parametric testing for between group effective connectivity differences using DCM. <i>NeuroImage</i> , 2010 , 50, 509-15	7.9	8
75	Neuronal correlates and serotonergic modulation of behavioural inhibition and reward in healthy and antisocial individuals. <i>Journal of Psychiatric Research</i> , 2010 , 44, 123-31	5.2	51
74	Significant association between the C(-1019)G functional polymorphism of the HTR1A gene and impulsivity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 592-599	3.5	55
73	Managing Depression in Clinical Practice 2010 ,		2
72	Commentary on STAR*D: a summary and UK perspective. <i>Journal of Psychopharmacology</i> , 2009 , 23, 613-4; discussion 622-4	4.6	2
71	CNR1 gene is associated with high neuroticism and low agreeableness and interacts with recent negative life events to predict current depressive symptoms. <i>Neuropsychopharmacology</i> , 2009 , 34, 2019-27	8.7	130
70	Efficacy, safety and tolerability of quetiapine augmentation in treatment resistant depression: an open-label, pilot study. <i>Journal of Affective Disorders</i> , 2009 , 117, 116-9	6.6	23
69	The effect of serotonergic and noradrenergic antidepressants on face emotion processing in depressed patients. <i>Journal of Affective Disorders</i> , 2009 , 118, 87-93	6.6	130
68	CANMAT guidelines for depression: clear and user-friendly. <i>Journal of Affective Disorders</i> , 2009 , 117 Suppl 1, S3-4	6.6	7

67	Effects of lesions of the nucleus accumbens core on inter-temporal choice: further observations with an adjusting-delay procedure. <i>Behavioural Brain Research</i> , 2009 , 202, 272-7	3.4	38
66	Variations in the cannabinoid receptor 1 gene predispose to migraine. <i>Neuroscience Letters</i> , 2009 , 461, 116-20	3.3	40
65	A survey of the teaching and assessment of undergraduate psychiatry in the medical schools of the United Kingdom and Ireland. <i>Medical Teacher</i> , 2009 , 31, 1024-9	3	24
64	Diminished neural and cognitive responses to facial expressions of disgust in patients with psoriasis: a functional magnetic resonance imaging study. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2613-9	4.3	32
63	Quantitative analysis of the effect of lesions of the subthalamic nucleus on intertemporal choice: further evidence for enhancement of the incentive value of food reinforcers. <i>Behavioural Pharmacology</i> , 2009 , 20, 437-46	2.4	16
62	Management of treatment nonresponse 2009 , 77-84		
61	Validation of the Mood Disorder Questionnaire for screening for bipolar disorder in a UK sample. <i>Journal of Affective Disorders</i> , 2008 , 110, 180-4	6.6	62
60	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008 , 22, 343-96	4.6	341
59	Assessing human 5-HT function in vivo with pharmacMRI. <i>Neuropharmacology</i> , 2008 , 55, 1029-37	5.5	61
58	Effect of disconnecting the orbital prefrontal cortex from the nucleus accumbens core on inter-temporal choice behaviour: a quantitative analysis. <i>Behavioural Brain Research</i> , 2008 , 191, 272-9	3.4	30
57	Effect of quinolinic acid-induced lesions of the subthalamic nucleus on performance on a progressive-ratio schedule of reinforcement: a quantitative analysis. <i>Behavioural Brain Research</i> , 2008 , 195, 223-30	3.4	20
56	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
55	The effect of rate of antidepressant tapering on the incidence of discontinuation symptoms: a randomised study. <i>Journal of Psychopharmacology</i> , 2008 , 22, 330-2	4.6	71
54	Commentary on Re-evaluation of the efficacy and tolerability of venlafaxine versus SSRI: meta-analysis by Weinmann et al.. <i>Psychopharmacology</i> , 2008 , 196, 521-522	4.7	5
53	Effect of quinolinic acid-induced lesions of the nucleus accumbens core on performance on a progressive ratio schedule of reinforcement: implications for inter-temporal choice. <i>Psychopharmacology</i> , 2008 , 197, 339-50	4.7	31
52	Adjunctive fast repetitive transcranial magnetic stimulation in depression. <i>British Journal of Psychiatry</i> , 2007 , 190, 533-4	5.4	29
51	Effects of quinolinic acid-induced lesions of the nucleus accumbens core on inter-temporal choice: a quantitative analysis. <i>Psychopharmacology</i> , 2007 , 195, 71-84	4.7	66
50	Development and validation of the Generalized Anxiety Disorder Inventory (GADI). <i>Journal of Psychopharmacology</i> , 2007 , 21, 145-52	4.6	20

49	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. <i>NeuroReport</i> , 2007 , 18, 1351-5	1.7	107
48	Recognising and managing antidepressant discontinuation symptoms. <i>Advances in Psychiatric Treatment</i> , 2007 , 13, 447-457		65
47	Serotonergic modulation of neuronal responses to behavioural inhibition and reinforcing stimuli: an fMRI study in healthy volunteers. <i>European Journal of Neuroscience</i> , 2006 , 23, 552-60	3.5	84
46	The effect of citalopram pretreatment on neuronal responses to neuropsychological tasks in normal volunteers: an FMRI study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1724-34	8.7	216
45	The effect of orbital prefrontal cortex lesions on performance on a progressive ratio schedule: implications for models of inter-temporal choice. <i>Behavioural Brain Research</i> , 2005 , 156, 145-52	3.4	60
44	Effect of acute tryptophan depletion on the response to controllable and uncontrollable noise stress. <i>Biological Psychiatry</i> , 2005 , 57, 295-300	7.9	29
43	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2005 , 19, 567-96	4.6	449
42	Neuronal effects of acute citalopram detected by pharmacofMRI. <i>Psychopharmacology</i> , 2005 , 180, 680-6	4.7	99
41	Making decisions in the absence of high quality clinical evidence: we need to bring some science into the judgement. <i>Journal of Psychopharmacology</i> , 2005 , 19, 133	4.6	1
40	Clozapine monotherapy for catatonic schizophrenia: should clozapine be the treatment of choice, with catatonia rather than psychosis as the main therapeutic index?. <i>Journal of Psychopharmacology</i> , 2005 , 19, 432-3	4.6	14
39	Changes in pharmacological treatment for bipolar disorder over time in Manchester: a comparison with Lloyd et al. (2003). <i>Journal of Psychopharmacology</i> , 2004 , 18, 441-4	4.6	6
38	Management of diabetes mellitus occurring during treatment with olanzapine: report of six cases and clinical implications. <i>Journal of Psychopharmacology</i> , 2004 , 18, 128-32	4.6	7
37	Drug information not regulation is needed. <i>Journal of Psychopharmacology</i> , 2004 , 18, 14-5; author reply 18-9	4.6	0
36	Effects of orbital prefrontal cortex dopamine depletion on inter-temporal choice: a quantitative analysis. <i>Psychopharmacology</i> , 2004 , 175, 206-14	4.7	87
35	Neurobiological substrates of antisocial and borderline personality disorder: preliminary results of a functional fMRI study. <i>Criminal Behaviour and Mental Health</i> , 2004 , 14, 39-54	1.4	109
34	Drug treatment of depression: reflections on the evidence. <i>Advances in Psychiatric Treatment</i> , 2003 , 9, 11-20		20
33	Clinical trials of antidepressant medications are producing meaningless results. <i>British Journal of Psychiatry</i> , 2003 , 183, 102-4	5.4	28
32	The relationship between serotonergic function and the Psychopathy Checklist: Screening Version. <i>Journal of Psychopharmacology</i> , 2003 , 17, 216-22	4.6	60

31	Role of the orbital prefrontal cortex in choice between delayed and uncertain reinforcers: a quantitative analysis. <i>Behavioural Processes</i> , 2003 , 64, 239-250	1.6	49
30	Quantitative frontal and temporal structural MRI studies in personality-disordered offenders and control subjects. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 116, 133-49	2.9	62
29	Effects of lesions of the orbitofrontal cortex on sensitivity to delayed and probabilistic reinforcement. <i>Psychopharmacology</i> , 2002 , 160, 290-8	4.7	327
28	Effects of quinolinic acid-induced lesions of the orbital prefrontal cortex on inter-temporal choice: a quantitative analysis. <i>Psychopharmacology</i> , 2002 , 165, 9-17	4.7	94
27	Efficacy and tolerability of venlafaxine compared with selective serotonin reuptake inhibitors and other antidepressants: a meta-analysis. <i>British Journal of Psychiatry</i> , 2002 , 180, 396-404	5.4	360
26	Executive and memory function and its relationship to trait impulsivity and aggression in personality disordered offenders. <i>Journal of Forensic Psychiatry Psychology</i> , 2002 , 13, 503-526		34
25	Treatment of bipolar affective disorder in clinical practice. <i>Journal of Psychopharmacology</i> , 2001 , 15, 55-7	4.6	10
24	Meta-analytical studies on new antidepressants. <i>British Medical Bulletin</i> , 2001 , 57, 161-78	5.4	198
23	Relationship between 5-HT function and impulsivity and aggression in male offenders with personality disorders. <i>British Journal of Psychiatry</i> , 2001 , 178, 352-9	5.4	129
22	Guidelines for choice of selective serotonin reuptake inhibitor in depressive illness. <i>Advances in Psychiatric Treatment</i> , 2001 , 7, 170-180		14
21	Selective serotonin reuptake inhibitors versus tricyclic antidepressants: a meta-analysis of efficacy and tolerability. <i>Journal of Affective Disorders</i> , 2000 , 58, 19-36	6.6	653
20	d-Fenfluramine in panic disorder: a dual role for 5-hydroxytryptamine. <i>Psychopharmacology</i> , 2000 , 149, 251-8	4.7	39
19	Predictive value of pharmacological activity for the relative efficacy of antidepressant drugs. Meta-regression analysis. <i>British Journal of Psychiatry</i> , 2000 , 177, 292-302	5.4	74
18	Effect of acute tryptophan depletion on CO ₂ -induced anxiety in patients with panic disorder and normal volunteers. <i>British Journal of Psychiatry</i> , 2000 , 176, 182-8	5.4	78
17	The new antidepressants. <i>Current Anaesthesia and Critical Care</i> , 1999 , 10, 32-39		7
16	Systematic review and guide to selection of selective serotonin reuptake inhibitors. <i>Drugs</i> , 1999 , 57, 507-33	12.1	264
15	Information processing in anxiety: a pilot study of the effect of manipulating 5-HT function. <i>Journal of Psychopharmacology</i> , 1998 , 12, 155-60	4.6	14
14	The effect of chronic fluvoxamine on hormonal and psychological responses to buspirone in normal volunteers. <i>Psychopharmacology</i> , 1996 , 128, 74-82	4.7	26

13	The efficacy of selective serotonin re-uptake inhibitors in depression: a meta-analysis of studies against tricyclic antidepressants. <i>Journal of Psychopharmacology</i> , 1994 , 8, 238-49	4.6	218
12	A meta-analysis of the efficacy of selective serotonin reuptake inhibitors compared to tricyclic antidepressants in depression. <i>European Neuropsychopharmacology</i> , 1994 , 4, 332	1.2	1
11	Effect of pindolol on endocrine and temperature responses to buspirone in healthy volunteers. <i>Psychopharmacology</i> , 1992 , 106, 428-32	4.7	61
10	Prolactin response to the dopamine antagonist, metoclopramide, in depression. <i>Biological Psychiatry</i> , 1991 , 30, 313-6	7.9	7
9	The effects of gepirone on neuroendocrine function and temperature in humans. <i>Psychopharmacology</i> , 1990 , 100, 498-503	4.7	57
8	Metergoline abolishes the prolactin response to buspirone. <i>Psychopharmacology</i> , 1990 , 100, 283-4	4.7	15
7	Dieting reduces plasma tryptophan and alters brain 5-HT function in women. <i>Psychological Medicine</i> , 1990 , 20, 785-91	6.9	136
6	Decreased plasma tryptophan concentration in major depression: relationship to melancholia and weight loss. <i>Journal of Affective Disorders</i> , 1990 , 20, 185-91	6.6	34
5	Effect of moderate weight loss on prolactin secretion in normal female volunteers. <i>Psychiatry Research</i> , 1989 , 29, 161-7	9.9	11
4	The effect of moderate weight loss on overnight growth hormone and cortisol secretion in healthy female volunteers. <i>Journal of Affective Disorders</i> , 1989 , 16, 197-202	6.6	9
3	L-Tryptophan and prolactin release: Evidence for interaction between 5-HT1 and 5-HT2 receptors. <i>Human Psychopharmacology</i> , 1986 , 1, 93-97	2.3	62
2	Clomipramine enhances prolactin and growth hormone responses to L-tryptophan. <i>Psychopharmacology</i> , 1986 , 89, 131-3	4.7	48
1	Pharmacological Treatments for Worry: Focus on Generalised Anxiety Disorder 305-334		2