

# Ana VuletiÄ

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8238023/publications.pdf>

Version: 2024-02-01

18  
papers

471  
citations

840776

11  
h-index

996975

15  
g-index

18  
all docs

18  
docs citations

18  
times ranked

718  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low expression of CD161 and NKG2D activating NK receptor is associated with impaired NK cell cytotoxicity in metastatic melanoma patients. <i>Clinical and Experimental Metastasis</i> , 2007, 24, 1-11.	3.3	79
2	Investigation of NK cell function and their modulation in different malignancies. <i>Immunologic Research</i> , 2012, 52, 139-156.	2.9	61
3	Distribution of Several Activating and Inhibitory Receptors on CD3 <sup>+</sup> CD16 <sup>+</sup> NK Cells and Their Correlation with NK Cell Function in Healthy Individuals. <i>Journal of Membrane Biology</i> , 2009, 230, 113-123.	2.1	39
4	Decreased CD161 activating and increased CD158a inhibitory receptor expression on NK cells underlies impaired NK cell cytotoxicity in patients with multiple myeloma. <i>Journal of Clinical Pathology</i> , 2016, 69, 1009-1016.	2.0	38
5	Natural killer cell receptors: alterations and therapeutic targeting in malignancies. <i>Immunologic Research</i> , 2016, 64, 25-35.	2.9	36
6	In-vitro IL-2 or IFN- $\gamma$ -induced NKG2D and CD161 NK cell receptor expression indicates novel aspects of NK cell activation in metastatic melanoma patients. <i>Melanoma Research</i> , 2010, 20, 459-467.	1.2	35
7	Distribution of several activating and inhibitory receptors on CD3 <sup>+</sup> CD56 <sup>+</sup> NK cells in regional lymph nodes of melanoma patients. <i>Journal of Surgical Research</i> , 2013, 183, 860-868.	1.6	29
8	Antiproliferative Effect of 13-cis-Retinoic Acid is Associated with Granulocyte Differentiation and Decrease in Cyclin B1 and Bcl-2 Protein Levels in G0/G1 Arrested HL-60 Cells. <i>Pathology and Oncology Research</i> , 2010, 16, 393-401.	1.9	28
9	IL-2 And IL-15 Induced NKG2D, CD158a and CD158b Expression on T, NKT-like and NK Cell Lymphocyte Subsets from Regional Lymph Nodes of Melanoma Patients. <i>Pathology and Oncology Research</i> , 2020, 26, 223-231.	1.9	26
10	Evaluation of cytokine expression and circulating immune cell subsets as potential parameters of acute radiation toxicity in prostate cancer patients. <i>Scientific Reports</i> , 2020, 10, 19002.	3.3	21
11	Decreased Interferon $\gamma$ Production in CD3 <sup>+</sup> and CD3 <sup>+</sup> CD56 <sup>+</sup> Lymphocyte Subsets in Metastatic Regional Lymph Nodes of Melanoma Patients. <i>Pathology and Oncology Research</i> , 2015, 21, 1109-1114.	1.9	18
12	Cross-Talk Between Tumor Cells Undergoing Epithelial to Mesenchymal Transition and Natural Killer Cells in Tumor Microenvironment in Colorectal Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 750022.	3.7	18
13	Immunity to melanin and to tyrosinase in melanoma patients, and in people with vitiligo. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 109.	3.7	11
14	Evaluation of the Functional Capacity of NK Cells of Melanoma Patients in an In Vitro Model of NK Cell Contact with K562 and FemX Tumor Cell Lines. <i>Journal of Membrane Biology</i> , 2017, 250, 507-516.	2.1	8
15	The Role of Activating and Inhibitory NK Cell Receptors in Antitumor Immune Response. , 0, , ,		8
16	The Role of NK Cells in Cancer. , 2020, , 133-146.		7
17	Effect of cytokines on NK cell activity and activating receptor expression in high-risk cutaneous melanoma patients. <i>European Cytokine Network</i> , 2019, 30, 160-167.	2.0	5
18	STAT Transcription Factors in Tumor Development and Targeted Therapy of Malignancies. , 0, , ,		4