Chang Hoon Lee

List of Publications by Citations

Source: https://exaly.com/author-pdf/8239090/chang-hoon-lee-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16 28 55 955 h-index g-index citations papers 61 1,228 5.1 5.23 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
55	DOT1L cooperates with the c-Myc-p300 complex to epigenetically derepress CDH1 transcription factors in breast cancer progression. <i>Nature Communications</i> , 2015 , 6, 7821	17.4	118
54	UTX inhibits EMT-induced breast CSC properties by epigenetic repression of EMT genes in cooperation with LSD1 and HDAC1. <i>EMBO Reports</i> , 2015 , 16, 1288-98	6.5	73
53	Chemokines and their Receptors: Multifaceted Roles in Cancer Progression and Potential Value as Cancer Prognostic Markers. <i>Cancers</i> , 2020 , 12,	6.6	73
52	Resolvins as new fascinating drug candidates for inflammatory diseases. <i>Archives of Pharmacal Research</i> , 2012 , 35, 3-7	6.1	62
51	Reduced MiR-675 in exosome in H19 RNA-related melanogenesis via MITF as a direct target. Journal of Investigative Dermatology, 2014 , 134, 1075-1082	4.3	59
50	Resolvin D1 inhibits TGF-II-induced epithelial mesenchymal transition of A549 lung cancer cells via lipoxin A4 receptor/formyl peptide receptor 2 and GPR32. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 2801-7	5.6	59
49	Transglutaminase-2 induces N-cadherin expression in TGF-II-induced epithelial mesenchymal transition via c-Jun-N-terminal kinase activation by protein phosphatase 2A down-regulation. <i>European Journal of Cancer</i> , 2013 , 49, 1692-705	7.5	37
48	Mouse models of breast cancer in preclinical research. <i>Laboratory Animal Research</i> , 2018 , 34, 160-165	1.9	34
47	Phosphorylation and Reorganization of Keratin Networks: Implications for Carcinogenesis and Epithelial Mesenchymal Transition. <i>Biomolecules and Therapeutics</i> , 2015 , 23, 301-12	4.2	31
46	Novel suppressive effects of cardamonin on the activity and expression of transglutaminase-2 lead to blocking the migration and invasion of cancer cells. <i>Life Sciences</i> , 2013 , 92, 154-60	6.8	26
45	Novel involvement of leukotriene Blreceptor 2 through ERK activation by PP2A down-regulation in leukotriene Blinduced keratin phosphorylation and reorganization of pancreatic cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012 , 1823, 2120-9	4.9	22
44	Epithelial-mesenchymal transition: Initiation by cues from chronic inflammatory tumor microenvironment and termination by anti-inflammatory compounds and specialized pro-resolving lipids. <i>Biochemical Pharmacology</i> , 2018 , 158, 261-273	6	20
43	Over-activation of AKT signaling leading to 5-Fluorouracil resistance in SNU-C5/5-FU cells. <i>Oncotarget</i> , 2018 , 9, 19911-19928	3.3	19
42	NADPH oxidase (NOX) 1 mediates cigarette smoke-induced superoxide generation in rat vascular smooth muscle cells. <i>Toxicology in Vitro</i> , 2017 , 38, 49-58	3.6	17
41	Histamine receptor 2-mediated growth-differentiation factor-15 expression is involved in histamine-induced melanogenesis. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 2124	- § .6	17
40	Cardamonin Suppresses TGF-II-Induced Epithelial Mesenchymal Transition via Restoring Protein Phosphatase 2A Expression. <i>Biomolecules and Therapeutics</i> , 2015 , 23, 141-8	4.2	16
39	Role of specialized pro-resolving lipid mediators and their receptors in virus infection: a promising therapeutic strategy for SARS-CoV-2 cytokine storm. <i>Archives of Pharmacal Research</i> , 2021 , 44, 84-98	6.1	16

38	Novel anti-nociceptive effects of cardamonin via blocking expression of cyclooxygenase-2 and transglutaminase-2. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 118, 10-5	3.9	15	
37	Role of Anillin in Tumour: From a Prognostic Biomarker to a Novel Target. <i>Cancers</i> , 2020 , 12,	6.6	13	
36	Epithelial membrane protein 2 regulates sphingosylphosphorylcholine-induced keratin 8 phosphorylation and reorganization: Changes of PP2A expression by interaction with alpha4 and caveolin-1 in lung cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016 , 1863, 1157	4.9 7-69	12	
35	Anti-Inflammatory Effects of 6,8-Diprenyl-7,4Tdihydroxyflavanone from Sophora tonkinensis on Lipopolysaccharide-Stimulated RAW 264.7 Cells. <i>Molecules</i> , 2016 , 21,	4.8	12	
34	Leukotriene B4 induces EMT and vimentin expression in PANC-1 pancreatic cancer cells: Involvement of BLT2 via ERK2 activation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2016 , 115, 67-76	2.8	12	
33	Penfluridol as a Candidate of Drug Repurposing for Anticancer Agent. <i>Molecules</i> , 2019 , 24,	4.8	11	
32	Transglutaminase 2 Promotes Autophagy by LC3 Induction through p53 Depletion in Cancer Cell. <i>Biomolecules and Therapeutics</i> , 2019 , 27, 34-40	4.2	11	
31	Novel effects of FTY720 on perinuclear reorganization of keratin network induced by sphingosylphosphorylcholine: Involvement of protein phosphatase 2A and G-protein-coupled receptor-12. European Journal of Pharmacology, 2016 , 775, 86-95	5.3	11	
30	12-O-Tetradecanoylphorbol-13-Acetate Induces Keratin 8 Phosphorylation and Reorganization via Expression of Transglutaminase-2. <i>Biomolecules and Therapeutics</i> , 2014 , 22, 122-8	4.2	10	
29	Roles of Farnesyl-Diphosphate Farnesyltransferase 1 in Tumour and Tumour Microenvironments. <i>Cells</i> , 2020 , 9,	7.9	10	
28	SARNP, a participant in mRNA splicing and export, negatively regulates E-cadherin expression via interaction with pinin. <i>Journal of Cellular Physiology</i> , 2020 , 235, 1543-1555	7	10	
27	Novel Suppressive Effects of Ketotifen on Migration and Invasion of MDA-MB-231 and HT-1080 Cancer Cells. <i>Biomolecules and Therapeutics</i> , 2014 , 22, 540-6	4.2	9	
26	Novel effects of sphingosylphosphorylcholine on invasion of breast cancer: Involvement of matrix metalloproteinase-3 secretion leading to WNT activation. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 1533-43	6.9	8	
25	Sphingosylphosphorylcholine Induces Thrombospondin-1 Secretion in MCF10A Cells via ERK2. <i>Biomolecules and Therapeutics</i> , 2017 , 25, 625-633	4.2	8	
24	Therapeutic Effects of Specialized Pro-Resolving Lipids Mediators on Cardiac Fibrosis via NRF2 Activation. <i>Antioxidants</i> , 2020 , 9,	7.1	8	
23	Reversal of Epithelial-Mesenchymal Transition by Natural Anti-Inflammatory and Pro-Resolving Lipids. <i>Cancers</i> , 2019 , 11,	6.6	8	
22	YDJC Induces Epithelial-Mesenchymal Transition via Escaping from Interaction with CDC16 through Ubiquitination of PP2A. <i>Journal of Oncology</i> , 2019 , 2019, 3542537	4.5	6	
21	Novel inhibitory effects of cardamonin on thromboxane A2-induced scratching response: Blocking of Gh/transglutaminase-2 binding to thromboxane A2 receptor. <i>Pharmacology Biochemistry and Behavior</i> 2014 , 126, 131-5	3.9	6	

20	Transcriptome Analysis Illuminates a Hub Role of in Cholesterol Metabolism by EMangostin. <i>ACS Omega</i> , 2020 , 5, 31126-31136	3.9	6
19	YdjC chitooligosaccharide deacetylase homolog induces keratin reorganization in lung cancer cells: involvement of interaction between YDJC and CDC16. <i>Oncotarget</i> , 2018 , 9, 22915-22928	3.3	6
18	Role of Sphingosylphosphorylcholine in Tumor and Tumor Microenvironment. <i>Cancers</i> , 2019 , 11,	6.6	5
17	Novel involvement of RhebL1 in sphingosylphosphorylcholine-induced keratin phosphorylation and reorganization: Binding to and activation of AKT1. <i>Oncotarget</i> , 2017 , 8, 20851-20864	3.3	5
16	The Role of CDK5 in Tumours and Tumour Microenvironments. <i>Cancers</i> , 2020 , 13,	6.6	5
15	Involvement of Transglutaminase-2 in EMSH-Induced Melanogenesis in SK-MEL-2 Human Melanoma Cells. <i>Biomolecules and Therapeutics</i> , 2014 , 22, 207-12	4.2	5
14	Tumour Regression via Integrative Regulation of Neurological, Inflammatory, and Hypoxic Tumour Microenvironment. <i>Biomolecules and Therapeutics</i> , 2020 , 28, 119-130	4.2	5
13	IRF-1 Inhibits Angiogenic Activity of HPV16 E6 Oncoprotein in Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
12	Ethacrynic acid, a loop diuretic, suppresses epithelial-mesenchymal transition of A549 lung cancer cells via blocking of NDP-induced WNT signaling. <i>Biochemical Pharmacology</i> , 2021 , 183, 114339	6	5
11	4-Anilinoquinazoline-based benzenesulfonamides as nanomolar inhibitors of carbonic anhydrase isoforms I, II, IX, and XII: design, synthesis, , and biological studies <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2022 , 37, 994-1004	5.6	5
10	Role of Amine Neurotransmitters and Their Receptors in Skin Pigmentation: Therapeutic Implication. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
9	Knockdown of Sensitizes Endometrial Cancer Cells via AMPK Activation. <i>Biomolecules and Therapeutics</i> , 2021 , 29, 650-657	4.2	3
8	Effects of cerulein on keratin 8 phosphorylation and perinuclear reorganization in pancreatic cancer cells: Involvement of downregulation of protein phosphatase 2A and alpha4. <i>Environmental Toxicology</i> , 2016 , 31, 2090-2098	4.2	2
7	Hit Identification of a Novel Quinazoline Sulfonamide as a Promising EphB3 Inhibitor: Design, Virtual Combinatorial Library, Synthesis, Biological Evaluation, and Docking Simulation Studies <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
6	Resolvin D1 Suppresses HO-Induced Senescence in Fibroblasts by Inducing Autophagy through the miR-1299/ARG2/ARL1 Axis <i>Antioxidants</i> , 2021 , 10,	7.1	2
5	Novel Anti-Angiogenic and Anti-Tumour Activities of the N-Terminal Domain of NOEY2 via Binding to VEGFR-2 in Ovarian Cancer. <i>Biomolecules and Therapeutics</i> , 2021 , 29, 506-518	4.2	2
4	Pharmacological Activity of (Kokum): An Updated Review Pharmaceuticals, 2021, 14,	5.2	2
3	LW1497, an Inhibitor of Malate Dehydrogenase, Suppresses TGF-II-Induced Epithelial-Mesenchymal Transition in Lung Cancer Cells by Downregulating Slug. <i>Antioxidants</i> , 2021 , 10,	7.1	1

LIST OF PUBLICATIONS

Biochemical analysis of recombinant CYP4A11 allelic variant enzymes: W126R, K276T and S353G. Drug Metabolism and Pharmacokinetics, **2016**, 31, 445-450

2.2 1

Loss of EMP2 Inhibits Melanogenesis of MNT1 Melanoma Cells via Regulation of TRP-2.. *Biomolecules and Therapeutics*, **2022**, 30, 203-211

4.2