

Takeshi Kumada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8239797/publications.pdf>

Version: 2024-02-01

157
papers

7,051
citations

94269

37
h-index

66788

78
g-index

157
all docs

157
docs citations

157
times ranked

5626
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of Liver Function in Patients With Hepatocellular Carcinoma: A New Evidence-Based Approach—The ALBI Grade. <i>Journal of Clinical Oncology</i> , 2015, 33, 550-558.	0.8	1,810
2	Role of the GALAD and BALAD-2 Serologic Models in Diagnosis of Hepatocellular Carcinoma and Prediction of Survival in Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 875-886.e6.	2.4	217
3	Validation and Potential of Albumin-Bilirubin Grade and Prognostication in a Nationwide Survey of 46,681 Hepatocellular Carcinoma Patients in Japan: The Need for a More Detailed Evaluation of Hepatic Function. <i>Liver Cancer</i> , 2017, 6, 325-336.	4.2	202
4	Usefulness of albumin–bilirubin grade for evaluation of prognosis of 2584 Japanese patients with hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1031-1036.	1.4	198
5	GALAD Score Detects Early Hepatocellular Carcinoma in an International Cohort of Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 728-735.e4.	2.4	167
6	Albumin-Bilirubin (ALBI) Grade as Part of the Evidence-Based Clinical Practice Guideline for HCC of the Japan Society of Hepatology: A Comparison with the Liver Damage and Child-Pugh Classifications. <i>Liver Cancer</i> , 2017, 6, 204-215.	4.2	159
7	Validation of Modified ALBI Grade for More Detailed Assessment of Hepatic Function in Hepatocellular Carcinoma Patients: A Multicenter Analysis. <i>Liver Cancer</i> , 2019, 8, 121-129.	4.2	159
8	aMAP risk score predicts hepatocellular carcinoma development in patients with chronic hepatitis. <i>Journal of Hepatology</i> , 2020, 73, 1368-1378.	1.8	158
9	Long-term impact of liver function on curative therapy for hepatocellular carcinoma: application of the ALBI grade. <i>British Journal of Cancer</i> , 2016, 114, 744-750.	2.9	150
10	Evolution of Hypointense Hepatocellular Nodules Observed Only in the Hepatobiliary Phase of Gadoxetate Disodium—Enhanced MRI. <i>American Journal of Roentgenology</i> , 2011, 197, 58-63.	1.0	141
11	Clinical utility of <i>Lens culinaris</i> agglutinin-reactive alpha-fetoprotein in small hepatocellular carcinoma: special reference to imaging diagnosis. <i>Journal of Hepatology</i> , 1999, 30, 125-130.	1.8	136
12	Prognostic factor of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions—Multicenter analysis. <i>Cancer Medicine</i> , 2019, 8, 3719-3728.	1.3	131
13	Tumor Markers for Hepatocellular Carcinoma: Simple and Significant Predictors of Outcome in Patients with HCC. <i>Liver Cancer</i> , 2015, 4, 126-136.	4.2	125
14	HBcrAg predicts hepatocellular carcinoma development: An analysis using time-dependent receiver operating characteristics. <i>Journal of Hepatology</i> , 2016, 65, 48-56.	1.8	125
15	Effect of nucleos(t)ide analogue therapy on hepatocarcinogenesis in chronic hepatitis B patients: A propensity score analysis. <i>Journal of Hepatology</i> , 2013, 58, 427-433.	1.8	124
16	Hepatic Function during Repeated TACE Procedures and Prognosis after Introducing Sorafenib in Patients with Unresectable Hepatocellular Carcinoma: Multicenter Analysis. <i>Digestive Diseases</i> , 2017, 35, 602-610.	0.8	113
17	Clinical features of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions: Multicenter analysis. <i>Cancer Medicine</i> , 2019, 8, 137-146.	1.3	112
18	Usefulness of Attenuation Imaging with an Ultrasound Scanner for the Evaluation of Hepatic Steatosis. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2679-2687.	0.7	102

#	ARTICLE	IF	CITATIONS
19	Newly Proposed ALBI Grade and ALBI-T Score as Tools for Assessment of Hepatic Function and Prognosis in Hepatocellular Carcinoma Patients. <i>Liver Cancer</i> , 2019, 8, 312-325.	4.2	88
20	Therapeutic potential of lenvatinib for unresectable hepatocellular carcinoma in clinical practice: Multicenter analysis. <i>Hepatology Research</i> , 2019, 49, 111-117.	1.8	81
21	Utility of Attenuation Coefficient Measurement Using an Ultrasound-Guided Attenuation Parameter for Evaluation of Hepatic Steatosis: Comparison With MRI-Determined Proton Density Fat Fraction. <i>American Journal of Roentgenology</i> , 2019, 212, 332-341.	1.0	70
22	Non-hypervascular hypointense nodules detected by Gd-EOB-DTPA-enhanced MRI are a risk factor for recurrence of HCC after hepatectomy. <i>Journal of Hepatology</i> , 2013, 58, 1174-1180.	1.8	66
23	Important Clinical Factors in Sequential Therapy Including Lenvatinib against Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019, 97, 277-285.	0.9	66
24	Relationship between Lens culinaris agglutinin-reactive alpha-fetoprotein and pathologic features of hepatocellular carcinoma. <i>Liver International</i> , 2005, 25, 848-853.	1.9	63
25	Efficacy of peginterferon- α -2b plus ribavirin in patients aged 65 years and older with chronic hepatitis C. <i>Liver International</i> , 2010, 30, 527-537.	1.9	58
26	Impact of Surveillance on Survival of Patients With Initial Hepatocellular Carcinoma: A Study From Japan. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1170-1176.	2.4	57
27	High-sensitivity Lens culinaris agglutinin-reactive alpha-fetoprotein assay predicts early detection of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2014, 49, 555-563.	2.3	57
28	Viral eradication reduces all-cause mortality in patients with chronic hepatitis C virus infection: a propensity score analysis. <i>Liver International</i> , 2016, 36, 817-826.	1.9	57
29	Neutrophil-to-lymphocyte ratio is associated with survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2020, 40, 968-976.	1.9	51
30	Impact of disease stage and aetiology on survival in hepatocellular carcinoma: implications for surveillance. <i>British Journal of Cancer</i> , 2017, 116, 441-447.	2.9	46
31	Incidence of hepatocellular carcinoma in hepatitis C carriers with normal alanine aminotransferase levels. <i>Journal of Hepatology</i> , 2009, 50, 729-735.	1.8	45
32	Lenvatinib versus sorafenib in first-line treatment of unresectable hepatocellular carcinoma: An inverse probability of treatment weighting analysis. <i>Liver International</i> , 2021, 41, 1389-1397.	1.9	45
33	Safety and efficacy of lenvatinib in elderly patients with unresectable hepatocellular carcinoma: A multicenter analysis with propensity score matching. <i>Hepatology Research</i> , 2020, 50, 75-83.	1.8	44
34	Atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma: Early clinical experience. <i>Cancer Reports</i> , 2022, 5, e1464.	0.6	43
35	HCC incidence after hepatitis C cure among patients with advanced fibrosis or cirrhosis: A meta-analysis. <i>Hepatology</i> , 2022, 76, 139-154.	3.6	42
36	Efficacy and tolerability of an IFN-free regimen with DCV/ASV for elderly patients infected with HCV genotype 1B. <i>Journal of Hepatology</i> , 2017, 66, 521-527.	1.8	41

#	ARTICLE	IF	CITATIONS
37	Type 2 diabetes mellitus: A risk factor for progression of liver fibrosis in middle-aged patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 2011-2018.	1.4	41
38	The efficacy and safety of glecaprevir plus pibrentasvir in 141 patients with severe renal impairment: a prospective, multicenter study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1230-1241.	1.9	41
39	Predictive value of tumor markers for hepatocarcinogenesis in patients with hepatitis C virus. <i>Journal of Gastroenterology</i> , 2011, 46, 536-544.	2.3	40
40	Impact of albumin-bilirubin grade on survival in patients with hepatocellular carcinoma who received sorafenib: An analysis using time-dependent receiver operating characteristic. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1066-1073.	1.4	40
41	Early Relative Change in Hepatic Function with Lenvatinib for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019, 97, 334-340.	0.9	39
42	Progression of liver fibrosis is associated with non-liver-related mortality in patients with nonalcoholic fatty liver disease. <i>Hepatology Communications</i> , 2017, 1, 899-910.	2.0	38
43	Post-Progression Treatment Eligibility of Unresectable Hepatocellular Carcinoma Patients Treated with Lenvatinib. <i>Liver Cancer</i> , 2020, 9, 73-83.	4.2	37
44	Proposed New Sub-Grouping for Intermediate-Stage Hepatocellular Carcinoma Using Albumin-Bilirubin Grade. <i>Oncology</i> , 2016, 91, 153-161.	0.9	36
45	Liver stiffness does not affect ultrasound-guided attenuation coefficient measurement in the evaluation of hepatic steatosis. <i>Hepatology Research</i> , 2020, 50, 190-198.	1.8	35
46	EZ-ALBI Score for Predicting Hepatocellular Carcinoma Prognosis. <i>Liver Cancer</i> , 2020, 9, 734-743.	4.2	35
47	Early Changes in Circulating FGF19 and Ang-2 Levels as Possible Predictive Biomarkers of Clinical Response to Lenvatinib Therapy in Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 293.	1.7	34
48	Therapeutic efficacy of atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma in patients with Child-Pugh class A or B liver function in real-world clinical practice. <i>Hepatology Research</i> , 2022, 52, 773-783.	1.8	34
49	Changes in patient backgrounds may increase the incidence of HCC after SVR in the era of IFN-free therapy for HCV. <i>Hepatology</i> , 2016, 64, 1818-1819.	3.6	32
50	Efficacy of lenvatinib for unresectable hepatocellular carcinoma based on background liver disease etiology: multi-center retrospective study. <i>Scientific Reports</i> , 2021, 11, 16663.	1.6	30
51	Liver Cancer Study Group of Japan Clinical Practice Guidelines for Intrahepatic Cholangiocarcinoma. <i>Liver Cancer</i> , 2022, 11, 290-314.	4.2	30
52	Hepatitis B virus core-related antigen levels predict progression to liver cirrhosis in hepatitis B carriers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 918-925.	1.4	29
53	Attenuation imaging based on ultrasound technology for assessment of hepatic steatosis: A comparison with magnetic resonance imaging-determined proton density fat fraction. <i>Hepatology Research</i> , 2020, 50, 1319-1327.	1.8	29
54	Prediction of Prognosis of Intermediate-Stage HCC Patients: Validation of the Tumor Marker Score in a Nationwide Database in Japan. <i>Liver Cancer</i> , 2019, 8, 403-411.	4.2	28

#	ARTICLE	IF	CITATIONS
55	Clinical importance of muscle volume in lenvatinib treatment for hepatocellular carcinoma: Analysis adjusted with inverse probability weighting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1812-1819.	1.4	28
56	The impact of HCV eradication by direct-acting antivirals on the transition of precancerous hepatic nodules to HCC: A prospective observational study. <i>Liver International</i> , 2019, 39, 448-454.	1.9	26
57	Real-world virological efficacy and safety of elbasvir and grazoprevir in patients with chronic hepatitis C virus genotype 1 infection in Japan. <i>Journal of Gastroenterology</i> , 2018, 53, 1276-1284.	2.3	25
58	The effectiveness and safety of glecaprevir/pibrentasvir in chronic hepatitis C patients with refractory factors in the real world: a comprehensive analysis of a prospective multicenter study. <i>Hepatology International</i> , 2020, 14, 225-238.	1.9	25
59	Early experience of atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma BCLC stage patients classified as beyond up to seven criteria – Multicenter analysis. <i>Hepatology Research</i> , 2022, 52, 308-316.	1.8	25
60	Does first-line treatment have prognostic impact for unresectable HCC? Atezolizumab plus bevacizumab versus lenvatinib. <i>Cancer Medicine</i> , 2023, 12, 325-334.	1.3	25
61	Nutritional Index as Prognostic Indicator in Patients Receiving Lenvatinib Treatment for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2020, 98, 295-302.	0.9	24
62	Serum Levels of Î±-Fetoprotein Increased More Than 10 Years Before Detection of Hepatocellular Carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 162-170.e4.	2.4	24
63	Utility of Ultrasound-Guided Attenuation Parameter for Grading Steatosis With Reference to MRI-PDFF in a Large Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2533-2541.e7.	2.4	24
64	Viral eradication reduces all-cause mortality, including non-liver-related disease, in patients with progressive hepatitis C virus-related fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 687-694.	1.4	23
65	Real-world experience of 12-week direct-acting antiviral regimen of glecaprevir and pibrentasvir in patients with chronic hepatitis C virus infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 855-861.	1.4	23
66	Post-treatment levels of Î±-fetoprotein predict long-term hepatocellular carcinoma development after sustained virological response in patients with hepatitis C. <i>Hepatology Research</i> , 2017, 47, 1021-1031.	1.8	22
67	Long-term natural history of liver disease in patients with chronic hepatitis B virus infection: an analysis using the Markov chain model. <i>Journal of Gastroenterology</i> , 2018, 53, 1196-1205.	2.3	22
68	Changes in Background Liver Function in Patients with Hepatocellular Carcinoma over 30 Years: Comparison of Child-Pugh Classification and Albumin Bilirubin Grade. <i>Liver Cancer</i> , 2020, 9, 518-528.	4.2	22
69	Analysis of efficacy of lenvatinib treatment in highly advanced hepatocellular carcinoma with tumor thrombus in the main trunk of the portal vein or tumor with more than 50% liver occupation: A multicenter analysis. <i>Hepatology Research</i> , 2021, 51, 201-215.	1.8	22
70	Proposed a simple score for recommendation of scheduled ultrasonography surveillance for hepatocellular carcinoma after Direct Acting Antivirals: multicenter analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 436-441.	1.4	21
71	Surveillance of Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. <i>Diagnostics</i> , 2020, 10, 579.	1.3	21
72	Therapeutic efficacy of ramucirumab after lenvatinib for post-progression treatment of unresectable hepatocellular carcinoma. <i>Gastroenterology Report</i> , 2021, 9, 133-138.	0.6	21

#	ARTICLE	IF	CITATIONS
73	Safety and efficacy of atezolizumab plus bevacizumab in elderly patients with hepatocellular carcinoma: A multicenter analysis. <i>Cancer Medicine</i> , 2022, 11, 3796-3808.	1.3	21
74	Impact of previously cured hepatocellular carcinoma (HCC) on new development of HCC after eradication of hepatitis C infection with non-interferon-based treatments. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 664-670.	1.9	20
75	Dynamic Evaluation of Liver Fibrosis to Assess the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis C Who Achieved Sustained Virologic Response. <i>Clinical Infectious Diseases</i> , 2020, 70, 1208-1214.	2.9	20
76	Efficacy and safety of ombitasvir/paritaprevir/ritonavir combination therapy for genotype 1b chronic hepatitis C patients complicated with chronic kidney disease. <i>Hepatology Research</i> , 2018, 48, 549-555.	1.8	19
77	A better method for assessment of hepatic function in hepatocellular carcinoma patients treated with radiofrequency ablation: Usefulness of albumin-bilirubin grade. <i>Hepatology Research</i> , 2018, 48, E61-E67.	1.8	19
78	Trends and Efficacy of Interferon-Free Anti-hepatitis C Virus Therapy in the Region of High Prevalence of Elderly Patients, Cirrhosis, and Hepatocellular Carcinoma: A Real-World, Nationwide, Multicenter Study of 10 688 Patients in Japan. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz185.	0.4	18
79	Is Atezolizumab Plus Bevacizumab for Unresectable Hepatocellular Carcinoma Superior Even to Lenvatinib? A Matching-Adjusted Indirect Comparison. <i>Targeted Oncology</i> , 2021, 16, 249-254.	1.7	18
80	Prediction of Hepatocellular Carcinoma by Liver Stiffness Measurements Using Magnetic Resonance Elastography After Eradicating Hepatitis C Virus. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00337.	1.3	18
81	Adverse events as potential predictive factors of activity in patients with advanced hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2021, 41, 2997-3008.	1.9	18
82	Association of early bevacizumab interruption with efficacy of atezolizumab plus bevacizumab for advanced hepatocellular carcinoma: A landmark analysis. <i>Hepatology Research</i> , 2022, 52, 462-470.	1.8	18
83	Late relapse of hepatitis C virus in patients with sustained virological response after daclatasvir and asunaprevir therapy. <i>Journal of Viral Hepatitis</i> , 2018, 25, 1446-1451.	1.0	16
84	Real-World Clinical Application of 12-Week Sofosbuvir/Velpatasvir Treatment for Decompensated Cirrhotic Patients with Genotype 1 and 2: A Prospective, Multicenter Study. <i>Infectious Diseases and Therapy</i> , 2020, 9, 851-866.	1.8	16
85	Real Life Study of Lenvatinib Therapy for Hepatocellular Carcinoma: RELEVANT Study. <i>Liver Cancer</i> , 2022, 11, 527-539.	4.2	16
86	Efficacy of direct-acting antiviral treatment in patients with compensated liver cirrhosis: A multicenter study. <i>Hepatology Research</i> , 2019, 49, 125-135.	1.8	15
87	Therapeutic efficacy of lenvatinib as third-line treatment after regorafenib for unresectable hepatocellular carcinoma progression. <i>Hepatology Research</i> , 2021, 51, 880-889.	1.8	15
88	Analysis of factors associated with the prognosis of cirrhotic patients who were treated with tolvaptan for hepatic edema. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1229-1237.	1.4	13
89	Impact of modified albumin-bilirubin grade on survival in patients with HCC who received lenvatinib. <i>Scientific Reports</i> , 2021, 11, 14474.	1.6	13
90	Distribution of FIB-4 index in the general population: analysis of 75,666 residents who underwent health checkups. <i>BMC Gastroenterology</i> , 2022, 22, 241.	0.8	13

#	ARTICLE	IF	CITATIONS
91	Natural history of liver-related disease in patients with chronic hepatitis C virus infection: An analysis using a Markov chain model. <i>Journal of Medical Virology</i> , 2019, 91, 1837-1844.	2.5	12
92	What Can Be Done to Solve the Unmet Clinical Need of Hepatocellular Carcinoma Patients following Lenvatinib Failure?. <i>Liver Cancer</i> , 2021, 10, 115-125.	4.2	12
93	Characteristics and Prognosis of De Novo Hepatocellular Carcinoma After Sustained Virologic Response. <i>Hepatology Communications</i> , 2021, 5, 1290-1299.	2.0	12
94	Characteristics of elderly hepatitis C virus-associated hepatocellular carcinoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 357-364.	1.4	11
95	Mortality of inactive hepatitis B virus carriers in Japan is similar to that of the general population. <i>Hepatology Research</i> , 2022, 52, 81-92.	1.8	11
96	Evaluation of the aMAP score for hepatocellular carcinoma surveillance: a realistic opportunity to risk stratify. <i>British Journal of Cancer</i> , 2022, 127, 1263-1269.	2.9	11
97	High ability to predict the treatment outcome of peginterferon and ribavirin combination therapy based on the reduction in HCV RNA levels at 4 weeks after starting therapy and amino acid substitutions in the hepatitis C virus in patients infected with HCV genotype 1b. <i>Journal of Gastroenterology</i> , 2011, 46, 501-509.	2.3	10
98	Daclatasvir and asunaprevir treatment in patients with severe liver fibrosis by hepatitis C virus genotype 1b infection: Real-world data. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1879-1886.	1.4	10
99	The albumin-bilirubin score as a predictor of outcomes in Japanese patients with PBC: an analysis using time-dependent ROC. <i>Scientific Reports</i> , 2020, 10, 17812.	1.6	10
100	Impact of COVID-19 pandemic on surveillance of hepatocellular carcinoma: A study in patients with chronic hepatitis C after sustained virologic response. <i>GastroHep</i> , 2020, 2, 247-252.	0.3	10
101	Predictive value of cytokeratin-18 fragment levels for diagnosing steatohepatitis in patients with nonalcoholic fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 1451-1458.	0.8	10
102	Comparison of the impact of tenofovir alafenamide and entecavir on declines of hepatitis B surface antigen levels. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 32, 255-260.	0.8	10
103	Clinical Profiles of Asians with NAFLD: A Systematic Review and Meta-Analysis. <i>Digestive Diseases</i> , 2022, 40, 734-744.	0.8	10
104	Impact of the introduction of direct-acting anti-viral drugs on hepatocarcinogenesis: a prospective serial follow-up MRI study. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 359-370.	1.9	9
105	PNPLA3 and HLA-DQB1 polymorphisms are associated with hepatocellular carcinoma after hepatitis C virus eradication. <i>Journal of Gastroenterology</i> , 2020, 55, 1162-1170.	2.3	9
106	Platelet-lymphocyte ratio predicts survival in patients with hepatocellular carcinoma who receive lenvatinib: an inverse probability weighting analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 32, 261-268.	0.8	9
107	Improved survival of viral hepatocellular carcinoma but not non-viral hepatocellular carcinoma from 2000 to 2020: A multicentre cohort study of 6007 patients from high-volume academic centres in Japan. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 694-701.	1.9	9
108	Use of hepatitis B virus core-related antigen to evaluate natural history of chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 2202-2209.	1.4	8

#	ARTICLE	IF	CITATIONS
109	Association of liver stiffness and steatosis with hepatocellular carcinoma development in patients with hepatitis C virus infection who received direct-acting antiviral therapy and achieved sustained virological response. <i>Hepatology Research</i> , 2021, 51, 860-869.	1.8	8
110	Baseline factors and very early viral response (week 1) for predicting sustained virological response in telaprevir-based triple combination therapy for Japanese genotype 1b chronic hepatitis C patients: a multicenter study. <i>Journal of Gastroenterology</i> , 2014, 49, 1485-1494.	2.3	7
111	The emergence of non-hypervascular hypointense nodules on Gd-EOB-DTPA-enhanced MRI in patients with chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 1232-1238.	1.9	7
112	Impact of direct-acting antiviral agents on liver function in patients with chronic hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , 2021, 28, 168-176.	1.0	7
113	Long-term prognosis with or without nucleotide analogue therapy in hepatitis B virus-related decompensated cirrhosis. <i>Journal of Viral Hepatitis</i> , 2021, 28, 508-516.	1.0	7
114	Pretreatment non-hypervascular hypointense nodules on Gd-EOB-DTPA-enhanced MRI as a predictor of hepatocellular carcinoma development after sustained virologic response in HCV infection. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 1309-1316.	1.9	7
115	Comparison of the Prognosis of Decompensated Cirrhosis in Patients with and Without Eradication of Hepatitis C Virus. <i>Infectious Diseases and Therapy</i> , 2021, 10, 1001-1013.	1.8	7
116	Lack of hepatitis C virus reinfection in lifetime of Japanese general population with previous hepatitis C virus (HCV) infection successfully treated with anti-HCV therapy. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1674-1675.	0.8	7
117	Time-course changes in liver functional reserve after successful sofosbuvir/velpatasvir treatment in patients with decompensated cirrhosis. <i>Hepatology Research</i> , 2022, 52, 235-246.	1.8	7
118	The course of elderly patients with persistent hepatitis C virus infection without hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2019, 54, 829-836.	2.3	6
119	Utility of FIB4-T as a Prognostic Factor for Hepatocellular Carcinoma. <i>Cancers</i> , 2019, 11, 203.	1.7	6
120	Chronological change in serum albumin as a prognostic factor in patients with hepatocellular carcinoma treated with lenvatinib: proposal of albumin simplified grading based on the modified albumin-bilirubin score (ALBS grade). <i>Journal of Gastroenterology</i> , 2022, 57, 581-586.	2.3	6
121	Long-term prognosis of liver disease in patients with eradicated chronic hepatitis C virus: An analysis using a Markov chain model. <i>Hepatology Research</i> , 2020, 50, 936-946.	1.8	5
122	Impact of Early Lenvatinib Administration on Survival in Patients with Intermediate-Stage Hepatocellular Carcinoma: A Multicenter, Inverse Probability Weighting Analysis. <i>Oncology</i> , 2021, 99, 518-527.	0.9	5
123	Usefulness of serial FIB-4 score measurement for predicting the risk of hepatocarcinogenesis after hepatitis C virus eradication. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, Publish Ahead of Print, .	0.8	5
124	The prognosis of elderly patients with hepatocellular carcinoma: A multi-center 19-year experience in Japan. <i>Cancer Medicine</i> , 2023, 12, 345-357.	1.3	5
125	Factors linked to hepatocellular carcinoma development beyond 10 years after viral eradication in patients with hepatitis C virus. <i>Journal of Viral Hepatitis</i> , 2022, 29, 919-929.	1.0	5
126	Baseline factors and early viral response (week 4) to antiviral therapy with peginterferon and ribavirin for predicting sustained virologic response in patients infected with hepatitis C virus genotype 1: A multicenter study. <i>Journal of Medical Virology</i> , 2013, 85, 65-70.	2.5	4

#	ARTICLE	IF	CITATIONS
127	Adherence to regular surveillance visits for hepatocellular carcinoma in patients with chronic hepatitis C virus infection who achieved sustained virologic response. <i>European Journal of Gastroenterology and Hepatology</i> , 2022, 34, 693-697.	0.8	4
128	C-reactive protein to albumin ratio predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Scientific Reports</i> , 2022, 12, 8421.	1.6	4
129	Postinterferon α -fetoprotein elevation and risk of hepatocellular carcinoma development after sustained virological response: Cause or results?. <i>Hepatology</i> , 2014, 60, 762-763.	3.6	3
130	Marked heterogeneity in the diagnosis of compensated cirrhosis of patients with chronic hepatitis C virus infection in a real-world setting: A large, multicenter study from Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1420-1425.	1.4	3
131	Comparison of liver disease state progression in patients with eradication of versus persistent infection with hepatitis C virus: Markov chain analysis. <i>Journal of Viral Hepatitis</i> , 2021, 28, 538-547.	1.0	3
132	A New Ultrasonographic "Fluttering Sign" for Hepatic Hemangioma. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 941-946.	0.7	3
133	Long-term prognosis of liver disease in patients with chronic hepatitis B virus infection receiving nucleos(t)ide analogue therapy: an analysis using a Markov chain model. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 1452-1459.	0.8	3
134	Impact of switching to tenofovir alafenamide fumarate in patients with entecavir-treated chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, e898-e904.	0.8	3
135	Simple Scoring System for Predicting TACE Unsuitable among Intermediate-Stage Hepatocellular Carcinoma Patients in the Multiple Systemic Treatment Era. <i>Oncology</i> , 2022, 100, 65-73.	0.9	3
136	Influence of renal dysfunction on dose reduction and virologic efficacy of regimens combining ribavirin and all-oral direct acting antivirals in patients with chronic hepatitis C virus infection. <i>Hepatology Research</i> , 2019, 49, 512-520.	1.8	2
137	Clinical Role of Newly Developed ALBI and mALBI Grades for Treatment of Hepatocellular Carcinoma. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7178.	1.3	2
138	Abnormal fucosylation of α -fetoprotein in patients with nonalcoholic steatohepatitis. <i>Hepatology Research</i> , 2021, 51, 548-553.	1.8	2
139	Reply to: "Long-term prognosis with or without nucleot(s)ide analogue therapy in hepatitis B virus-related decompensated cirrhosis". <i>Journal of Viral Hepatitis</i> , 2021, 28, 1099-1100.	1.0	2
140	Relationship between COVID-19 and liver diseases: the role of hepatologists in clinical practice. <i>Acta Hepatologica Japonica</i> , 2020, 61, 496-503.	0.0	2
141	Liver Stiffness Measurements by 2D Shear-Wave Elastography: Effect of Steatosis on Fibrosis Evaluation. <i>American Journal of Roentgenology</i> , 2022, , .	1.0	2
142	Misunderstanding of hepatitis C virus (HCV) infection status by non-specialized medical doctors in patients who achieved sustained virologic response to anti-HCV therapy. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 1231-1234.	0.8	2
143	Intra-individual Comparisons of the Ultrasound-Guided Attenuation Parameter and the Magnetic Resonance Imaging-Based Proton Density Fat Fraction Using Bias and Precision Statistics. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 1537-1546.	0.7	2
144	Characteristics of hepatocellular carcinoma in patients with hepatitis C virus who received direct-acting antiviral therapy and achieved sustained virological response: The impact of a hepatologist on surveillance. <i>JGH Open</i> , 2022, 6, 462-469.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Combined ultrasound and magnetic resonance elastography predict hepatocellular carcinoma after hepatitis C virus eradication. <i>Hepatology Research</i> , 2022, 52, 957-967.	1.8	2
146	Serial changes in FIB-4 score and hepatocarcinogenesis in hepatitis B patients treated with or without nucleot(s)ide analogue therapy. <i>GastroHep</i> , 2021, 3, 37-49.	0.3	1
147	Long-term outcomes of viral eradication in patients with hepatitis C virus infection and mild hepatic fibrosis. <i>Journal of Viral Hepatitis</i> , 2021, 28, 1293-1303.	1.0	1
148	Extended treatment duration overcomes the requirement for profound week-4 interferon responsiveness in order for hepatitis C genotype 1 patients with unfavorable IL-28B genotype to achieve sustained virologic response. <i>Journal of Clinical Virology</i> , 2013, 57, 381.	1.6	0
149	Editorial: the emergence of non-hypervascular hypointense nodules in Gd-EOB-DTPA-enhanced MRI in patients with chronic hepatitis C. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 169-170.	1.9	0
150	Editorial: impact of the introduction of direct-acting antiviral drugs on hepatocarcinogenesis—a prospective serial follow-up MRI study. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 737-738.	1.9	0
151	Real-World Virological Efficacy and Safety of Ledipasvir and Sofosbuvir in Patients with Chronic Hepatitis C Virus Genotype 2 Infection: A Multicenter Study. <i>Infectious Diseases and Therapy</i> , 2021, 10, 269-280.	1.8	0
152	Diagnosis of liver fibrosis based on quantification of factors associated with shear wave speed. <i>Choonpa Igaku</i> , 2021, 48, 193-199.	0.0	0
153	Long-term persistence of hepatocarcinogenic potential of a non-hypervascular hypointense nodule on EOB-MRI after the eradication of hepatitis C virus. <i>Hepatology Research</i> , 2022, 52, 128-132.	1.8	0
154	A case of intraductal papillary neoplasm of the bile duct observed by follow-up ultrasonic examination. <i>Choonpa Igaku</i> , 2019, 46, 443-452.	0.0	0
155	Identification of the suitable candidates for EOB-MRI with the high risk of the presence of non-hypervascular hypointense nodules in patients with HCV infection. <i>European Radiology</i> , 2022, , 1.	2.3	0
156	Liver biopsy implementation rate for diagnosis of NASH in Japan -analysis of big data of health insurance claims-. <i>Acta Hepatologica Japonica</i> , 2022, 63, 211-213.	0.0	0
157	Ultrasound diagnosis of fatty liver disease. <i>Choonpa Igaku</i> , 2022, , .	0.0	0