

# Antonino Carbone

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8239867/antonino-carbone-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

583  
papers

19,877  
citations

72  
h-index

110  
g-index

625  
ext. papers

21,610  
ext. citations

5.3  
avg, IF

6.28  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 583 | A multicenter study of treatment of primary CNS lymphoma. <i>Neurology</i> , <b>2002</b> , 58, 1513-20  | 6.5  | 278       |
| 582 | HIV-associated lymphomas and gamma-herpesviruses. <i>Blood</i> , <b>2009</b> , 113, 1213-24   | 2.2  | 276       |
| 581 | EML4-ALK rearrangement in non-small cell lung cancer and non-tumor lung tissues. <i>American Journal of Pathology</i> , <b>2009</b> , 174, 661-70   | 5.8  | 261       |
| 580 | Gene expression profile analysis of AIDS-related primary effusion lymphoma (PEL) suggests a plasmablastic derivation and identifies PEL-specific transcripts. <i>Blood</i> , <b>2003</b> , 101, 4115-21   | 2.2  | 219       |
| 579 | Hypermethylation of the DNA repair gene O(6)-methylguanine DNA methyltransferase and survival of patients with diffuse large B-cell lymphoma. <i>Journal of the National Cancer Institute</i> , <b>2002</b> , 94, 26-32   | 9.7  | 219       |
| 578 | ALK expression defines a distinct group of T/null lymphomas ("ALK lymphomas") with a wide morphological spectrum. <i>American Journal of Pathology</i> , <b>1998</b> , 153, 875-86  | 5.8  | 219       |
| 577 | Clinical features and outcome of primary effusion lymphoma in HIV-infected patients: a single-institution study. <i>Journal of Clinical Oncology</i> , <b>2003</b> , 21, 3948-54  | 2.2  | 217       |
| 576 | Expression profile of MUM1/IRF4, BCL-6, and CD138/syndecan-1 defines novel histogenetic subsets of human immunodeficiency virus-related lymphomas. <i>Blood</i> , <b>2001</b> , 97, 744-51  | 2.2  | 214       |
| 575 | EBV-associated lymphoproliferative disorders: classification and treatment. <i>Oncologist</i> , <b>2008</b> , 13, 577-85  | 5.7  | 200       |
| 574 | Characterization of Overt B-Cell Lymphomas in Patients With Hepatitis C Virus Infection. <i>Blood</i> , <b>1997</b> , 90, 776-782   | 2.2  | 198       |
| 573 | Axillary dissection versus no axillary dissection in patients with breast cancer and sentinel-node micrometastases (IBCSG 23-01): 10-year follow-up of a randomised, controlled phase 3 trial. <i>Lancet Oncology</i> , <b>2018</b> , 19, 1385-1393   | 21.7 | 195       |
| 572 | The classical Hodgkin's lymphoma microenvironment and its role in promoting tumour growth and immune escape. <i>Journal of Pathology</i> , <b>2010</b> , 221, 248-63  | 9.4  | 193       |
| 571 | Sequence analysis of the immunoglobulin antigen receptor of hepatitis C virus-associated non-Hodgkin lymphomas suggests that the malignant cells are derived from the rheumatoid factor-producing cells that occur mainly in type II cryoglobulinemia. <i>Blood</i> , <b>2000</b> , 96, 3578-3584 | 2.2  | 189       |
| 570 | Gene expression analysis of angioimmunoblastic lymphoma indicates derivation from T follicular helper cells and vascular endothelial growth factor deregulation. <i>Cancer Research</i> , <b>2007</b> , 67, 10703-10  | 10.1 | 187       |
| 569 | Hodgkin's disease and human immunodeficiency virus infection: clinicopathologic and virologic features of 114 patients from the Italian Cooperative Group on AIDS and Tumors. <i>Journal of Clinical Oncology</i> , <b>1995</b> , 13, 1758-67   | 2.2  | 183       |
| 568 | Prognostic impact of amenorrhoea after adjuvant chemotherapy in premenopausal breast cancer patients with axillary node involvement: results of the International Breast Cancer Study Group (IBCSG) Trial VI. <i>European Journal of Cancer</i> , <b>1998</b> , 34, 632-40                        | 7.5  | 180       |
| 567 | AIDS-related lymphomas: from pathogenesis to pathology. <i>British Journal of Haematology</i> , <b>2005</b> , 130, 662-70   | 4.5  | 178       |

|     |   |      |     |
|-----|---|------|-----|
| 566 | Kaposi's sarcoma-associated herpesvirus DNA sequences in AIDS-related and AIDS-unrelated lymphomatous effusions. <i>British Journal of Haematology</i> , <b>1996</b> , 94, 533-43   | 4.5  | 176 |
| 565 | MEK/ERK pathway is aberrantly active in Hodgkin disease: a signaling pathway shared by CD30, CD40, and RANK that regulates cell proliferation and survival. <i>Blood</i> , <b>2003</b> , 102, 1019-27   | 2.2  | 170 |
| 564 | Stereotyped B-cell receptor is an independent risk factor of chronic lymphocytic leukemia transformation to Richter syndrome. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 4415-22   | 12.9 | 155 |
| 563 | Activity of selective fully human agonistic antibodies to the TRAIL death receptors TRAIL-R1 and TRAIL-R2 in primary and cultured lymphoma cells: induction of apoptosis and enhancement of doxorubicin- and bortezomib-induced cell death. <i>British Journal of Haematology</i> , <b>2005</b> , 130, 501-10 | 4.5  | 155 |
| 562 | Human herpesvirus 8 is present in the lymphoid system of healthy persons and can reactivate in the course of AIDS. <i>Journal of Infectious Diseases</i> , <b>1996</b> , 173, 542-9   | 7    | 136 |
| 561 | Adjuvant immunotherapy treatment of renal carcinoma patients with autologous tumor cells and bacillus Calmette-Guërin: five-year results of a prospective randomized study. <i>Cancer</i> , <b>1996</b> , 77, 2560-6  | 6.4  | 134 |
| 560 | Molecular and cytogenetic subgroups of oropharyngeal squamous cell carcinoma. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 6643-51   | 12.9 | 133 |
| 559 | Re-evaluating adjuvant breast cancer trials: assessing hormone receptor status by immunohistochemical versus extraction assays. <i>Journal of the National Cancer Institute</i> , <b>2006</b> , 98, 1571-81   | 9.7  | 129 |
| 558 | Kaposi's sarcoma-associated herpesvirus/human herpesvirus type 8-positive solid lymphomas: a tissue-based variant of primary effusion lymphoma. <i>Journal of Molecular Diagnostics</i> , <b>2005</b> , 7, 17-27  | 5.1  | 126 |
| 557 | Aberrant somatic hypermutation in multiple subtypes of AIDS-associated non-Hodgkin lymphoma. <i>Blood</i> , <b>2003</b> , 102, 1833-41  | 2.2  | 124 |
| 556 | Clinically equivocal melanocytic skin lesions with features of regression: a dermoscopic-pathological study. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 64-71   | 4    | 124 |
| 555 | Standard chemotherapy with or without high-dose chemotherapy for aggressive non-Hodgkin's lymphoma: randomized phase III EORTC study. <i>Journal of the National Cancer Institute</i> , <b>2001</b> , 93, 22-30   | 9.7  | 120 |
| 554 | Molecular and biochemical analyses of platelet-derived growth factor receptor (PDGFR) B, PDGFRA, and KIT receptors in chordomas. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 6920-8   | 12.9 | 119 |
| 553 | Emerging pathways in the development of AIDS-related lymphomas. <i>Lancet Oncology</i> , <b>2003</b> , 4, 22-9  | 21.7 | 119 |
| 552 | Secondary cytoreductive surgery for patients with recurrent epithelial ovarian carcinoma. <i>Gynecologic Oncology</i> , <b>2001</b> , 83, 504-12  | 4.9  | 117 |
| 551 | Pre-malignant and malignant lymphoproliferations in an HCV-infected type II mixed cryoglobulinemic patient are sequential phases of an antigen-driven pathological process. <i>International Journal of Cancer</i> , <b>2000</b> , 87, 211-6  | 7.5  | 115 |
| 550 | Sentinel and nonsentinel node status in stage IB and II melanoma patients: two-step prognostic indicators of survival. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 4464-71  | 2.2  | 114 |
| 549 | AIDS-related non-Hodgkin lymphoma: final analysis of 485 patients treated with risk-adapted intensive chemotherapy. <i>Blood</i> , <b>2006</b> , 107, 3832-40   | 2.2  | 114 |

|     |  |      |     |
|-----|--|------|-----|
| 548 | Expression of CCR5 receptors on Reed-Sternberg cells and Hodgkin lymphoma cell lines: involvement of CCL5/Rantes in tumor cell growth and microenvironmental interactions. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 769-76  | 7.5  | 113 |
| 547 | Lymphoma cell lines: in vitro models for the study of HHV-8+ primary effusion lymphomas (body cavity-based lymphomas). <i>Leukemia</i> , <b>1998</b> , 12, 1507-17   | 10.7 | 112 |
| 546 | KSHV/HHV8-associated lymphomas. <i>British Journal of Haematology</i> , <b>2008</b> , 140, 13-24   | 4.5  | 110 |
| 545 | Medical history and risk of Hodgkin's and non-Hodgkin's lymphomas. <i>European Journal of Cancer Prevention</i> , <b>2000</b> , 9, 59-64   | 2    | 110 |
| 544 | Human herpesvirus 6: a survey of presence and variant distribution in normal peripheral lymphocytes and lymphoproliferative disorders. <i>Journal of Infectious Diseases</i> , <b>1994</b> , 170, 211-5  | 7    | 109 |
| 543 | Diet and risk of lymphoid neoplasms and soft tissue sarcomas. <i>Nutrition and Cancer</i> , <b>1997</b> , 27, 256-60   | 2.8  | 107 |
| 542 | Relevance of intraocular involvement in the management of primary central nervous system lymphomas. <i>Annals of Oncology</i> , <b>2002</b> , 13, 531-8  | 10.3 | 105 |
| 541 | HHV-8-positive body-cavity-based lymphoma: a novel lymphoma entity. <i>British Journal of Haematology</i> , <b>1997</b> , 97, 515-22   | 4.5  | 103 |
| 540 | CD30 Ligand Is Frequently Expressed in Human Hematopoietic Malignancies of Myeloid and Lymphoid Origin. <i>Blood</i> , <b>1997</b> , 89, 2048-2059   | 2.2  | 101 |
| 539 | Non-Hodgkin's lymphoma and hepatitis C virus: a case-control study from northern and southern Italy. <i>International Journal of Cancer</i> , <b>2004</b> , 110, 380-5   | 7.5  | 101 |
| 538 | Human immunodeficiency virus-associated systemic lymphomas may be subdivided into two main groups according to Epstein-Barr viral latent gene expression. <i>Journal of Clinical Oncology</i> , <b>1993</b> , 11, 1674-81  | 2.2  | 100 |
| 537 | The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. <i>Leukemia Research</i> , <b>1989</b> , 13, 465-72  | 2.7  | 99  |
| 536 | Molecular histogenesis of posttransplantation lymphoproliferative disorders. <i>Blood</i> , <b>2003</b> , 102, 3775-85   | 2.2  | 97  |
| 535 | Diversity of genomic breakpoints in TFG-ALK translocations in anaplastic large cell lymphomas: identification of a new TFG-ALK(XL) chimeric gene with transforming activity. <i>American Journal of Pathology</i> , <b>2002</b> , 160, 1487-94                                       | 5.8  | 95  |
| 534 | Prognostic factors in soft tissue sarcomas: a study of 395 patients. <i>European Journal of Surgical Oncology</i> , <b>2002</b> , 28, 153-64   | 3.6  | 93  |
| 533 | Functional analyses and molecular modeling of two c-Kit mutations responsible for imatinib secondary resistance in GIST patients. <i>Oncogene</i> , <b>2006</b> , 25, 6140-6   | 9.2  | 92  |
| 532 | Characterization of prelymphomatous stages of B cell lymphoproliferation in Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 318-31   |      | 91  |
| 531 | Salivary gland B cell lymphoproliferative disorders in Sjögren's syndrome present a restricted use of antigen receptor gene segments similar to those used by hepatitis C virus-associated non-Hodgkin's lymphomas. <i>European Journal of Immunology</i> , <b>2002</b> , 32, 903-10 | 6.1  | 90  |

|     |  |      |    |
|-----|--|------|----|
| 530 | Diagnosis and management of lymphomas and other cancers in HIV-infected patients. <i>Nature Reviews Clinical Oncology</i> , <b>2014</b> , 11, 223-38   | 19.4 | 87 |
| 529 | AIDS-related non-Hodgkin's lymphomas: from pathology and molecular pathogenesis to treatment. <i>Human Pathology</i> , <b>2002</b> , 33, 392-404   | 3.7  | 86 |
| 528 | Expression pattern of MUM1/IRF4 in the spectrum of pathology of Hodgkin's disease. <i>British Journal of Haematology</i> , <b>2002</b> , 117, 366-72   | 4.5  | 84 |
| 527 | Lymphomas occurring specifically in HIV-infected patients: from pathogenesis to pathology. <i>Seminars in Cancer Biology</i> , <b>2013</b> , 23, 457-67  | 12.7 | 82 |
| 526 | A prospective study of a new combination chemotherapy regimen in patients older than 70 years with unfavorable non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , <b>1992</b> , 10, 228-36  | 2.2  | 82 |
| 525 | Genetic characterization of HHV-8/KSHV-positive primary effusion lymphoma reveals frequent mutations of BCL6: implications for disease pathogenesis and histogenesis. <i>Genes Chromosomes and Cancer</i> , <b>1999</b> , 24, 16-23  | 5    | 81 |
| 524 | Dietary factors and non-Hodgkin's lymphoma: a case-control study in the northeastern part of Italy. <i>Nutrition and Cancer</i> , <b>1989</b> , 12, 333-41   | 2.8  | 81 |
| 523 | Functional coexpression of Interleukin (IL)-7 and its receptor (IL-7R) on Hodgkin and Reed-Sternberg cells: Involvement of IL-7 in tumor cell growth and microenvironmental interactions of Hodgkin's lymphoma. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 1092-101 | 7.5  | 80 |
| 522 | Combined radiotherapy and chemotherapy versus radiotherapy alone in locally advanced epidermoid bronchogenic carcinoma. A randomized study. <i>Cancer</i> , <b>1990</b> , 65, 400-4  | 6.4  | 80 |
| 521 | Gastric mucosa as an additional extrahepatic localization of hepatitis C virus: viral detection in gastric low-grade lymphoma associated with autoimmune disease and in chronic gastritis. <i>Hepatology</i> , <b>2000</b> , 31, 182-9   | 11.2 | 77 |
| 520 | Rearrangements of bcl-6, bcl-2, c-myc and 6q deletion in B-diffuse large-cell lymphoma: clinical relevance in 71 patients. <i>Annals of Oncology</i> , <b>1998</b> , 9, 55-61  | 10.3 | 77 |
| 519 | Distribution of Kaposi's sarcoma herpesvirus sequences among lymphoid malignancies in Italy and Spain. <i>British Journal of Haematology</i> , <b>1995</b> , 91, 918-20  | 4.5  | 77 |
| 518 | A clinicopathologic study of lymphoid neoplasias associated with human immunodeficiency virus infection in Italy. <i>Cancer</i> , <b>1991</b> , 68, 842-52   | 6.4  | 77 |
| 517 | Primary cytoreductive surgery with rectosigmoid colon resection for patients with advanced epithelial ovarian carcinoma. <i>Cancer</i> , <b>2000</b> , 88, 389-97  | 6.4  | 76 |
| 516 | Expression of histone deacetylases in lymphoma: implication for the development of selective inhibitors. <i>British Journal of Haematology</i> , <b>2009</b> , 147, 515-25   | 4.5  | 75 |
| 515 | Hepatitis C virus infection, cryoglobulinaemia, and beyond. <i>Rheumatology</i> , <b>2007</b> , 46, 572-8  | 3.9  | 75 |
| 514 | TuBaFrost 2: Standardising tissue collection and quality control procedures for a European virtual frozen tissue bank network. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 2684-91   | 7.5  | 74 |
| 513 | Simian-virus-40 footprints in human lymphoproliferative disorders of HIV- and HIV+ patients. <i>International Journal of Cancer</i> , <b>1998</b> , 78, 669-74   | 7.5  | 72 |

|     |   |      |    |
|-----|---|------|----|
| 512 | Heterogeneous phenotype of human melanoma cells with in vitro and in vivo features of tumor-initiating cells. <i>Journal of Investigative Dermatology</i> , <b>2010</b> , 130, 1877-86                          | 4.3  | 71 |
| 511 | Transcription deregulation at the 15q25 locus in association with lung adenocarcinoma risk. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 1837-42   | 12.9 | 71 |
| 510 | Burkitt's lymphoma in adults with and without human immunodeficiency virus infection. <i>Cancer</i> , <b>1998</b> , 82, 766-774   | 6.4  | 71 |
| 509 | Establishment and characterization of EBV-positive and EBV-negative primary effusion lymphoma cell lines harbouring human herpesvirus type-8. <i>British Journal of Haematology</i> , <b>1998</b> , 102, 1081-9 | 4.5  | 71 |
| 508 | AIDS-related Burkitt's lymphoma. Morphologic and immunophenotypic study of biopsy specimens. <i>American Journal of Clinical Pathology</i> , <b>1995</b> , 103, 561-7   | 1.9  | 70 |
| 507 | CXCL12, CXCR4 and CXCR7 expression in brain metastases. <i>Cancer Biology and Therapy</i> , <b>2009</b> , 8, 1608-14  | 4.6  | 69 |
| 506 | Molecular histogenesis of plasmablastic lymphoma of the oral cavity. <i>British Journal of Haematology</i> , <b>2002</b> , 119, 622-8   | 4.5  | 69 |
| 505 | Pathogenetic and histogenetic features of HIV-associated Hodgkin's disease. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 1276-87   | 7.5  | 69 |
| 504 | Atrophic gastritis and intestinal metaplasia in Helicobacter pylori infection: the role of CagA status. <i>American Journal of Gastroenterology</i> , <b>1998</b> , 93, 375-9                                   | 0.7  | 69 |
| 503 | HIV-associated human herpesvirus 8-positive primary lymphomatous effusions: radiologic findings in six patients. <i>Radiology</i> , <b>1997</b> , 205, 459-63   | 20.5 | 68 |
| 502 | Micronutrients and ovarian cancer: a case-control study in Italy. <i>Annals of Oncology</i> , <b>2001</b> , 12, 1589-93   | 10.3 | 68 |
| 501 | A lymphomagenic role for HIV beyond immune suppression?. <i>Blood</i> , <b>2016</b> , 127, 1403-9   | 2.2  | 68 |
| 500 | AIDS-related plasmablastic lymphomas of the oral cavity and jaws: a diagnostic dilemma. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>1999</b> , 108, 95-9                                    | 2.1  | 67 |
| 499 | Distribution of human herpesvirus-8 sequences throughout the spectrum of AIDS-related neoplasia. <i>Aids</i> , <b>1996</b> , 10, 941-9  | 3.5  | 67 |
| 498 | Socio-economic indicators, infectious diseases and Hodgkin's disease. <i>International Journal of Cancer</i> , <b>1991</b> , 47, 352-7  | 7.5  | 67 |
| 497 | Constitutive cytokine production by primary effusion (body cavity-based) lymphoma-derived cell lines. <i>Leukemia</i> , <b>1999</b> , 13, 634-40  | 10.7 | 65 |
| 496 | Immunoglobulin V region gene use and structure suggest antigen selection in AIDS-related primary effusion lymphomas. <i>Leukemia</i> , <b>1999</b> , 13, 1093-9   | 10.7 | 65 |
| 495 | The xanthogranulomatous process. Xanthogranulomatous inflammation. <i>Pathology Research and Practice</i> , <b>1988</b> , 183, 395-402  | 3.4  | 65 |

|     |  |      |    |
|-----|--|------|----|
| 494 | HIV-associated Hodgkin lymphoma. <i>Current Opinion in HIV and AIDS</i> , <b>2009</b> , 4, 3-10  | 4.2  | 63 |
| 493 | CD38 gene polymorphism and chronic lymphocytic leukemia: a role in transformation to Richter syndrome?. <i>Blood</i> , <b>2008</b> , 111, 5646-53  | 2.2  | 63 |
| 492 | Leiomyomatosis with vascular invasion. A unified pathogenesis regarding leiomyoma with vascular microinvasion, benign metastasizing leiomyoma and intravenous leiomyomatosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>1994</b> , 425, 541-5 | 5.1  | 63 |
| 491 | Follicular lymphoma. <i>Nature Reviews Disease Primers</i> , <b>2019</b> , 5, 83   | 51.1 | 63 |
| 490 | Combined antineoplastic and antiretroviral therapy for patients with Hodgkin's disease and human immunodeficiency virus infection. A prospective study of 17 patients. The Italian Cooperative Group on AIDS and Tumors (GICAT). <i>Cancer</i> , <b>1994</b> , 73, 437-44                            | 6.4  | 62 |
| 489 | Pitfalls in microscopic diagnosis of undifferentiated carcinoma of nasopharyngeal type (lymphoepithelioma). <i>Cancer</i> , <b>1982</b> , 50, 1344-51  | 6.4  | 62 |
| 488 | Physical activity and risk of ovarian cancer: an Italian case-control study. <i>International Journal of Cancer</i> , <b>2001</b> , 91, 407-11   | 7.5  | 62 |
| 487 | Hepatitis C virus, non-Hodgkin's lymphomas and hepatocellular carcinoma. <i>British Journal of Cancer</i> , <b>1998</b> , 77, 2032-5   | 8.7  | 61 |
| 486 | Hodgkin's disease in 35 patients with HIV infection: an experience with epirubicin, bleomycin, vinblastine and prednisone chemotherapy in combination with antiretroviral therapy and primary use of G-CSF. <i>Annals of Oncology</i> , <b>1999</b> , 10, 189-95                                     | 10.3 | 61 |
| 485 | Primary effusion lymphoma: a liquid phase lymphoma of fluid-filled body cavities. <i>Advances in Cancer Research</i> , <b>2001</b> , 80, 115-46  | 5.9  | 60 |
| 484 | Aberrant somatic hypermutation in tumor cells of nodular-lymphocyte-predominant and classic Hodgkin lymphoma. <i>Blood</i> , <b>2006</b> , 108, 1013-20  | 2.2  | 59 |
| 483 | Sinonasal malignant lymphomas: a distinct clinicopathological category. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>1999</b> , 108, 411-9  | 2.1  | 59 |
| 482 | Age and serum lactate dehydrogenase level are independent prognostic factors in human immunodeficiency virus-related non-Hodgkin's lymphomas: a single-institute study of 96 patients. <i>Journal of Clinical Oncology</i> , <b>1996</b> , 14, 2217-23   | 2.2  | 59 |
| 481 | KP1/CD68 expression in malignant neoplasms including lymphomas, sarcomas, and carcinomas. <i>American Journal of Clinical Pathology</i> , <b>1995</b> , 103, 425-31  | 1.9  | 59 |
| 480 | Genome wide DNA-profiling of HIV-related B-cell lymphomas. <i>British Journal of Haematology</i> , <b>2010</b> , 148, 245-55   | 4.5  | 56 |
| 479 | B-cell lymphomas with features intermediate between distinct pathologic entities. From pathogenesis to pathology. <i>Human Pathology</i> , <b>2010</b> , 41, 621-31  | 3.7  | 55 |
| 478 | TuBaFrost 3: regulatory and ethical issues on the exchange of residual tissue for research across Europe. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 2914-23  | 7.5  | 55 |
| 477 | Expression of myelomonocytic antigens is associated with unfavourable clinicoprognostic factors in B-cell chronic lymphocytic leukaemia. <i>Annals of Oncology</i> , <b>1991</b> , 2, 107-113  | 10.3 | 55 |

|     |  |      |    |
|-----|--|------|----|
| 476 | How I treat: diagnosing and managing "in situ" lymphoma. <i>Blood</i> , <b>2011</b> , 117, 3954-60   | 2.2  | 53 |
| 475 | Establishment of HHV-8-positive and HHV-8-negative lymphoma cell lines from primary lymphomatous effusions. <i>International Journal of Cancer</i> , <b>1997</b> , 73, 562-9   | 7.5  | 53 |
| 474 | Reactive perivascular T-cell infiltrate predicts survival in primary central nervous system B-cell lymphomas. <i>British Journal of Haematology</i> , <b>2007</b> , 138, 316-23  | 4.5  | 53 |
| 473 | c-Kit/PDGFR $\alpha$ gene status alterations possibly related to primary imatinib resistance in gastrointestinal stromal tumors. <i>Clinical Cancer Research</i> , <b>2007</b> , 13, 2369-77   | 12.9 | 53 |
| 472 | Molecular profile of Epstein-Barr virus infection in HHV-8-positive primary effusion lymphoma. <i>Leukemia</i> , <b>2000</b> , 14, 271-7   | 10.7 | 53 |
| 471 | Pathological features of lymphoid proliferations of the salivary glands: lymphoepithelial sialadenitis versus low-grade B-cell lymphoma of the malt type. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>2000</b> , 109, 1170-5 | 2.1  | 53 |
| 470 | Immunophenotypic and molecular analyses of acquired immune deficiency syndrome-related and Epstein-Barr virus-associated lymphomas: a comparative study. <i>Human Pathology</i> , <b>1996</b> , 27, 133-46                                       | 3.7  | 53 |
| 469 | Expression of MUM1/IRF4 selectively clusters with primary effusion lymphoma among lymphomatous effusions: implications for disease histogenesis and pathogenesis. <i>British Journal of Haematology</i> , <b>2000</b> , 111, 247-57              | 4.5  | 53 |
| 468 | Differential expression of transforming growth factors-beta1, -beta2 and -beta3 in human colon carcinoma. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 224-33   | 7.5  | 52 |
| 467 | Reed-Sternberg Cells of Classical Hodgkin's Disease React With the Plasma Cell-Specific Monoclonal Antibody B-B4 and Express Human Syndecan-1. <i>Blood</i> , <b>1997</b> , 89, 3787-3794  | 2.2  | 51 |
| 466 | PEL and HHV8-unrelated effusion lymphomas: classification and diagnosis. <i>Cancer</i> , <b>2008</b> , 114, 225-7  | 6.4  | 51 |
| 465 | T staging of the laryngohypopharyngeal carcinoma. A 7-year multidisciplinary experience. <i>JAMA Otolaryngology</i> , <b>1989</b> , 115, 613-20  |      | 51 |
| 464 | Interplay among viral antigens, cellular pathways and tumor microenvironment in the pathogenesis of EBV-driven lymphomas. <i>Seminars in Cancer Biology</i> , <b>2013</b> , 23, 441-56   | 12.7 | 49 |
| 463 | Micro-melanoma detection: a clinical study on 206 consecutive cases of pigmented skin lesions with a diameter British Journal of Dermatology, <b>2006</b> , 155, 570-3   | 4    | 49 |
| 462 | Simian virus 40 infection in lymphoproliferative disorders. <i>Lancet, The</i> , <b>2003</b> , 361, 88-9   | 4.0  | 49 |
| 461 | Chronic hepatitis C in HIV infection: feasibility and sustained efficacy of therapy with interferon alfa-2b and tribavirin. <i>Aids</i> , <b>2001</b> , 15, 1783-7   | 3.5  | 49 |
| 460 | CCN3/nephroblastoma overexpressed matricellular protein regulates integrin expression, adhesion, and dissemination in melanoma. <i>Cancer Research</i> , <b>2008</b> , 68, 715-23  | 10.1 | 48 |
| 459 | PDGFR $\alpha$ , PDGFR $\beta$ and KIT expression/activation in conventional chondrosarcoma. <i>Journal of Pathology</i> , <b>2006</b> , 208, 615-23   | 9.4  | 47 |

|     |  |      |    |
|-----|--|------|----|
| 458 | Biochemical detection of novel anaplastic lymphoma kinase proteins in tissue sections of anaplastic large cell lymphoma. <i>American Journal of Pathology</i> , <b>1999</b> , 154, 1657-63   | 5.8  | 47 |
| 457 | Hodgkin's disease in 92 patients with HIV infection: the Italian experience. GICAT (Italian Cooperative Group on AIDS & Tumors). <i>Annals of Oncology</i> , <b>1992</b> , 3 Suppl 4, 69-72  | 10.3 | 47 |
| 456 | The European Hematology Association Roadmap for European Hematology Research: a consensus document. <i>Haematologica</i> , <b>2016</b> , 101, 115-208  | 6.6  | 46 |
| 455 | Expression of functional interleukin-3 receptors on Hodgkin and Reed-Sternberg cells. <i>American Journal of Pathology</i> , <b>2002</b> , 160, 585-96   | 5.8  | 46 |
| 454 | AIDS-related lymphomas: from pathogenesis to pathology. <i>British Journal of Haematology</i> , <b>1995</b> , 90, 235-43   | 4.5  | 46 |
| 453 | Epstein-Barr virus-associated Hodgkin's lymphoma in a rheumatoid arthritis patient treated with methotrexate and cyclosporin A. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 867-8  |      | 46 |
| 452 | Epstein-Barr Virus Strains With Latent Membrane Protein-1 Deletions: Prevalence in the Italian Population and High Association With Human Immunodeficiency Virus-Related Hodgkin's Disease. <i>Blood</i> , <b>1997</b> , 89, 1723-1731                       | 2.2  | 46 |
| 451 | Role of HIV-1 matrix protein p17 variants in lymphoma pathogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 14331-6  | 11.5 | 45 |
| 450 | High frequency of Epstein-Barr virus genome in HIV-positive patients with Hodgkin's disease. <i>Lancet, The</i> , <b>1989</b> , 1, 1458  | 4.0  | 44 |
| 449 | S-100 protein, fibronectin, and laminin immunostaining in lymphomas of follicular center cell origin. <i>Cancer</i> , <b>1986</b> , 58, 2169-76  | 6.4  | 44 |
| 448 | Surgical second look in ovarian cancer: a randomized study in patients with laparoscopic complete remission--a Northeastern Oncology Cooperative Group-Ovarian Cancer Cooperative Group Study. <i>Journal of Clinical Oncology</i> , <b>1997</b> , 15, 994-9 | 2.2  | 43 |
| 447 | p16INK4a loss and sensitivity in KSHV associated primary effusion lymphoma. <i>Oncogene</i> , <b>2002</b> , 21, 1823-31  | 3.1  | 43 |
| 446 | KSHV/HHV-8 associated lymph node based lymphomas in HIV seronegative subjects. Report of two cases with anaplastic large cell morphology and plasmablastic immunophenotype. <i>Journal of Clinical Pathology</i> , <b>2005</b> , 58, 1039-45                 | 3.9  | 43 |
| 445 | Expression of RB2/p130 tumor-suppressor gene in AIDS-related non-Hodgkin's lymphomas: implications for disease pathogenesis. <i>Human Pathology</i> , <b>2002</b> , 33, 723-31   | 3.7  | 43 |
| 444 | BCL-6 Protein Expression in Human Peripheral T-Cell Neoplasms Is Restricted to CD30+ Anaplastic Large-Cell Lymphomas. <i>Blood</i> , <b>1997</b> , 90, 2445-2450   | 2.2  | 42 |
| 443 | Infection of HHV-8+ primary effusion lymphoma cells with a recombinant Epstein-Barr virus leads to restricted EBV latency, altered phenotype, and increased tumorigenicity without affecting TCL1 expression. <i>Blood</i> , <b>2004</b> , 103, 313-6        | 2.2  | 42 |
| 442 | Dermoscopic criteria for melanoma in situ are similar to those for early invasive melanoma. <i>Cancer</i> , <b>2001</b> , 91, 992-997  | 6.4  | 42 |
| 441 | Histopathologic, immunophenotypic, and genotypic analysis of Ki-1 anaplastic large cell lymphomas that express histiocyte-associated antigens. <i>Cancer</i> , <b>1990</b> , 66, 2547-56   | 6.4  | 42 |

|     |  |      |    |
|-----|--|------|----|
| 440 | The role of CD40/CD40L and interferon regulatory factor 4 in Hodgkin lymphoma microenvironment. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 195-201   | 1.9  | 41 |
| 439 | Outcome in patients with non-hodgkin lymphoma and with or without human immunodeficiency virus infection. <i>Clinical Infectious Diseases</i> , <b>2004</b> , 38, 142-4  | 11.6 | 41 |
| 438 | Primary effusion lymphoma in HIV-infected patients with multicentric Castleman's disease. <i>Journal of Pathology</i> , <b>2001</b> , 193, 200-9   | 9.4  | 41 |
| 437 | Demonstration of Epstein-Barr viral genomes by in situ hybridization in acquired immune deficiency syndrome-related high grade and anaplastic large cell CD30+ lymphomas. <i>American Journal of Clinical Pathology</i> , <b>1993</b> , 99, 289-97 | 1.9  | 41 |
| 436 | Frequent aberrant promoter hypermethylation of O6-methylguanine-DNA methyltransferase and death-associated protein kinase genes in immunodeficiency-related lymphomas. <i>British Journal of Haematology</i> , <b>2003</b> , 123, 475-8            | 4.5  | 40 |
| 435 | High incidence of monoclonal EBV episomes in Hodgkin's disease and anaplastic large-cell KI-1-positive lymphomas in HIV-1-positive patients. <i>International Journal of Cancer</i> , <b>1993</b> , 54, 53-9                                       | 7.5  | 40 |
| 434 | Diffuse large B cell lymphoma: using pathologic and molecular biomarkers to define subgroups for novel therapy. <i>Annals of Hematology</i> , <b>2014</b> , 93, 1263-77  | 3    | 39 |
| 433 | The Germinal centre-derived lymphomas seen through their cellular microenvironment. <i>British Journal of Haematology</i> , <b>2009</b> , 145, 468-80  | 4.5  | 39 |
| 432 | Pure desmoplastic melanoma: a melanoma with distinctive clinical behavior. <i>Annals of Surgery</i> , <b>2010</b> , 252, 1052-7  | 7.8  | 39 |
| 431 | AIDS-Related Extranodal Non-Hodgkin's Lymphomas With Plasma Cell Differentiation. <i>Blood</i> , <b>1997</b> , 90, 1337-1337   | 2.2  | 39 |
| 430 | A spindle cell variant of diffuse large B-cell lymphoma possesses genotypic and phenotypic markers characteristic of a germinal center B-cell origin. <i>Modern Pathology</i> , <b>2006</b> , 19, 299-306  | 9.8  | 39 |
| 429 | Genetic basis of acquired immunodeficiency syndrome-related lymphomagenesis. <i>Journal of the National Cancer Institute Monographs</i> , <b>1998</b> , 95-100   | 4.8  | 39 |
| 428 | Non-Hodgkin's lymphoma in the elderly. I. Pathologic features at presentation. <i>Cancer</i> , <b>1990</b> , 66, 1991-4  | 6.4  | 39 |
| 427 | Demonstration of S-100 protein distribution in human lymphoid tissues by the avidin-biotin complex immunostaining method. <i>Human Pathology</i> , <b>1985</b> , 16, 1157-64   | 3.7  | 39 |
| 426 | Hodgkin lymphoma. <i>Nature Reviews Disease Primers</i> , <b>2020</b> , 6, 61  | 51.1 | 39 |
| 425 | Plasmablastic lymphoma: one or more entities?. <i>American Journal of Hematology</i> , <b>2008</b> , 83, 763-4   | 7.1  | 38 |
| 424 | Expression of CD40 ligand (CD154) in B and T lymphocytes of Hodgkin disease: potential therapeutic significance. <i>Cancer</i> , <b>2002</b> , 94, 1-5   | 6.4  | 38 |
| 423 | A cytochemical and immunohistochemical approach to malignant histiocytosis. <i>Cancer</i> , <b>1981</b> , 47, 2862-7   | 6.4  | 38 |

|     |   |      |    |
|-----|---|------|----|
| 422 | Systematic pelvic and para-aortic lymphadenectomy in advanced ovarian cancer patients with no residual intraperitoneal disease. <i>International Journal of Gynecological Cancer</i> , <b>1997</b> , 7, 18-26   | 3.5  | 37 |
| 421 | RT-PCR analysis of RNA extracted from Bouin-fixed and paraffin-embedded lymphoid tissues. <i>Journal of Molecular Diagnostics</i> , <b>2004</b> , 6, 290-6  | 5.1  | 37 |
| 420 | Efficacy of CT-guided percutaneous needle biopsy in the diagnosis of malignant lymphoma at first presentation. <i>Clinical Imaging</i> , <b>2005</b> , 29, 123-7  | 2.7  | 37 |
| 419 | The role of eosinophils in the pathobiology of Hodgkin's disease. <i>Annals of Oncology</i> , <b>1997</b> , 8, S89-S96  | 10.3 | 36 |
| 418 | TuBaFrost 1: Uniting local frozen tumour banks into a European network: an overview. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 2678-83  | 7.5  | 36 |
| 417 | Distinct cellular origins of primary effusion lymphoma with and without EBV infection. <i>Leukemia Research</i> , <b>2004</b> , 28, 333-8   | 2.7  | 36 |
| 416 | Idiopathic midline destructive disease: fact or fiction. <i>Oral Oncology</i> , <b>2005</b> , 41, 340-8   | 4.4  | 36 |
| 415 | Epirubicin in the Treatment of Malignant Mesothelioma: A Phase II Cooperative Study. <i>Tumori</i> , <b>1991</b> , 77, 49-51  | 1.7  | 36 |
| 414 | Non-Hodgkin's lymphomas in the elderly: prospective studies with specifically devised chemotherapy regimens in 66 patients. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1987</b> , 23, 535-40  |      | 36 |
| 413 | Morphology of lymphatic cells and of their derived tumours. <i>Journal of Clinical Pathology</i> , <b>1978</b> , 31, 1009-56  | 3.56 | 36 |
| 412 | BIM upregulation and ROS-dependent necroptosis mediate the antitumor effects of the HDACi Givinostat and Sorafenib in Hodgkin lymphoma cell line xenografts. <i>Leukemia</i> , <b>2014</b> , 28, 1861-71  | 10.7 | 35 |
| 411 | Nutrient intake and ovarian cancer: an Italian case-control study. <i>Cancer Causes and Control</i> , <b>2002</b> , 13, 255-61  | 2.8  | 35 |
| 410 | Vimentin immunostaining in fibroblastic reticulum cells within human reactive and neoplastic lymphoid follicles. <i>Human Pathology</i> , <b>1990</b> , 21, 792-8   | 3.7  | 35 |
| 409 | The impact of EBV and HIV infection on the microenvironmental niche underlying Hodgkin lymphoma pathogenesis. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1233-1245   | 7.5  | 34 |
| 408 | Delineation of HER2 gene status in breast carcinoma by silver in situ hybridization is reproducible among laboratories and pathologists. <i>Journal of Molecular Diagnostics</i> , <b>2008</b> , 10, 527-36   | 5.1  | 34 |
| 407 | The coincidence of chromosome 15 aberrations and beta2-microglobulin gene mutations is causative for the total loss of human leukocyte antigen class I expression in melanoma. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 3297-305   | 12.9 | 34 |
| 406 | Tumor protein D52 (TPD52): a novel B-cell/plasma-cell molecule with unique expression pattern and Ca(2+)-dependent association with annexin VI. <i>Blood</i> , <b>2005</b> , 105, 2812-20   | 2.2  | 34 |
| 405 | High frequency of Epstein-Barr virus latent membrane protein-1 expression in acquired immunodeficiency syndrome-related Ki-1 (CD30)-positive anaplastic large-cell lymphomas. Italian Cooperative Group on AIDS and Tumors. <i>American Journal of Clinical Pathology</i> , <b>1994</b> , 101, 768-72 | 1.9  | 34 |

|     |   |      |    |
|-----|---|------|----|
| 404 | Heterogeneous in situ immunophenotyping of follicular dendritic reticulum cells in malignant lymphomas of B-cell origin. <i>Cancer</i> , <b>1987</b> , 60, 2919-26  | 6.4  | 34 |
| 403 | Point mutations of the BCL-6 gene: clinical and prognostic correlation in B-diffuse large cell lymphoma. <i>Leukemia</i> , <b>2002</b> , 16, 268-75   | 10.7 | 33 |
| 402 | The nonlymphoid microenvironment of reactive follicles and lymphomas of follicular origin as defined by immunohistology on paraffin-embedded tissues. <i>Human Pathology</i> , <b>1993</b> , 24, 67-76  | 3.7  | 33 |
| 401 | Monocytoid B-cell lymphoma with bone marrow and peripheral blood involvement at presentation. <i>American Journal of Clinical Pathology</i> , <b>1989</b> , 92, 228-36  | 1.9  | 33 |
| 400 | Carcinogenic viruses and solid cancers without sufficient evidence of causal association. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 1517-29   | 7.5  | 32 |
| 399 | Human herpesvirus type-8 (HHV-8) in haematopoietic neoplasia. <i>Leukemia and Lymphoma</i> , <b>1997</b> , 24, 257-66   | 6.6  | 32 |
| 398 | CD40/CD40 ligand interactions in normal, reactive and malignant lympho-hematopoietic tissues. <i>Leukemia and Lymphoma</i> , <b>1997</b> , 24, 393-422  | 1.9  | 32 |
| 397 | Characterization of immunologic and virological parameters in HIV-infected patients with primary effusion lymphoma during antineoplastic therapy and highly active antiretroviral therapy. <i>Clinical Infectious Diseases</i> , <b>2005</b> , 40, 1022-7 | 11.6 | 32 |
| 396 | Immunohistochemical evaluation of multiple biological markers in ductal carcinoma in situ of the breast. <i>European Journal of Cancer</i> , <b>1996</b> , 32A, 1148-55   | 7.5  | 32 |
| 395 | Expression of protectin (CD59) in human melanoma and its functional role in cell- and complement-mediated cytotoxicity. <i>International Journal of Cancer</i> , <b>1995</b> , 61, 548-56   | 7.5  | 32 |
| 394 | Expression of Leu-8 surface antigen in B-cell lymphomas. Correlation with other B-cell markers. <i>Journal of Pathology</i> , <b>1988</b> , 154, 133-40   | 9.4  | 32 |
| 393 | Epstein-Barr virus infection and chronic lymphocytic leukemia: a possible progression factor?. <i>Infectious Agents and Cancer</i> , <b>2010</b> , 5, 22  | 3.5  | 31 |
| 392 | Point mutations of the BCL-6 gene in Burkitt's lymphoma. <i>British Journal of Haematology</i> , <b>1997</b> , 99, 168-70   | 7.0  | 31 |
| 391 | HHV-8 infection is specific for cell lines derived from primary effusion (body cavity-based) lymphomas. <i>Leukemia</i> , <b>1998</b> , 12, 1806-9  | 10.7 | 31 |
| 390 | Antitumor activity of human CD34+ cells expressing membrane-bound tumor necrosis factor-related apoptosis-inducing ligand. <i>Human Gene Therapy</i> , <b>2006</b> , 17, 1225-40  | 4.8  | 31 |
| 389 | Is Plasmablastic Lymphoma of the Oral Cavity an HHV-8-associated Disease?. <i>American Journal of Surgical Pathology</i> , <b>2004</b> , 28, 1538-1540  | 6.7  | 31 |
| 388 | The tyrosine kinase receptor met and its ligand HGF are co-expressed and functionally active in HHV-8 positive primary effusion lymphoma. <i>Leukemia</i> , <b>2000</b> , 14, 285-91  | 10.7 | 31 |
| 387 | KP1 (CD68)-positive large cell lymphomas: a histopathologic and immunophenotypic characterization of 12 cases. <i>Human Pathology</i> , <b>1993</b> , 24, 886-96  | 3.7  | 31 |

|     |   |      |    |
|-----|---|------|----|
| 386 | Non-Hodgkin's lymphoma in the elderly. A retrospective clinicopathologic study of 50 patients. <i>Cancer</i> , <b>1986</b> , 57, 2185-9   | 6.4  | 31 |
| 385 | Study of AIDS-related lymphadenopathy in the intraparotid and perisubmaxillary gland lymph nodes. <i>Journal of Oral Pathology and Medicine</i> , <b>1988</b> , 17, 164-7   | 3.3  | 31 |
| 384 | S-100 protein immunostaining in cells of dendritic morphology within reactive germinal centers by ABC immunoperoxidase method. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1985</b> , 406, 27-32                   |      | 31 |
| 383 | Malignant tumours in patients with HIV infection. <i>BMJ: British Medical Journal</i> , <b>1994</b> , 308, 1148-53  |      | 31 |
| 382 | Human CD34+ cells engineered to express membrane-bound tumor necrosis factor-related apoptosis-inducing ligand target both tumor cells and tumor vasculature. <i>Blood</i> , <b>2010</b> , 115, 2231-40                                       | 2.2  | 30 |
| 381 | Spontaneous T cell responses to Epstein-Barr virus-encoded BART1 protein and derived peptides in patients with nasopharyngeal carcinoma: bases for improved immunotherapy. <i>International Journal of Cancer</i> , <b>2008</b> , 123, 1100-7 | 7.5  | 30 |
| 380 | Micrometastases: have they an impact on prognosis?. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>1999</b> , 108, 1185-9  | 2.1  | 30 |
| 379 | Molecular heterogeneity of B-lineage diffuse large cell lymphoma. <i>Genes Chromosomes and Cancer</i> , <b>1996</b> , 16, 21-30   | 5    | 30 |
| 378 | Detection of BCL-6 rearrangements and p53 mutations in Malt-lymphomas. <i>American Journal of Hematology</i> , <b>1997</b> , 56, 206-13   | 7.1  | 29 |
| 377 | Influence of morphology on survival for non-Hodgkin lymphoma in Europe and the United States. <i>European Journal of Cancer</i> , <b>2008</b> , 44, 579-87  | 7.5  | 29 |
| 376 | HHV-8-associated lymphoma: state-of-the-art review. <i>Acta Haematologica</i> , <b>2007</b> , 117, 129-31   | 2.7  | 29 |
| 375 | Characterization of a novel HHV-8-positive cell line reveals implications for the pathogenesis and cell cycle control of primary effusion lymphoma. <i>Leukemia</i> , <b>2000</b> , 14, 1301-9  | 10.7 | 29 |
| 374 | Increased frequency of lymphocyte depletion and mixed cellularity subtypes of Hodgkin's disease in HIV-infected patients. Italian Cooperative Group on AIDS and Tumours. <i>European Journal of Cancer</i> , <b>1993</b> , 29A, 1948-50       | 7.5  | 29 |
| 373 | Differential expression of cell adhesion molecules in B-zone small lymphocytic lymphoma and other well-differentiated lymphocytic disorders. <i>Cancer</i> , <b>1993</b> , 72, 894-904  | 6.4  | 29 |
| 372 | Retinoic acid inhibits the proliferative response induced by CD40 activation and interleukin-4 in mantle cell lymphoma. <i>Cancer Research</i> , <b>2005</b> , 65, 587-95   | 10.1 | 29 |
| 371 | Primary refractory and early-relapsed Hodgkin's lymphoma: strategies for therapeutic targeting based on the tumour microenvironment. <i>Journal of Pathology</i> , <b>2015</b> , 237, 4-13  | 9.4  | 28 |
| 370 | The host genetic background of DNA repair mechanisms is an independent predictor of survival in diffuse large B-cell lymphoma. <i>Blood</i> , <b>2011</b> , 117, 2405-13  | 2.2  | 28 |
| 369 | Plasma HHV-8 viral load in HHV-8-related lymphoproliferative disorders associated with HIV infection. <i>Journal of Medical Virology</i> , <b>2009</b> , 81, 888-96   | 19.7 | 28 |

|     |   |      |    |
|-----|---|------|----|
| 368 | Human Non-Hodgkin's Lymphomas Overexpress a Wild-Type Form of p53 Which Is a Functional Transcriptional Activator of the Cyclin-Dependent Kinase Inhibitor p21. <i>Blood</i> , <b>1997</b> , 89, 2523-2528                            | 2.2  | 28 |
| 367 | p53 codon 72 polymorphisms in human papillomavirus-negative and human papillomavirus-positive squamous cell carcinomas of the oropharynx. <i>Cancer</i> , <b>2007</b> , 109, 2461-5   | 6.4  | 28 |
| 366 | Type II mixed cryoglobulinaemia as an oligo rather than a mono B-cell disorder: evidence from GeneScan and MALDI-TOF analyses. <i>Rheumatology</i> , <b>2006</b> , 45, 685-93   | 3.9  | 28 |
| 365 | Immunohistochemistry of Hodgkin and non-Hodgkin lymphomas with emphasis on the diagnostic significance of the BNH9 antibody reactivity with anaplastic large cell (CD30 positive) lymphomas. <i>Cancer</i> , <b>1992</b> , 70, 2691-8 | 6.4  | 28 |
| 364 | Is the Epstein-Barr Virus Involved in Hodgkin's Disease?. <i>Tumori</i> , <b>1989</b> , 75, 345-350   | 1.7  | 28 |
| 363 | Heterogeneous immunostaining patterns of follicular dendritic reticulum cells in human lymphoid tissue with selected antibodies reactive with different cell lineages. <i>Human Pathology</i> , <b>1988</b> , 19, 51-6                | 3.7  | 28 |
| 362 | A different immunologic profile characterizes patients with HER-2-overexpressing and HER-2-negative locally advanced breast cancer: implications for immune-based therapies. <i>Breast Cancer Research</i> , <b>2011</b> , 13, R117   | 8.3  | 27 |
| 361 | IRF4 silencing inhibits Hodgkin lymphoma cell proliferation, survival and CCL5 secretion. <i>British Journal of Haematology</i> , <b>2011</b> , 152, 182-90   | 4.5  | 27 |
| 360 | Primary effusion lymphoma cell lines harbouring human herpesvirus type-8. <i>Leukemia and Lymphoma</i> , <b>2000</b> , 36, 447-56   | 1.9  | 27 |
| 359 | Proliferation in HHV-8-positive primary effusion lymphomas is associated with expression of HHV-8 cyclin but independent of p27(kip1). <i>American Journal of Pathology</i> , <b>2000</b> , 156, 1209-15                              | 5.8  | 27 |
| 358 | Genetic pathways and histogenetic models of AIDS-related lymphomas. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 1270-5  | 7.5  | 27 |
| 357 | Neoplastic complications of HIV infection. <i>Annals of Oncology</i> , <b>1999</b> , 10, 1271-86  | 10.3 | 27 |
| 356 | A follow-up study of determinants of second tumor and metastasis among subjects with cancer of the oral cavity, pharynx, and larynx. <i>Journal of Clinical Epidemiology</i> , <b>1996</b> , 49, 367-72                               | 5.7  | 27 |
| 355 | Paraffin section immunohistochemistry in the diagnosis of Hodgkin's disease and anaplastic large cell (CD30+) lymphomas. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1992</b> , 420, 527-32                |      | 27 |
| 354 | KSHV-associated multicentric Castleman disease: A tangle of different entities requiring multitarget treatment strategies. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 251-61   | 7.5  | 26 |
| 353 | Classical Hodgkin's lymphoma arising in different host's conditions: pathobiology parameters, therapeutic options, and outcome. <i>American Journal of Hematology</i> , <b>2011</b> , 86, 170-9                                       | 7.1  | 26 |
| 352 | Simian virus 40 sequences in human lymphoblastoid B-cell lines. <i>Journal of Virology</i> , <b>2003</b> , 77, 1595-7   | 6.6  | 26 |
| 351 | Aberrant somatic hypermutation in primary mediastinal large B-cell lymphoma. <i>Leukemia</i> , <b>2005</b> , 19, 2363-6   | 6.7  | 26 |

|     |   |      |    |
|-----|---|------|----|
| 350 | Analysis of aberrant somatic hypermutation (SHM) in non-Hodgkin's lymphomas of patients with chronic HCV infection. <i>Journal of Pathology</i> , <b>2005</b> , 206, 87-91  | 9.4  | 26 |
| 349 | The role of interleukin-3 in classical Hodgkin's disease. <i>Leukemia and Lymphoma</i> , <b>2005</b> , 46, 303-11   | 1.9  | 26 |
| 348 | The use of thallium-201 in the preoperative detection of breast cancer: an adjunct to mammography and ultrasonography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1995</b> , 22, 1110-7   |      | 26 |
| 347 | CD26/dipeptidyl peptidase IV expression in human lymphomas is restricted to CD30-positive anaplastic large cell and a subset of T-cell non-Hodgkin's lymphomas. <i>Human Pathology</i> , <b>1994</b> , 25, 1360-3   | 3.7  | 26 |
| 346 | Constitutive production of tumor necrosis factor-alpha in hairy cell leukemia: possible role in the pathogenesis of the cytopenia(s) and effect of treatment with interferon-alpha. <i>Journal of Clinical Oncology</i> , <b>1992</b> , 10, 954-9   | 2.2  | 26 |
| 345 | A natural HIV p17 protein variant up-regulates the LMP-1 EBV oncoprotein and promotes the growth of EBV-infected B-lymphocytes: implications for EBV-driven lymphomagenesis in the HIV setting. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1374-85   | 7.5  | 25 |
| 344 | Are EBV-related and EBV-unrelated Hodgkin lymphomas different with regard to susceptibility to checkpoint blockade?. <i>Blood</i> , <b>2018</b> , 132, 17-22  | 2.2  | 25 |
| 343 | Association of t(14;18) translocation with HCV infection in gastrointestinal MALT lymphomas. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 170-4   | 13.4 | 25 |
| 342 | Family history of cancer and risk of ovarian cancer. <i>European Journal of Cancer</i> , <b>2003</b> , 39, 505-10   | 7.5  | 25 |
| 341 | Alkaline DNA fragmentation, DNA disentanglement evaluated viscosimetrically and sister chromatid exchanges, after treatment in vivo with nitrofurantoin. <i>Chemico-Biological Interactions</i> , <b>1983</b> , 45, 77-94   | 5    | 25 |
| 340 | Microenvironment and HIV-related lymphomagenesis. <i>Seminars in Cancer Biology</i> , <b>2015</b> , 34, 52-7  | 12.7 | 24 |
| 339 | Nodular lymphocyte predominant Hodgkin lymphoma with non-invasive or early invasive growth pattern suggests an early step of the disease with a highly favorable outcome. <i>American Journal of Hematology</i> , <b>2013</b> , 88, 161-2   | 7.1  | 24 |
| 338 | Transcriptional profiling of melanoma sentinel nodes identify patients with poor outcome and reveal an association of CD30(+) T lymphocytes with progression. <i>Cancer Research</i> , <b>2014</b> , 74, 130-40   | 10.1 | 24 |
| 337 | Hodgkin's Disease in Patients with HIV Infection. <i>Advances in Hematology</i> , <b>2011</b> , 2011,   | 1.5  | 24 |
| 336 | Clinicopathological consultation. Lymphoepithelial carcinoma of the larynx hypopharynx, and trachea. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>1997</b> , 106, 437-44   | 2.1  | 24 |
| 335 | Why would the incidence of HIV-associated Hodgkin lymphoma increase in the setting of improved immunity?. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 2753-4  | 7.5  | 24 |
| 334 | TuBaFrost 6: virtual microscopy in virtual tumour banking. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 3110-6   | 7.5  | 24 |
| 333 | Prognostic value of extracapsular tumor spread for locoregional control in premenopausal patients with node-positive breast cancer treated with classical cyclophosphamide, methotrexate, and fluorouracil: long-term observations from International Breast Cancer Study Group Trial VI. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 7088-97 | 2.2  | 24 |

|     |  |      |    |
|-----|--|------|----|
| 332 | Among diffuse large B-cell lymphomas, T-cell-rich/histiocyte-rich BCL and CD30+ anaplastic B-cell subtypes exhibit distinct clinical features. <i>Annals of Oncology</i> , <b>2001</b> , 12, 853-8   | 10.3 | 24 |
| 331 | AIDS-related non-Hodgkin's lymphomas: molecular genetics, viral infection and cytokine deregulation. <i>Acta Haematologica</i> , <b>1996</b> , 95, 193-8   | 2.7  | 24 |
| 330 | Analysis of the p53 gene in relation to tobacco and alcohol in cancers of the upper aero-digestive tract. <i>International Journal of Cancer</i> , <b>1995</b> , 60, 872-6   | 7.5  | 24 |
| 329 | "Intrafollicular neoplasia" of nodular lymphocyte predominant Hodgkin lymphoma: description of a hypothetic early step of the disease. <i>Human Pathology</i> , <b>2012</b> , 43, 619-28   | 3.7  | 23 |
| 328 | Analysis of human herpesvirus type 8 infection in AIDS-related and AIDS-unrelated primary central nervous system lymphoma. <i>Journal of Infectious Diseases</i> , <b>1997</b> , 175, 1193-7   | 7    | 23 |
| 327 | Molecular analysis of immunoglobulin variable genes in human immunodeficiency virus-related non-Hodgkin's lymphoma reveals implications for disease pathogenesis and histogenesis. <i>Haematologica</i> , <b>2008</b> , 93, 1178-85                          | 6.6  | 23 |
| 326 | TuBaFrost 4: access rules and incentives for a European tumour bank. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 2924-9  | 7.5  | 23 |
| 325 | Molecular characterization of HHV-8 positive primary effusion lymphoma reveals pathogenetic and histogenetic features of the disease. <i>Journal of Clinical Virology</i> , <b>2000</b> , 16, 215-24   | 14.5 | 23 |
| 324 | B-zone small lymphocytic lymphoma: a morphologic, immunophenotypic, and clinical study with comparison to "well-differentiated" lymphocytic disorders. <i>Human Pathology</i> , <b>1992</b> , 23, 438-48   | 3.7  | 23 |
| 323 | Widespread codistribution of glycoprotein gp 115 and elastin in chick eye and other tissues. <i>Collagen and Related Research</i> , <b>1987</b> , 7, 259-75  |      | 23 |
| 322 | Epstein-Barr virus associated lymphomas in people with HIV. <i>Current Opinion in HIV and AIDS</i> , <b>2017</b> , 12, 39-46   | 4.2  | 22 |
| 321 | Laryngeal lymphoma derived from mucosa-associated lymphoid tissue. <i>Annals of Otolaryngology and Laryngology</i> , <b>1996</b> , 105, 577-83   | 2.1  | 22 |
| 320 | A phase II study of oral idarubicin (4-demethoxidaunorubicin) in previously untreated elderly patients with non-Hodgkin's lymphoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>1991</b> , 14, 243-5                           | 2.7  | 22 |
| 319 | Malignant Histiocytosis: A Clinicopathologic Study of 18 Consecutive Cases. <i>Tumori</i> , <b>1978</b> , 64, 211-227  | 1.7  | 22 |
| 318 | Microenvironmental abnormalities induced by viral cooperation: Impact on lymphomagenesis. <i>Seminars in Cancer Biology</i> , <b>2015</b> , 34, 70-80  | 12.7 | 21 |
| 317 | Incidental Epstein-Barr virus associated atypical lymphoid proliferation arising in a left atrial myxoma: a case of long survival without any postsurgical treatment and review of the literature. <i>Cardiovascular Pathology</i> , <b>2013</b> , 22, e5-10 | 3.8  | 21 |
| 316 | In situ follicular lymphoma: pathologic characteristics and diagnostic features. <i>Hematological Oncology</i> , <b>2012</b> , 30, 1-7   | 1.3  | 21 |
| 315 | Patterns of cytokine expression in AIDS-related non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , <b>1998</b> , 103, 143-9   | 4.5  | 21 |

|     |   |      |    |
|-----|---|------|----|
| 314 | TuBaFrost 5: multifunctional central database application for a European tumor bank. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 3103-9   | 7.5  | 21 |
| 313 | Aberrant somatic hypermutation in post-transplant lymphoproliferative disorders. <i>British Journal of Haematology</i> , <b>2004</b> , 127, 362-4   | 4.5  | 21 |
| 312 | Hodgkin and Reed-Sternberg cells express functional c-kit receptors and interact with primary fibroblasts from Hodgkin's disease-involved lymph nodes through soluble and membrane-bound stem cell factor. <i>British Journal of Haematology</i> , <b>2002</b> , 118, 1055-64 | 4.5  | 21 |
| 311 | Characterization of a novel human surface molecule selectively expressed by mature thymocytes, activated T cells and subsets of T cell lymphomas. <i>European Journal of Immunology</i> , <b>1999</b> , 29, 2863-74   | 6.1  | 21 |
| 310 | Herpesvirus-like DNA sequences selectively cluster with body cavity-based lymphomas throughout the spectrum of AIDS-related lymphomatous effusions. <i>European Journal of Cancer</i> , <b>1996</b> , 32A, 555-6  | 7.5  | 21 |
| 309 | Human herpesvirus 6 in human immunodeficiency virus-infected individuals: association with early histologic phases of lymphadenopathy syndrome but not with malignant lymphoproliferative disorders. <i>Journal of Medical Virology</i> , <b>1996</b> , 48, 344-53            | 19.7 | 21 |
| 308 | High frequency of EBV association with non-random abnormalities of the chromosome region 1q21-25 in AIDS-related Burkitt's lymphoma-derived cell lines. <i>International Journal of Cancer</i> , <b>1995</b> , 61, 370-4  | 7.5  | 21 |
| 307 | Immunohistochemical, enzyme histochemical, and immunologic features of giant lymph node hyperplasia of the hyaline-vascular type. <i>Cancer</i> , <b>1986</b> , 58, 908-16  | 6.4  | 21 |
| 306 | Hepatitis C virus (HCV) infection and lymphoproliferative disorders. <i>Frontiers in Bioscience - Landmark</i> , <b>2005</b> , 10, 2460-71  | 2.8  | 20 |
| 305 | Mixed renal tumor with carcinomatous and fibroleiomyomatous components, associated with angiomyolipoma in the same kidney. <i>Pathology Research and Practice</i> , <b>1993</b> , 189, 951-6; discussion 957-9 <sup>3.4</sup>   |      | 20 |
| 304 | Characteristics of EBV-infected cells in HIV-related lymphadenopathy: implications for the pathogenesis of EBV-associated and EBV-unrelated lymphomas of HIV-seropositive individuals. <i>International Journal of Cancer</i> , <b>1995</b> , 63, 652-9                       | 7.5  | 20 |
| 303 | Combination chemotherapy specifically devised for elderly patients with unfavorable non-Hodgkin's lymphoma. <i>Cancer Investigation</i> , <b>1990</b> , 8, 577-82   | 2.1  | 20 |
| 302 | Kaposi's sarcoma in lymph nodes concurrent with Hodgkin's disease. <i>American Journal of Clinical Pathology</i> , <b>1983</b> , 80, 228-30   | 1.9  | 20 |
| 301 | Bone-marrow patterns and clinical staging in chronic lymphocytic leukaemia. <i>Lancet, The</i> , <b>1978</b> , 1, 606   | 4.0  | 20 |
| 300 | Trends in the use of partial nephrectomy for cT1 renal tumors: Analysis of a 10-yr European multicenter dataset. <i>European Journal of Surgical Oncology</i> , <b>2016</b> , 42, 1729-1735   | 3.6  | 20 |
| 299 | Radical dissection after positive groin sentinel biopsy in melanoma patients: rate of further positive nodes. <i>Melanoma Research</i> , <b>2009</b> , 19, 112-8  | 3.3  | 19 |
| 298 | Occupation and soft-tissue sarcoma in northeastern Italy. <i>Cancer Causes and Control</i> , <b>1992</b> , 3, 25-30   | 2.8  | 19 |
| 297 | Subtypes of Epstein-Barr virus in HIV-1-associated and HIV-1-unrelated Hodgkin's disease cases. <i>International Journal of Cancer</i> , <b>1993</b> , 54, 895-8  | 7.5  | 19 |

|     |   |      |    |
|-----|---|------|----|
| 296 | Chemotherapy of advanced non-small-cell lung cancer with cyclophosphamide, adriamycin, methotrexate, and procarbazine versus cisplatin and etoposide. A randomized study. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>1988</b> , 11, 566-71 | 2.7  | 19 |
| 295 | The role of inflammation in lymphoma. <i>Advances in Experimental Medicine and Biology</i> , <b>2014</b> , 816, 315-333.  | 3.6  | 18 |
| 294 | Hodgkin's disease: a disorder of dysregulated cellular cross-talk. <i>Biotherapy (Dordrecht, Netherlands)</i> , <b>1998</b> , 10, 309-20  |      | 18 |
| 293 | Comparison of ultrasonography, hysteroscopy, and biopsy in the diagnosis of endometrial lesions in postmenopausal tamoxifen-treated patients. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2002</b> , 81, 975-80  | 3.8  | 18 |
| 292 | Low frequency of bcl-2 rearrangement in HCV-associated non-Hodgkin's lymphoma tissue. <i>Leukemia</i> , <b>2003</b> , 17, 1433-6  | 10.7 | 18 |
| 291 | The role of cytokines in the pathogenesis and management of AIDS-related lymphomas. <i>Leukemia and Lymphoma</i> , <b>2000</b> , 38, 481-8  | 1.9  | 18 |
| 290 | Pregnancy and malignant neoplasms of the head and neck. <i>Annals of Otology, Rhinology and Laryngology</i> , <b>1998</b> , 107, 991-8  | 2.1  | 18 |
| 289 | Clinical evaluation of 451 patients with HIV related non-Hodgkin's lymphoma: experience on the Italian cooperative group on AIDS and tumors (GICAT). <i>Leukemia and Lymphoma</i> , <b>1995</b> , 20, 91-6  | 1.9  | 18 |
| 288 | Brief report: prognostic importance of cellular DNA content in T1-2 N0 laryngeal squamous cell carcinomas treated with radiotherapy. <i>Laryngoscope</i> , <b>1995</b> , 105, 649-52  | 3.6  | 18 |
| 287 | A pathologic assessment of tumor residue and stromal changes after intraarterial chemotherapy for head and neck carcinomas. A study on serial sections of the whole surgical specimen. <i>Cancer</i> , <b>1989</b> , 64, 994-1001   | 6.4  | 18 |
| 286 | Nasopharyngeal lymphatic tissue in patients infected with human immunodeficiency virus. A prospective clinicopathologic study. <i>JAMA Otolaryngology</i> , <b>1990</b> , 116, 928-31   |      | 18 |
| 285 | A phase II trial of teniposide (VM 26) in advanced non-Hodgkin's lymphoma, with emphasis on the treatment of elderly patients. <i>Cancer</i> , <b>1984</b> , 54, 393-6  | 6.4  | 18 |
| 284 | Malignant histiocytosis: a histological and ultrastructural study of lymph nodes in six cases. <i>Histopathology</i> , <b>1978</b> , 2, 315-28  | 7.3  | 18 |
| 283 | Undifferentiated nasopharyngeal carcinoma from a nonendemic area: protective role of HLA allele products presenting conserved EBV epitopes. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 1358-64   | 7.5  | 17 |
| 282 | Microsatellite instability in KSHV/HHV-8 positive body-cavity-based lymphoma. <i>Human Pathology</i> , <b>1997</b> , 28, 748-50   | 3.7  | 17 |
| 281 | Metamorphosis of melanoma. Trends in size and thickness of cutaneous melanoma over one decade at the Istituto Nazionale Tumori, Milan. <i>Tumori</i> , <b>2008</b> , 94, 11-13  | 1.7  | 17 |
| 280 | High serum levels of soluble CD40-L in patients with undifferentiated nasopharyngeal carcinoma: pathogenic and clinical relevance. <i>Infectious Agents and Cancer</i> , <b>2007</b> , 2, 5   | 3.5  | 17 |
| 279 | Lack of Hcv Infection in Malignant, Cells Refutes the Hypothesis of a Direct Transforming Action of the Virus in the Pathogenesis of Hcv-Associated B-Cell Nhl's. <i>Tumori</i> , <b>2002</b> , 88, 400-406   | 1.7  | 17 |

|     |  |      |    |
|-----|--|------|----|
| 278 | Timing of CMF chemotherapy in combination with tamoxifen in postmenopausal women with breast cancer: role of endocrine responsiveness of the tumor. <i>Annals of Oncology</i> , <b>2005</b> , 16, 716-25                   | 10.3 | 17 |
| 277 | Discordant HHV8 detection in a young HIV-negative patient with Kaposi's sarcoma and sarcoidosis. <i>Clinical Infectious Diseases</i> , <b>2001</b> , 32, 1100-2  | 11.6 | 17 |
| 276 | Total body irradiation and prednimustine in chronic lymphocytic leukemia and low grade non-Hodgkin's lymphomas. A 9-year experience at a single institution. <i>Cancer</i> , <b>1994</b> , 74, 978-84                      | 6.4  | 17 |
| 275 | Expression of natural killer antigens in a subset of 'non-T, non-B lymphoma/leukaemia with histiocytic features'. <i>British Journal of Haematology</i> , <b>1990</b> , 76, 444-8  | 4.5  | 17 |
| 274 | Splenic irradiation in chronic lymphocytic leukemia. A 10-year experience at a single institution. <i>Cancer</i> , <b>1987</b> , 60, 2624-8  | 6.4  | 17 |
| 273 | Dendritic reticulum cell pattern as a microenvironmental indicator for a distinct origin of lymphoma of follicular mantle cells. <i>British Journal of Haematology</i> , <b>1988</b> , 68, 213-8                           | 4.5  | 17 |
| 272 | Characterization of Overt B-Cell Lymphomas in Patients With Hepatitis C Virus Infection. <i>Blood</i> , <b>1997</b> , 90, 776-782  | 2.2  | 17 |
| 271 | In situ follicular lymphoma associated with nonlymphoid malignancies. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 603-8   | 1.9  | 16 |
| 270 | IRF4 is modulated by CD40L and by apoptotic and anti-proliferative signals in Hodgkin lymphoma. <i>British Journal of Haematology</i> , <b>2010</b> , 148, 115-8   | 4.5  | 16 |
| 269 | True identity by immunohistochemistry and molecular morphology of undifferentiated malignancies of the head and neck. <i>Head and Neck</i> , <b>2009</b> , 31, 949-61  | 4.2  | 16 |
| 268 | IFN-gamma enhances the antimyeloma activity of the fully human anti-human leukocyte antigen-DR monoclonal antibody 1D09C3. <i>Cancer Research</i> , <b>2007</b> , 67, 3269-75  | 10.1 | 16 |
| 267 | Second primary lymphoma or recurrence: a dilemma solved by VDJ rearrangement analysis. <i>Leukemia and Lymphoma</i> , <b>2004</b> , 45, 1539-43  | 1.9  | 16 |
| 266 | Burkitt's lymphoma: historical background and recent insights into classification and pathogenesis. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>2000</b> , 109, 693-702                                | 2.1  | 16 |
| 265 | Breast angiosarcoma after conservative surgery, radiotherapy and prosthesis implant. <i>Acta Oncologica</i> , <b>1998</b> , 37, 209-11   | 3.2  | 16 |
| 264 | p53 protein over-expression and p53 gene abnormalities in HIV-1-related non-Hodgkin's lymphomas. <i>International Journal of Cancer</i> , <b>1994</b> , 56, 662-7  | 7.5  | 16 |
| 263 | Follicular lymphoma of compartmentalized small cleaved center cells and mantle zone lymphocytes. Evidence for a common derivation. <i>American Journal of Clinical Pathology</i> , <b>1992</b> , 98, 437-48 <sup>1.9</sup> |      | 16 |
| 262 | Immunoglobulin and T cell receptor gene rearrangements and in situ immunophenotyping in lymphoproliferative disorders. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1989</b> , 414, 223-30       |      | 16 |
| 261 | Basement membrane components in lymphoid follicles: immunohistochemical demonstration and relationship to the follicular dendritic cell network. <i>Human Pathology</i> , <b>1989</b> , 20, 1001-7                         | 3.7  | 16 |

|     |  |     |    |
|-----|--|-----|----|
| 260 | Anti-vimentin antibody reactivity with Reed-Sternberg cells of Hodgkin's disease. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1990</b> , 417, 43-8  |     | 16 |
| 259 | Methylenetetrahydrofolate reductase genotype in diffuse large B-cell lymphomas with and without hypermethylation of the DNA repair gene O6-methylguanine DNA methyltransferase. <i>International Journal of Biological Markers</i> , <b>2003</b> , 18, 218-21                    | 2.8 | 16 |
| 258 | Epstein Barr Virus-Associated Hodgkin Lymphoma. <i>Cancers</i> , <b>2018</b> , 10,   | 6.6 | 15 |
| 257 | The NF-B inhibitor DHMEQ decreases survival factors, overcomes the protective activity of microenvironment and synergizes with chemotherapy agents in classical Hodgkin lymphoma. <i>Cancer Letters</i> , <b>2014</b> , 349, 26-34   | 9.9 | 15 |
| 256 | Locoregional failure in early-stage breast cancer patients treated with radical mastectomy and adjuvant systemic therapy: which patients benefit from postmastectomy irradiation?. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2012</b> , 83, e153-7 | 4   | 15 |
| 255 | In situ follicular lymphoma associated with overt B- or T-cell lymphomas in the same lymph node. <i>American Journal of Hematology</i> , <b>2011</b> , 86, E66-70  | 7.1 | 15 |
| 254 | Coexisting follicular and mantle cell lymphoma with each having an in situ component. <i>American Journal of Clinical Pathology</i> , <b>2011</b> , 136, 481-3   | 1.9 | 15 |
| 253 | Report: workshop on mediastinal grey zone lymphoma. <i>European Journal of Haematology</i> , <b>2005</b> , 75, 45-53   | 8   | 15 |
| 252 | Head and neck lymphomas associated with human immunodeficiency virus infection. <i>JAMA Otolaryngology</i> , <b>1995</b> , 121, 210-8  |     | 15 |
| 251 | Induction intra-arterial cisplatin and bleomycin in head and neck cancer. <i>Head and Neck</i> , <b>1991</b> , 13, 291-7   | 4.2 | 15 |
| 250 | Selective depletion of the OKT 4+ 4B4+ subset in lymph nodes from HIV+ patients. <i>Immunology Letters</i> , <b>1987</b> , 16, 71-3  | 4.1 | 15 |
| 249 | In situ hybridization detection methods for HPV16 E6/E7 mRNA in identifying transcriptionally active HPV infection of oropharyngeal carcinoma: an updating. <i>Human Pathology</i> , <b>2018</b> , 74, 32-42   | 3.7 | 14 |
| 248 | The evolving scenario of non-AIDS-defining cancers: challenges and opportunities of care. <i>Oncologist</i> , <b>2014</b> , 19, 860-7  | 5.7 | 14 |
| 247 | Emerging issues after the recognition of in situ follicular lymphoma. <i>Leukemia and Lymphoma</i> , <b>2014</b> , 55, 482-90  | 1.9 | 14 |
| 246 | Mutations of CD79A, CD79B and EZH2 genes in immunodeficiency-related non-Hodgkin lymphomas. <i>British Journal of Haematology</i> , <b>2011</b> , 152, 777-80  | 4.5 | 14 |
| 245 | AZGP1 mRNA levels in normal human lung tissue correlate with lung cancer disease status. <i>Oncogene</i> , <b>2008</b> , 27, 1650-6  | 9.2 | 14 |
| 244 | TRK-A, HER-2/neu, and KIT Expression/Activation Profiles in Salivary Gland Carcinoma. <i>Translational Oncology</i> , <b>2008</b> , 1, 121-8   | 4.9 | 14 |
| 243 | Analysis of immunoglobulin heavy and light chain variable genes in post-transplant lymphoproliferative disorders. <i>Hematological Oncology</i> , <b>2006</b> , 24, 212-9  | 1.3 | 14 |

|     |   |     |    |
|-----|---|-----|----|
| 242 | Characterization of Epstein-Barr virus genotype in AIDS-related non-Hodgkin's lymphoma. <i>AIDS Research and Human Retroviruses</i> , <b>2002</b> , 18, 19-26   | 1.6 | 14 |
| 241 | Expression of the monomeric 67-kd laminin-binding protein in human lymphomas as defined by MLC5 monoclonal antibody and paraffin section immunohistochemistry. <i>Human Pathology</i> , <b>1995</b> , 26, 541-6                   | 3.7 | 14 |
| 240 | CD13 Expression in B-Cell Chronic Lymphocytic Leukemia is Associated with the Pattern of Bone Marrow Infiltration. <i>Leukemia and Lymphoma</i> , <b>1992</b> , 6, 209-218  | 1.9 | 14 |
| 239 | Dermatofibrosarcoma protuberans metastatic to lymph nodes and showing a dominant histiocytic component. <i>American Journal of Dermatopathology</i> , <b>1983</b> , 5, 327-34   | 0.9 | 14 |
| 238 | A novel semi-automated in situ hybridisation protocol for microRNA detection in paraffin embedded tissue sections. <i>Journal of Clinical Pathology</i> , <b>2015</b> , 68, 661-4   | 3.9 | 13 |
| 237 | Immunoarchitectural patterns in nodular lymphocyte predominant Hodgkin lymphoma: pathologic and clinical implications. <i>Expert Review of Hematology</i> , <b>2015</b> , 8, 217-23   | 2.8 | 13 |
| 236 | Cancer Classification at the Crossroads. <i>Cancers</i> , <b>2020</b> , 12,   | 6.6 | 13 |
| 235 | Alterations of negative regulators of cytokine signalling in immunodeficiency-related non-Hodgkin lymphoma. <i>Hematological Oncology</i> , <b>2013</b> , 31, 22-8  | 1.3 | 13 |
| 234 | Differentiating germinal center-derived lymphomas through their cellular microenvironment. <i>American Journal of Hematology</i> , <b>2009</b> , 84, 435-8  | 7.1 | 13 |
| 233 | KSHV/HHV-8 associated Kaposi's sarcoma in lymph nodes concurrent with Epstein-Barr virus associated Hodgkin lymphoma. <i>Journal of Clinical Pathology</i> , <b>2005</b> , 58, 626-8  | 3.9 | 13 |
| 232 | Acquired immunodeficiency syndrome-related cancer. A study model for the mechanisms contributing to the genesis of cancer. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 1184-7   | 7.5 | 13 |
| 231 | The Relevance of VDJ PCR Protocols in Detecting B-Cell Clonal Expansion in Lymphomas and Other Lymphoproliferative Disorders. <i>Tumori</i> , <b>1995</b> , 81, 405-409   | 1.7 | 13 |
| 230 | The aged patient with lung cancer. Management recommendations. <i>Drugs and Aging</i> , <b>1994</b> , 4, 34-46  | 4.7 | 13 |
| 229 | Co-expression of Epstein-Barr virus latent membrane protein and vimentin in "aggressive" histological subtypes of Hodgkin's disease. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1993</b> , 422, 39-45 |     | 13 |
| 228 | Intermediate lymphocytic lymphoma encompassing diffuse and mantle zone pattern variants. A distinct entity among low-grade lymphomas?. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1989</b> , 25, 113-21       |     | 13 |
| 227 | B-cell malignant lymphoma with cerebriform nuclei showing mantle-zone cell phenotype. <i>American Journal of Clinical Pathology</i> , <b>1986</b> , 86, 552-4   | 1.9 | 13 |
| 226 | Enzyme- and immunohistochemical study of a case of histiocytic necrotizing lymphadenitis. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1986</b> , 408, 637-47   |     | 13 |
| 225 | Diagnosis and assessment of non-Hodgkin's malignant lymphomas of the larynx. <i>Orl</i> , <b>1981</b> , 43, 61-78   | 2   | 13 |

|     |  |      |    |
|-----|--|------|----|
| 224 | Activated DDR1 increases RS cell survival. <i>Blood</i> , <b>2013</b> , 122, 4152-4  | 2.2  | 12 |
| 223 | Genetic heterogeneity of AIDS-related small non-cleaved cell lymphoma. <i>British Journal of Haematology</i> , <b>1997</b> , 98, 726-32  | 4.5  | 12 |
| 222 | Persistent generalized lymphadenopathy in Northeastern Italy: increased frequency of HLA-DR 5. <i>Tissue Antigens</i> , <b>1986</b> , 27, 116-8  |      | 12 |
| 221 | Clinicopathologic and molecular features of Hodgkin's lymphoma. <i>Cancer Biology and Therapy</i> , <b>2003</b> , 2, 500-7   | 4.6  | 12 |
| 220 | Differentiation between non-Hodgkin's lymphoma recurrence and second primary lymphoma by VDJ rearrangement analysis. <i>British Journal of Haematology</i> , <b>2002</b> , 118, 809-12   | 4.5  | 12 |
| 219 | A novel bcl-1/JH breakpoint from a patient affected by mantle cell lymphoma extends the major translocation cluster. <i>Journal of Pathology</i> , <b>2002</b> , 197, 256-63   | 9.4  | 12 |
| 218 | Latent membrane protein 1 deletion mutants accumulate in reed-sternberg cells of human immunodeficiency virus-related Hodgkin's lymphoma. <i>Journal of Virology</i> , <b>2005</b> , 79, 2643-9  | 6.6  | 12 |
| 217 | Management of hematologic malignancies in the elderly: 15-year experience at the Aviano Cancer Center, Italy. <i>Critical Reviews in Oncology/Hematology</i> , <b>2001</b> , 39, 289-305   | 7    | 12 |
| 216 | BCL-6 in aids-related lymphomas: pathogenetic and histogenetic implications. <i>Leukemia and Lymphoma</i> , <b>1998</b> , 31, 39-46  | 1.9  | 12 |
| 215 | Diagnostic significance of CD40, CD40L, and CD26 expression in Hodgkin's disease and other lymphomas. <i>American Journal of Clinical Pathology</i> , <b>1996</b> , 105, 522-3   | 1.9  | 12 |
| 214 | Long-term survival of patients with HIV-related systemic non-Hodgkin's lymphomas. <i>Hematological Oncology</i> , <b>1996</b> , 14, 7-15   | 1.3  | 12 |
| 213 | Nasopharyngeal lymphatic tissue hypertrophy in HIV-infected patients. <i>Lancet, The</i> , <b>1989</b> , 1, 42-3   | 4.0  | 12 |
| 212 | Reed-Sternberg cells and their cell microenvironment in Hodgkin's disease with reference to macrophage-histiocytes and interdigitating reticulum cells. <i>Cancer</i> , <b>1987</b> , 60, 2662-8   | 6.4  | 12 |
| 211 | Practical importance of immunostaining paraffin-embedded biopsy samples of small lymphocytic and follicle centre cell lymphomas for S100 protein. <i>Lancet, The</i> , <b>1985</b> , 2, 617  | 4.0  | 12 |
| 210 | DNA damage induced by auramine O in liver, kidney, and bone marrow of rats and mice, and in a human cell line (alkaline elution assay and SCE induction). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>1982</b> , 9, 941-52 | 3.2  | 12 |
| 209 | Superficial extending carcinoma of the hypopharynx: report of 26 cases of an underestimated carcinoma. <i>Laryngoscope</i> , <b>1983</b> , 93, 1600-6  | 3.6  | 12 |
| 208 | Clear cell adenocarcinoma of the colon is a unique morphological variant of intestinal carcinoma: case report with molecular analysis. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 6575-7   | 5.6  | 12 |
| 207 | IGKV3 proteins as candidate "off-the-shelf" vaccines for kappa-light chain-restricted B-cell non-Hodgkin lymphomas. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 4080-91  | 12.9 | 11 |

|     |  |     |    |
|-----|--|-----|----|
| 206 | Pathological and immunophenotypic features of adult non-Hodgkin's lymphomas by age group. <i>Human Pathology</i> , <b>1997</b> , 28, 580-7   | 3.7 | 11 |
| 205 | High CD40 membrane expression in AIDS-related lymphoma B cell lines is associated with the CD45RA+, CD45RO+, CD95+ phenotype and high levels of its soluble form in culture supernatants. <i>Cytometry</i> , <b>1997</b> , 30, 33-38                     |     | 11 |
| 204 | The art of diagnosis in head and neck tumors. <i>Acta Oto-Laryngologica</i> , <b>2001</b> , 121, 324-8   | 1.6 | 11 |
| 203 | Biologically relevant phenotypic changes and enhanced growth properties induced in B lymphocytes by an EBV strain derived from a histologically aggressive Hodgkin's disease. <i>International Journal of Cancer</i> , <b>1999</b> , 80, 240-9           | 7.5 | 11 |
| 202 | Cytogenetic rearrangement of C-MYC oncogene occurs prior to infection with Epstein-Barr virus in the monoclonal malignant B cells from an AIDS patient. <i>Leukemia and Lymphoma</i> , <b>1993</b> , 9, 157-64   | 1.9 | 11 |
| 201 | Ki-M6 immunostaining in routinely processed sections of reactive and neoplastic human lymphoid tissue. <i>American Journal of Clinical Pathology</i> , <b>1990</b> , 94, 734-41  | 1.9 | 11 |
| 200 | AIDS-related B-cell non-Hodgkin's lymphomas in direct blood-stream HIV-infected patients: pathogenesis and differentiation features. <i>International Journal of Cancer</i> , <b>1990</b> , 45, 883-8  | 7.5 | 11 |
| 199 | Bortezomib down-modulates the survival factor interferon regulatory factor 4 in Hodgkin lymphoma cell lines and decreases the protective activity of Hodgkin lymphoma-associated fibroblasts. <i>Leukemia and Lymphoma</i> , <b>2014</b> , 55, 149-59    | 1.9 | 10 |
| 198 | Primary effusion lymphoma: secretome analysis reveals novel candidate biomarkers with potential pathogenetic significance. <i>American Journal of Pathology</i> , <b>2014</b> , 184, 618-30  | 5.8 | 10 |
| 197 | Extracavitary KSHV-positive solid lymphoma: a large B-cell lymphoma within the spectrum of primary effusion lymphoma. <i>American Journal of Surgical Pathology</i> , <b>2013</b> , 37, 1460-1   | 6.7 | 10 |
| 196 | Downregulation of the major histocompatibility complex class I molecules by human herpesvirus type 8 and impaired natural killer cell activity in primary effusion lymphoma development. <i>British Journal of Haematology</i> , <b>2005</b> , 130, 92-5 | 4.5 | 10 |
| 195 | A 20-year experience on malignant lymphomas in patients aged 70 and older at a single institute. <i>Critical Reviews in Oncology/Hematology</i> , <b>2001</b> , 37, 153-8  | 7   | 10 |
| 194 | Expression of cyclin-dependent kinase inhibitor p27(Kip1) in AIDS-related diffuse large-cell lymphomas is associated with Epstein-Barr virus-encoded latent membrane protein 1. <i>American Journal of Pathology</i> , <b>2002</b> , 161, 163-71         | 5.8 | 10 |
| 193 | Splenectomy during primary and secondary cytoreductive surgery for epithelial ovarian carcinoma. <i>International Journal of Gynecological Cancer</i> , <b>1998</b> , 8, 215-221   | 3.5 | 10 |
| 192 | Centromeric instability of chromosome 1 resulting in multibranching chromosomes, telomeric fusions, and "jumping translocations" of 1q in a human immunodeficiency virus-related non-Hodgkin's lymphoma. <i>Cancer</i> , <b>1996</b> , 78, 1142-4        | 6.4 | 10 |
| 191 | Hodgkin's disease: old and recent clinical concepts. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>1996</b> , 105, 751-8   | 2.1 | 10 |
| 190 | Extracellular matrix of lymphoid tissues in the chick. <i>Journal of Histochemistry and Cytochemistry</i> , <b>1989</b> , 37, 757-63   | 3.4 | 10 |
| 189 | A combined cytochemical and immunocytochemical method for simultaneous visualization of cytoplasmic enzyme reactivity and cell surface antigens in cell suspensions. <i>American Journal of Clinical Pathology</i> , <b>1989</b> , 91, 67-71             | 1.9 | 10 |

|     |   |     |    |
|-----|---|-----|----|
| 188 | Significance of S-100 Protein Immunostaining in the Immunohistological Analysis of Normal and Neoplastic Lymphoid Tissues - An Appraisal. <i>International Journal of Biological Markers</i> , <b>1986</b> , 1, 57-66   | 2.8 | 10 |
| 187 | Histologic Subclassification of Nodular Sclerosis Hodgkin's Disease. <i>Tumori</i> , <b>1979</b> , 65, 743-751  | 1.7 | 10 |
| 186 | Cancers related to viral agents that have a direct role in carcinogenesis: pathological and diagnostic techniques. <i>Journal of Clinical Pathology</i> , <b>2012</b> , 65, 680-6   | 3.9 | 9  |
| 185 | Genomic aberrations affecting the outcome of immunodeficiency-related diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 71-6  | 1.9 | 9  |
| 184 | Exocrine and endocrine modulation in common gastric carcinoma. <i>American Journal of Clinical Pathology</i> , <b>2012</b> , 137, 712-21  | 1.9 | 9  |
| 183 | KSHV/HHV8 Doesn't Play a Significant Role in the Development of Plasmablastic Lymphoma of the Oral Cavity. <i>American Journal of Surgical Pathology</i> , <b>2008</b> , 32, 172-174  | 6.7 | 9  |
| 182 | Primary Hodgkin's disease of the vagina. <i>Leukemia and Lymphoma</i> , <b>2000</b> , 37, 451-5   | 1.9 | 9  |
| 181 | Mutation of BAX occurs infrequently in acquired immunodeficiency syndrome-related non-Hodgkin's lymphomas. <i>Genes Chromosomes and Cancer</i> , <b>2000</b> , 27, 177-82   | 5   | 9  |
| 180 | Management of the clinically negative cervical lymph nodes in patients with non-conventional squamous carcinoma of the larynx. <i>Journal of Laryngology and Otology</i> , <b>1999</b> , 113, 619-23  | 1.8 | 9  |
| 179 | Malignant lymphomas in patients with HIV infection. <i>Leukemia and Lymphoma</i> , <b>1996</b> , 22, 245-57   | 1.9 | 9  |
| 178 | Type 2 Epstein-Barr virus genome and latent membrane protein-1 expression in a T-cell-rich lymphoma of probable B-cell lineage. <i>American Journal of Clinical Pathology</i> , <b>1993</b> , 100, 541-9  | 1.9 | 9  |
| 177 | High frequency of CD45RO expression in AIDS-related B-cell non-Hodgkin's lymphomas. <i>American Journal of Clinical Pathology</i> , <b>1995</b> , 104, 680-8  | 1.9 | 9  |
| 176 | "Lipoleiomyoma with metaplastic cartilage" (benign mesenchymoma) of the uterine cervix. <i>Pathology Research and Practice</i> , <b>1992</b> , 188, 799-801; discussion 802-3   | 3.4 | 9  |
| 175 | Malignant tumors in patients with human immunodeficiency virus infection: a report of 580 cases. <i>Journal of Clinical Oncology</i> , <b>1989</b> , 7, 1582-3  | 2.2 | 9  |
| 174 | Immunohistochemical correlation of DAP IV-CD 26 reactivity with immunologic markers of lymphocyte activation in human lymphoid tissues. <i>British Journal of Haematology</i> , <b>1990</b> , 75, 325-32  | 4.5 | 9  |
| 173 | Report of an unusual small lymphocytic B-cell lymphoma selectively involving the B-zone of lymph node. <i>Cancer</i> , <b>1990</b> , 66, 302-12   | 6.4 | 9  |
| 172 | Virtual microscopy in virtual tumor banking. <i>Advances in Experimental Medicine and Biology</i> , <b>2006</b> , 587, 75-86  | 3.6 | 9  |
| 171 | A practical algorithmic approach to mature aggressive B cell lymphoma diagnosis in the double/triple hit era: selecting cases, matching clinical benefit : A position paper from the Italian Group of Haematopathology (G.I.E.). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2019</b> , 475, 519-519 | 5.1 | 8  |

|     |   |      |   |
|-----|---|------|---|
| 170 | Follicular dendritic cell pattern in early lymphomas involving follicles. <i>Advances in Anatomic Pathology</i> , <b>2014</b> , 21, 260-9   | 5.1  | 8 |
| 169 | HCV inhibits antigen processing and presentation and induces oxidative stress response in gastric mucosa. <i>Proteomics - Clinical Applications</i> , <b>2008</b> , 2, 1290-9   | 3.1  | 8 |
| 168 | Prognostic factors in human herpesvirus 8-related lymphoproliferative disorders associated with HIV infection. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 209; author reply 209-10   | 2.2  | 8 |
| 167 | Effects of a treatment gap during adjuvant chemotherapy in node-positive breast cancer: results of International Breast Cancer Study Group (IBCSG) Trials 13-93 and 14-93. <i>Annals of Oncology</i> , <b>2007</b> , 18, 1177-84  | 10.3 | 8 |
| 166 | EBV-Associated Tumors: Pathogenetic Insights for Improved Disease Monitoring and Treatment. <i>Current Cancer Therapy Reviews</i> , <b>2005</b> , 1, 27-44  | 0.4  | 8 |
| 165 | Frequent detection of human herpesvirus 6 DNA in HIV-associated lymphadenopathy. <i>Lancet, The</i> , <b>1994</b> , 344, 543  | 4.0  | 8 |
| 164 | Feasibility of total body irradiation in chronic lymphocytic leukemia and low-grade non-Hodgkin's lymphomas. <i>Cancer Investigation</i> , <b>1991</b> , 9, 403-7   | 2.1  | 8 |
| 163 | Expression of myeloid associated antigens in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , <b>1992</b> , 82, 173-5   | 4.5  | 8 |
| 162 | Dendritic reticulum cell-related immunostaining for laminin in follicular and diffuse B-cell lymphomas. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1990</b> , 416, 197-204  |      | 8 |
| 161 | Mantle-zone lymphoma: additional arguments for its origin. <i>American Journal of Surgical Pathology</i> , <b>1987</b> , 11, 333-4  | 6.7  | 8 |
| 160 | Cytochemistry of Reed-Sternberg cells in lymph node imprints. <i>American Journal of Clinical Pathology</i> , <b>1983</b> , 79, 553-8   | 1.9  | 8 |
| 159 | Increased prevalence of HTLV-III antibody among drug addicts from Italian province with US military base. <i>Lancet, The</i> , <b>1986</b> , 1, 804   | 4.0  | 8 |
| 158 | Treatment of non-Hodgkin's lymphoma in the elderly. <i>Journal of Clinical Oncology</i> , <b>1986</b> , 4, 1866-7   | 2.2  | 8 |
| 157 | Combined radiotherapy and chemotherapy with cyclophosphamide, adriamycin, methotrexate, procarbazine (CAMP) in 64 consecutive patients with epidermoid bronchogenic carcinoma, limited disease: a prospective study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>1982</b> , 8, 1051-4 | 4    | 8 |
| 156 | Multiple viral infections in primary effusion lymphoma: a model of viral cooperation in lymphomagenesis. <i>Expert Review of Hematology</i> , <b>2017</b> , 10, 505-514   | 2.8  | 7 |
| 155 | Small Nodular Melanoma: The Beginning of a Life-Threatening Lesion. A Clinical Study on 11 Cases. <i>Tumori</i> , <b>2011</b> , 97, 35-38   | 1.7  | 7 |
| 154 | Chemokine receptors as therapeutic tools in Hodgkin lymphoma: CCR4 and beyond. <i>Blood</i> , <b>2010</b> , 115, 746-7; author reply 748  | 2.2  | 7 |
| 153 | JH6 gene usage among HCV-associated MALT lymphomas harboring t(14;18) translocation. <i>Journal of Immunology</i> , <b>2005</b> , 174, 3839; author reply 3839  | 5.3  | 7 |

|     |   |      |   |
|-----|---|------|---|
| 152 | The expression pattern of the AML1 gene in non-Hodgkin's B-cell lymphomas and normal B lymphocytes. <i>Blood Cells, Molecules, and Diseases</i> , <b>2000</b> , 26, 186-92  | 2.1  | 7 |
| 151 | Gastric Cancer with Bone Marrow Invasion at Presentation: Case-Report and Review of the Literature. <i>Tumori</i> , <b>1995</b> , 81, 74-76   | 1.7  | 7 |
| 150 | Potential heterosexual Kaposi's sarcoma-associated herpesvirus transmission in a couple with HIV-induced immunodepression and with Kaposi's sarcoma and multicentric Castleman's disease. <i>Aids</i> , <b>1996</b> , 10, 1291-2  | 3.5  | 7 |
| 149 | Structural abnormality of 1q in an AIDS-related body-cavity-based lymphoma. <i>International Journal of Cancer</i> , <b>1996</b> , 67, 588-90   | 7.5  | 7 |
| 148 | Immunohistochemical characterization of Ki-M6 monoclonal antibody in Bouin-fixed, paraffin-embedded sections of normal and neoplastic human tissues. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1991</b> , 418, 355-60  |      | 7 |
| 147 | Superficial extending carcinoma (SEC) of the larynx and hypopharynx. <i>Pathology Research and Practice</i> , <b>1992</b> , 188, 729-35   | 3.4  | 7 |
| 146 | Lymphangiography and abdominal computerized tomography in persistent generalized lymphadenopathy. <i>AIDS Research</i> , <b>1986</b> , 2, 149-53  |      | 7 |
| 145 | Sequence analysis of the immunoglobulin antigen receptor of hepatitis C virus-associated non-Hodgkin lymphomas suggests that the malignant cells are derived from the rheumatoid factor-producing cells that occur mainly in type II cryoglobulinemia. <i>Blood</i> , <b>2000</b> , 96, 3578-3584 | 2.2  | 7 |
| 144 | Relationships between lymphomas linked to hepatitis C virus infection and their microenvironment. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 7874-9   | 5.6  | 7 |
| 143 | Is plasmablastic lymphoma of the oral cavity an HHV-8-associated disease?. <i>American Journal of Surgical Pathology</i> , <b>2004</b> , 28, 1538-40; author reply 1540   | 6.7  | 7 |
| 142 | Toxicity and cosmesis following partial breast irradiation consisting of 40 Gy in 10 daily fractions. <i>Breast</i> , <b>2013</b> , 22, 744-7   | 3.6  | 6 |
| 141 | Bladder filling attenuates spinal cord nociceptive reflexes in humans. <i>Clinical Neurophysiology</i> , <b>2014</b> , 125, 2271-2276   | 4.3  | 6 |
| 140 | Early lesions in lymphomas of germinal centre B-cell derivation: evidence and hypotheses. <i>Journal of Clinical Pathology</i> , <b>2012</b> , 65, 955-8  | 3.9  | 6 |
| 139 | Involvement of the bcl-6 gene in AIDS-related lymphomas. <i>Annals of Oncology</i> , <b>1997</b> , 8, S105-S108   | 10.3 | 6 |
| 138 | Rarity of microsatellite genomic instability in B-cell non-Hodgkin's lymphomas in hepatitis C virus-infected patients. <i>British Journal of Haematology</i> , <b>1997</b> , 97, 463-5  | 4.5  | 6 |
| 137 | Hodgkin disease and HIV. <i>Annals of Internal Medicine</i> , <b>1993</b> , 118, 313; author reply 313-4  | 8    | 6 |
| 136 | Establishment and characterization of a leukemic murine cell line derived from MCF 247 MuLV-induced T-cell lymphoma. <i>International Journal of Cancer</i> , <b>1990</b> , 45, 928-34  | 7.5  | 6 |
| 135 | Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. <i>Journal of Laryngology and Otology</i> , <b>1982</b> , 96, 759-66  | 1.8  | 6 |

|     |  |     |   |
|-----|--|-----|---|
| 134 | Massive myocardial infiltration by HIV-related non-Hodgkin lymphoma: echocardiographic aspects at diagnosis and at follow-up. <i>Journal of Cardiovascular Medicine</i> , <b>2012</b> , 13, 836-8                                      | 1.9 | 6 |
| 133 | What's New in the Biology and Treatment of Undifferentiated Carcinoma of Nasopharyngeal Type?. <i>Acta Oto-Laryngologica</i> , <b>2001</b> , 121, 884-895  | 1.6 | 6 |
| 132 | CD75: a B-cell marker which should not be forgotten in lymphocyte predominant Hodgkin lymphoma. <i>American Journal of Hematology</i> , <b>2014</b> , 89, 449  | 7.1 | 5 |
| 131 | Pathogenesis of HIV-associated cancer. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 3078  | 2.2 | 5 |
| 130 | Drug sensitivity patterns of HHV8 carrying body cavity lymphoma cell lines. <i>BMC Cancer</i> , <b>2011</b> , 11, 441  | 4.8 | 5 |
| 129 | Therapeutic options for HIV-associated lymphomas. <i>Expert Opinion on Pharmacotherapy</i> , <b>2010</b> , 11, 2471-81   | 4.1 | 5 |
| 128 | Clinical and biological applications of image analysis in non-Hodgkin's lymphomas. <i>Hematological Oncology</i> , <b>1998</b> , 16, 15-28   | 1.3 | 5 |
| 127 | Incidence of novel N-glycosylation sites in the B-cell receptor of lymphomas associated with immunodeficiency. <i>British Journal of Haematology</i> , <b>2004</b> , 124, 604-9  | 4.5 | 5 |
| 126 | An update on the diagnostic relevance of CD26 antigen expression in CD30 positive anaplastic large cell lymphomas. <i>Human Pathology</i> , <b>1995</b> , 26, 1169-70  | 3.7 | 5 |
| 125 | Is human herpesvirus type 8 fairly prevalent among healthy subjects in Italy?. <i>Journal of Infectious Diseases</i> , <b>1996</b> , 174, 668-70   | 7   | 5 |
| 124 | Staging and treatment with cyclophosphamide, vincristine and prednisone (CVP) in advanced cutaneous T-cell lymphomas. <i>Hematological Oncology</i> , <b>1986</b> , 4, 83-90   | 1.3 | 5 |
| 123 | Bone marrow pattern and clinical staging in multiple myeloma. <i>British Journal of Haematology</i> , <b>1987</b> , 65, 502-3  | 4.5 | 5 |
| 122 | Botryoid rhabdomyosarcoma of the nasopharynx. <i>Journal of Laryngology and Otology</i> , <b>1983</b> , 97, 553-6  | 1.8 | 5 |
| 121 | VM 26 in Advanced Mycosis Fungoides. <i>Tumori</i> , <b>1981</b> , 67, 487-490   | 1.7 | 5 |
| 120 | VM26 in malignant hematological diseases. A phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , <b>1982</b> , 7, 173-4   | 3.5 | 5 |
| 119 | The Ultrastructure of Malignant Fibrous Histiocytoma (Case Report). <i>Tumori</i> , <b>1977</b> , 63, 387-396  | 1.7 | 5 |
| 118 | Epstein-Barr Virus Strains With Latent Membrane Protein-1 Deletions: Prevalence in the Italian Population and High Association With Human Immunodeficiency Virus-Related Hodgkin's Disease. <i>Blood</i> , <b>1997</b> , 89, 1723-1731 | 2.2 | 5 |
| 117 | Teaching Digital Pathology: The International School of Digital Pathology and Proposed Syllabus. <i>Journal of Pathology Informatics</i> , <b>2017</b> , 8, 27   | 4.4 | 5 |

|     |  |      |   |
|-----|--|------|---|
| 116 | Lymphomagenic properties of a HIV p17 variant derived from a splenic marginal zone lymphoma occurred in a HIV-infected patient. <i>Hematological Oncology</i> , <b>2019</b> , 37, 176-184  | 1.3  | 5 |
| 115 | Hodgkin's disease: clinical presentation and treatment. <i>Cancer Treatment and Research</i> , <b>2001</b> , 104, 247-655  | 3.5  | 5 |
| 114 | Hodgkin lymphoma classification: Are we at a crossroads?. <i>Cancer</i> , <b>2017</b> , 123, 3654-3655   | 6.4  | 4 |
| 113 | Optimizing checkpoint inhibitors therapy for relapsed or progressive classic Hodgkin lymphoma by multiplex immunohistochemistry of the tumor microenvironment. <i>Cancer Medicine</i> , <b>2019</b> , 8, 3012-3016                         | 4.8  | 4 |
| 112 | A unique case of extranodal DLBCL sharing genetic abnormalities with a synchronous ileal lymphoma exhibiting immunoarchitectural features of in situ follicular lymphoma. <i>American Journal of Hematology</i> , <b>2012</b> , 87, E134-5 | 7.1  | 4 |
| 111 | Defining prognostic factors in malignancies through image analysis. <i>European Journal of Cancer</i> , <b>1998</b> , 34, 451-8  | 7.5  | 4 |
| 110 | Early Gastric Cancer: Diagnosis, Surgical Treatment and Follow-Up of 45 Cases. <i>Tumori</i> , <b>1998</b> , 84, 547-551   | 1.7  | 4 |
| 109 | Pathogenesis of Human Reactive-Appearing "Non-Monomorphous" Malignant Lymphoproliferative Disorders: A Hypothesis. <i>Tumori</i> , <b>1992</b> , 78, 221-227   | 1.7  | 4 |
| 108 | Lethal neurotoxicity associated to azidothymidine therapy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>1989</b> , 52, 544-5  | 5.5  | 4 |
| 107 | HTLV-III infection among 315 intravenous drug abusers: seroepidemiological, clinical, and pathological findings. <i>AIDS Research</i> , <b>1986</b> , 2, 325-34  |      | 4 |
| 106 | HTLV-III Antibodies in Drug-Addicted Prostitutes Used by US Soldiers in Italy. <i>JAMA - Journal of the American Medical Association</i> , <b>1986</b> , 256, 711  | 27.4 | 4 |
| 105 | Follicular dendritic reticulum cells and lymphomas of follicular origin. <i>American Journal of Clinical Pathology</i> , <b>1987</b> , 88, 249-50  | 1.9  | 4 |
| 104 | Practical Importance of Routine Paraffin-Embedded Bone Marrow Biopsy in Multiple Myeloma. <i>Tumori</i> , <b>1987</b> , 73, 315-319  | 1.7  | 4 |
| 103 | Morphology of follicular centers in persistent generalized lymphadenopathy. <i>American Journal of Clinical Pathology</i> , <b>1985</b> , 84, 258-9  | 1.9  | 4 |
| 102 | Hodgkin's Disease in Children. Pathologic Study of 87 Cases. <i>Tumori</i> , <b>1979</b> , 65, 719-728   | 1.7  | 4 |
| 101 | Bright-field in situ hybridization detects gene alterations and viral infections useful for personalized management of cancer patients. <i>Expert Review of Molecular Diagnostics</i> , <b>2018</b> , 18, 259-277                          | 3.8  | 3 |
| 100 | Herpesvirus load as surrogate marker of early death in HIV-1 lymphoma patients submitted to high dose chemotherapy and autologous peripheral blood stem cell transplantation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0116887                 | 3.7  | 3 |
| 99  | Radioimmunotherapy and secondary leukemia: a case report. <i>Leukemia Research</i> , <b>2010</b> , 34, e1-4  | 2.7  | 3 |

|    |   |      |   |
|----|---|------|---|
| 98 | Introducing videoconferencing into educational oncopathology seminars: technical aspects, user satisfaction and open issues. <i>Journal of Telemedicine and Telecare</i> , <b>2003</b> , 9, 95-8        | 6.8  | 3 |
| 97 | Expression of the 67-KD laminin-binding protein in human lymphomas. <i>Human Pathology</i> , <b>1999</b> , 30, 361-3,7  | 3.7  | 3 |
| 96 | Malignant Fibrous Histiocytoma. <i>American Journal of Clinical Pathology</i> , <b>1993</b> , 99, 646-647   | 1.9  | 3 |
| 95 | Dermatofibroma: superficial fibrous proliferation with reactive histiocytes--a multiple immunostaining analysis. <i>Cancer</i> , <b>1994</b> , 74, 3072-3   | 6.4  | 3 |
| 94 | Serum levels of adhesion molecules in haematopoietic tumours. <i>Trends in Immunology</i> , <b>1994</b> , 15, 339   |      | 3 |
| 93 | Multimodal treatment of locally advanced transitional cell bladder carcinoma in elderly patients. <i>European Journal of Cancer</i> , <b>1994</b> , 30A, 918-20   | 7.5  | 3 |
| 92 | Nasopharyngeal lymphoid tissue masses in patients with human immunodeficiency virus-1. <i>Cancer</i> , <b>1995</b> , 76, 527-8  | 6.4  | 3 |
| 91 | A method for routine approach to laryngeal and hypopharyngeal surgical specimens by whole organ sections in the horizontal plane. <i>Pathology Research and Practice</i> , <b>1989</b> , 184, 248-54    | 3.4  | 3 |
| 90 | Persistent generalized lymphadenopathy: clinical characteristics of a lymphadenopathy syndrome in intravenous drug abusers. <i>AIDS Research</i> , <b>1986</b> , 2, 227-30                              |      | 3 |
| 89 | Heterosexual Contact Is Not the Predominant Mode of HTLV-III Transmission Among Intravenous Drug Abusers. <i>JAMA - Journal of the American Medical Association</i> , <b>1986</b> , 255, 2289           | 27.4 | 3 |
| 88 | Re: Application of double immunohistologic staining with monoclonal antibodies in lymph node pathology. <i>Journal of Immunological Methods</i> , <b>1987</b> , 96, 279-81                              | 2.5  | 3 |
| 87 | Non-Hodgkin's Lymphoma in the Elderly: A Retrospective Evaluation of Toxicity Related to Aggressive vs. Conservative Treatments. <i>Tumori</i> , <b>1988</b> , 74, 433-438                              | 1.7  | 3 |
| 86 | BCL-6 Protein Expression in Human Peripheral T-Cell Neoplasms Is Restricted to CD30+ Anaplastic Large-Cell Lymphomas. <i>Blood</i> , <b>1997</b> , 90, 2445-2450  | 2.2  | 3 |
| 85 | Castleman disease. <i>Nature Reviews Disease Primers</i> , <b>2021</b> , 7, 84  | 51.1 | 3 |
| 84 | Management of Non-Hodgkin's Lymphomas in Elderly Patients: Conclusions of the Second Intercity Meeting, 1987 <b>1990</b> , 35-44  |      | 3 |
| 83 | Hematological cancers in individuals infected by HIV. <i>Blood</i> , <b>2021</b> ,  | 2.2  | 3 |
| 82 | Brain tuberculoma ( <i>Mycobacterium africanum</i> ): high index of suspicion helps in avoiding biopsy/surgery. <i>Neurological Sciences</i> , <b>2012</b> , 33, 363-5                                  | 3.5  | 2 |
| 81 | Nodular lymphocyte predominant Hodgkin lymphoma may show a nodular pattern in which tumour cells do not invade the surrounding spaces. <i>British Journal of Haematology</i> , <b>2013</b> , 163, 537-8 | 4.5  | 2 |

|    |   |      |   |
|----|---|------|---|
| 80 | The microenvironment of AIDS-related diffuse large B-cell lymphoma provides insight into the pathophysiology and indicates possible therapeutic strategies. <i>Blood</i> , <b>2013</b> , 122, 459-60                        | 2.2  | 2 |
| 79 | Non-Hodgkin Lymphomas: Advanced Diagnostics & Personalized Therapies <b>2013</b> ,  |      | 2 |
| 78 | Multiple gene expression analyses in human lymphoid tissues by taqman low-density array using amplified rna isolated from paraffin-embedded samples. <i>Diagnostic Molecular Pathology</i> , <b>2009</b> , 18, 156-64       |      | 2 |
| 77 | Phenotypic and genotypic switch in Philadelphia-positive, BCR-positive blast crisis of chronic myeloid leukemia. <i>European Journal of Haematology</i> , <b>1992</b> , 48, 187-91  | 3.8  | 2 |
| 76 | MALT lymphoma and Kaposi sarcoma in an HIV-negative patient. <i>American Journal of Hematology</i> , <b>2010</b> , 85, 815-7  | 7.1  | 2 |
| 75 | Morphologic patterns and molecular pathways of AIDS-related head and neck and other systemic lymphomas. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>1996</b> , 105, 495-9                               | 2.1  | 2 |
| 74 | Simian virus 40 infection in lymphoproliferative disorders. <i>Lancet, The</i> , <b>2003</b> , 361, 1565; author reply 1565-6   | 4.0  | 2 |
| 73 | Expression of BCL-6 Protein and Cd138/Syndecan-1 as B-Cell Markers in Hodgkin'S Disease. <i>International Journal of Biological Markers</i> , <b>1999</b> , 14, 144-148   | 2.8  | 2 |
| 72 | Genotypic and immunohistological demonstration of the progression of an unusual reactive-like B-cell lymphoproliferative disorder to a high grade diffuse lymphoma. <i>Human Pathology</i> , <b>1995</b> , 26, 348-54       | 3.7  | 2 |
| 71 | Primary tuberculosis of the larynx in a patient infected with human immunodeficiency virus. <i>Clinical Infectious Diseases</i> , <b>1996</b> , 23, 183-4   | 11.6 | 2 |
| 70 | Destructive mucocutaneous phagedenic herpes simplex virus infection in an HIV-infected patient who had a partial response to interferon and ultraviolet rays. <i>Clinical Infectious Diseases</i> , <b>1996</b> , 22, 381-2 | 11.6 | 2 |
| 69 | Cytokines in B-Cell Chronic Lymphocytic Leukemia. <i>Leukemia and Lymphoma</i> , <b>1991</b> , 5 Suppl 1, 7-11  | 1.9  | 2 |
| 68 | Twisting of the spleen observed in a case of polysplenic disorder associated with situs viscerum inversus and Kartagener's syndrome. <i>Pathology Research and Practice</i> , <b>1989</b> , 185, 523-5; discussion 525-8    | 3.4  | 2 |
| 67 | Dipeptidylaminopeptidase IV activity in T lymphocyte subsets in B cell non-Hodgkin's lymphomas. <i>Human Pathology</i> , <b>1989</b> , 20, 987-93   | 3.7  | 2 |
| 66 | Phase II study of teniposide (VM26) in cutaneous T-cell lymphomas. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>1990</b> , 13, 14-6  | 2.7  | 2 |
| 65 | Assessment of bone marrow histology in patients with cutaneous T-cell lymphomas (CTCL) at presentation and during the follow-up. <i>British Journal of Haematology</i> , <b>1986</b> , 62, 789-90                           | 4.5  | 2 |
| 64 | A modified cytochemical method for DAP IV demonstration which enables simultaneous visualization of cell surface immunostaining. <i>Acta Haematologica</i> , <b>1988</b> , 80, 225-6  | 2.7  | 2 |
| 63 | Phase II Trial of Oral VP 16-213 (Etoposide) in Patients with Advanced Head and Neck Cancer. <i>Tumori</i> , <b>1985</b> , 71, 499-500  | 1.7  | 2 |

|    |  |     |   |
|----|--|-----|---|
| 62 | Hairy Cell Leukemia: Enzyme-histochemical and Ultrastructural Investigation of one Case. <i>Tumori</i> , <b>1978</b> , 64, 535-547   | 1.7 | 2 |
| 61 | HIV-associated Hodgkins lymphoma. Antiapoptotic pathways and mechanisms for immune escape by tumor cells in the setting of improved immunity. <i>International Journal of Biological Markers</i> , <b>2007</b> , 22, 161-163         | 2.8 | 2 |
| 60 | Association of Epstein-Barr Virus with Hodgkin's Disease. <i>Infectious Agents and Pathogenesis</i> , <b>1995</b> , 375-393  |     | 2 |
| 59 | Genetic Markers in Sporadic Tumors <b>2008</b> , 43-84   |     | 2 |
| 58 | HCV and HIV-related non-Hodgkin's lymphoma. <i>Journal of Acquired Immune Deficiency Syndromes</i> , <b>1997</b> , 14, 80-1  |     | 2 |
| 57 | AIDS-Related Extranodal Non-Hodgkin's Lymphomas With Plasma Cell Differentiation. <i>Blood</i> , <b>1997</b> , 90, 1337-1337   | 2.2 | 2 |
| 56 | Immunodeficiency-associated Hodgkin lymphoma. <i>Expert Review of Hematology</i> , <b>2021</b> , 14, 547-559   | 2.8 | 2 |
| 55 | Checkpoint blockade therapy resistance in Hodgkin's lymphoma. <i>Lancet, The</i> , <b>2018</b> , 392, 1194-1196  | 4.0 | 2 |
| 54 | Anticancer cell therapy with TRAIL-armed CD34+ progenitor cells. <i>Advances in Experimental Medicine and Biology</i> , <b>2008</b> , 610, 100-11  | 3.6 | 2 |
| 53 | The Pathologic Spectrum of Aids- Related Non-Hodgkin's Lymphomas <b>1999</b> , 191-202   |     | 2 |
| 52 | Differentiating HIV-associated non-Hodgkin's lymphomas with similar plasmacellular differentiation. <i>Journal of HIV Therapy</i> , <b>2009</b> , 14, 24-33  |     | 2 |
| 51 | Current and potential use of pathological targets in the treatment of Hodgkin lymphoma. <i>American Journal of Hematology</i> , <b>2018</b> , 93, E117-E120  | 7.1 | 1 |
| 50 | Tissue microarrays for immunohistochemical determination of oncological biomarkers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2009</b> , 454, 353-4                           | 5.1 | 1 |
| 49 | Histological Classification of Breast Cancer <b>2008</b> , 3-14  |     | 1 |
| 48 | HIV-associated Hodgkin's Lymphoma. Antiapoptotic Pathways and Mechanisms for Immune Escape by Tumor Cells in the Setting of Improved Immunity. <i>International Journal of Biological Markers</i> , <b>2007</b> , 22, 161-163        | 2.8 | 1 |
| 47 | Expression of MUM1/IRF4 selectively clusters with primary effusion lymphoma among lymphomatous effusions: implications for disease histogenesis and pathogenesis. <i>British Journal of Haematology</i> , <b>2000</b> , 111, 247-257 | 4.5 | 1 |
| 46 | Malignant tumors in patients with HIV infection. <i>Critical Reviews in Oncology/Hematology</i> , <b>1996</b> , 24, 165-84   |     | 1 |
| 45 | Long survival in patients with acquired immune deficiency syndrome-related primary central nervous system lymphoma. <i>Cancer</i> , <b>1994</b> , 74, 1990-1   | 6.4 | 1 |

|    |   |     |   |
|----|---|-----|---|
| 44 | Persistent Generalized Lymphadenopathy Syndrome vs "Aids" - Unrelated Malignant Lymphoma: Comparison of Presenting Clinical and Laboratory Findings in 88 Patients. <i>Tumori</i> , <b>1989</b> , 75, 222-225                             | 1.7 | 1 |
| 43 | Bone marrow involvement in cutaneous T-cell lymphoma. <i>American Journal of Clinical Pathology</i> , <b>1990</b> , 94, 119-20  | 1.9 | 1 |
| 42 | Genotypic and immunophenotypic characterization of two human light chain-only B-cell non-Hodgkin's lymphomas. <i>American Journal of Clinical Pathology</i> , <b>1990</b> , 94, 390-6   | 1.9 | 1 |
| 41 | Proliferative Activity in Human Urologic Malignancies: A Preliminary Study. <i>Tumori</i> , <b>1987</b> , 73, 295-299   | 1.7 | 1 |
| 40 | Immunostaining for S-100 protein: another suitable tool for analysing dendritic reticulum cells in AIDS-related lymphadenopathy. <i>Journal of Pathology</i> , <b>1987</b> , 151, 163-5   | 9.4 | 1 |
| 39 | Human immunodeficiency virus (HIV) infection among prisoners In northeastern Italy. <i>Infection</i> , <b>1988</b> , 16, 251  | 5.8 | 1 |
| 38 | A histopathologic study of persistent generalized lymphadenopathy in intravenous drug abusers. <i>Pathology Research and Practice</i> , <b>1986</b> , 181, 195-9  | 3.4 | 1 |
| 37 | Malignant histiocytosis in adults: report of 7 patients from Northeast Italy. <i>Medical and Pediatric Oncology</i> , <b>1980</b> , 8, 265-74   |     | 1 |
| 36 | An IELSG International Survey of Primary Effusion Lymphoma (PEL).. <i>Blood</i> , <b>2004</b> , 104, 3265-3265  | 2.2 | 1 |
| 35 | Aberrant Methylation of SHP-1 (SH2-Containing Phosphatases 1) and SOCS-1 (Suppressor of Cytokine Signalling 1) Genes in Immunodeficiency-Related Lymphomas.. <i>Blood</i> , <b>2006</b> , 108, 2386-2386                                  | 2.2 | 1 |
| 34 | Reed-Sternberg Cells of Classical Hodgkin's Disease React With the Plasma Cell-Specific Monoclonal Antibody B-B4 and Express Human Syndecan-1. <i>Blood</i> , <b>1997</b> , 89, 3787-3794   | 2.2 | 1 |
| 33 | Simultaneous occurrence of KSHV-associated malignancies in a patient affected by HIV. <i>Blood</i> , <b>2021</b> , 137, 3149  | 2.2 | 1 |
| 32 | Subclassifying peripheral T-cell lymphoma NOS. <i>Blood</i> , <b>2019</b> , 134, 2120-2121  | 2.2 | 1 |
| 31 | How immunologic and genetic biomarkers impact Hodgkin lymphoma classification, diagnosis, and management: a huge potential that yet needs to be exploited. <i>International Journal of Biological Markers</i> , <b>2018</b> , 33, 137-140 | 2.8 | 1 |
| 30 | Presurgery chemotherapy (CT) in locally advanced bladder carcinoma: a feasible and possibly effective approach. <i>Medical Oncology and Tumor Pharmacotherapy</i> , <b>1989</b> , 6, 179-82   |     | 1 |
| 29 | Aggressive forms of non-Hodgkin's lymphoma in two patients bearing coinfection of Epstein-Barr and hepatitis C viruses <b>2005</b> , 26, 945  |     | 0 |
| 28 | KSHV/HHV8-Associated Lymphoproliferative Disorders: Lessons Learnt from People Living with HIV. <i>Hemato</i> , <b>2021</b> , 2, 703-712  | 0.2 | 0 |
| 27 | C-105 Lymphomas and other cancers in HIV-infected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2014</b> , 67, 50  | 3.1 |   |

|    |  |     |
|----|--|-----|
| 26 | Primary central nervous system lymphoma. <i>Journal of Neurosciences in Rural Practice</i> , <b>2015</b> , 6, 2-3  | 1.1 |
| 25 | Virus-associated non-Hodgkin lymphomas <b>2013</b> , 320-332   |     |
| 24 | Intrafollicular neoplasia/in situ lymphoma <b>2013</b> , 334-350   |     |
| 23 | Ovarian Metastatic Adenocarcinoma Occurring as Bilateral Axillary Metastases Associated with Mastitis. <i>Journal of Gynecologic Surgery</i> , <b>1997</b> , 13, 139-142   | 0.4 |
| 22 | Spectrophotometric detection of RT-PCR-amplified BCR/ABL fusion transcripts. A survey performed on archival hematologic slides. <i>American Journal of Clinical Pathology</i> , <b>1997</b> , 108, 383-90                      | 1.9 |
| 21 | Is diversified clinical presentation of Kaposi sarcoma-associated herpesvirus/human herpesvirus-8-associated lymphoma related to the host's changed conditions?. <i>Clinical Lymphoma and Myeloma</i> , <b>2005</b> , 6, 153-5 |     |
| 20 | Genomics and proteomics meet diagnostic hematopathology. <i>International Journal of Biological Markers</i> , <b>2002</b> , 17, 71-2   | 2.8 |
| 19 | Diagnostic and prognostic implications of genetic lesions in non-hodgkin's lymphoma. <i>European Journal of Cancer</i> , <b>1996</b> , 32A, 1477-82  | 7.5 |
| 18 | On the biological role of T-lymphocytes in T-cell-rich B-cell lymphomas. <i>American Journal of Clinical Pathology</i> , <b>1995</b> , 104, 231  | 1.9 |
| 17 | Non-familial hemophagocytic lymphohistiocytosis. <i>Pathology Research and Practice</i> , <b>1989</b> , 184, 273-8   | 3.4 |
| 16 | Lymphographic findings in prostatic carcinoma with distant metastases. <i>Prostate</i> , <b>1986</b> , 8, 333-8  | 4.2 |
| 15 | Natural killer like cells in non-Hodgkin lymphomas. <i>British Journal of Haematology</i> , <b>1986</b> , 64, 850-1  | 4.5 |
| 14 | Effectiveness of a rapid immunohistologic method for tumor cell origin analysis. <i>Journal of Immunological Methods</i> , <b>1987</b> , 105, 39-43  | 2.5 |
| 13 | Enzyme and Immunohistochemistry of Follicular Hyperplasia in AIDS-related Lymphadenopathy. <i>International Journal of Biological Markers</i> , <b>1987</b> , 2, 87-94   | 2.8 |
| 12 | Psammoma bodies in malignant carcinoid tumor metastases. <i>American Journal of Clinical Pathology</i> , <b>1985</b> , 83, 403   | 1.9 |
| 11 | Giant lymph node hyperplasia: a disease of primary follicle/mantle zone lymphocytes?. <i>Clinical Immunology and Immunopathology</i> , <b>1986</b> , 40, 371-4   |     |
| 10 | Antitumor Activity of Human CD34+ Cells Expressing Membrane-Bound Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (mTRAIL).. <i>Blood</i> , <b>2006</b> , 108, 233-233   | 2.2 |
| 9  | Human CD34+ Cells Expressing Membrane-Bound Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (TRAIL) Exert a Potent Anti-Lymphoma Effects by Targeting Tumor Vasculature.. <i>Blood</i> , <b>2007</b> , 110, 527-527    | 2.2 |

8 HIV-Associated Lymphoid Disorders. *Encyclopedia of Pathology*, **2018**, 1-8

o

7 Aids-Related Non-Hodgkin Lymphomas **1996**, 277-284

6 Lymphoid and non-lymphoid cell microenvironment of lymphoid follicles **2015**, 6-21

5 Hodgkin lymphoma and its cellular microenvironment **2015**, 2-19

4 Microenvironment in HIV-related lymphomas **2015**, 132-150

3 Primary effusion lymphoma **2008**, 299-306

2 AIDS-Related Pathology. *Pathology Research International*, **2011**, 2011, 437431

1 HIV Lymphomagenesis **2013**, 23-46