

# Ulrik B Andersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8241039/publications.pdf>

Version: 2024-02-01

20  
papers

290  
citations

933447

10  
h-index

888059

17  
g-index

21  
all docs

21  
docs citations

21  
times ranked

556  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Effect of Increased Potassium Intake on Adrenal Cortical and Cardiovascular Responses to Angiotensin II: A Randomized Crossover Study. <i>Journal of the American Heart Association</i> , 2021, 10, e018716.                                 | 3.7 | 5         |
| 2  | Serum B-type natriuretic peptide does not increase with higher systolic blood pressure in obese men despite evidence of blood pressure-related increases in left ventricular mass and filling pressure. <i>Peptides</i> , 2020, 134, 170390. | 2.4 | 0         |
| 3  | Effect of increased potassium intake on the renin-angiotensin-aldosterone system and subcutaneous resistance arteries: a randomized crossover study. <i>Nephrology Dialysis Transplantation</i> , 2020, , .                                  | 0.7 | 3         |
| 4  | O12.4. EFFECTS OF THE GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST EXENATIDE ON BONE STATUS IN OBESE, NON-DIABETIC, ANTIPSYCHOTIC-TREATED SCHIZOPHRENIA SPECTRUM PATIENTS. <i>Schizophrenia Bulletin</i> , 2019, 45, S198-S199.                  | 4.3 | 1         |
| 5  | Human renal response to furosemide: Simultaneous oxygenation and perfusion measurements in cortex and medulla. <i>Acta Physiologica</i> , 2019, 227, e13292.   | 3.8 | 32        |
| 6  | A Pilot Study Showing Acute Inhibitory Effect of GLP-1 on the Bone Resorption Marker CTX in Humans. <i>JBMR Plus</i> , 2019, 3, e10209.  | 2.7 | 19        |
| 7  | Serum proatrial natriuretic peptide concentrations during oral glucose-induced acute hyperinsulinemia in lean and obese men. <i>Peptides</i> , 2019, 111, 98-102.  | 2.4 | 4         |
| 8  | Obese Hypertensive Men Have Lower Circulating Proatrial Natriuretic Peptide Concentrations Despite Greater Left Atrial Size. <i>American Journal of Hypertension</i> , 2018, 31, 645-650.  | 2.0 | 11        |
| 9  | Screening with doppler ultrasound for carotid artery stenosis in patients with stroke or transient ischaemic attack. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 617-621.  | 1.2 | 9         |
| 10 | Assessment of Perfusion and Oxygenation of the Human Renal Cortex and Medulla by Quantitative MRI during Handgrip Exercise. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2510-2517.                                | 6.1 | 20        |
| 11 | Bone Status in Obese, Non-diabetic, Antipsychotic-Treated Patients, and Effects of the Glucagon-Like Peptide-1 Receptor Agonist Exenatide on Bone Turnover Markers and Bone Mineral Density. <i>Frontiers in Psychiatry</i> , 2018, 9, 781.  | 2.6 | 11        |
| 12 | Acute effects of glucagon-like peptide-1, GLP-1 <sub>9-36</sub> amide, and exenatide on mesenteric blood flow, cardiovascular parameters, and biomarkers in healthy volunteers. <i>Physiological Reports</i> , 2017, 5, e13102.              | 1.7 | 12        |
| 13 | Serum proatrial natriuretic peptide does not increase with higher systolic blood pressure in obese men. <i>Heart</i> , 2017, 103, 154-158.   | 2.9 | 4         |
| 14 | Epicardial, pericardial and total cardiac fat and cardiovascular disease in type 2 diabetic patients with elevated urinary albumin excretion rate. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1517-1524.                   | 1.8 | 33        |
| 15 | Effect of GLP-1 receptor agonist treatment on body weight in obese antipsychotic-treated patients with schizophrenia: a randomized, placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 162-171.                   | 4.4 | 53        |
| 16 | Markers of oxidative stress in obese men with and without hypertension. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 620-625.  | 1.2 | 21        |
| 17 | Similar Adiponectin Levels in Obese Normotensive and Obese Hypertensive Men and No Vasorelaxant Effect of Adiponectin on Human Arteries. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 128-135.                         | 2.5 | 7         |
| 18 | Cardiac output determined by echocardiography in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 503-507.  | 1.6 | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Maximal exercise capacity is related to cardiovascular structure in patients with longstanding hypertension. a LIFE substudy. American Journal of Hypertension, 2001, 14, 1205-1210. | 2.0 | 13        |
| 20 | Left Ventricular Structure and Diastolic Function in Subjects with Two Hypertensive Parents. Blood Pressure, 2001, 10, 193-198.  | 1.5 | 3         |