

Javier Labad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8241095/publications.pdf>

Version: 2024-02-01

150
papers

3,471
citations

159585

30
h-index

175258

52
g-index

155
all docs

155
docs citations

155
times ranked

4812
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.0	354
2	Female Reproductive Cycle and Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 428-435.	2.2	167
3	Increased serum interleukin-6 levels in early stages of psychosis: Associations with at-risk mental states and the severity of psychotic symptoms. <i>Psychoneuroendocrinology</i> , 2014, 41, 23-32.	2.7	142
4	Gender differences in obsessive-compulsive symptom dimensions. <i>Depression and Anxiety</i> , 2008, 25, 832-838.	4.1	133
5	Transmitting biological effects of stress in utero: Implications for mother and offspring. <i>Psychoneuroendocrinology</i> , 2013, 38, 1843-1849.	2.7	109
6	Elevated Fasting Plasma Cortisol Is Associated with Ischemic Heart Disease and Its Risk Factors in People with Type 2 Diabetes: The Edinburgh Type 2 Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1602-1608.	3.6	98
7	Stress biomarkers as predictors of transition to psychosis in at-risk mental states: Roles for cortisol, prolactin and albumin. <i>Journal of Psychiatric Research</i> , 2015, 60, 163-169.	3.1	89
8	Clinical implications of insight assessment in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2008, 49, 305-312.	3.1	84
9	Suicide in patients treated for obsessive-compulsive disorder: A prospective follow-up study. <i>Journal of Affective Disorders</i> , 2010, 124, 300-308.	4.1	73
10	Sex differences in the effect of childhood trauma on the clinical expression of early psychosis. <i>Comprehensive Psychiatry</i> , 2016, 68, 86-96.	3.1	73
11	Morning Cortisol Levels and Cognitive Abilities in People With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 714-720.	8.6	68
12	Extensive Genotyping of the BDNF and NTRK2 Genes Define Protective Haplotypes Against Obsessive-Compulsive Disorder. <i>Biological Psychiatry</i> , 2008, 63, 619-628.	1.3	66
13	Personality dimensions in obsessive-compulsive disorder: Relation to clinical variables. <i>Psychiatry Research</i> , 2008, 157, 159-168.	3.3	61
14	Symptoms of depression but not anxiety are associated with central obesity and cardiovascular disease in people with type 2 diabetes: the Edinburgh Type 2 Diabetes Study. <i>Diabetologia</i> , 2010, 53, 467-471.	6.3	59
15	Stressful life events at onset of obsessive-compulsive disorder are associated with a distinct clinical pattern. <i>Depression and Anxiety</i> , 2011, 28, 367-376.	4.1	59
16	Targeting hypothalamic-pituitary-adrenal axis hormones and sex steroids for improving cognition in major mood disorders and schizophrenia: a systematic review and narrative synthesis. <i>Psychoneuroendocrinology</i> , 2018, 93, 8-19.	2.7	56
17	Raloxifene as an Adjunctive Treatment for Postmenopausal Women With Schizophrenia: A 24-Week Double-Blind, Randomized, Parallel, Placebo-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2016, 42, 309-317.	4.3	54
18	Association between the NMDA glutamate receptor <i>GRIN2B</i> gene and obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012, 37, 273-281.	2.4	46

#	ARTICLE	IF	CITATIONS
19	Genetic susceptibility to obsessive-compulsive hoarding: the contribution of neurotrophic tyrosine kinase receptor type 3 gene ¹ . <i>Genes, Brain and Behavior</i> , 2008, 7, 778-785.	2.2	43
20	Verbal and nonverbal memory processing in patients with obsessive-compulsive disorder: Its relationship to clinical variables.. <i>Neuropsychology</i> , 2008, 22, 262-272.	1.3	42
21	Hypothalamic-pituitary-adrenal axis activity and cognition in major depression: The role of remission status. <i>Psychoneuroendocrinology</i> , 2017, 76, 38-48.	2.7	42
22	BDNF genetic variants and methylation: effects on cognition in major depressive disorder. <i>Translational Psychiatry</i> , 2019, 9, 265.	4.8	42
23	Obsessive-compulsive and eating disorders: Comparison of clinical and personality features. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 385-391.	1.8	41
24	Unhealthy lifestyle in early psychoses: The role of life stress and the hypothalamic-pituitary-adrenal axis. <i>Psychoneuroendocrinology</i> , 2014, 39, 1-10.	2.7	41
25	Variants in estrogen receptor alpha gene are associated with phenotypical expression of obsessive-compulsive disorder. <i>Psychoneuroendocrinology</i> , 2011, 36, 473-483.	2.7	38
26	The role of cortisol and prolactin in the pathogenesis and clinical expression of psychotic disorders. <i>Psychoneuroendocrinology</i> , 2019, 102, 24-36.	2.7	38
27	Psiconeuroinmunología de los trastornos mentales. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 115-124.	1.8	37
28	Targeting the microbiome-gut-brain axis for improving cognition in schizophrenia and major mood disorders: A narrative review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110130.	4.8	35
29	Increased Prolactin Levels Are Associated with Impaired Processing Speed in Subjects with Early Psychosis. <i>PLoS ONE</i> , 2014, 9, e89428.	2.5	33
30	Distinct correlates of hoarding and cleaning symptom dimensions in relation to onset of obsessive-compulsive disorder at menarche or the perinatal period. <i>Archives of Women's Mental Health</i> , 2010, 13, 75-81.	2.6	32
31	Changes in prolactin levels and sexual function in young psychotic patients after switching from long-acting injectable risperidone to paliperidone palmitate. <i>International Clinical Psychopharmacology</i> , 2013, 28, 46-49.	1.7	31
32	Coping Strategies and Postpartum Depressive Symptoms: a Structural Equation Modelling Approach. <i>European Psychiatry</i> , 2015, 30, 701-708.	0.2	31
33	WFSBP and IAWMH Guidelines for the treatment of alcohol use disorders in pregnant women. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 17-50.	2.6	31
34	Women with Schizophrenia over the Life Span: Health Promotion, Treatment and Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5594.	2.6	29
35	Pharmacological treatment strategies for lowering prolactin in people with a psychotic disorder and hyperprolactinaemia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 222, 88-96.	2.0	29
36	Individual versus group cognitive-behavioral treatment for obsessive-compulsive disorder: a controlled pilot study. <i>Psychotherapy Research</i> , 2008, 18, 604-614.	1.8	28

#	ARTICLE	IF	CITATIONS
37	Hypothalamic-pituitary-adrenal axis activity in the comorbidity between obsessive-compulsive disorder and major depression. <i>Psychoneuroendocrinology</i> , 2018, 93, 20-28.	2.7	28
38	Targeting Hormones for Improving Cognition in Major Mood Disorders and Schizophrenia: Thyroid Hormones and Prolactin. <i>Clinical Drug Investigation</i> , 2020, 40, 1-14.	2.2	27
39	Coping strategies for postpartum depression: a multi-centric study of 1626 women. <i>Archives of Women's Mental Health</i> , 2016, 19, 455-461.	2.6	26
40	Individual versus group cognitive behavioral treatment for obsessive-compulsive disorder: Follow up. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 697-704.	1.8	24
41	Olfactory identification and discrimination in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2011, 28, 932-940.	4.1	24
42	Serum leptin and cognitive function in people with Type 2 diabetes. <i>Neurobiology of Aging</i> , 2012, 33, 2938-2941.e2.	3.1	24
43	The relationship between the level of exposure to stress factors and cannabis in recent onset psychosis. <i>Schizophrenia Research</i> , 2018, 201, 352-359.	2.0	24
44	Leptin Levels and Depressive Symptoms in People With Type 2 Diabetes. <i>Psychosomatic Medicine</i> , 2012, 74, 39-45.	2.0	23
45	Comorbilidad del juego patológico: variables clínicas, personalidad y respuesta al tratamiento. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 178-189.	1.8	22
46	Plasma prolactin levels are associated with the severity of illness in drug-naive first-episode psychosis female patients. <i>Archives of Women's Mental Health</i> , 2019, 22, 367-373.	2.6	22
47	Memory and strategic processing in first-degree relatives of obsessive compulsive patients. <i>Psychological Medicine</i> , 2010, 40, 2001-2011.	4.5	21
48	Glucocorticoid treatment and impaired mood, memory and metabolism in people with diabetes: the Edinburgh Type 2 Diabetes Study. <i>European Journal of Endocrinology</i> , 2012, 166, 861-868.	3.7	21
49	Free thyroxine levels are associated with cognitive abilities in subjects with early psychosis. <i>Schizophrenia Research</i> , 2015, 166, 37-42.	2.0	21
50	Increased levels of serum leptin in the early stages of psychosis. <i>Journal of Psychiatric Research</i> , 2019, 111, 24-29.	3.1	21
51	A Non-Interventional Naturalistic Study of the Prescription Patterns of Antipsychotics in Patients with Schizophrenia from the Spanish Province of Tarragona. <i>PLoS ONE</i> , 2015, 10, e0139403.	2.5	20
52	Effects of aripiprazole, quetiapine and ziprasidone on plasma prolactin levels in individuals with first episode nonaffective psychosis: Analysis of a randomized open-label 1 year study. <i>Schizophrenia Research</i> , 2017, 189, 134-141.	2.0	20
53	FKBP5 polymorphisms and hypothalamic-pituitary-adrenal axis negative feedback in major depression and obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2018, 104, 227-234.	3.1	19
54	Association between anti-thyroid antibodies and negative symptoms in early psychosis. <i>Microbial Biotechnology</i> , 2020, 14, 470-475.	1.7	19

#	ARTICLE	IF	CITATIONS
55	Brain structural imaging correlates of olfactory dysfunction in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 225-233.	3.2	18
56	The revised Temperament and Character Inventory: normative data by sex and age from a Spanish normal randomized sample. <i>PeerJ</i> , 2015, 3, e1481.	2.0	18
57	Pharmacogenetic study of the effects of raloxifene on negative symptoms of postmenopausal women with schizophrenia: A double-blind, randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2016, 26, 1683-1689.	0.7	18
58	Free thyroxine levels are associated with cognitive changes in individuals with a first episode of psychosis: A prospective 1-year follow-up study. <i>Schizophrenia Research</i> , 2016, 171, 182-186.	2.0	18
59	The Role of Sleep Quality, Trait Anxiety and Hypothalamic-Pituitary-Adrenal Axis Measures in Cognitive Abilities of Healthy Individuals. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7600.	2.6	18
60	Hypothalamic-pituitary-adrenal axis measures and cognitive abilities in early psychosis: Are there sex differences?. <i>Psychoneuroendocrinology</i> , 2016, 72, 54-62.	2.7	17
61	Low-density lipoprotein cholesterol and suicidal behaviour in a large sample of first-episode psychosis patients. <i>World Journal of Biological Psychiatry</i> , 2018, 19, S158-S161.	2.6	17
62	Focusing attention on biological markers of acute stressor intensity: Empirical evidence and limitations. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 111, 95-103.	6.1	17
63	Brain structural correlates of obsessive-compulsive disorder with and without preceding stressful life events. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 366-377.	2.6	16
64	Improvement in cognitive biases after group psychoeducation and metacognitive training in recent-onset psychosis: A randomized crossover clinical trial. <i>Psychiatry Research</i> , 2018, 270, 720-723.	3.3	16
65	Antipsychotic-induced Hyperprolactinemia in aging populations: Prevalence, implications, prevention and management. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109941.	4.8	16
66	Increased morning adrenocorticotrophin hormone (ACTH) levels in women with postpartum thoughts of harming the infant. <i>Psychoneuroendocrinology</i> , 2011, 36, 924-928.	2.7	15
67	Interaction of SLC1A1 gene variants and life stress on pharmacological resistance in obsessive-compulsive disorder. <i>Pharmacogenomics Journal</i> , 2013, 13, 470-475.	2.0	15
68	Effects of raloxifene on cognition in postmenopausal women with schizophrenia: a 24-week double-blind, randomized, parallel, placebo-controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 729-737.	3.2	15
69	Schizophrenia and cancer. <i>Current Opinion in Supportive and Palliative Care</i> , 2020, 14, 232-238.	1.3	15
70	Perceived stress mediates the relationship between social adaptation and quality of life in individuals at ultra high risk of psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1447-1454.	1.7	14
71	Hypothalamic-pituitary-adrenal axis-related genes and cognition in major mood disorders and schizophrenia: a systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109929.	4.8	14
72	Routine cerebrospinal fluid parameters as biomarkers in first-episode psychosis: A prospective observational study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 112, 110424.	4.8	13

#	ARTICLE	IF	CITATIONS
73	A case-control study of sex differences in strategic processing and episodic memory in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2010, 51, 303-311.	3.1	12
74	Mental health in times of COVID: Thoughts after the state of alarm. <i>Medicina Clínica (English Edition)</i> , 2020, 155, 392-394.	0.2	12
75	A systematic review and realist synthesis on toilet paper hoarding: COVID or not COVID, that is the question. <i>PeerJ</i> , 2021, 9, e10771.	2.0	12
76	Higher requirements of dialysis in severe lithium intoxication. <i>Hemodialysis International</i> , 2012, 16, 407-413.	0.9	11
77	Gene-environment interaction between the brain-derived neurotrophic factor <sc>Val66Met</sc> polymorphism, psychosocial stress and dietary intake in early psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 811-820.	1.7	11
78	Sex differences in the relationship between prolactin levels and impaired processing speed in early psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 585-595.	2.3	11
79	Salud mental en tiempos de la COVID: reflexiones tras el estado de alarma. <i>Medicina Clínica</i> , 2020, 155, 392-394.	0.6	11
80	Clinical correlates of obsessive-compulsive symptom dimensions in at-risk mental states and psychotic disorders at early stages. <i>Psychiatry Research</i> , 2015, 228, 363-367.	3.3	10
81	A systematic review of the operational definitions for antipsychotic response in delusional disorder. <i>International Clinical Psychopharmacology</i> , 2018, 33, 261-267.	1.7	10
82	Women Undergoing Hormonal Treatments for Infertility: A Systematic Review on Psychopathology and Newly Diagnosed Mood and Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 479.	2.6	10
83	Improvement in cognitive abilities following cabergoline treatment in patients with a prolactin-secreting pituitary adenoma. <i>International Clinical Psychopharmacology</i> , 2018, 33, 98-102.	1.7	9
84	Hypothalamic-pituitary-adrenal axis function and exposure to stress factors and cannabis use in recent-onset psychosis. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 564-571.	2.6	9
85	Clock gene polygenic risk score and seasonality in major depressive disorder and bipolar disorder. <i>Genes, Brain and Behavior</i> , 2020, 19, e12683.	2.2	9
86	Clinical correlates of hypothalamic-pituitary-adrenal axis measures in individuals at risk for psychosis and with first-episode psychosis. <i>Psychiatry Research</i> , 2018, 265, 284-291.	3.3	8
87	The role of personality dimensions, depressive symptoms and other psychosocial variables in predicting postpartum suicidal ideation: a cohort study. <i>Archives of Women's Mental Health</i> , 2020, 23, 585-593.	2.6	8
88	Exploring the relationship of insight with psychopathology and gender in individuals with schizophrenia spectrum disorders with structural equation modelling. <i>Archives of Women's Mental Health</i> , 2020, 23, 643-655.	2.6	8
89	Leukocyte and brain DDR1 hypermethylation is altered in psychosis and is correlated with stress and inflammatory markers. <i>Epigenomics</i> , 2020, 12, 251-265.	2.1	8
90	Anti-NMDA receptor encephalitis in older adults: A systematic review of case reports. <i>General Hospital Psychiatry</i> , 2021, 74, 71-77.	2.4	8

#	ARTICLE	IF	CITATIONS
91	Stress-related biomarkers and cognitive functioning in adolescents with ADHD: Effect of childhood maltreatment. <i>Journal of Psychiatric Research</i> , 2022, 149, 217-225.	3.1	8
92	Pain Sensitivity in Schizophrenia Spectrum Disorders: A Narrative Review of Recent Work. <i>Psychiatry International</i> , 2021, 2, 48-58.	1.0	7
93	Moderators and mediators of antipsychotic response in delusional disorder: Further steps are needed. <i>World Journal of Psychiatry</i> , 2020, 10, 34-45.	2.7	7
94	Thyroglobulin antibodies and risk of readmission at one year in subjects with bipolar disorder. <i>Psychiatry Research</i> , 2014, 219, 109-113.	3.3	6
95	Limited Joint Mobility Progression in Type 1 Diabetes: A 15-Year Follow-Up Study. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-5.	1.5	6
96	A Systematic Review of Methods for the Measurement of Antipsychotic Adherence in Delusional Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 412-414.	1.4	6
97	Sex-specific association between the cortisol awakening response and obsessive-compulsive symptoms in healthy individuals. <i>Biology of Sex Differences</i> , 2019, 10, 55.	4.1	6
98	Cognitive Biases Questionnaire for Psychosis (CBQP): Spanish Validation and Relationship With Cognitive Insight in Psychotic Patients. <i>Frontiers in Psychiatry</i> , 2020, 11, 596625.	2.6	6
99	Prolactin, metabolic and immune parameters in naïve subjects with a first episode of psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110332.	4.8	6
100	Oral contraceptive pill use and changes in obsessive-compulsive symptoms. <i>Journal of Psychosomatic Research</i> , 2006, 60, 647-648.	2.6	5
101	Data of a meta-analysis on pharmacological treatment strategies for lowering prolactin in people with a psychotic disorder and hyperprolactinaemia. <i>Data in Brief</i> , 2020, 31, 105904.	1.0	5
102	Care for Women with Delusional Disorder: Towards a Specialized Approach. <i>Women</i> , 2021, 1, 46-59.	0.8	5
103	Dopamine, Serotonin, and Structure/Function Brain Defects as Biological Bases for Treatment Response in Delusional Disorder: A Systematic Review of Cases and Cohort Studies. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2021, 11, 141.	2.1	5
104	Hormone Targets for the Treatment of Sleep Disorders in Postmenopausal Women with Schizophrenia: A Narrative Review. <i>Clocks & Sleep</i> , 2022, 4, 52-65.	2.0	5
105	Acute exposure of rats to a severe stressor alters the circadian pattern of corticosterone and sensitizes to a novel stressor: Relationship to pre-stress individual differences in resting corticosterone levels. <i>Hormones and Behavior</i> , 2020, 126, 104865.	2.1	4
106	Perceived stress, social functioning and quality of life in first-episode psychosis: A 1-year follow-up study. <i>Microbial Biotechnology</i> , 2020, 15, 1542-1550.	1.7	4
107	Sleep Disturbances in Patients with Persistent Delusions: Prevalence, Clinical Associations, and Therapeutic Strategies. <i>Clocks & Sleep</i> , 2020, 2, 399-415.	2.0	4
108	Glycated Haemoglobin Is Associated With Poorer Cognitive Performance in Patients With Recent-Onset Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 455.	2.6	4

#	ARTICLE	IF	CITATIONS
109	Psychiatric Partial Hospitalization Programs: Following World Health Organization Guidelines with a Special Focus on Women with Delusional Disorder. <i>Women</i> , 2021, 1, 80-96.	0.8	4
110	Gynecological Health Concerns in Women with Schizophrenia and Related Disorders: A Narrative Review of Recent Studies. <i>Women</i> , 2022, 2, 1-14.	0.8	4
111	Higher psychoticism as a predictor of thoughts of harming one's infant in postpartum women: A prospective study. <i>Comprehensive Psychiatry</i> , 2013, 54, 1124-1129.	3.1	3
112	F229. THE BIOLOGICAL UNDERPINNINGS OF TREATMENT RESPONSE IN DELUSIONAL DISORDER: A SYSTEMATIC REVIEW OF QUALITATIVE EVIDENCE-TO-DATE. <i>Schizophrenia Bulletin</i> , 2018, 44, S311-S311.	4.3	3
113	Predictors of weight acquisition induced by antipsychotic treatment and its relationship with age in a sample of first episode non-affective psychosis patients: A three-year follow-up study. <i>Schizophrenia Research</i> , 2020, 222, 462-464.	2.0	3
114	Religiosity and Psychotic Ideation in Stable Schizophrenia: A Role for Empathic Perspective-Taking. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2020, 10, 53.	2.1	3
115	Sex differences in the association between obsessive-compulsive symptom dimensions and diurnal cortisol patterns. <i>Journal of Psychiatric Research</i> , 2021, 133, 191-196.	3.1	3
116	Cognitive biases are associated with clinical and functional variables in psychosis: A comparison across schizophrenia, early psychosis and healthy individuals. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2021, 14, 4-15.	1.8	3
117	Relaci�n entre el maltrato infantil y la adaptaci�n social en una muestra de j�venes atendidos en un servicio de intervenci�n precoz en psicosis. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2020, 13, 131-139.	1.8	3
118	Factor Structure of the Spanish Version of the Edinburgh Postnatal Depression Scale. <i>Actas Espanolas De Psiquiatria</i> , 2018, 46, 174-82.	0.1	3
119	The relationship between sex, personality traits, and the hypothalamic-pituitary-adrenocortical axis. <i>Archives of Women's Mental Health</i> , 2022, 25, 693-703.	2.6	3
120	Psychoneuroimmunology of mental disorders. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2018, 11, 115-124.	0.3	2
121	Relationship between ANKK1 rs1800497 polymorphism, overweight and executive dysfunction in early psychosis. <i>Schizophrenia Research</i> , 2019, 209, 278-280.	2.0	2
122	T14. HYPOTHALAMIC-PITUITARY-GONADAL AXIS HORMONES IN ANTIPSYCHOTIC NA�VE FIRST-EPISEODE OF PSYCHOSIS AND HEALTHY CONTROLS. <i>Schizophrenia Bulletin</i> , 2020, 46, S236-S236.	4.3	2
123	Early intervention services, patterns of prescription and rates of discontinuation of antipsychotic treatment in first�episode psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 1584-1594.	1.7	2
124	Childhood Maltreatment and Its Interaction with Hypothalamic�Pituitary�Adrenal Axis Activity and the Remission Status of Major Depression: Effects on Functionality and Quality of Life. <i>Brain Sciences</i> , 2021, 11, 495.	2.3	2
125	Ventilation Adjustment in ECT During COVID-19: Voluntary Hyperventilation is an Effective Strategy. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1563-1569.	2.2	2
126	The role of childhood trauma, HPA axis reactivity and FKBP5 genotype on cognition in healthy individuals. <i>Psychoneuroendocrinology</i> , 2021, 128, 105221.	2.7	2

#	ARTICLE	IF	CITATIONS
127	Early-life stress, salivary HPA axis measures and cognitive profile in subjects with early psychosis. <i>HÅrre Utbildning</i> , 2012, 3, .	3.0	2
128	Reproductive Hormone Sensitivity and Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 417-418.	2.2	2
129	Onset of Unipolar Depression or Bipolar Depression Prior or Close to Menarche. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 2032.	2.2	2
130	Psychosis and Gender. <i>Schizophrenia Research and Treatment</i> , 2012, 2012, 1-2.	1.5	1
131	The relationship between antidepressant treatment and inflammatory markers in early psychosis: preliminary results. <i>Psychopharmacology</i> , 2016, 233, 3659-3661.	3.1	1
132	T225. OPERATIONAL DEFINITIONS FOR ANTIPSYCHOTIC RESPONSE IN DELUSIONAL DISORDER: A SYSTEMATIC AND CRITICAL REVIEW. <i>Schizophrenia Bulletin</i> , 2018, 44, S203-S204.	4.3	1
133	Relationship between childhood trauma and social adaptation in a sample of young people attending an early intervention service for psychosis. <i>Revista De PsiquiatrÅ Y Salud Mental (English Edition)</i> , 2020, 13, 131-139.	0.3	1
134	Free Thyroxine Concentrations Moderate the Response to a Cognitive Remediation Therapy in People With Early Psychosis: A Pilot Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 636.	2.6	1
135	Childhood maltreatment interacts with hypothalamic-pituitary-adrenal axis negative feedback and major depression: effects on cognitive performance. <i>HÅrre Utbildning</i> , 2021, 12, 1857955.	3.0	1
136	Predictive value of prolactin in first episode psychosis at ten years follow-up. <i>Revista De PsiquiatrÅ Y Salud Mental</i> , 2021, 14, 179-180.	1.8	1
137	Prenatal Alcohol Exposure and Hypothalamic-Pituitary-Adrenal Axis Activity of the Offspring in Humans: a Systematic Review. <i>Current Addiction Reports</i> , 2021, 8, 81-88.	3.4	1
138	Parental Antecedents of Psychosis Are Associated With Severity of Positive and Negative Symptoms in Schizophrenia Patients. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 1201-1202.	2.2	1
139	Risk factors for metabolic syndrome in individuals with recent-onset psychosis at disease onset and after 1-year follow-up. <i>Scientific Reports</i> , 2022, 12, .	3.3	1
140	Leptin, Somatic Depressive Symptoms and the Metabolic Syndrome: a Comment on Chirinos et al.. <i>Annals of Behavioral Medicine</i> , 2013, 46, 5-6.	2.9	0
141	Consenso espaÃol sobre los riesgos y detecci3n de la hiperprolactinemia iatrogÃnica por antipsic3ticos: Å¿existe convergencia con otras guÃas clÃnicas de manejo de la hiperprolactinemia?. <i>Revista De PsiquiatrÅ Y Salud Mental</i> , 2016, 9, 174-175.	1.8	0
142	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia: Is there convergence with other clinical guidelines for the management of hyperprolactinaemia?. <i>Revista De PsiquiatrÅ Y Salud Mental (English Edition)</i> , 2016, 9, 174-175.	0.3	0
143	F87. SERUM PROLACTIN LEVELS AND COGNITIVE OUTCOME IN FIRST EPISODE PSYCHOSIS: A PROSPECTIVE 1-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S253-S254.	4.3	0
144	S117. MODELLING THE RELATIONSHIP BETWEEN INSIGHT, PSYCHOPATHOLOGY AND GENDER IN SCHIZOPHRENIA USING STRUCTURAL EQUATIONS. <i>Schizophrenia Bulletin</i> , 2018, 44, S370-S370.	4.3	0

#	ARTICLE	IF	CITATIONS
145	F212. IMPROVEMENT IN COGNITIVE BIASES AFTER GROUP PSYCHOEDUCATION AND METACOGNITIVE TRAINING IN RECENT ONSET PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S303-S304.	4.3	0
146	Levothyroxine treatment for persistent cognitive symptoms in major depression. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2019, 12, 199-200.	0.3	0
147	S56. SWITCHING FROM RISPERIDONE TO PALIPERIDONE PALMITATE IN SCHIZOPHRENIA: CHANGES IN COGNITIVE FUNCTION. Schizophrenia Bulletin, 2020, 46, S54-S54.	4.3	0
148	Cognitive biases are associated with clinical and functional variables in psychosis: A comparison across schizophrenia, early psychosis and healthy individuals. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2021, 14, 4-15.	0.3	0
149	Predictive value of prolactin in first episode psychosis at ten years follow-up. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2021, 14, 179-180.	0.3	0
150	Tratamiento con levotiroxina de los s�ntomas cognitivos persistentes en depresi�n mayor. Revista De Psiquiatr�a Y Salud Mental, 2019, 12, 199-200.	1.8	0