
Javier Labad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8241095/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Routine cerebrospinal fluid parameters as biomarkers in first-episode psychosis: A prospective observational study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 112, 110424.	4.8	13
2	Gynecological Health Concerns in Women with Schizophrenia and Related Disorders: A Narrative Review of Recent Studies. Women, 2022, 2, 1-14.	0.8	4
3	Hormone Targets for the Treatment of Sleep Disorders in Postmenopausal Women with Schizophrenia: A Narrative Review. Clocks & Sleep, 2022, 4, 52-65.	2.0	5
4	Stress-related biomarkers and cognitive functioning in adolescents with ADHD: Effect of childhood maltreatment. Journal of Psychiatric Research, 2022, 149, 217-225.	3.1	8
5	The relationship between sex, personality traits, and the hypothalamic-pituitary-adrenocortical axis. Archives of Women's Mental Health, 2022, 25, 693-703.	2.6	3
6	Risk factors for metabolic syndrome in individuals with recent-onset psychosis at disease onset and after 1-year follow-up. Scientific Reports, 2022, 12, .	3.3	1
7	Early intervention services, patterns of prescription and rates of discontinuation of antipsychotic treatment in firstâ€episode psychosis. Microbial Biotechnology, 2021, 15, 1584-1594.	1.7	2
8	Targeting the microbiome-gut-brain axis for improving cognition in schizophrenia and major mood disorders: A narrative review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 105, 110130.	4.8	35
9	Sex differences in the association between obsessive-compulsive symptom dimensions and diurnal cortisol patterns. Journal of Psychiatric Research, 2021, 133, 191-196.	3.1	3
10	Childhood maltreatment interacts with hypothalamic-pituitary-adrenal axis negative feedback and major depression: effects on cognitive performance. HA¶gre Utbildning, 2021, 12, 1857955.	3.0	1
11	Cognitive biases are associated with clinical and functional variables in psychosis: A comparison across schizophrenia, early psychosis and healthy individuals. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 4-15.	0.3	0
12	A systematic review and realist synthesis on toilet paper hoarding: COVID or not COVID, that is the question. PeerJ, 2021, 9, e10771.	2.0	12
13	Pain Sensitivity in Schizophrenia Spectrum Disorders: A Narrative Review of Recent Work. Psychiatry International, 2021, 2, 48-58.	1.0	7
14	Psychiatric Partial Hospitalization Programs: Following World Health Organization Guidelines with a Special Focus on Women with Delusional Disorder. Women, 2021, 1, 80-96.	0.8	4
15	Childhood Maltreatment and Its Interaction with Hypothalamic–Pituitary–Adrenal Axis Activity and the Remission Status of Major Depression: Effects on Functionality and Quality of Life. Brain Sciences, 2021, 11, 495.	2.3	2
16	Ventilation Adjustment in ECT During COVID-19: Voluntary Hyperventilation is an Effective Strategy. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 1563-1569.	2.2	2
17	The role of childhood trauma, HPA axis reactivity and FKBP5 genotype on cognition in healthy individuals. Psychoneuroendocrinology, 2021, 128, 105221.	2.7	2
18	Predictive value of prolactin in first episode psychosis at ten years follow-up. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 179-180.	1.8	1

#	Article	IF	CITATIONS
19	Predictive value of prolactin in first episode psychosis at ten years follow-up. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 179-180.	0.3	0
20	Prolactin, metabolic and immune parameters in naÃ⁻ve subjects with a first episode of psychosis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 110, 110332.	4.8	6
21	Care for Women with Delusional Disorder: Towards a Specialized Approach. Women, 2021, 1, 46-59.	0.8	5
22	Prenatal Alcohol Exposure and Hypothalamic-Pituitary-Adrenal Axis Activity of the Offspring in Humans: a Systematic Review. Current Addiction Reports, 2021, 8, 81-88.	3.4	1
23	Cognitive biases are associated with clinical and functional variables in psychosis: A comparison across schizophrenia, early psychosis and healthy individuals. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 4-15.	1.8	3
24	Dopamine, Serotonin, and Structure/Function Brain Defects as Biological Bases for Treatment Response in Delusional Disorder: A Systematic Review of Cases and Cohort Studies. Behavioral Sciences (Basel, Switzerland), 2021, 11, 141.	2.1	5
25	Anti-NMDA receptor encephalitis in older adults: A systematic review of case reports. General Hospital Psychiatry, 2021, 74, 71-77.	2.4	8
26	Targeting Hormones for Improving Cognition in Major Mood Disorders and Schizophrenia: Thyroid Hormones and Prolactin. Clinical Drug Investigation, 2020, 40, 1-14.	2.2	27
27	Hypothalamic-pituitary-adrenal axis function and exposure to stress factors and cannabis use in recent-onset psychosis. World Journal of Biological Psychiatry, 2020, 21, 564-571.	2.6	9
28	Association between antiâ€ŧhyroid antibodies and negative symptoms in early psychosis. Microbial Biotechnology, 2020, 14, 470-475.	1.7	19
29	Effects of raloxifene on cognition in postmenopausal women with schizophrenia: a 24-week double-blind, randomized, parallel, placebo-controlled trial. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 729-737.	3.2	15
30	The role of personality dimensions, depressive symptoms and other psychosocial variables in predicting postpartum suicidal ideation: a cohort study. Archives of Women's Mental Health, 2020, 23, 585-593.	2.6	8
31	Salud mental en tiempos de la COVID: reflexiones tras el estado de alarma. Medicina ClÃnica, 2020, 155, 392-394.	0.6	11
32	Mental health in times of COVID: Thoughts after the state of alarm. Medicina ClÃnica (English Edition), 2020, 155, 392-394.	0.2	12
33	Acute exposure of rats to a severe stressor alters the circadian pattern of corticosterone and sensitizes to a novel stressor: Relationship to pre-stress individual differences in resting corticosterone levels. Hormones and Behavior, 2020, 126, 104865.	2.1	4
34	Data of a meta-analysis on pharmacological treatment strategies for lowering prolactin in people with a psychotic disorder and hyperprolactinaemia. Data in Brief, 2020, 31, 105904.	1.0	5
35	Perceived stress, social functioning and quality of life in firstâ€episode psychosis: A 1â€year followâ€up study. Microbial Biotechnology, 2020, 15, 1542-1550.	1.7	4
36	Predictors of weight acquisition induced by antipsychotic treatment and its relationship with age in a sample of first episode non-affective psychosis patients: A three-year follow-up study. Schizophrenia Research, 2020, 222, 462-464.	2.0	3

#	Article	IF	CITATIONS
37	S56. SWITCHING FROM RISPERIDONE TO PALIPERIDONE PALMITATE IN SCHIZOPHRENIA: CHANGES IN COGNITIVE FUNCTION. Schizophrenia Bulletin, 2020, 46, S54-S54.	4.3	0
38	T14. HYPOTHALAMIC-PITUITARY-GONADAL AXIS HORMONES IN ANTIPSYCHOTIC NAÃ-VE FIRST-EPISODE OF PSYCHOSIS AND HEALTHY CONTROLS. Schizophrenia Bulletin, 2020, 46, S236-S236.	4.3	2
39	Schizophrenia and cancer. Current Opinion in Supportive and Palliative Care, 2020, 14, 232-238.	1.3	15
40	Relationship between childhood trauma and social adaptation in a sample of young people attending an early intervention service for psychosis. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2020, 13, 131-139.	0.3	1
41	The Role of Sleep Quality, Trait Anxiety and Hypothalamic-Pituitary-Adrenal Axis Measures in Cognitive Abilities of Healthy Individuals. International Journal of Environmental Research and Public Health, 2020, 17, 7600.	2.6	18
42	Women with Schizophrenia over the Life Span: Health Promotion, Treatment and Outcomes. International Journal of Environmental Research and Public Health, 2020, 17, 5594.	2.6	29
43	Sleep Disturbances in Patients with Persistent Delusions: Prevalence, Clinical Associations, and Therapeutic Strategies. Clocks & Sleep, 2020, 2, 399-415.	2.0	4
44	Exploring the relationship of insight with psychopathology and gender in individuals with schizophrenia spectrum disorders with structural equation modelling. Archives of Women's Mental Health, 2020, 23, 643-655.	2.6	8
45	Glycated Haemoglobin Is Associated With Poorer Cognitive Performance in Patients With Recent-Onset Psychosis. Frontiers in Psychiatry, 2020, 11, 455.	2.6	4
46	Pharmacological treatment strategies for lowering prolactin in people with a psychotic disorder and hyperprolactinaemia: A systematic review and meta-analysis. Schizophrenia Research, 2020, 222, 88-96.	2.0	29
47	Women Undergoing Hormonal Treatments for Infertility: A Systematic Review on Psychopathology and Newly Diagnosed Mood and Psychotic Disorders. Frontiers in Psychiatry, 2020, 11, 479.	2.6	10
48	Free Thyroxine Concentrations Moderate the Response to a Cognitive Remediation Therapy in People With Early Psychosis: A Pilot Randomized Clinical Trial. Frontiers in Psychiatry, 2020, 11, 636.	2.6	1
49	Clock gene polygenic risk score and seasonality in major depressive disorder and bipolar disorder. Genes, Brain and Behavior, 2020, 19, e12683.	2.2	9
50	Religiosity and Psychotic Ideation in Stable Schizophrenia: A Role for Empathic Perspective-Taking. Behavioral Sciences (Basel, Switzerland), 2020, 10, 53.	2.1	3
51	Focusing attention on biological markers of acute stressor intensity: Empirical evidence and limitations. Neuroscience and Biobehavioral Reviews, 2020, 111, 95-103.	6.1	17
52	Leukocyte and brain DDR1 hypermethylation is altered in psychosis and is correlated with stress and inflammatory markers. Epigenomics, 2020, 12, 251-265.	2.1	8
53	Hypothalamic-pituitary-adrenal axis-related genes and cognition in major mood disorders and schizophrenia: a systematic review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109929.	4.8	14
54	Antipsychotic-induced Hyperprolactinemia in aging populations: Prevalence, implications, prevention and management. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109941.	4.8	16

Javier Labad

#	Article	IF	CITATIONS
55	Cognitive Biases Questionnaire for Psychosis (CBQp): Spanish Validation and Relationship With Cognitive Insight in Psychotic Patients. Frontiers in Psychiatry, 2020, 11, 596625.	2.6	6
56	Moderators and mediators of antipsychotic response in delusional disorder: Further steps are needed. World Journal of Psychiatry, 2020, 10, 34-45.	2.7	7
57	Relación entre el maltrato infantil y la adaptación social en una muestra de jóvenes atendidos en un servicio de intervención precoz en psicosis. Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 131-139.	1.8	3
58	Plasma prolactin levels are associated with the severity of illness in drug-naive first-episode psychosis female patients. Archives of Women's Mental Health, 2019, 22, 367-373.	2.6	22
59	Levothyroxine treatment for persistent cognitive symptoms in major depression. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 199-200.	0.3	0
60	BDNF genetic variants and methylation: effects on cognition in major depressive disorder. Translational Psychiatry, 2019, 9, 265.	4.8	42
61	Perceived stress mediates the relationship between social adaptation and quality of life in individuals at ultra high risk of psychosis. Microbial Biotechnology, 2019, 13, 1447-1454.	1.7	14
62	Relationship between ANKK1 rs1800497 polymorphism, overweight and executive dysfunction in early psychosis. Schizophrenia Research, 2019, 209, 278-280.	2.0	2
63	Sex-specific association between the cortisol awakening response and obsessive-compulsive symptoms in healthy individuals. Biology of Sex Differences, 2019, 10, 55.	4.1	6
64	The role of cortisol and prolactin in the pathogenesis and clinical expression of psychotic disorders. Psychoneuroendocrinology, 2019, 102, 24-36.	2.7	38
65	Increased levels of serum leptin in the early stages of psychosis. Journal of Psychiatric Research, 2019, 111, 24-29.	3.1	21
66	WFSBP and IAWMH Guidelines for the treatment of alcohol use disorders in pregnant women. World Journal of Biological Psychiatry, 2019, 20, 17-50.	2.6	31
67	Tratamiento con levotiroxina de los sÃntomas cognitivos persistentes en depresión mayor. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 199-200.	1.8	0
68	Targeting hypothalamic-pituitary-adrenal axis hormones and sex steroids for improving cognition in major mood disorders and schizophrenia: a systematic review and narrative synthesis. Psychoneuroendocrinology, 2018, 93, 8-19.	2.7	56
69	Hypothalamic-pituitary-adrenal axis activity in the comorbidity between obsessive-compulsive disorder and major depression. Psychoneuroendocrinology, 2018, 93, 20-28.	2.7	28
70	T225. OPERATIONAL DEFINITIONS FOR ANTIPSYCHOTIC RESPONSE IN DELUSIONAL DISORDER: A SYSTEMATIC AND CRITICAL REVIEW. Schizophrenia Bulletin, 2018, 44, S203-S204.	4.3	1
71	Psychoneuroimmunology of mental disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2018, 11, 115-124.	0.3	2
72	Geneâ€environment interaction between the brainâ€derived neurotrophic factor <scp>Val66Met</scp> polymorphism, psychosocial stress and dietary intake in early psychosis. Microbial Biotechnology, 2018, 12, 811-820.	1.7	11

#	Article	IF	CITATIONS
73	Improvement in cognitive abilities following cabergoline treatment in patients with a prolactin-secreting pituitary adenoma. International Clinical Psychopharmacology, 2018, 33, 98-102.	1.7	9
74	PsiconeuroinmunologÃa de los trastornos mentales. Revista De PsiquiatrÃa Y Salud Mental, 2018, 11, 115-124.	1.8	37
75	Low-density lipoprotein cholesterol and suicidal behaviour in a large sample of first-episode psychosis patients. World Journal of Biological Psychiatry, 2018, 19, S158-S161.	2.6	17
76	Sex differences in the relationship between prolactin levels and impaired processing speed in early psychosis. Australian and New Zealand Journal of Psychiatry, 2018, 52, 585-595.	2.3	11
77	A systematic review of the operational definitions for antipsychotic response in delusional disorder. International Clinical Psychopharmacology, 2018, 33, 261-267.	1.7	10
78	F229. THE BIOLOGICAL UNDERPINNINGS OF TREATMENT RESPONSE IN DELUSIONAL DISORDER: A SYSTEMATIC REVIEW OF QUALITATIVE EVIDENCE-TO-DATE. Schizophrenia Bulletin, 2018, 44, S311-S311.	4.3	3
79	F87. SERUM PROLACTIN LEVELS AND COGNITIVE OUTCOME IN FIRST EPISODE PSYCHOSIS: A PROSPECTIVE 1-YEAR FOLLOW-UP STUDY. Schizophrenia Bulletin, 2018, 44, S253-S254.	4.3	0
80	S117. MODELLING THE RELATIONSHIP BETWEEN INSIGHT, PSYCHOPATHOLOGY AND GENDER IN SCHIZOPHRENIA USING STRUCTURAL EQUATIONS. Schizophrenia Bulletin, 2018, 44, S370-S370.	4.3	0
81	F212. IMPROVEMENT IN COGNITIVE BIASES AFTER GROUP PSYCHOEDUCATION AND METACOGNITIVE TRAINING IN RECENT ONSET PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S303-S304.	4.3	0
82	Improvement in cognitive biases after group psychoeducation and metacognitive training in recent-onset psychosis: A randomized crossover clinical trial. Psychiatry Research, 2018, 270, 720-723.	3.3	16
83	Clinical correlates of hypothalamic-pituitary-adrenal axis measures in individuals at risk for psychosis and with first-episode psychosis. Psychiatry Research, 2018, 265, 284-291.	3.3	8
84	The relationship between the level of exposure to stress factors and cannabis in recent onset psychosis. Schizophrenia Research, 2018, 201, 352-359.	2.0	24
85	Limited Joint Mobility Progression in Type 1 Diabetes: A 15-Year Follow-Up Study. International Journal of Endocrinology, 2018, 2018, 1-5.	1.5	6
86	FKBP5 polymorphisms and hypothalamic-pituitary-adrenal axis negative feedback in major depression and obsessive-compulsive disorder. Journal of Psychiatric Research, 2018, 104, 227-234.	3.1	19
87	A Systematic Review of Methods for the Measurement of Antipsychotic Adherence in Delusional Disorder. Journal of Clinical Psychopharmacology, 2018, 38, 412-414.	1.4	6
88	Factor Structure of the Spanish Version of the Edinburgh Postnatal Depression Scale. Actas Espanolas De Psiquiatria, 2018, 46, 174-82.	0.1	3
89	Effects of aripiprazole, quetiapine and ziprasidone on plasma prolactin levels in individuals with first episode nonaffective psychosis: Analysis of a randomized open-label 1 year study. Schizophrenia Research, 2017, 189, 134-141.	2.0	20
90	Hypothalamic-pituitary-adrenal axis activity and cognition in major depression: The role of remission status. Psychoneuroendocrinology, 2017, 76, 38-48.	2.7	42

#	Article	IF	CITATIONS
91	Hypothalamic-pituitary-adrenal axis measures and cognitive abilities in early psychosis: Are there sex differences?. Psychoneuroendocrinology, 2016, 72, 54-62.	2.7	17
92	Sex differences in the effect of childhood trauma on the clinical expression of early psychosis. Comprehensive Psychiatry, 2016, 68, 86-96.	3.1	73
93	Consenso español sobre los riesgos y detección de la hiperprolactinemia iatrogénica por antipsicóticos: ¿existe convergencia con otras guÃas clÂnicas de manejo de la hiperprolactinemia?. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 174-175.	1.8	0
94	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia: Is there convergence with other clinical guidelines for the management of hyperprolactinaemia?. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2016, 9, 174-175.	0.3	0
95	Pharmacogenetic study of the effects of raloxifene on negative symptoms of postmenopausal women with schizophrenia: A double-blind, randomized, placebo-controlled trial. European Neuropsychopharmacology, 2016, 26, 1683-1689.	0.7	18
96	The relationship between antidepressant treatment and inflammatory markers in early psychosis: preliminary results. Psychopharmacology, 2016, 233, 3659-3661.	3.1	1
97	Brain structural correlates of obsessive–compulsive disorder with and without preceding stressful life events. World Journal of Biological Psychiatry, 2016, 17, 366-377.	2.6	16
98	Free thyroxine levels are associated with cognitive changes in individuals with a first episode of psychosis: A prospective 1-year follow-up study. Schizophrenia Research, 2016, 171, 182-186.	2.0	18
99	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. JAMA Psychiatry, 2016, 73, 113.	11.0	354
100	Raloxifene as an Adjunctive Treatment for Postmenopausal Women With Schizophrenia: A 24-Week Double-Blind, Randomized, Parallel, Placebo-Controlled Trial. Schizophrenia Bulletin, 2016, 42, 309-317.	4.3	54
101	Coping strategies for postpartum depression: a multi-centric study of 1626 women. Archives of Women's Mental Health, 2016, 19, 455-461.	2.6	26
102	Parental Antecedents of Psychosis Are Associated With Severity of Positive and Negative Symptoms in Schizophrenia Patients. Journal of Clinical Psychiatry, 2016, 77, 1201-1202.	2.2	1
103	The revised Temperament and Character Inventory: normative data by sex and age from a Spanish normal randomized sample. PeerJ, 2015, 3, e1481.	2.0	18
104	A Non-Interventional Naturalistic Study of the Prescription Patterns of Antipsychotics in Patients with Schizophrenia from the Spanish Province of Tarragona. PLoS ONE, 2015, 10, e0139403.	2.5	20
105	Free thyroxine levels are associated with cognitive abilities in subjects with early psychosis. Schizophrenia Research, 2015, 166, 37-42.	2.0	21
106	Clinical correlates of obsessive-compulsive symptom dimensions in at-risk mental states and psychotic disorders at early stages. Psychiatry Research, 2015, 228, 363-367.	3.3	10
107	Coping Strategies and Postpartum Depressive Symptoms: a Structural Equation Modelling Approach. European Psychiatry, 2015, 30, 701-708.	0.2	31
108	Stress biomarkers as predictors of transition to psychosis in at-risk mental states: Roles for cortisol, prolactin and albumin. Journal of Psychiatric Research, 2015, 60, 163-169.	3.1	89

#	Article	IF	CITATIONS
109	Increased Prolactin Levels Are Associated with Impaired Processing Speed in Subjects with Early Psychosis. PLoS ONE, 2014, 9, e89428.	2.5	33
110	Brain structural imaging correlates of olfactory dysfunction in obsessive–compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 225-233.	3.2	18
111	Unhealthy lifestyle in early psychoses: The role of life stress and the hypothalamic–pituitary–adrenal axis. Psychoneuroendocrinology, 2014, 39, 1-10.	2.7	41
112	Thyroglobulin antibodies and risk of readmission at one year in subjects with bipolar disorder. Psychiatry Research, 2014, 219, 109-113.	3.3	6
113	Increased serum interleukin-6 levels in early stages of psychosis: Associations with at-risk mental states and the severity of psychotic symptoms. Psychoneuroendocrinology, 2014, 41, 23-32.	2.7	142
114	Leptin, Somatic Depressive Symptoms and the Metabolic Syndrome: a Comment on Chirinos et al Annals of Behavioral Medicine, 2013, 46, 5-6.	2.9	0
115	Interaction of SLC1A1 gene variants and life stress on pharmacological resistance in obsessive–compulsive disorder. Pharmacogenomics Journal, 2013, 13, 470-475.	2.0	15
116	Transmitting biological effects of stress in utero: Implications for mother and offspring. Psychoneuroendocrinology, 2013, 38, 1843-1849.	2.7	109
117	Higher psychoticism as a predictor of thoughts of harming one's infant in postpartum women: A prospective study. Comprehensive Psychiatry, 2013, 54, 1124-1129.	3.1	3
118	Changes in prolactin levels and sexual function in young psychotic patients after switching from long-acting injectable risperidone to paliperidone palmitate. International Clinical Psychopharmacology, 2013, 28, 46-49.	1.7	31
119	Association between the NMDA glutamate receptor <i>GRIN2B</i> gene and obsessive–compulsive disorder. Journal of Psychiatry and Neuroscience, 2012, 37, 273-281.	2.4	46
120	Psychosis and Gender. Schizophrenia Research and Treatment, 2012, 2012, 1-2.	1.5	1
121	Glucocorticoid treatment and impaired mood, memory and metabolism in people with diabetes: the Edinburgh Type 2 Diabetes Study. European Journal of Endocrinology, 2012, 166, 861-868.	3.7	21
122	Leptin Levels and Depressive Symptoms in People With Type 2 Diabetes. Psychosomatic Medicine, 2012, 74, 39-45.	2.0	23
123	Serum leptin and cognitive function in people with Type 2 diabetes. Neurobiology of Aging, 2012, 33, 2938-2941.e2.	3.1	24
124	Higher requirements of dialysis in severe lithium intoxication. Hemodialysis International, 2012, 16, 407-413.	0.9	11
125	Early-life stress, salivary HPA axis measures and cognitive profile in subjects with early psychosis. Högre Utbildning, 2012, 3, .	3.0	2
126	Variants in estrogen receptor alpha gene are associated with phenotypical expression of obsessive-compulsive disorder. Psychoneuroendocrinology, 2011, 36, 473-483.	2.7	38

#	Article	IF	CITATIONS
127	Increased morning adrenocorticotrophin hormone (ACTH) levels in women with postpartum thoughts of harming the infant. Psychoneuroendocrinology, 2011, 36, 924-928.	2.7	15
128	Stressful life events at onset of obsessive-compulsive disorder are associated with a distinct clinical pattern. Depression and Anxiety, 2011, 28, 367-376.	4.1	59
129	Olfactory identification and discrimination in obsessive-compulsive disorder. Depression and Anxiety, 2011, 28, 932-940.	4.1	24
130	Reproductive Hormone Sensitivity and Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2011, 72, 417-418.	2.2	2
131	Symptoms of depression but not anxiety are associated with central obesity and cardiovascular disease in people with type 2 diabetes: the Edinburgh Type 2 Diabetes Study. Diabetologia, 2010, 53, 467-471.	6.3	59
132	Distinct correlates of hoarding and cleaning symptom dimensions in relation to onset of obsessive–compulsive disorder at menarche or the perinatal period. Archives of Women's Mental Health, 2010, 13, 75-81.	2.6	32
133	Suicide in patients treated for obsessive–compulsive disorder: A prospective follow-up study. Journal of Affective Disorders, 2010, 124, 300-308.	4.1	73
134	Elevated Fasting Plasma Cortisol Is Associated with Ischemic Heart Disease and Its Risk Factors in People with Type 2 Diabetes: The Edinburgh Type 2 Diabetes Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1602-1608.	3.6	98
135	Morning Cortisol Levels and Cognitive Abilities in People With Type 2 Diabetes. Diabetes Care, 2010, 33, 714-720.	8.6	68
136	Memory and strategic processing in first-degree relatives of obsessive compulsive patients. Psychological Medicine, 2010, 40, 2001-2011.	4.5	21
137	A case-control study of sex differences in strategic processing and episodic memory in obsessive-compulsive disorder. Comprehensive Psychiatry, 2010, 51, 303-311.	3.1	12
138	Comorbilidad del juego patológico: variables clÃnicas, personalidad y respuesta al tratamiento. Revista De PsiquiatrÃa Y Salud Mental, 2009, 2, 178-189.	1.8	22
139	Gender differences in obsessive-compulsive symptom dimensions. Depression and Anxiety, 2008, 25, 832-838.	4.1	133
140	Genetic susceptibility to obsessiveâ€compulsive hoarding: the contribution of neurotrophic tyrosine kinase receptor type 3 gene ¹ . Genes, Brain and Behavior, 2008, 7, 778-785.	2.2	43
141	Individual versus group cognitive behavioral treatment for obsessive–compulsive disorder: Follow up. Psychiatry and Clinical Neurosciences, 2008, 62, 697-704.	1.8	24
142	Extensive Genotyping of the BDNF and NTRK2 Genes Define Protective Haplotypes Against Obsessive-Compulsive Disorder. Biological Psychiatry, 2008, 63, 619-628.	1.3	66
143	Personality dimensions in obsessive–compulsive disorder: Relation to clinical variables. Psychiatry Research, 2008, 157, 159-168.	3.3	61
144	Clinical implications of insight assessment in obsessive-compulsive disorder. Comprehensive Psychiatry, 2008, 49, 305-312.	3.1	84

#	Article	IF	CITATIONS
145	Individual versus group cognitive–behavioral treatment for obsessive–compulsive disorder: a controlled pilot study. Psychotherapy Research, 2008, 18, 604-614.	1.8	28
146	Verbal and nonverbal memory processing in patients with obsessive-compulsive disorder: Its relationship to clinical variables Neuropsychology, 2008, 22, 262-272.	1.3	42
147	Obsessiveâ€compulsive and eating disorders: Comparison of clinical and personality features. Psychiatry and Clinical Neurosciences, 2007, 61, 385-391.	1.8	41
148	Oral contraceptive pill use and changes in obsessive–compulsive symptoms. Journal of Psychosomatic Research, 2006, 60, 647-648.	2.6	5
149	Onset of Unipolar Depression or Bipolar Depression Prior or Close to Menarche. Journal of Clinical Psychiatry, 2006, 67, 2032.	2.2	2
150	Female Reproductive Cycle and Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2005, 66, 428-435.	2.2	167