Antonia Carla Testa

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8242864/antonia-carla-testa-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198
papers

4,750
citations

36
h-index

9-index

5,753
ext. papers

4.9
avg, IF

L-index

#	Paper	IF	Citations
198	Pearls and Potential Pitfalls for Correct Diagnosis of Ovarian Cystadenofibroma in MRI: A Pictorial Essay. <i>Korean Journal of Radiology</i> , 2021 , 22, 1809-1821	6.9	2
197	A Prospective International Lung Ultrasound Analysis Study in Tertiary Maternity Wards During the Severe Acute Respiratory Syndrome Coronavirus 2 Pandemic. <i>Journal of Ultrasound in Medicine</i> , 2021 , 40, 1991-1996	2.9	2
196	Interobserver agreement of transvaginal ultrasound and magnetic resonance imaging in local staging of Lervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 773-779	5.8	O
195	Fusion imaging in preoperative assessment of extent of disease in patients with advanced ovarian cancer: feasibility and agreement with laparoscopic findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 916-925	5.8	0
194	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 148-168	5.8	5
193	ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 961-982	3.5	7
192	Ultrasound features of appendiceal adenoneuroendocrine carcinoma metastatic to ovaries. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 503-504	5.8	О
191	Ultrasound features of ovarian recurrence of medullary thyroid carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 347-348	5.8	
190	Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, non-gestational choriocarcinomas and malignant mixed germ cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 987-994	5.8	2
189	Diagnostic performance of ultrasound in assessing the extension of the disease in patients with suspicion of malignant ovarian tumor: correlation between ultrasound parameters and Fagotti's score. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 279-285	3.5	0
188	Management of ovarian masses in pregnancy: patient selection for interventional treatment. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 899-906	3.5	O
187	Imaging modalities in fertility preservation in patients with gynecologic cancers. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 323-331	3.5	2
186	Ultrasound, macroscopic and histological features of malignant ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 150-151	3.5	
185	Validation of the performance of Hast Lung Ultrasound Teaching Program[For gynecologists/obstetricians dealing with pregnant women with suspicion of COVID-19 infection: an Italian prospective multicenter study. Italian Journal of Gynaecology & Obstetrics: Official	0.3	
184	Publication of the Societa Italiana Di Ginecologia E Ostetricia (SIGO), 2021, 33, 52 Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. British Journal of Radiology, 2021, 94, 20201375	3.4	2
183	Lung ultrasound in COVID-19 pregnancies: a literature review. Se@novskij Vestnik, 2021, 12, 26-34	0.3	1
182	How to perform lung ultrasound in pregnant women with suspected COVID-19. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 593-598	5.8	75

181	Lung ultrasonography for early management of patients with respiratory symptoms during COVID-19 pandemic. <i>Journal of Ultrasound</i> , 2020 , 23, 449-456	3.4	15	
180	Imaging in gynecological disease (17): ultrasound features of malignant ovarian yolk sac tumors (endodermal sinus tumors). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 276-284	5.8	7	
179	Effectiveness of rapid lung ultrasound training program for gynecologists and obstetricians managing pregnant women with suspected COVID-19. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 110-111	5.8	21	
178	Clinical role of lung ultrasound for diagnosis and monitoring of COVID-19 pneumonia in pregnant women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 106-109	5.8	93	
177	Impact of COVID-19 in gynecologic oncology: a Nationwide Italian Survey of the SIGO and MITO groups. <i>Journal of Gynecologic Oncology</i> , 2020 , 31, e92	4	10	
176	Imaging in gynecological disease (19): clinical and ultrasound features of extragastrointestinal stromal tumors (eGIST). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 749-758	5.8	3	
175	Ultrasound-based risk model for preoperative prediction of lymph-node metastases in women with endometrial cancer: model-development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 443-	4 5 28	2	
174	Italian consensus conference on management of uterine sarcomas on behalf of S.I.G.O. (Societa' italiana di Ginecologia E Ostetricia). <i>European Journal of Cancer</i> , 2020 , 139, 149-168	7.5	4	
173	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020 , 370, m2614	5.9	16	
172	Fusion imaging of ultrasound and MRI in the assessment of locally advanced cervical cancer: a prospective study. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 456-465	3.5	4	
171	Reply. Ultrasound in Obstetrics and Gynecology, 2020 , 56, 468-469	5.8	O	
170	Reply. Ultrasound in Obstetrics and Gynecology, 2020 , 56, 470-471	5.8		
169	Reply. Ultrasound in Obstetrics and Gynecology, 2020 , 56, 124	5.8		
168	Ultrasound features of chromophobe renal cell carcinoma metastasized to ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 280-281	5.8		
167	The role of F-FDG-PET/CT in predicting the histopathological response in locally advanced cervical carcinoma treated by chemo-radiotherapy followed by radical surgery: a prospective study. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1228-1238	8.8	7	
166	Fusion of ultrasound and 3D single-photon-emission computed tomography/computed tomography to identify sentinel lymph nodes in vulvar cancer: feasibility study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 545-551	5.8	10	
165	Imaging in gynecological disease (15): clinical and ultrasound characteristics of uterine sarcoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 676-687	5.8	29	
164	Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 823-830	5.8	17	

163	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology, The</i> , 2019 , 20, 448-458	21.7	55
162	Intraoperative ultrasound assistance for surgical removal of lost intrauterine device. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 705-706	5.8	O
161	Intraoperative transvaginal ultrasound examination during myomectomy. <i>Journal of Ultrasound</i> , 2019 , 22, 109-110	3.4	2
160	Role of CA125/CEA ratio and ultrasound parameters in identifying metastases to the ovaries in patients with multilocular and multilocular-solid ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 116-123	5.8	12
159	GestaTional TrophoblAstic Neoplasia Ultrasound assessMent: TITANIUM study. <i>International Journal of Gynecological Cancer</i> , 2019 , 29, 1216-1220	3.5	6
158	Ultrasound features and clinical outcome of patients with malignant ovarian masses diagnosed during pregnancy: experience of a gynecological oncology ultrasound center. <i>International Journal of Gynecological Cancer</i> , 2019 , 29, 1182-1194	3.5	4
157	Ultrasound Imaging in Endometriosis. Obstetrics and Gynecology Clinics of North America, 2019, 46, 643-	659	4
156	Synchronous primary cancers of endometrium and ovary vs endometrial cancer with ovarian metastasis: an observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 827-835	5.8	3
155	Prospective multimodal imaging assessment of locally advanced cervical cancer patients administered by chemoradiation followed by radical surgery-the "PRICE" study 2: role of conventional and DW-MRI. <i>European Radiology</i> , 2019 , 29, 2045-2057	8	9
154	Ultrasound appearance of retroperitoneal pelvic solitary fibrous tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 282-283	5.8	
153	Intraoperative ultrasound through laparoscopic probe in fertility-sparing surgery for borderline ovarian tumor recurrence. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 280-282	5.8	4
152	PRospective Imaging of CErvical cancer and neoadjuvant treatment (PRICE) study: role of ultrasound to assess residual tumor in locally advanced cervical cancer patients undergoing chemoradiation and radical surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 110-118	5.8	8
151	Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 535-543	5.8	19
150	Role of Intraoperative Ultrasound to Extend the Application of Minimally Invasive Surgery for Treatment of Recurrent Gynecologic Cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2018 , 25, 848-85-	4 ^{2.2}	7
149	The PRICE study: The role of conventional and diffusion-weighted magnetic resonance imaging in assessment of locally advanced cervical cancer patients administered by chemoradiation followed by radical surgery. <i>European Radiology</i> , 2018 , 28, 2425-2435	8	11
148	Role of transvaginal ultrasound in evaluation of ureteral involvement in deep infiltrating endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 550-555	5.8	27
147	Clinical and ultrasound features of non-gestational ovarian choriocarcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 121-123	5.8	1
146	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 818-828	5.8	40

(2016-2018)

145	Ultrasound appearance of breast cancer metastatic to uterine leiomyoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 839-840	5.8	
144	PRospective Imaging of CErvical cancer and neoadjuvant treatment (PRICE) study: role of ultrasound to predict partial response in locally advanced cervical cancer patients undergoing chemoradiation and radical surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 684-695	5.8	9
143	Ultrasound characteristics of ovarian metastases from low-grade appendiceal mucinous neoplasms. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 699-700	5.8	1
142	Intraoperative Ultrasound-Guided Excision of Cardiophrenic Lymph Nodes in an Advanced Ovarian Cancer Patient. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 1672-1675	3.5	2
141	Differences in ultrasound features of papillations in unilocular-solid adnexal cysts: a retrospective international multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 269-278	5.8	11
140	Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 792-800	5.8	19
139	Uterine perforation and small bowel incarceration 11 months after dilatation and curettage: sonographic and surgical findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 278	5.8	1
138	Imaging in gynecological disease (12): clinical and ultrasound features of invasive and non-invasive malignant serous ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 788-799	5.8	26
137	Clinical and ultrasound characteristics of surgically removed adnexal lesions with largest diameter [2.5 cm: a pictorial essay. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 648-656	5.8	5
136	Small cell lung cancer metastatic to the ovary diagnosed during pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 802-803	5.8	3
135	Ultrasound Molecular Imaging With BR55 in Patients With Breast and Ovarian Lesions: First-in-Human Results. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2133-2140	2.2	127
134	Adnexal tumor of probable Wolffian origin arising from retroperitoneal space. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 807-808	5.8	2
133	Imaging in gynecological disease (11): clinical and ultrasound features of mucinous ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 261-270	5.8	18
132	Ovarian masses with papillary projections diagnosed and removed during pregnancy: ultrasound features and histological diagnosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 116-123	5.8	13
131	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. <i>Diagnostics</i> , 2017 , 7,	3.8	25
130	Early and late onset complications of gynaecologic surgery: a multimodality imaging approach. <i>Facts, Views & Vision in ObGyn</i> , 2017 , 9, 5-14	1.4	1
129	Ultrasonographic diagnosis and longitudinal follow-up offrecurrences after conservative surgery for borderline bvarian tumors. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 756.e1-756.e9	6.4	12
128	Imaging techniques for evaluation of uterine myomas. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016 , 34, 37-53	4.6	24

127	MRI anatomy of parametrial extension to better identify local pathways of disease spread in cervical cancer. <i>Diagnostic and Interventional Radiology</i> , 2016 , 22, 319-25	3.2	9
126	Ultrasound diagnosis of serous surface papillary borderline ovarian tumor: A case series with a review of the literature. <i>Journal of Clinical Ultrasound</i> , 2015 , 43, 573-7	1	7
125	Preoperative prediction of lymph node metastasis and deep stromal invasion in women with invasive cervical cancer: prospective multicenter study using 2D and 3D ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 470-5	5.8	15
124	Transvaginal ultrasound assessment of myometrial and cervical stromal invasion in women with endometrial cancer: interobserver reproducibility among ultrasound experts and gynecologists. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 476-82	5.8	42
123	Agreement of two-dimensional and three-dimensional transvaginal ultrasound with magnetic resonance imaging in assessment of parametrial infiltration in cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 459-69	5.8	16
122	Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 328-35	5.8	23
121	Imaging techniques for the evaluation of cervical cancer. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014 , 28, 741-68	4.6	37
120	Which imaging technique should we use in the follow up of gynaecological cancer?. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014 , 28, 769-91	4.6	19
119	Development and external validation of new ultrasound-based mathematical models for preoperative prediction of high-risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 586-95	5.8	13
118	Intra- and interobserver agreement with regard to describing adnexal masses using International Ovarian Tumor Analysis terminology: reproducibility study involving seven observers. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 100-8	5.8	9
117	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014 , 111, 680-8	8.7	72
116	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. <i>BMJ, The</i> , 2014 , 349, g5920	5.9	194
115	Imaging in gynecological disease. 10: Clinical and ultrasound characteristics of decidualized endometriomas surgically removed during pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 354-60	5.8	49
114	Misdiagnosed ectopic pregnancy mimicking adnexal malignancy: a report of two cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 223-5	5.8	3
113	Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 80-9	5.8	45
112	Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (IOTA) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 9-20	5.8	111
111	Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 452-8	5.8	20
110	Burkitt's lymphoma of the breast metastatic to the ovary diagnosed during pregnancy. <i>Ultrasound</i> in Obstetrics and Gynecology, 2013 , 42, 364-6	5.8	6

109	Intra- and interobserver reproducibility of assessment of Doppler ultrasound findings in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 93-101	5.8	10
108	Ovarian metastasis from adenocarcinoma of the lung. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 241-2	5.8	1
107	Evaluating myometrial and cervical invasion in women with endometrial cancer: comparing subjective assessment with objective measurement techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 353-8	5.8	30
106	A prospective blinded comparison of the accuracy of transvaginal sonography and frozen section in the assessment of myometrial invasion in endometrial cancer. <i>Gynecologic Oncology</i> , 2012 , 124, 549-52	4.9	26
105	Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 706-13	5.8	18
104	Clinically oriented three-step strategy for assessment of adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 582-91	5.8	46
103	Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 459-63	5.8	14
102	Lesion size affects diagnostic performance of IOTA logistic regression models, IOTA simple rules and risk of malignancy index in discriminating between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 345-54	5.8	16
101	Ultrasound evaluation of intra-abdominal sites of disease to predict likelihood of suboptimal cytoreduction in advanced ovarian cancer: a prospective study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 39, 99-105	5.8	36
100	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 662-71	3.7	37
99	The sonographic prediction of invasive carcinoma in unilocular-solid ovarian cysts in premenopausal patients: a pilot study. <i>Human Reproduction</i> , 2012 , 27, 2676-83	5.7	10
98	Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 226-31	5.8	1
97	Benign cystic peritoneal mesothelioma incorrectly diagnosed as an ovarian borderline mucinous tumor of intestinal type at transvaginal preoperative ultrasound evaluation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 248-50	5.8	3
96	Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 596-602	5.8	31
95	Ovarian cancer arising in endometrioid cysts: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 99-106	5.8	37
94	Early-stage cervical cancer: agreement between ultrasound and histopathological findings with regard to tumor size and extent of local disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 707-	.155 ⁸	22
93	Gray-scale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 586-93	5.8	36
92	Effect of gel-instillation sonography on Doppler ultrasound findings in endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 355-9	5.8	18

91	OC17.02: New ultrasound based mathematical models for the preoperative prediction of high risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 31-32	5.8	
90	OC24.01: Agreement between ultrasound and histopathological findings with regard to tumor size and extent of local disease in cases of early stage cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 44-44	5.8	
89	OC27.01: Grayscale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 48-49	5.8	
88	OP24.05: Intra- and inter-observer reproducibility of Doppler ultrasound features in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 126-126	5.8	
87	OP24.08: Intra- and inter-observer reproducibility of two morphological ultrasound features of adnexal masses and of ultrasound diagnosis regarding malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 127-127	5.8	
86	Onco-geriatric approach for the management of older patients with cancer. <i>Journal of the American Medical Directors Association</i> , 2011 , 12, 153-9	5.9	15
85	A novel approach to predict the likelihood of specific ovarian tumor pathology based on serum CA-125: a multicenter observational study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2420-8	4	23
84	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ, The,</i> 2010 , 341, c6839	5.9	235
83	Use of ultrasound pattern recognition by expert operators to identify borderline ovarian tumors: a study of diagnostic performance and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 84-8	5.8	15
82	Confidence of expert ultrasound operators in making a diagnosis of adnexal tumor: effect on diagnostic accuracy and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 89-93	5.8	23
81	Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 349-53	5.8	41
80	Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 226-34	5.8	133
79	Sonographic characteristics of squamous cell cancer and adenocarcinoma of the uterine cervix. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 512-6	5.8	19
78	Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 730	- 4 ®	120
77	OC25.03: Assessment of myometrial invasion in endometrial cancer by transvaginal sonography and frozen section. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 45-45	5.8	
76	OC27.02: Sonographic characteristics of squamous cell cancer and adenocarcinoma of the uterine cervix. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 49-49	5.8	
75	OC27.03: Conservative management and ultrasonographic longitudinal follow-up of borderline ovarian tumors recurrences after fertility sparing surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 49-49	5.8	
74	Prospective internal validation of mathematical models to predict malignancy in adnexal masses: results from the international ovarian tumor analysis study. <i>Clinical Cancer Research</i> , 2009 , 15, 684-91	12.9	85

(2009-2009)

Characterising pelvic masses using ultrasound. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 725-38	4.6	7
A scoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 92-101	5.8	26
Sonographic features of primary ovarian fibrosarcoma: a report of two cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 112-5	5.8	11
Sonographic imaging of urinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 490-1	5.8	6
Imaging in gynecological disease (5): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 188-95	5.8	62
Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 345-54	5.8	52
Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 454-61	5.8	27
Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 462-70	5.8	127
OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 19-19	5.8	
OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 19-19	5.8	
OC23.02: Histological diagnosis and preoperative sonographic assessment of multilocular ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 43-43	5.8	
OC25.07: Ovarian cancer arising in endometrioma: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 50-50	5.8	
OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 158-158	5.8	
OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 160-160	5.8	
Dynamic and interactive gynecological ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 225-9	5.8	23
Transvaginal ultrasonography and magnetic resonance imaging for assessment of presence, size and extent of invasive cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 335-44	5.8	65
Intravenous contrast ultrasound examination using contrast-tuned imaging (CnTI) and the contrast medium SonoVue for discrimination between benign and malignant adnexal masses with solid components. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 699-710	5.8	36
Color Doppler sonographic features of a Krukenberg tumor in pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 695-8	2.9	14
	Ascoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 92-101 Sonographic features of primary ovarian fibrosarcoma: a report of two cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 112-5 Sonographic imaging of urinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 490-1 Imaging in gynecological disease (5): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 188-95 Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 43, 435-54 Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 452-61 Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 462-70 OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19 OC21.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19 OC23.02: Histological diagnosis and preoperative sonographic assessment of multilocular ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 158-158 OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 158-158 OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 235-9 Transvaginal ultrasonograph	Ascoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 33, 92-101 5.8 Sonographic features of primary ovarian fibrosarcoma: a report of two cases. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 33, 192-101 5.8 Sonographic imaging of urinoma. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 33, 490-1 5.8 Imaging in gynecological disease (S): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 188-95 5.8 Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 345-54 Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 462-70 Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 462-70 5.8 OC11.01: Comparison of get instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 19-19 5.8 OC21.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 43-43 OC25.07: Ovarian cancer arising in endometrioma: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 18-158 OP30.08: The influence of get-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009, 34, 160-160 Dynamic and interactive gynecological ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology,</i> 2009,

55	The 'lead vessel': a vascular ultrasound feature of metastasis in the ovaries. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 31, 218-21	5.8	24
54	Imaging of gynecological disease (3): clinical and ultrasound characteristics of granulosa cell tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 31, 450-6	5.8	60
53	Preoperative local staging of endometrial cancer: transvaginal sonography vs. magnetic resonance imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 31, 560-6	5.8	116
52	Simple ultrasound-based rules for the diagnosis of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 31, 681-90	5.8	310
51	Imaging of gynecological disease (4): clinical and ultrasound characteristics of struma ovarii. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 210-9	5.8	41
50	Real-time ultrasound vs. evaluation of static images in the preoperative assessment of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 828-31	5.8	26
49	Serous ovarian carcinoma recurring as a heterologous carcinosarcoma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007 , 33, 95-9		5
48	Importance of a specialized pathologist for the examination of frozen sections of adnexal masses. <i>International Journal of Gynecological Cancer</i> , 2007 , 17, 1034-9	3.5	10
47	The role of CnTI-SonoVue in the diagnosis of ovarian masses with papillary projections: a preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 512-6	5.8	34
46	Imaging in gynecological disease (1): ultrasound features of metastases in the ovaries differ depending on the origin of the primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 505-1	1 ^{5.8}	81
45	OC155: The first prospective evaluation of the IOTA phase 1 mathematical models to predict the character of an adnexal mass. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 414-415	5.8	1
44	Discrimination between benign and malignant adnexal masses by specialist ultrasound examination versus serum CA-125. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1706-14	9.7	150
43	Comparing Analytical Decision Support Models Through Boolean Rule Extraction: A Case Study of Ovarian Tumour Malignancy. <i>Lecture Notes in Computer Science</i> , 2007 , 1177-1186	0.9	3
42	OP22.03: Fibroma and fibrothecoma of the ovaryllinical and ultrasound findings in a multicenter series of 63 cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 509-510	5.8	
41	Ultrasound and color power Doppler in the detection of metastatic omentum: a prospective study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 65-70	5.8	11
40	The use of contrasted transvaginal sonography in the diagnosis of gynecologic diseases: a preliminary study. <i>Journal of Ultrasound in Medicine</i> , 2005 , 24, 1267-78	2.9	53
39	Does quantitative analysis of three-dimensional power Doppler angiography have a role in the diagnosis of malignant pelvic solid tumors? A preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 67-72	5.8	32
38	OC25.02: The role of sonographic examination in the follow up of gynecological neoplasms. Ultrasound in Obstetrics and Gynecology, 2005, 26, 349-349	5.8	

(2000-2005)

37	OC28.01: The role of contrast media in the diagnosis and management of ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 354-354	5.8	
36	Ultrasound features of different histopathological subtypes of borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 644-50	5.8	44
35	Role of laparoscopy to assess the chance of optimal cytoreductive surgery in advanced ovarian cancer: a pilot study. <i>Gynecologic Oncology</i> , 2005 , 96, 729-35	4.9	103
34	Pegylated liposomal doxorubicin in platinum-treated recurrent or metastatic cervical carcinoma. <i>Gynecologic Oncology</i> , 2005 , 98, 332-3	4.9	4
33	Skull metastasis in primary vulvar adenocarcinoma of the Bartholin's gland: a case report. <i>Gynecologic Oncology</i> , 2005 , 98, 322-4	4.9	8
32	The role of sonographic examination in the follow-up of gynecological neoplasms. <i>Gynecologic Oncology</i> , 2005 , 99, 696-703	4.9	17
31	Female Pelvis 2005 , 323-329		
30	Angiographic power 3-dimensional quantitative analysis in gynecologic solid tumors: feasibility and reproducibility. <i>Journal of Ultrasound in Medicine</i> , 2004 , 23, 821-8	2.9	14
29	Phase II study of pegylated liposomal doxorubicin in heavily pretreated epithelial ovarian cancer patients. May a new treatment schedule improve toxicity profile?. <i>Oncology</i> , 2004 , 67, 243-9	3.6	35
28	Pelvic relapses of uterine neoplasms: transvaginal sonographic and Doppler features. <i>Gynecologic Oncology</i> , 2004 , 93, 441-5	4.9	4
27	Color Doppler velocimetry and three-dimensional color power angiography of cervical carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 445-52	5.8	33
26	Sonographic features of decidualized ovarian endometriosis suspicious for malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 578-80	5.8	48
25	Phase II study of oxaliplatin (OXA) and docetaxel (DTX) in recurrent platinum-sensitive ovarian cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 5078-5078	2.2	2
24	Intratumoral color Doppler analysis in endometrial carcinoma: is it clinically useful?. <i>Gynecologic Oncology</i> , 2003 , 88, 298-303	4.9	13
23	Doppler velocimetry and cytofluorimetric analysis in uterine myomas. <i>Gynecologic and Obstetric Investigation</i> , 2003 , 56, 139-42	2.5	6
22	Detection of central pelvic recurrent disease with transvaginal color Doppler ultrasound in women treated for gynecological malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002 , 19, 490-5	5.8	14
21	Cisplatin and vinorelbine in advanced and/or metastatic adenocarcinoma of the endometrium: a new highly active chemotherapeutic regimen. <i>Annals of Oncology</i> , 2001 , 12, 767-72	10.3	15
20	The clinical usefulness of preoperative intratumoral Doppler analysis in predicting lymph node metastasis in patients with endometrial carcinoma. <i>Gynecologic Oncology</i> , 2000 , 79, 522-3	4.9	5

19	Predictive value of uterine artery velocimetry at midgestation in low- and high-risk populations: a new perspective. <i>Fetal Diagnosis and Therapy</i> , 1999 , 14, 201-5	2.4	11
18	Efficacy of double intrauterine insemination in controlled ovarian hyperstimulation cycles. <i>Fertility and Sterility</i> , 1999 , 72, 619-22	4.8	75
17	Neo-adjuvant chemo-(immuno-)therapy of advanced squamous-cell head and neck carcinoma: a multicenter, phase III, randomized study comparing cisplatin + 5-fluorouracil (5-FU) with cisplatin + 5-FU + recombinant interleukin 2. <i>Cancer Immunology, Immunotherapy</i> , 1998 , 47, 149-56	7.4	18
16	Short-termmaternal oxygen administration in fetuses with absence or reversal of end-diastolic velocity in umbilical artery, pathophysiological and clinical considerations. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998 , 77, 707-711	3.8	1
15	Single agent paclitaxel in advanced squamous cell head and neck carcinoma. <i>European Journal of Cancer</i> , 1996 , 32A, 901-2	7.5	19
14	Transvaginal color Doppler ultrasonography in the presurgical characterization of adnexal masses. <i>Gynecologic Oncology</i> , 1996 , 63, 184-91	4.9	27
13	Chronic hypertension in pregnancy: color Doppler investigation of uterine arteries as a predictive test for superimposed preeclampsia and adverse perinatal outcome. <i>Journal of Perinatal Medicine</i> , 1996 , 24, 141-53	2.7	13
12	Single agent vinorelbine in the treatment of unresectable lung metastases from colorectal cancer. <i>Oncology Reports</i> , 1996 , 3, 563-5	3.5	4
11	Usefulness of oral medroxyprogesterone acetate in the management of cancer-related cachexia-anorexia syndrome. <i>Oncology Reports</i> , 1996 , 3, 493-6	3.5	2
10	Second line chemotherapy for metastatic colorectal carcinoma. <i>Oncology Reports</i> , 1996 , 3, 867-9	3.5	
10	Second line chemotherapy for metastatic colorectal carcinoma. <i>Oncology Reports</i> , 1996 , 3, 867-9 Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of Oncology</i> , 1995 , 6, 987-91	3.5	14
	Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of</i>		14
9	Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of Oncology</i> , 1995 , 6, 987-91 Escalating doses of mitoxantrone with granulocyte colony-stimulating factor (G-CSF) rescue plus 5-fluorouracil and high-dose levofolinic acid in metastatic breast cancer. <i>European Journal of Cancer</i>	10.3	
9	Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of Oncology</i> , 1995 , 6, 987-91 Escalating doses of mitoxantrone with granulocyte colony-stimulating factor (G-CSF) rescue plus 5-fluorouracil and high-dose levofolinic acid in metastatic breast cancer. <i>European Journal of Cancer</i> , 1994 , 30A, 1734-6 The duration of hypertension in the puerperium of preeclamptic women: relationship with renal	10.3 7.5	6
9 8 7	Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of Oncology</i> , 1995 , 6, 987-91 Escalating doses of mitoxantrone with granulocyte colony-stimulating factor (G-CSF) rescue plus 5-fluorouracil and high-dose levofolinic acid in metastatic breast cancer. <i>European Journal of Cancer</i> , 1994 , 30A, 1734-6 The duration of hypertension in the puerperium of preeclamptic women: relationship with renal impairment and week of delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 506-12 Acute pain syndrome at tumour site in neoplastic patients treated with vinorelbine: report of	10.3 7.5 6.4	73
9 8 7 6	Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of Oncology</i> , 1995 , 6, 987-91 Escalating doses of mitoxantrone with granulocyte colony-stimulating factor (G-CSF) rescue plus 5-fluorouracil and high-dose levofolinic acid in metastatic breast cancer. <i>European Journal of Cancer</i> , 1994 , 30A, 1734-6 The duration of hypertension in the puerperium of preeclamptic women: relationship with renal impairment and week of delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 506-12 Acute pain syndrome at tumour site in neoplastic patients treated with vinorelbine: report of unusual toxicity. <i>European Journal of Cancer</i> , 1994 , 30A, 889 Escape phenomenon after successful bromocriptine and octreotide treatment in thyroid stimulating hormone secreting pituitary adenoma residual tissue. <i>European Journal of Cancer</i> , 1994 ,	7.5 6.4 7.5	6 73
9 8 7 6	Treatment of recurrent and/or metastatic squamous cell head and neck carcinoma with a combination of vinorelbine, cisplatin, and 5-fluorouracil: a multicenter phase II trial. <i>Annals of Oncology</i> , 1995, 6, 987-91 Escalating doses of mitoxantrone with granulocyte colony-stimulating factor (G-CSF) rescue plus 5-fluorouracil and high-dose levofolinic acid in metastatic breast cancer. <i>European Journal of Cancer</i> , 1994, 30A, 1734-6 The duration of hypertension in the puerperium of preeclamptic women: relationship with renal impairment and week of delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 506-12 Acute pain syndrome at tumour site in neoplastic patients treated with vinorelbine: report of unusual toxicity. <i>European Journal of Cancer</i> , 1994, 30A, 889 Escape phenomenon after successful bromocriptine and octreotide treatment in thyroid stimulating hormone secreting pituitary adenoma residual tissue. <i>European Journal of Cancer</i> , 1994, 30A, 247-8 A pilot study of vinorelbine on a weekly schedule in recurrent and/or metastatic squamous cell	7.5 6.4 7.5 7.5	6 73 12

Primary papillary carcinoma arising from median ectopic thyroid in multinodular goitre. *European Journal of Cancer & Clinical Oncology*, **1991**, 27, 299

3