

Julia A Clarke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8243060/publications.pdf>

Version: 2024-02-01

101
papers

4,810
citations

109321

35
h-index

106344

65
g-index

103
all docs

103
docs citations

103
times ranked

3074
citing authors

#	ARTICLE	IF	CITATIONS
1	Estimating the distribution of carotenoid coloration in skin and integumentary structures of birds and extinct dinosaurs. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 42-57.	2.3	7
2	Convergent evolution in dippers (Aves, Cinclidae): The only wing-propelled diving songbirds. <i>Anatomical Record</i> , 2022, 305, 1563-1591.	1.4	8
3	Novel evolution of a hyperelongated tongue in a Cretaceous enantiornithine from China and the evolution of the hyolingual apparatus and feeding in birds. <i>Journal of Anatomy</i> , 2022, 240, 627-638.	1.5	4
4	Ancient proteins resolve controversy over the identity of <i>Genyornis</i> eggshell. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	14
5	Guidelines for removal, preservation, and CT imaging of the syrinx, the avian vocal organ. <i>Wilson Journal of Ornithology</i> , 2021, 132, .	0.2	0
6	Shifts in eggshell thickness are related to changes in locomotor ecology in dinosaurs. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 1415-1430.	2.3	7
7	Bird neurocranial and body mass evolution across the end-Cretaceous mass extinction: The avian brain shape left other dinosaurs behind. <i>Science Advances</i> , 2021, 7, .	10.3	37
8	New Remains of <i>Scandiavis mikkelseni</i> Inform Avian Phylogenetic Relationships and Brain Evolution. <i>Diversity</i> , 2021, 13, 651.	1.7	3
9	A re-evaluation of the chemical composition of avian urinary excreta. <i>Journal of Ornithology</i> , 2020, 161, 17-24.	1.1	12
10	Estimating Flight Style of Early Eocene Stem Palaeognath Bird <i>Calciavis grandei</i> (Lithornithidae). <i>Anatomical Record</i> , 2020, 303, 1035-1042.	1.4	6
11	A new species of Eogruidae (Aves: Gruiformes) from the Miocene of the Linxia Basin, Gansu, China: Evolutionary and climatic implications. <i>Auk</i> , 2020, 137, .	1.4	6
12	An Exceptionally Preserved Specimen From the Green River Formation Elucidates Complex Phenotypic Evolution in Gruiformes and Charadriiformes. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	10
13	Cassowary gloss and a novel form of structural color in birds. <i>Science Advances</i> , 2020, 6, eaba0187.	10.3	12
14	Tempo and Pattern of Avian Brain Size Evolution. <i>Current Biology</i> , 2020, 30, 2026-2036.e3.	3.9	72
15	The Global Museum: natural history collections and the future of evolutionary science and public education. <i>PeerJ</i> , 2020, 8, e8225.	2.0	81
16	New mammalian and avian records from the late Eocene La Meseta and Submeseta formations of Seymour Island, Antarctica. <i>PeerJ</i> , 2020, 8, e8268.	2.0	6
17	Genomic mechanisms for the evolution of flightlessness in steamer ducks. <i>Nature</i> , 2019, 572, 182-184.	27.8	2
18	phenotools: An r package for visualizing and analysing phenomic datasets. <i>Methods in Ecology and Evolution</i> , 2019, 10, 1393-1400.	5.2	5

#	ARTICLE	IF	CITATIONS
19	Integrating natural history collections and comparative genomics to study the genetic architecture of convergent evolution. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180248.	4.0	32
20	Convergent regulatory evolution and loss of flight in paleognathous birds. <i>Science</i> , 2019, 364, 74-78.	12.6	189
21	Flight, symmetry and barb angle evolution in the feathers of birds and other dinosaurs. <i>Biology Letters</i> , 2019, 15, 20190622.	2.3	3
22	A new zygodactylid species indicates the persistence of stem passerines into the early Oligocene in North America. <i>BMC Evolutionary Biology</i> , 2019, 19, 3.	3.2	8
23	An avian femur from the Late Cretaceous of Vega Island, Antarctic Peninsula: removing the record of cursorial landbirds from the Mesozoic of Antarctica. <i>PeerJ</i> , 2019, 7, e7231.	2.0	6
24	A bony-crested Jurassic dinosaur with evidence of iridescent plumage highlights complexity in early paravian evolution. <i>Nature Communications</i> , 2018, 9, 217.	12.8	64
25	Metabolic physiology explains macroevolutionary trends in the melanic colour system across amniotes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20182014.	2.6	9
26	Elaborate plumage patterning in a Cretaceous bird. <i>PeerJ</i> , 2018, 6, e5831.	2.0	18
27	Nocturnal giants: evolution of the sensory ecology in elephant birds and other palaeognaths inferred from digital brain reconstructions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181540.	2.6	27
28	Vocal specialization through tracheal elongation in an extinct Miocene pheasant from China. <i>Scientific Reports</i> , 2018, 8, 8099.	3.3	8
29	The earliest evidence for a supraorbital salt gland in dinosaurs in new Early Cretaceous ornithurines. <i>Scientific Reports</i> , 2018, 8, 3969.	3.3	6
30	Keratin nanofiber distribution and feather microstructure in penguins. <i>Auk</i> , 2018, 135, 777-787.	1.4	15
31	Systematics and phylogeny of the Zygodactylidae (Aves, Neognathae) with description of a new species from the early Eocene of Wyoming, USA. <i>PeerJ</i> , 2018, 6, e4950.	2.0	11
32	Exceptional preservation and the fossil record of tetrapod integument. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20170556.	2.6	7
33	The plumage and colouration of an enantiornithine bird from the early cretaceous of china. <i>Palaeontology</i> , 2017, 60, 55-71.	2.2	26
34	A new ornithurine from the Early Cretaceous of China sheds light on the evolution of early ecological and cranial diversity in birds. <i>PeerJ</i> , 2016, 4, e1765.	2.0	24
35	Best practices for digitally constructing endocranial casts: examples from birds and their dinosaurian relatives. <i>Journal of Anatomy</i> , 2016, 229, 173-190.	1.5	86
36	Coos, booms, and hoots: The evolution of closed-mouth vocal behavior in birds. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 1734-1746.	2.3	34

#	ARTICLE	IF	CITATIONS
37	A Large Ornithurine Bird (<i>Tingmiatornis arctica</i>) from the Turonian High Arctic: Climatic and Evolutionary Implications. <i>Scientific Reports</i> , 2016, 6, 38876.	3.3	16
38	Fossil evidence of the avian vocal organ from the Mesozoic. <i>Nature</i> , 2016, 538, 502-505.	27.8	65
39	A new Old World vulture from the late Miocene of China sheds light on Neogene shifts in the past diversity and distribution of the Gypaetinae. <i>Auk</i> , 2016, 133, 615-625.	1.4	8
40	The Anatomy and Taxonomy of the Exquisitely Preserved Green River Formation (Early Eocene) Lithornithids (<i>Aves</i>) and the Relationships of Lithornithidae. <i>Bulletin of the American Museum of Natural History</i> , 2016, 406, 1-91.	3.4	34
41	Evolutionary shifts in the melanin-based color system of birds. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 445-455.	2.3	21
42	Rhetoric vs. reality: A commentary on "Bird Origins Anew" by A. Feduccia. <i>Auk</i> , 2015, 132, 467-480.	1.4	15
43	Feather Development Genes and Associated Regulatory Innovation Predate the Origin of Dinosauria. <i>Molecular Biology and Evolution</i> , 2015, 32, 23-28.	8.9	57
44	Methods for the Quantitative Comparison of Molecular Estimates of Clade Age and the Fossil Record. <i>Systematic Biology</i> , 2015, 64, 25-41.	5.6	7
45	Systematics and evolution of the Pan-Alcidae (<i>Aves</i> , Charadriiformes). <i>Journal of Avian Biology</i> , 2015, 46, 125-140.	1.2	41
46	Corrigendum Combined phylogenetic analysis of a new North American fossil species confirms widespread Eocene distribution for stem rollers (<i>Aves</i> , Coraci). <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 226-229.	2.3	6
47	Stratigraphy and vertebrate paleoecology of Upper Cretaceous–lowest Paleogene strata on Vega Island, Antarctica. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 402, 55-72.	2.3	24
48	Melanosome evolution indicates a key physiological shift within feathered dinosaurs. <i>Nature</i> , 2014, 507, 350-353.	27.8	95
49	Osteological Histology of the Pan-Alcidae (<i>Aves</i> , Charadriiformes): Correlates of Wing-Propelled Diving and Flightlessness. <i>Anatomical Record</i> , 2014, 297, 188-199.	1.4	35
50	A new specimen of large-bodied basal Enantiornithine <i>Bohaiornis</i> from the Early Cretaceous of China and the inference of feeding ecology in Mesozoic birds. <i>Journal of Paleontology</i> , 2014, 88, 99-108.	0.8	39
51	PHYLOGENY AND FORELIMB DISPARITY IN WATERBIRDS. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 2847-2860.	2.3	21
52	A falconid from the Late Miocene of northwestern China yields further evidence of transition in Late Neogene steppe communities. <i>Auk</i> , 2014, 131, 335-350.	1.4	32
53	Feathers Before Flight. <i>Science</i> , 2013, 340, 690-692.	12.6	50
54	Fossil evidence of wing shape in a stem relative of swifts and hummingbirds (<i>Aves</i> , Pan-Apodiformes). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20130580.	2.6	25

#	ARTICLE	IF	CITATIONS
55	Reconstruction of <i>Microraptor</i> and the Evolution of Iridescent Plumage. <i>Science</i> , 2012, 335, 1215-1219.	12.6	170
56	Endocranial Anatomy of the Charadriiformes: Sensory System Variation and the Evolution of Wing-Propelled Diving. <i>PLoS ONE</i> , 2012, 7, e49584.	2.5	43
57	A new stem parrot from the Green River Formation and the complex evolution of the grasping foot in Pan-Psittaciformes. <i>Journal of Vertebrate Paleontology</i> , 2012, 32, 395-406.	1.0	38
58	Stem Parrots (Aves, Halcyornithidae) from the Green River Formation and a Combined Phylogeny of Pan-Psittaciformes. <i>Journal of Paleontology</i> , 2011, 85, 835-852.	0.8	33
59	A small alvarezsaurid from the eastern Gobi Desert offers insight into evolutionary patterns in the Alvarezsauroidea. <i>Journal of Vertebrate Paleontology</i> , 2011, 31, 144-153.	1.0	42
60	An <i>Elaphrocnemus</i> -Like Landbird and Other Avian Remains from the Late Paleocene of Brazil. <i>Acta Palaeontologica Polonica</i> , 2011, 56, 679-684.	0.4	19
61	New Information on the Cranial Anatomy of <i>Acrocanthosaurus atokensis</i> and Its Implications for the Phylogeny of Allosauroidea (Dinosauria: Theropoda). <i>PLoS ONE</i> , 2011, 6, e17932.	2.5	61
62	Exploring the effects of phylogenetic uncertainty and consensus trees on stratigraphic consistency scores: a new program and a standardized method. <i>Cladistics</i> , 2011, 27, 52-60.	3.3	19
63	An Alphataxonomic Revision of Extinct and Extant Razorbills (Aves, Alcidae): A Combined Morphometric and Phylogenetic Approach. <i>Ornithological Monographs</i> , 2011, 72, 1-61.	1.3	23
64	A New Enantiornithine Bird from the Upper Cretaceous La Colonia Formation of Patagonia, Argentina. <i>Annals of Carnegie Museum</i> , 2011, 80, 35-42.	0.5	16
65	Colour-producing β -keratin nanofibres in blue penguin (<i>Eudyptula minor</i>) feathers. <i>Biology Letters</i> , 2011, 7, 543-546.	2.3	48
66	A small alvarezsaurid from the eastern Gobi Desert offers insight into evolutionary patterns in the Alvarezsauroidea. <i>Journal of Vertebrate Paleontology</i> , 2011, 31, 144-153.	1.0	3
67	Podargiform Affinities of the Enigmatic Fluvioviridavis platyrhamphus and the Early Diversification of Strisores (Caprimulgiformes + Apodiformes). <i>PLoS ONE</i> , 2011, 6, e26350.	2.5	30
68	<i>Primobucco mcgrewi</i> (Aves: Coracii) from the Eocene Green River Formation: new anatomical data from the earliest constrained record of stem rollers. <i>Journal of Vertebrate Paleontology</i> , 2010, 30, 215-225.	1.0	27
69	New fossil mousebird (Aves: Coliiformes) with feather preservation provides insight into the ecological diversity of an Eocene North American avifauna. <i>Zoological Journal of the Linnean Society</i> , 2010, 160, 685-706.	2.3	28
70	Fossil Evidence for Evolution of the Shape and Color of Penguin Feathers. <i>Science</i> , 2010, 330, 954-957.	12.6	153
71	Plumage Color Patterns of an Extinct Dinosaur. <i>Science</i> , 2010, 327, 1369-1372.	12.6	224
72	The Basal Penguin (Aves: Sphenisciformes) <i>Perudyptes devriesi</i> and a Phylogenetic Evaluation of the Penguin Fossil Record. <i>Bulletin of the American Museum of Natural History</i> , 2010, 337, 1-77.	3.4	69

#	ARTICLE	IF	CITATIONS
73	Structural coloration in a fossil feather. <i>Biology Letters</i> , 2010, 6, 128-131.	2.3	100
74	Taxonomic revision of the basal neornithischian taxa <i>Thescelosaurus</i> and <i>Bugenasaura</i> . <i>Journal of Vertebrate Paleontology</i> , 2009, 29, 758-770.	1.0	47
75	Affinities of <i>Palaeospiza bella</i> and the Phylogeny and Biogeography of Mousebirds (Coliiformes). <i>Auk</i> , 2009, 126, 245-259.	1.4	34
76	Insight into diversity, body size and morphological evolution from the largest Early Cretaceous enantiornithine bird. <i>Journal of Anatomy</i> , 2008, 212, 565-577.	1.5	115
77	Osteology of <i>Icadyptes salasi</i> , a giant penguin from the Eocene of Peru. <i>Journal of Anatomy</i> , 2008, 213, 131-147.	1.5	43
78	Mosaicism, Modules, and the Evolution of Birds: Results from a Bayesian Approach to the Study of Morphological Evolution Using Discrete Character Data. <i>Systematic Biology</i> , 2008, 57, 185-201.	5.6	103
79	Species Names in the PhyloCode: The Approach Adopted by the International Society for Phylogenetic Nomenclature. <i>Systematic Biology</i> , 2008, 57, 507-514.	5.6	29
80	First Atlantic record of the puffin <i>Cerorhinca</i> (Aves, Alcidae) from the Pliocene of North Carolina. <i>Journal of Vertebrate Paleontology</i> , 2007, 27, 1039-1042.	1.0	12
81	A Basal Dromaeosaurid and Size Evolution Preceding Avian Flight. <i>Science</i> , 2007, 317, 1378-1381.	12.6	293
82	Paleogene equatorial penguins challenge the proposed relationship between biogeography, diversity, and Cenozoic climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11545-11550.	7.1	113
83	Insight into the evolution of avian flight from a new clade of Early Cretaceous ornithurines from China and the morphology of <i>Yixianornis grabaui</i> . <i>Journal of Anatomy</i> , 2006, 208, 287-308.	1.5	144
84	Bird evolution. <i>Current Biology</i> , 2006, 16, R350-R354.	3.9	8
85	Definitive fossil evidence for the extant avian radiation in the Cretaceous. <i>Nature</i> , 2005, 433, 305-308.	27.8	305
86	New Avian Remains from the Eocene of Mongolia and the Phylogenetic Position of the Eogruidae (Aves, Gruoidea). <i>American Museum Novitates</i> , 2005, 3494, 1.	0.6	21
87	MORPHOLOGY, PHYLOGENETIC TAXONOMY, AND SYSTEMATICS OF ICHTHYORNIS AND APATORNIS (AVIALAE:). <i>TJ</i> $\frac{1.0784314}{3.4}$ $\frac{198}{198}$		
88	Gastroliths in <i>Yanornis</i> : an indication of the earliest radical diet-switching and gizzard plasticity in the lineage leading to living birds?. <i>Die Naturwissenschaften</i> , 2004, 91, 571-574.	1.6	59
89	New Avialan Remains and a Review of the Known Avifauna from the Late Cretaceous Nemegt Formation of Mongolia. <i>American Museum Novitates</i> , 2004, 3447, 1-12.	0.6	24
90	The deep divergences of neornithine birds: a phylogenetic analysis of morphological characters. <i>Cladistics</i> , 2003, 19, 527-553.	3.3	212

#	ARTICLE	IF	CITATIONS
91	Mesozoic Birds: Above the Heads of Dinosaurs. <i>Journal of Paleontology</i> , 2003, 77, 822-823.	0.8	0
92	Description of the Earliest Fossil Penguin from South America and First Paleogene Vertebrate Locality of Tierra Del Fuego, Argentina. <i>American Museum Novitates</i> , 2003, 3423, 1.	0.6	36
93	Mesozoic Birds: Above the Heads of Dinosaurs. L. M. Chiappe and L. M. Witmer (eds.). 2002. University of California Press, Berkeley, 532 p.. <i>Journal of Paleontology</i> , 2003, 77, 822-823.	0.8	0
94	The deep divergences of neornithine birds: a phylogenetic analysis of morphological characters. <i>Cladistics</i> , 2003, 19, 527-553.	3.3	2
95	The Morphology and Phylogenetic Position of <i>Apsaravis ukhaana</i> from the Late Cretaceous of Mongolia. <i>American Museum Novitates</i> , 2002, 3387, 1-46.	0.6	109
96	Archaeoraptor's better half. <i>Nature</i> , 2002, 420, 285-285.	27.8	35
97	A New Carinate Bird from the Late Cretaceous of Patagonia (Argentina). <i>American Museum Novitates</i> , 2001, 3323, 1-24.	0.6	59
98	Fossil that fills a critical gap in avian evolution. <i>Nature</i> , 2001, 409, 181-184.	27.8	80
99	Fossils and avian evolution. <i>Nature</i> , 2001, 414, 508-508.	27.8	5
100	Stratigraphy and Magnetostratigraphic/Faunal Constraints for the Age of Sauropod Embryo-Bearing Rocks in the Neuqu�n Group (Late Cretaceous, Neuqu�n Province, Argentina). <i>American Museum Novitates</i> , 2000, 3290, 1-11.	0.6	74
101	Combined phylogenetic analysis of a new North American fossil species confirms widespread Eocene distribution for stem rollers (<i>Aves</i> , <i>Coraci</i>). <i>Zoological Journal of the Linnean Society</i> , 0, 157, 586-611.	2.3	35