## Mohammed Lamorde

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8243282/publications.pdf

Version: 2024-02-01

75 papers 1,371 citations

361045 20 h-index 32 g-index

84 all docs 84 docs citations

84 times ranked 1958 citing authors

#	Article	IF	Citations
1	Medicinal plants used by traditional medicine practitioners for the treatment of HIV/AIDS and related conditions in Uganda. Journal of Ethnopharmacology, 2010, 130, 43-53.	2.0	121
2	Unintended Pregnancies Observed With Combined Use of the Levonorgestrel Contraceptive Implant and Efavirenz-based Antiretroviral Therapy: A Three-Arm Pharmacokinetic Evaluation Over 48 Weeks. Clinical Infectious Diseases, 2016, 62, 675-682.	2.9	75
3	Dolutegravir versus efavirenz in women starting HIV therapy in late pregnancy (DolPHIN-2): an open-label, randomised controlled trial. Lancet HIV, the, 2020, 7, e332-e339.	2.1	75
4	Development and validation of a UHPLC-MS/MS method for quantification of the prodrug remdesivir and its metabolite GS-441524: a tool for clinical pharmacokinetics of SARS-CoV-2/COVID-19 and Ebola virus disease. Journal of Antimicrobial Chemotherapy, 2020, 75, 1772-1777.	1.3	69
5	Safety and pharmacokinetics of dolutegravir in pregnant mothers with HIV infection and their neonates: AÂrandomised trial (DolPHIN-1 study). PLoS Medicine, 2019, 16, e1002895.	3.9	58
6	Dolutegravir-associated hyperglycaemia in patients with HIV. Lancet HIV, the, 2020, 7, e461-e462.	2.1	58
7	Optimizing antimicrobial use: challenges, advances and opportunities. Nature Reviews Microbiology, 2021, 19, 747-758.	13.6	51
8	Newborn screening and prophylactic interventions for sickle cell disease in 47 countries in sub-Saharan Africa: a cost-effectiveness analysis. BMC Health Services Research, 2016, 16, 304.	0.9	49
9	Drug–Drug Interactions, Effectiveness, and Safety of Hormonal Contraceptives in Women Living with HIV. Drug Safety, 2016, 39, 1053-1072.	1.4	41
10	Antimicrobial Drug Resistance in Blood Culture Isolates at a Tertiary Hospital, Uganda. Emerging Infectious Diseases, 2018, 24, 174-175.	2.0	35
11	Delayed Sputum Culture Conversion in Tuberculosis–Human Immunodeficiency Virus–Coinfected Patients With Low Isoniazid and Rifampicin Concentrations. Clinical Infectious Diseases, 2018, 67, 708-716.	2.9	34
12	Cost-Effectiveness of Antivenoms for Snakebite Envenoming in 16 Countries in West Africa. PLoS Neglected Tropical Diseases, 2016, 10, e0004568.	1.3	34
13	Plasma and breast milk pharmacokinetics of emtricitabine, tenofovir and lamivudine using dried blood and breast milk spots in nursing African mother–infant pairs. Journal of Antimicrobial Chemotherapy, 2018, 73, 1013-1019.	1.3	30
14	Cost-effectiveness of Antivenoms for Snakebite Envenoming in Nigeria. PLoS Neglected Tropical Diseases, 2015, 9, e3381.	1.3	29
15	Impact of a mobile phone-based interactive voice response software on tuberculosis treatment outcomes in Uganda (CFL-TB): a protocol for a randomized controlled trial. Trials, 2021, 22, 391.	0.7	29
16	Effect of Food on the Steady-State Pharmacokinetics of Tenofovir and Emtricitabine plus Efavirenz in Ugandan Adults. AIDS Research and Treatment, 2012, 2012, 1-6.	0.3	25
17	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. PLoS ONE, 2020, 15, e0227458.	1.1	25
18	Suboptimal Nevirapine Steady-State Pharmacokinetics During Intrapartum Compared With Postpartum in HIV-1-Seropositive Ugandan Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 345-350.	0.9	23

#	Article	lF	CITATIONS
19	Lower artemether, dihydroartemisinin and lumefantrine concentrations during rifampicin-based tuberculosis treatment. Aids, 2013, 27, 961-965.	1.0	23
20	Efavirenz†but not nevirapineâ€based antiretroviral therapy decreases exposure to the levonorgestrel released from a subâ€dermal contraceptive implant. Journal of the International AIDS Society, 2014, 17, 19484.	1.2	23
21	Development, validation and clinical application of a method for the simultaneous quantification of lamivudine, emtricitabine and tenofovir in dried blood and dried breast milk spots using LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1060, 300-307.	1.2	23
22	An Interactive Voice Response Software to Improve the Quality of Life of People Living With HIV in Uganda: Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e22229.	1.8	23
23	Nevirapine pharmacokinetics when initiated at 200 mg or 400 mg daily in HIV-1 and tuberculosis co-infected Ugandan adults on rifampicin. Journal of Antimicrobial Chemotherapy, 2011, 66, 180-183.	1.3	21
24	A Cross-Cutting Approach to Surveillance and Laboratory Capacity as a Platform to Improve Health Security in Uganda. Health Security, 2018, 16, S-76-S-86.	0.9	21
25	Safer primary healthcare facilities are needed to protect healthcare workers and maintain essential services: lessons learned from a multicountry COVID-19 emergency response initiative. BMJ Global Health, 2021, 6, e005833.	2.0	21
26	Antenatal Syphilis Screening Using Point-Of-Care Testing in Low- and Middle-Income Countries in Asia and Latin America: A Cost-Effectiveness Analysis. PLoS ONE, 2015, 10, e0127379.	1.1	20
27	Acceptability of a Mobile Phone Support Tool (Call for Life Uganda) for Promoting Adherence to Antiretroviral Therapy Among Young Adults in a Randomized Controlled Trial: Exploratory Qualitative Study. JMIR MHealth and UHealth, 2021, 9, e17418.	1.8	17
28	Drug Interactions between Dolutegravir and Artemether-Lumefantrine or Artesunate-Amodiaquine. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	16
29	Physiologically based pharmacokinetic modelling prediction of the effects of dose adjustment in drug–drug interactions between levonorgestrel contraceptive implants and efavirenz-based ART. Journal of Antimicrobial Chemotherapy, 2018, 73, 1004-1012.	1.3	15
30	Implementation of a standardised and quality-assured enhanced gonococcal antimicrobial surveillance programme in accordance with WHO protocols in Kampala, Uganda. Sexually Transmitted Infections, 2021, 97, 312-316.	0.8	15
31	Antimicrobial Resistance of Sterile Site Infections in Sub-Saharan Africa: A Systematic Review. Open Forum Infectious Diseases, 2017, 4, ofx209.	0.4	14
32	The utility of pharmacokinetic studies for the evaluation of exposure-response relationships for standard dose anti-tuberculosis drugs. Tuberculosis, 2018, 108, 77-82.	0.8	14
33	Pharmacokinetics, SAfety/tolerability, and EFficacy of high-dose RIFampicin in tuberculosis-HIV co-infected patients on efavirenz- or dolutegravir-based antiretroviral therapy: study protocol for an open-label, phase II clinical trial (SAEFRIF). Trials, 2020, 21, 181.	0.7	14
34	Antimicrobial Resistance of Neisseria Gonorrhoeae in a Newly Implemented Surveillance Program in Uganda: Surveillance Report. JMIR Public Health and Surveillance, 2020, 6, e17009.	1.2	14
35	Estimating the cost and cost-effectiveness for obstetric fistula repair in hospitals in Uganda: a low income country. Health Policy and Planning, 2018, 33, 999-1008.	1.0	13
36	Effect of patient genetics on etonogestrel pharmacokinetics when combined with efavirenz or nevirapine ART. Journal of Antimicrobial Chemotherapy, 2019, 74, 3003-3010.	1.3	13

#	Article	IF	Citations
37	The Influence of Pharmacogenetic Variants in HIV/Tuberculosis Coinfected Patients in Uganda in the SOUTH Study. Clinical Pharmacology and Therapeutics, 2019, 106, 450-457.	2.3	13
38	Steady-State Pharmacokinetics of Lopinavir Plus Ritonavir When Administered Under Different Meal Conditions in HIV-Infected Ugandan Adults. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 295-298.	0.9	12
39	Implementation of the World Health Organization Global Antimicrobial Resistance Surveillance System in Uganda, 2015-2020: Mixed-Methods Study Using National Surveillance Data. JMIR Public Health and Surveillance, 2021, 7, e29954.	1.2	12
40	Low Antituberculosis Drug Concentrations in HIV-Tuberculosis-Coinfected Adults with Low Body Weight: Is It Time To Update Dosing Guidelines?. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	11
41	Infant Exposure to Dolutegravir Through Placental and Breast Milk Transfer: A Population Pharmacokinetic Analysis of DolPHIN-1. Clinical Infectious Diseases, 2021, 73, e1200-e1207.	2.9	11
42	Therapeutic drug monitoring of nevirapine in saliva in Uganda using high performance liquid chromatography and a low cost thin-layer chromatography technique. BMC Infectious Diseases, 2014, 14, 473.	1.3	10
43	The Joint Mobile Emerging Disease Clinical Capability (JMEDICC) laboratory approach: Capabilities for high-consequence pathogen clinical research. PLoS Neglected Tropical Diseases, 2019, 13, e0007787.	1.3	10
44	Patient experiences of switching from Efavirenz- to Dolutegravir-based antiretroviral therapy: a qualitative study in Uganda. BMC Infectious Diseases, 2021, 21, 1154.	1.3	10
45	Stable warfarin dose prediction in subâ€Saharan African patients: A machineâ€learning approach and external validation of a clinical dose–initiation algorithm. CPT: Pharmacometrics and Systems Pharmacology, 2022, 11, 20-29.	1.3	10
46	Cohort profile of a study on outcomes related to tuberculosis and antiretroviral drug concentrations in Uganda: design, methods and patient characteristics of the SOUTH study. BMJ Open, 2017, 7, e014679.	0.8	9
47	Developing and Validating a Clinical Warfarin Doseâ€Initiation Model for Blackâ€African Patients in South Africa and Uganda. Clinical Pharmacology and Therapeutics, 2021, 109, 1564-1574.	2.3	8
48	High efavirenz serum concentrations in TB/HIV-coinfected Ugandan adults with a CYP2B6 516 TT genotype on anti-TB treatment. Journal of Antimicrobial Chemotherapy, 2019, 74, 135-138.	1.3	7
49	Cost-effectiveness of expanding childhood routine immunization against Neisseria meningitidis serogroups C, W and Y with a quadrivalent conjugate vaccine in the African meningitis belt. PLoS ONE, 2017, 12, e0188595.	1.1	7
50	T-Cell Homeostatic Imbalance in Placentas From Women With Human Immunodeficiency Virus in the Absence of Vertical Transmission. Journal of Infectious Diseases, 2021, 224, S670-S682.	1.9	6
51	A Lower Dose of Efavirenz Can Be Coadministered With Rifampicin and Isoniazid in Tuberculosis Patients. Open Forum Infectious Diseases, 2019, 6, ofz035.	0.4	5
52	Antiretroviral concentration measurements as an additional tool to manage virologic failure in resource limited settings: a case control study. AIDS Research and Therapy, 2019, 16, 39.	0.7	5
53	The Potential Teratogenicity Alert for Women Conceiving on Dolutegravir-Based Regimens: An Assessment of Risk Communication by an Urban HIV Clinic in Uganda and Choices made by Women. Drug Safety, 2020, 43, 1133-1140.	1.4	5
54	Antiretroviral drugs for prevention of mother-to-child transmission. Aids, 2014, 28, 2551-2563.	1.0	4

#	Article	IF	CITATIONS
55	An observational study in an urban Ugandan clinic comparing virological outcomes of patients switched from first-line antiretroviral regimens to second-line regimens containing ritonavir-boosted atazanavir or ritonavir-boosted lopinavir. BMC Infectious Diseases, 2019, 19, 280.	1.3	4
56	Symptomatic cerebrospinal fluid HIV-1 escape in two patients on second-line antiretroviral therapy in Uganda. Oxford Medical Case Reports, 2019, 2019, omy132.	0.2	4
57	Pre-positioned Outbreak Research: The Joint Medical Emerging Diseases Intervention Clinical Capability Experience in Uganda. Health Security, 2020, 18, 114-124.	0.9	4
58	Validation and clinical application of a novel LC–MS method for quantification of dolutegravir in breast milk. Bioanalysis, 2018, 10, 1933-1945.	0.6	3
59	Implementing routine physical function screening among elderly HIV-positive patients in Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 1467-1470.	0.6	3
60	Calcaneal Quantitative Ultrasonography and Urinary Retinol-Binding Protein in Antiretroviral-Treated Patients With Human Immunodeficiency Virus in Uganda: A Pilot Study. Journal of Infectious Diseases, 2020, 222, 263-272.	1.9	3
61	Evaluation of the Management of Patients with Detectable Viral Load after the Implementation of Routine Viral Load Monitoring in an Urban HIV Clinic in Uganda. AIDS Research and Treatment, 2019, 2019, 1-5.	0.3	3
62	Blood Culture Testing Outcomes among Non-Malarial Febrile Children at Antimicrobial Resistance Surveillance Sites in Uganda, 2017–2018. Tropical Medicine and Infectious Disease, 2021, 6, 71.	0.9	2
63	An open-label, randomized, single intravenous dosing study to investigate the effect of fixed-dose combinations of tenofovir/lamivudine or atazanavir/ritonavir on the pharmacokinetics of remdesivir in Ugandan healthy volunteers (RemTLAR). Trials, 2021, 22, 831.	0.7	2
64	Willingness to pay for an mHealth anti-retroviral therapy adherence and information tool: Transitioning to sustainability, Call for life randomised study experience in Uganda. BMC Medical Informatics and Decision Making, 2022, 22, 52.	1.5	2
65	Antiretroviral therapy in developing countries: pharmacologic considerations. Current Opinion in HIV and AIDS, 2008, 3, 252-257.	1.5	1
66	Uptake of hepatitis B-HIV co-infection screening and management in a resource limited setting. Hepatology, Medicine and Policy, 2018, 3, 3.	1.7	1
67	Reply to Banda et al., "Interpretation of Drug Interactions between Dolutegravir and Artemether-Lumefantrine or Artesunate-Amodiaquine― Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	1
68	InÂvitro assessment of the potential for dolutegravir to affect hepatic clearance of levonorgestrel. HIV Medicine, 2021, 22, 898-906.	1.0	1
69	Case Report: Three's a crowd: a case report examining the diagnostic and pharmacokinetic challenges in HIV-tuberculous meningitis-malaria co-infection. Wellcome Open Research, 2018, 3, 111.	0.9	0
70	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. , 2020, 15, e0227458.		0
71	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. , 2020, 15, e0227458.		0
72	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. , 2020, 15, e0227458.		0

#	Article	IF	CITATIONS
73	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. , 2020, 15, e0227458.		O
74	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. , 2020, $15$ , e0227458.		O
75	A cross-sectional evaluation of five warfarin anticoagulation services in Uganda and South Africa. , 2020, 15, e0227458.		O