

Abebaw Fekadu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8243487/publications.pdf>

Version: 2024-02-01

169
papers

6,478
citations

87401

40
h-index

104191

69
g-index

179
all docs

179
docs citations

179
times ranked

6780
citing authors

#	ARTICLE	IF	CITATIONS
1	Understandings of depression among community members and primary healthcare attendees in rural Ethiopia: A qualitative study. <i>Transcultural Psychiatry</i> , 2023, 60, 412-427.	0.9	4
2	Knowledge, attitudes and practices of health professionals towards people living with lymphoedema caused by lymphatic filariasis, podoconiosis and leprosy in northern Ethiopia. <i>International Health</i> , 2022, 14, 530-536.	0.8	6
3	“We improved our life because I cut my drinking” Qualitative analysis of a brief intervention for people with alcohol use disorder in Ethiopian primary health care. <i>Journal of Substance Abuse Treatment</i> , 2022, 132, 108636.	1.5	6
4	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. <i>Lancet Psychiatry</i> , 2022, 9, 59-71.	3.7	11
5	Conceptualising centres of excellence: a scoping review of global evidence. <i>BMJ Open</i> , 2022, 12, e050419.	0.8	4
6	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2022, 11, 21.	2.5	32
7	Validation of the Problematic Khat Use Screening Test: A Cross-Sectional Study. <i>European Addiction Research</i> , 2022, 28, 275-286.	1.3	1
8	Community-based rehabilitation intervention for people with schizophrenia in Ethiopia (RISE): results of a 12-month cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2022, 10, e530-e542.	2.9	21
9	Psychometric properties of screening questionnaires to detect depression in primary healthcare setting in rural Ethiopia. , 2022, 23, .		2
10	Effect of a Community-Based Holistic Care Package on Physical and Psychosocial Outcomes in People with Lower Limb Disorder Caused by Lymphatic Filariasis, Podoconiosis, and Leprosy in Ethiopia: Results from the EnDPoINT Pilot Cohort Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 107, 624-631.	0.6	5
11	Why doesn't God say “enough”? Experiences of living with bipolar disorder in rural Ethiopia. <i>Social Science and Medicine</i> , 2021, 270, 113625.	1.8	2
12	Comorbid mental disorders and quality of life of people with epilepsy attending primary health care clinics in rural Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0238137.	1.1	7
13	Understanding the key processes of excellence as a prerequisite to establishing academic centres of excellence in Africa. <i>BMC Medical Education</i> , 2021, 21, 36.	1.0	7
14	Antibacterial activity of methanol extracts of the leaves of three medicinal plants against selected bacteria isolated from wounds of lymphoedema patients. <i>BMC Complementary Medicine and Therapies</i> , 2021, 21, 2.	1.2	38
15	Traumatic events and posttraumatic stress disorder in individuals with severe mental illness in a non-western setting: Data from rural Ethiopia.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021, 13, 684-693.	1.4	5
16	Pathways into and out of homelessness among people with severe mental illness in rural Ethiopia: a qualitative study. <i>BMC Public Health</i> , 2021, 21, 568.	1.2	1
17	Comparison of hypothalamo-pituitary-adrenal function in treatment resistant unipolar and bipolar depression. <i>Translational Psychiatry</i> , 2021, 11, 244.	2.4	6
18	Development of an integrated, holistic care package for people with lymphoedema for use at the level of the Primary Health Care Unit in Ethiopia. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009332.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Low-coverage sequencing cost-effectively detects known and novel variation in underrepresented populations. <i>American Journal of Human Genetics</i> , 2021, 108, 656-668.	2.6	49
20	“Medical treatments are also part of God’s gift”: Holy water attendants’ perspectives on a collaboration between spiritual and psychiatric treatment for mental illness in Ethiopia. <i>Transcultural Psychiatry</i> , 2021, 58, 585-599.	0.9	5
21	Antibacterial and Antifungal Activities of Ethiopian Medicinal Plants: A Systematic Review. <i>Frontiers in Pharmacology</i> , 2021, 12, 633921.	1.6	18
22	The impact of podoconiosis, lymphatic filariasis, and leprosy on disability and mental well-being: A systematic review. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009492.	1.3	9
23	Posttraumatic stress disorder intervention for people with severe mental illness in a low-income country primary care setting: a randomized feasibility trial protocol. <i>Pilot and Feasibility Studies</i> , 2021, 7, 149.	0.5	2
24	Systematic review of Ethiopian medicinal plants used for their anti-inflammatory and wound healing activities. <i>Journal of Ethnopharmacology</i> , 2021, 276, 114179.	2.0	17
25	The potential use of digital health technologies in the African context: a systematic review of evidence from Ethiopia. <i>Npj Digital Medicine</i> , 2021, 4, 125.	5.7	54
26	Serum level of high sensitive C-reactive protein and IL-6 markers in patients with treatment-resistant schizophrenia in Ethiopia: a comparative study. <i>BMC Psychiatry</i> , 2021, 21, 428.	1.1	7
27	Development of a psychological intervention for people with bipolar disorder in rural Ethiopia. <i>BJPsych Open</i> , 2021, 7, .	0.3	3
28	Multidimensional and intergenerational impact of Severe Mental Disorders. <i>EClinicalMedicine</i> , 2021, 41, 101151.	3.2	5
29	Early detection and management of major non-communicable diseases in urban primary healthcare facilities in Ethiopia: a study protocol for a type-3 hybrid implementation-effectiveness design. <i>BMJ Open</i> , 2021, 11, e040564.	0.8	1
30	A qualitative study on the implementation of a holistic care package for control and management of lymphoedema: experience from a pilot intervention in northern Ethiopia. <i>BMC Health Services Research</i> , 2021, 21, 1065.	0.9	2
31	Performance of primary health care workers in detection of mental disorders comorbid with epilepsy in rural Ethiopia. <i>BMC Family Practice</i> , 2021, 22, 204.	2.9	2
32	Towards effective and sustainable global academic partnerships through a maturity model informed by the capability approach. <i>Globalization and Health</i> , 2021, 17, 131.	2.4	3
33	Prevalence of metabolic syndrome among patients with schizophrenia in Ethiopia. <i>BMC Psychiatry</i> , 2021, 21, 620.	1.1	7
34	Tuberculosis Prevalence and Predictors Among Health Care-Seeking People Screened for Cough of Any Duration in Ethiopia: A Multicenter Cross-Sectional Study. <i>Frontiers in Public Health</i> , 2021, 9, 805726.	1.3	10
35	Adapting and pre-testing the World Health Organization’s Caregiver Skills Training programme for autism and other developmental disorders in a very low-resource setting: Findings from Ethiopia. <i>Autism</i> , 2020, 24, 51-63.	2.4	48
36	Gender-specific experiences of serious mental illness in rural Ethiopia: A qualitative study. <i>Global Public Health</i> , 2020, 15, 185-199.	1.0	7

#	ARTICLE	IF	CITATIONS
37	Explanatory models of depression in sub-Saharan Africa: Synthesis of qualitative evidence. <i>Social Science and Medicine</i> , 2020, 246, 112760.	1.8	40
38	Developing a Theory of Change model of service user and caregiver involvement in mental health system strengthening in primary health care in rural Ethiopia. <i>International Journal of Mental Health Systems</i> , 2020, 14, 51.	1.1	46
39	Challenges and Opportunities for Drug Discovery in Developing Countries: The Example of Cutaneous Leishmaniasis. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 2058-2062.	1.3	16
40	Containment of COVID-19 in Ethiopia and implications for tuberculosis care and research. <i>Infectious Diseases of Poverty</i> , 2020, 9, 131.	1.5	76
41	Electronic pillbox-enabled self-administered therapy versus standard directly observed therapy for tuberculosis medication adherence and treatment outcomes in Ethiopia (SELFTB): protocol for a multicenter randomized controlled trial. <i>Trials</i> , 2020, 21, 383.	0.7	30
42	The fight to end tuberculosis must not be forgotten in the COVID-19 outbreak. <i>Nature Medicine</i> , 2020, 26, 811-812.	15.2	34
43	Burden of tuberculosis and challenges related to screening and diagnosis in Ethiopia. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2020, 19, 100158.	0.6	27
44	Health service costs and their association with functional impairment among adults receiving integrated mental health care in five low- and middle-income countries: the PRIME cohort study. <i>Health Policy and Planning</i> , 2020, 35, 567-576.	1.0	6
45	Stakeholder perspectives on antenatal depression and the potential for psychological intervention in rural Ethiopia: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 371.	0.9	12
46	Impact of integrated mental health care on food insecurity of households of people with severe mental illness in a rural African district: a community-based, controlled before-after study. <i>Tropical Medicine and International Health</i> , 2020, 25, 414-423.	1.0	9
47	The effect of gender on the long-term course and outcome of schizophrenia in rural Ethiopia: a population-based cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1581-1591.	1.6	8
48	Antimicrobial susceptibility of bacteria isolated from the infected wounds of patients with lymphoedema in East Wollega, Ethiopia. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 962-973.	0.7	7
49	EnDPoINT: protocol for an implementation research study to integrate a holistic package of physical health, mental health and psychosocial care for podoconiosis, lymphatic filariasis and leprosy into routine health services in Ethiopia. <i>BMJ Open</i> , 2020, 10, e037675.	0.8	13
50	Ethiopian medicinal plants used for their anti-inflammatory, wound healing or anti-infective activities: protocol for systematic literature review and meta-analysis Ethiopian medicinal plants used for their anti-inflammatory, wound healing or anti-infective activities: protocol for systematic literature review and meta-analysis. <i>BMJ Open Science</i> , 2020, 44, e100064.	0.8	3
51	Economic assessment of a community-based care package for people with lower limb disorder caused by lymphatic filariasis, podoconiosis and leprosy in Ethiopia. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 1021-1034.	0.7	7
52	A cross-sectional study to evaluate depression and quality of life among patients with lymphoedema due to podoconiosis, lymphatic filariasis and leprosy. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 983-994.	0.7	14
53	Exploring the concept of problematic khat use in the Gurage community, South Central Ethiopia: a qualitative study. <i>BMJ Open</i> , 2020, 10, e037907.	0.8	0
54	Exploring the concept of problematic khat use in the Gurage community, South Central Ethiopia: a qualitative study. <i>BMJ Open</i> , 2020, 10, e037907.	0.8	2

#	ARTICLE	IF	CITATIONS
55	Mental health problems and socioeconomic disadvantage: a controlled household study in rural Ethiopia. <i>International Journal for Equity in Health</i> , 2019, 18, 121.	1.5	18
56	Catastrophic health expenditure and impoverishment in households of persons with depression: a cross-sectional, comparative study in rural Ethiopia. <i>BMC Public Health</i> , 2019, 19, 930.	1.2	44
57	Functional impairment among people diagnosed with depression in primary healthcare in rural Ethiopia: a comparative cross-sectional study. <i>International Journal of Mental Health Systems</i> , 2019, 13, 50.	1.1	7
58	Burnout among primary healthcare workers during implementation of integrated mental healthcare in rural Ethiopia: a cohort study. <i>Human Resources for Health</i> , 2019, 17, 58.	1.1	26
59	Homelessness and severe mental illness in low- and middle-income countries: scoping review. <i>BJPsych Open</i> , 2019, 5, e57.	0.3	39
60	The psychosis treatment gap and its consequences in rural Ethiopia. <i>BMC Psychiatry</i> , 2019, 19, 325.	1.1	23
61	“He can send her to her parents” The interaction between marriageability, gender and serious mental illness in rural Ethiopia. <i>BMC Psychiatry</i> , 2019, 19, 315.	1.1	9
62	Household economic costs associated with mental, neurological and substance use disorders: a cross-sectional survey in six low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e34.	0.3	21
63	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. <i>BJPsych Open</i> , 2019, 5, e69.	0.3	51
64	Treatment gap, help-seeking, stigma and magnitude of alcohol use disorder in rural Ethiopia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 4.	1.0	58
65	Catastrophic out-of-pocket payments for households of people with severe mental disorder: a comparative study in rural Ethiopia. <i>International Journal of Mental Health Systems</i> , 2019, 13, 39.	1.1	23
66	The 11-year functional outcome of bipolar and major depressive disorders in Butajira, Ethiopia. <i>Neurology Psychiatry and Brain Research</i> , 2019, 32, 68-76.	2.0	2
67	The 10-year functional outcome of schizophrenia in Butajira, Ethiopia. <i>Heliyon</i> , 2019, 5, e01272.	1.4	3
68	Food insecurity and work impairment in people with severe mental disorders in a rural district of Ethiopia: a cross-sectional survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1055-1066.	1.6	7
69	Definition and Validity of the Construct “Problematic Khat Use”: A Systematic Review. <i>European Addiction Research</i> , 2019, 25, 161-172.	1.3	9
70	Antenatal predictors of incident and persistent postnatal depressive symptoms in rural Ethiopia: a population-based prospective study. <i>Reproductive Health</i> , 2019, 16, 28.	1.2	17
71	Trauma exposure, depression, suicidal ideation, and alcohol use in people with severe mental disorder in Ethiopia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 835-842.	1.6	7
72	Equitable access to mental healthcare integrated in primary care for people with severe mental disorders in rural Ethiopia: a community-based cross-sectional study. <i>International Journal of Mental Health Systems</i> , 2019, 13, 78.	1.1	19

#	ARTICLE	IF	CITATIONS
73	Multidimensional impact of severe mental illness on family members: systematic review. <i>BMJ Open</i> , 2019, 9, e032391.	0.8	49
74	Rural vs urban residence and experience of discrimination among people with severe mental illnesses in Ethiopia. <i>BMC Psychiatry</i> , 2019, 19, 340.	1.1	10
75	Partnerships in a Global Mental Health Research Programme—the Example of PRIME. <i>Global Social Welfare</i> , 2019, 6, 159-175.	1.1	24
76	Ethiopian community health workers's beliefs and attitudes towards children with autism: Impact of a brief training intervention. <i>Autism</i> , 2019, 23, 39-49.	2.4	27
77	Coping strategies of women with postpartum depression symptoms in rural Ethiopia: a cross-sectional community study. <i>BMC Psychiatry</i> , 2018, 18, 41.	1.1	43
78	Global mental health and schizophrenia. <i>Current Opinion in Psychiatry</i> , 2018, 31, 193-199.	3.1	27
79	Standardisation framework for the Maudsley staging method for treatment resistance in depression. <i>BMC Psychiatry</i> , 2018, 18, 100.	1.1	64
80	Detection and treatment initiation for depression and alcohol use disorders: facility-based cross-sectional studies in five low-income and middle-income country districts. <i>BMJ Open</i> , 2018, 8, e023421.	0.8	45
81	Psychological interventions for bipolar disorder in low- and middle-income countries: systematic review. <i>BJPsych Open</i> , 2018, 4, 375-384.	0.3	26
82	Functional impairment among people with severe and enduring mental disorder in rural Ethiopia: a cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 803-814.	1.6	18
83	Implementing integrated services for people with epilepsy in primary care in Ethiopia: a qualitative study. <i>BMC Health Services Research</i> , 2018, 18, 372.	0.9	14
84	Community-based rehabilitation intervention for people with schizophrenia in Ethiopia (RISE): a 12 month mixed methods pilot study. <i>BMC Psychiatry</i> , 2018, 18, 250.	1.1	63
85	Postpartum depressive symptoms in the context of high social adversity and reproductive health threats: a population-based study. <i>International Journal of Mental Health Systems</i> , 2018, 12, 42.	1.1	29
86	A descriptive analysis of depression and pain complaints among patients with cancer in a low income country. <i>PLoS ONE</i> , 2018, 13, e0193713.	1.1	22
87	Health Gains and Financial Protection Provided by the Ethiopian Mental Health Strategy: an Extended Cost-Effectiveness Analysis. <i>Health Policy and Planning</i> , 2017, 32, czw134.	1.0	7
88	Developing a measure of mental health service satisfaction for use in low income countries: a mixed methods study. <i>BMC Health Services Research</i> , 2017, 17, 183.	0.9	20
89	Training needs and perspectives of community health workers in relation to integrating child mental health care into primary health care in a rural setting in sub-Saharan Africa: a mixed methods study. <i>International Journal of Mental Health Systems</i> , 2017, 11, 15.	1.1	31
90	What constitutes problematic khat use? An exploratory mixed methods study in Ethiopia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 17.	1.0	17

#	ARTICLE	IF	CITATIONS
91	The path to longer and healthier lives for all Africans by 2030: the Lancet Commission on the future of health in sub-Saharan Africa. <i>Lancet, The</i> , 2017, 390, 2803-2859.	6.3	150
92	Antenatal depressive symptoms and utilisation of delivery and postnatal care: a prospective study in rural Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 206.	0.9	22
93	Recognition of depression by primary care clinicians in rural Ethiopia. <i>BMC Family Practice</i> , 2017, 18, 56.	2.9	36
94	Conceptualisation of job-related wellbeing, stress and burnout among healthcare workers in rural Ethiopia: a qualitative study. <i>BMC Health Services Research</i> , 2017, 17, 412.	0.9	46
95	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 64.	1.0	64
96	Health system governance to support scale up of mental health care in Ethiopia: a qualitative study. <i>International Journal of Mental Health Systems</i> , 2017, 11, 38.	1.1	34
97	Engaging and staying engaged: a phenomenological study of barriers to equitable access to mental healthcare for people with severe mental disorders in a rural African setting. <i>International Journal for Equity in Health</i> , 2017, 16, 156.	1.5	33
98	“œI cry every day and night, I have my son tied in chains” physical restraint of people with schizophrenia in community settings in Ethiopia. <i>Globalization and Health</i> , 2017, 13, 47.	2.4	78
99	Problematic khat use as a possible risk factor for harmful use of other psychoactive substances: a mixed method study in Ethiopia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 47.	1.0	15
100	Help seeking and suicidality among people with epilepsy in a rural low income country setting: cross-sectional survey. <i>International Journal of Mental Health Systems</i> , 2017, 11, 44.	1.1	18
101	Short-term impact of celebrating the international clinical trial day: experience from Ethiopia. <i>Trials</i> , 2017, 18, 332.	0.7	6
102	Antenatal depressive symptoms and perinatal complications: a prospective study in rural Ethiopia. <i>BMC Psychiatry</i> , 2017, 17, 301.	1.1	40
103	Treatment gap and help-seeking for postpartum depression in a rural African setting. <i>BMC Psychiatry</i> , 2016, 16, 196.	1.1	61
104	Community-based Rehabilitation Intervention for people with Schizophrenia in Ethiopia (RISE): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 299.	0.7	34
105	Development and validation of a contextual measure of functioning for people living with severe mental disorders in rural Africa. <i>BMC Psychiatry</i> , 2016, 16, 311.	1.1	20
106	Antenatal depressive symptoms and maternal health care utilisation: a population-based study of pregnant women in Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 301.	0.9	46
107	Equitable access to integrated primary mental healthcare for people with severe mental disorders in Ethiopia: a formative study. <i>International Journal for Equity in Health</i> , 2016, 15, 121.	1.5	24
108	Development of a scalable mental healthcare plan for a rural district in Ethiopia. <i>British Journal of Psychiatry</i> , 2016, 208, s4-s12.	1.7	93

#	ARTICLE	IF	CITATIONS
109	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. <i>British Journal of Psychiatry</i> , 2016, 208, s47-s54.	1.7	73
110	Planning and evaluating mental health services in low- and middle-income countries using theory of change. <i>British Journal of Psychiatry</i> , 2016, 208, s55-s62.	1.7	69
111	Estimating the cost of implementing district mental healthcare plans in five low- and middle-income countries: The PRIME study. <i>British Journal of Psychiatry</i> , 2016, 208, s71-s78.	1.7	40
112	Building the capacity of policy-makers and planners to strengthen mental health systems in low- and middle-income countries: a systematic review. <i>BMC Health Services Research</i> , 2016, 16, 601.	0.9	22
113	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. <i>Trials</i> , 2016, 17, 76.	0.7	39
114	Hazardous alcohol use and associated factors in a rural Ethiopian district: a cross-sectional community survey. <i>BMC Public Health</i> , 2016, 16, 218.	1.2	46
115	Proposed Training Areas for Global Mental Health Researchers. <i>Academic Psychiatry</i> , 2016, 40, 679-685.	0.4	14
116	Evaluation of district mental healthcare plans: The PRIME consortium methodology. <i>British Journal of Psychiatry</i> , 2016, 208, s63-s70.	1.7	92
117	Non-fatal suicidal behaviour in rural Ethiopia: a cross-sectional facility- and population-based study. <i>BMC Psychiatry</i> , 2016, 16, 75.	1.1	31
118	Stigma, explanatory models and unmet needs of caregivers of children with developmental disorders in a low-income African country: a cross-sectional facility-based survey. <i>BMC Health Services Research</i> , 2016, 16, 152.	0.9	119
119	Scaling-up essential neuropsychiatric services in Ethiopia: a cost-effectiveness analysis. <i>Health Policy and Planning</i> , 2016, 31, 504-513.	1.0	27
120	Massachusetts General Hospital Global Psychiatric Clinical Research Training Program: A New Fellowship in Global Mental Health. <i>Academic Psychiatry</i> , 2016, 40, 695-697.	0.4	13
121	Participatory planning of a primary care service for people with severe mental disorders in rural Ethiopia. <i>Health Policy and Planning</i> , 2016, 31, 367-376.	1.0	55
122	Treatment Contact Coverage for Probable Depressive and Probable Alcohol Use Disorders in Four Low- and Middle-Income Country Districts: The PRIME Cross-Sectional Community Surveys. <i>PLoS ONE</i> , 2016, 11, e0162038.	1.1	62
123	Care for bipolar disorder in LMICs needs evidence from local settings. <i>Lancet Psychiatry</i> , 2015, 2, 772-773.	3.7	12
124	Developing a mental health care plan in a low resource setting: the theory of change approach. <i>BMC Health Services Research</i> , 2015, 15, 429.	0.9	33
125	Stakeholder analysis of the Programme for Improving Mental health care (PRIME): baseline findings. <i>International Journal of Mental Health Systems</i> , 2015, 9, 27.	1.1	50
126	Ethics in global health research: the need for balance. <i>The Lancet Global Health</i> , 2015, 3, e516-e517.	2.9	19

#	ARTICLE	IF	CITATIONS
127	Long-term clinical course and outcome of schizophrenia in rural Ethiopia: 10-year follow-up of a population-based cohort. <i>Schizophrenia Research</i> , 2015, 161, 414-420.	1.1	27
128	Excess mortality in severe mental illness: 10-year population-based cohort study in rural Ethiopia. <i>British Journal of Psychiatry</i> , 2015, 206, 289-296.	1.7	130
129	Validity of brief screening questionnaires to detect depression in primary care in Ethiopia. <i>Journal of Affective Disorders</i> , 2015, 186, 32-39.	2.0	131
130	Symptom profile and short term outcome of catatonia: an exploratory clinical study. <i>BMC Psychiatry</i> , 2015, 15, 164.	1.1	17
131	Beyond the Biomedical: Community Resources for Mental Health Care in Rural Ethiopia. <i>PLoS ONE</i> , 2015, 10, e0126666.	1.1	39
132	Development of a Community-Based Rehabilitation Intervention for People with Schizophrenia in Ethiopia. <i>PLoS ONE</i> , 2015, 10, e0143572.	1.1	46
133	Psychotherapy Knowledge Translation and Interpersonal Psychotherapy: Using Best-Education Practices to Transform Mental Health Care in Canada and Ethiopia. <i>American Journal of Psychotherapy</i> , 2014, 68, 463-488.	0.4	12
134	Movement disorders in neuroleptic-naïve patients with schizophrenia spectrum disorders. <i>BMC Psychiatry</i> , 2014, 14, 280.	1.1	21
135	International Clinical Trial Day and clinical trials in Ethiopia and Africa. <i>Trials</i> , 2014, 15, 493.	0.7	7
136	Population level mental distress in rural Ethiopia. <i>BMC Psychiatry</i> , 2014, 14, 194.	1.1	98
137	Violence and violent victimization in people with severe mental illness in a rural low-income country setting: A comparative cross-sectional community study. <i>Schizophrenia Research</i> , 2014, 152, 275-282.	1.1	39
138	Acceptability and feasibility of using non-specialist health workers to deliver mental health care: Stakeholder perceptions from the PRIME district sites in Ethiopia, India, Nepal, South Africa, and Uganda. <i>Social Science and Medicine</i> , 2014, 118, 33-42.	1.8	259
139	Burden of mental disorders and unmet needs among street homeless people in Addis Ababa, Ethiopia. <i>BMC Medicine</i> , 2014, 12, 138.	2.3	47
140	Suicide and suicide attempts in people with severe mental disorders in Butajira, Ethiopia: 10-year follow-up of a population-based cohort. <i>BMC Psychiatry</i> , 2014, 14, 150.	1.1	51
141	Using workshops to develop theories of change in five low and middle income countries: lessons from the programme for improving mental health care (PRIME). <i>International Journal of Mental Health Systems</i> , 2014, 8, 15.	1.1	60
142	The impact of childhood adversity on suicidality and clinical course in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2014, 152-154, 122-130.	2.0	132
143	Long-term symptomatic and functional outcome following an intensive inpatient multidisciplinary intervention for treatment-resistant affective disorders. <i>Journal of Affective Disorders</i> , 2014, 166, 334-342.	2.0	18
144	Global mental health: perspectives from Ethiopia. <i>Global Health Action</i> , 2014, 7, 25447.	0.7	34

#	ARTICLE	IF	CITATIONS
145	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. PLoS ONE, 2014, 9, e88437.	1.1	255
146	Longitudinal course of symptom severity and fluctuation in patients with treatment-resistant unipolar and bipolar depression. Psychiatry Research, 2013, 207, 143-149.	1.7	34
147	Adjuvant therapy with minocycline for schizophrenia (The MINOS Trial): study protocol for a double-blind randomized placebo-controlled trial. Trials, 2013, 14, 406.	0.7	15
148	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	3.9	436
149	Prediction of longer-term outcome of treatment-resistant depression in tertiary care. British Journal of Psychiatry, 2012, 201, 369-375.	1.7	65
150	Five-year clinical course and outcome of schizophrenia in Ethiopia. Schizophrenia Research, 2012, 136, 137-142.	1.1	23
151	Internalized stigma among patients with schizophrenia in Ethiopia: a cross-sectional facility-based study. BMC Psychiatry, 2012, 12, 239.	1.1	89
152	Unipolar depression. , 2012, , 287-311.		1
153	Predictors of carer-burden in schizophrenia: a five-year follow-up study in Butajira, Ethiopia. Ethiopian Medical Journal, 2012, 50, 125-33.	0.6	16
154	Long-Term Impact of Residual Symptoms in Treatment-Resistant Depression. Canadian Journal of Psychiatry, 2011, 56, 549-557.	0.9	15
155	Prospective evaluation of specialist inpatient treatment for refractory affective disorders. Journal of Affective Disorders, 2011, 131, 92-103.	2.0	25
156	Five-year mortality in a cohort of people with schizophrenia in Ethiopia. BMC Psychiatry, 2011, 11, 165.	1.1	69
157	Trimethoprim as Adjuvant Treatment in Schizophrenia: A Double-Blind, Randomized, Placebo-Controlled Clinical Trial. Schizophrenia Bulletin, 2010, 36, 846-851.	2.3	33
158	Toxoplasmosis as a cause for behaviour disorders - overview of evidence and mechanisms. Folia Parasitologica, 2010, 57, 105-113.	0.7	117
159	Clinical Course and Outcome of Schizophrenia in a Predominantly Treatment-Naive Cohort in Rural Ethiopia. Schizophrenia Bulletin, 2009, 35, 646-654.	2.3	103
160	What happens to patients with treatment-resistant depression? A systematic review of medium to long term outcome studies. Journal of Affective Disorders, 2009, 116, 4-11.	2.0	244
161	A Multidimensional Tool to Quantify Treatment Resistance in Depression. Journal of Clinical Psychiatry, 2009, 70, 177-184.	1.1	211
162	The Maudsley Staging Method for Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2009, 70, 952-957.	1.1	99

#	ARTICLE	IF	CITATIONS
163	Validity of the Concept of Minor Depression in a Developing Country Setting. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 22-28.	0.5	14
164	Utility of the concept of minor depressive disorder: Evidence from a large rural community sample in a developing country setting. <i>Journal of Affective Disorders</i> , 2007, 104, 111-118.	2.0	17
165	Symptomatic and functional outcome of bipolar disorder in Butajira, Ethiopia. <i>Journal of Affective Disorders</i> , 2006, 90, 239-249.	2.0	41
166	Neuroleptic Malignant Syndrome: Diagnostic and Therapeutic Dilemmas. <i>Behavioural Neurology</i> , 2005, 16, 9-13.	1.1	5
167	The distribution of mental disorders among an isolated island community in southern Ethiopia. <i>Ethiopian Medical Journal</i> , 2005, 43, 71-7.	0.6	6
168	Community diagnosis of common skin diseases in the Zay community of the Zeway Islands, Ethiopia. <i>Ethiopian Medical Journal</i> , 2005, 43, 189-95.	0.6	9
169	Bipolar disorder among an isolated island community in Ethiopia. <i>Journal of Affective Disorders</i> , 2004, 80, 1-10.	2.0	28