

Thomas von Clarmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8243604/thomas-von-clarmann-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

2,824
citations

32
h-index

50
g-index

92
ext. papers

3,149
ext. citations

4.3
avg, IF

4.21
L-index

#	Paper	IF	Citations
90	IMK/IAA MIPAS temperature retrieval version 8: nominal measurements. <i>Atmospheric Measurement Techniques</i> , 2021 , 14, 4111-4138	4	3
89	A reassessment of the discrepancies in the annual variation of D_2O in the tropical lower stratosphere between the MIPAS and ACE-FTS satellite data sets. <i>Atmospheric Measurement Techniques</i> , 2020 , 13, 287-308	4	1
88	Trends of atmospheric water vapour in Switzerland from ground-based radiometry, FTIR and GNSS data. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 11223-11244	6.8	8
87	Overview: Estimating and reporting uncertainties in remotely sensed atmospheric composition and temperature. <i>Atmospheric Measurement Techniques</i> , 2020 , 13, 4393-4436	4	16
86	Tropopause altitude determination from temperature profile measurements of reduced vertical resolution. <i>Atmospheric Measurement Techniques</i> , 2019 , 12, 4113-4129	4	
85	Ground-based ozone profiles over central Europe: incorporating anomalous observations into the analysis of stratospheric ozone trends. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 4289-4309	6.8	6
84	The application of mean averaging kernels to mean trace gas distributions. <i>Atmospheric Measurement Techniques</i> , 2019 , 12, 5155-5160	4	3
83	MIPAS observations of volcanic sulfate aerosol and sulfur dioxide in the stratosphere. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1217-1239	6.8	21
82	Intercomparison of three microwave/infrared high resolution line-by-line radiative transfer codes. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018 , 211, 64-77	2.1	16
81	Merged ozone profiles from four MIPAS processors. <i>Atmospheric Measurement Techniques</i> , 2017 , 10, 1511-1518	4	3
80	Retrievals of heavy ozone with MIPAS. <i>Atmospheric Measurement Techniques</i> , 2016 , 9, 6069-6079	4	4
79	Measurements of global distributions of polar mesospheric clouds during 2005-2012 by MIPAS/Envisat. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 6701-6719	6.8	9
78	Global distributions of CO_2 volume mixing ratio in the middle and upper atmosphere from daytime MIPAS high-resolution spectra. <i>Atmospheric Measurement Techniques</i> , 2016 , 9, 6081-6100	4	7
77	Analysis of averaged broadband residuals between MIPAS-Envisat spectra and line-by-line calculations. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2012 , 113, 1330-1339	2.1	3
76	Validation of MIPAS IMK/IAA temperature, water vapor, and ozone profiles with MOHAVE-2009 campaign measurements. <i>Atmospheric Measurement Techniques</i> , 2012 , 5, 289-320	4	63
75	Global distributions of C_2H_6 , C_2H_2 , HCN, and PAN retrieved from MIPAS reduced spectral resolution measurements. <i>Atmospheric Measurement Techniques</i> , 2012 , 5, 723-734	4	33
74	Global CFC-11 (CCl_3F) and CFC-12 (CCl_2F_2) measurements with the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS): retrieval, climatologies and trends. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 11657-11675	6.8	42

73	Observed temporal evolution of global mean age of stratospheric air for the 2002 to 2010 period. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 3311-3331	6.8	151
72	Global stratospheric hydrogen peroxide distribution from MIPAS-Envisat full resolution spectra compared to KASIMA model results. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 4923-4933	6.8	6
71	Impact of January 2005 solar proton events on chlorine species. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 4159-4179	6.8	17
70	On the quality of MIPAS kinetic temperature in the middle atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 6009-6039	6.8	22
69	Arctic winter 2010/2011 at the brink of an ozone hole. <i>Geophysical Research Letters</i> , 2011 , 38, n/a-n/a	4.9	73
68	Global observations of thermospheric temperature and nitric oxide from MIPAS spectra at 5.3 h. <i>Journal of Geophysical Research</i> , 2011 , 116, n/a-n/a		33
67	Composition changes after the "Halloween" solar proton event: the High Energy Particle Precipitation in the Atmosphere (HEPPA) model versus MIPAS data intercomparison study. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9089-9139	6.8	113
66	A thermal infrared instrument onboard a geostationary platform for CO and O ₃ measurements in the lowermost troposphere: Observing System Simulation Experiments (OSSE). <i>Atmospheric Measurement Techniques</i> , 2011 , 4, 1637-1661	4	30
65	Comparison of HDO measurements from Envisat/MIPAS with observations by Odin/SMR and SCISAT/ACE-FTS. <i>Atmospheric Measurement Techniques</i> , 2011 , 4, 1855-1874	4	22
64	Tropical dehydration processes constrained by the seasonality of stratospheric deuterated water. <i>Nature Geoscience</i> , 2010 , 3, 262-266	18.3	44
63	Global distribution and variability of formic acid as observed by MIPAS-ENVISAT. <i>Journal of Geophysical Research</i> , 2010 , 115,		36
62	Evidence for dynamical coupling from the lower atmosphere to the thermosphere during a major stratospheric warming. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4.9	70
61	Do vibrationally excited OH molecules affect middle and upper atmospheric chemistry?. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 9953-9964	6.8	6
60	Technical Note: Trend estimation from irregularly sampled, correlated data. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 6737-6747	6.8	43
59	Measurements of polar mesospheric clouds in infrared emission by MIPAS/ENVISAT. <i>Journal of Geophysical Research</i> , 2009 , 114,		13
58	About the increase of HNO ₃ in the stratopause region during the Halloween 2003 solar proton event. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	36
57	Evidence for N ₂ O 4.5 h non-local thermodynamic equilibrium emission in the atmosphere. <i>Geophysical Research Letters</i> , 2007 , 34,	4.9	5
56	Ozone loss driven by nitrogen oxides and triggered by stratospheric warmings can outweigh the effect of halogens. <i>Journal of Geophysical Research</i> , 2007 , 112,		29

55	Global distributions of HO ₂ NO ₂ as observed by the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). <i>Journal of Geophysical Research</i> , 2007 , 112,		16
54	Analysis of nonlocal thermodynamic equilibrium CO 4.7 μ m fundamental, isotopic, and hot band emissions measured by the Michelson Interferometer for Passive Atmospheric Sounding on Envisat. <i>Journal of Geophysical Research</i> , 2007 , 112,		22
53	Ground-based microwave ozone radiometer measurements compared with Aura-MLS v2.2 and other instruments at two Network for Detection of Atmospheric Composition Change sites. <i>Journal of Geophysical Research</i> , 2007 , 112,		32
52	The Stratospheric and Mesospheric NO _y in the 2002–2004 Polar Winters as measured by MIPAS/ENVISAT. <i>Space Science Reviews</i> , 2007 , 125, 403-416	7.5	26
51	Comment on Origin of the January–April 2004 increase in stratospheric NO ₂ observed in northern polar latitudes by Jean-Baptiste Renard et al.. <i>Geophysical Research Letters</i> , 2007 , 34,	4.9	19
50	Global stratospheric HOCl distributions retrieved from infrared limb emission spectra recorded by the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). <i>Journal of Geophysical Research</i> , 2006 , 111,		25
49	Model, software and database for line-mixing effects in the ν_3 and ν_4 bands of CH ₄ and tests using laboratory and planetary measurements of N ₂ (and air) broadenings and the earth atmosphere. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2006 , 101, 284-305	2.1	52
48	Vibrationally excited ozone in the middle atmosphere. <i>Journal of Atmospheric and Solar-Terrestrial Physics</i> , 2006 , 68, 202-212	2	22
47	Tomographic retrieval of atmospheric parameters from infrared limb emission observations. <i>Applied Optics</i> , 2005 , 44, 3291-301	1.7	37
46	Evidence for CH ₄ 7.6 μ m non-local thermodynamic equilibrium emission in the mesosphere. <i>Geophysical Research Letters</i> , 2005 , 32, n/a-n/a	4.9	8
45	Retrieval of stratospheric NO _x from 5.3 and 6.2 μ m nonlocal thermodynamic equilibrium emissions measured by Michelson Interferometer for Passive Atmospheric Sounding (MIPAS) on Envisat. <i>Journal of Geophysical Research</i> , 2005 , 110,		70
44	Validation of stratospheric temperatures measured by Michelson Interferometer for Passive Atmospheric Sounding (MIPAS) on Envisat. <i>Journal of Geophysical Research</i> , 2005 , 110,		12
43	Longitudinal variations of temperature and ozone profiles observed by MIPAS during the Antarctic stratosphere sudden warming of 2002. <i>Journal of Geophysical Research</i> , 2005 , 110,		8
42	Global observations of stratospheric bromine monoxide from SCIAMACHY. <i>Geophysical Research Letters</i> , 2005 , 32,	4.9	69
41	Observation of NO _x enhancement and ozone depletion in the Northern and Southern Hemispheres after the October–November 2003 solar proton events. <i>Journal of Geophysical Research</i> , 2005 , 110,		118
40	HNO ₃ , N ₂ O ₅ , and ClONO ₂ enhancements after the October–November 2003 solar proton events. <i>Journal of Geophysical Research</i> , 2005 , 110,		63
39	Experimental evidence of perturbed odd hydrogen and chlorine chemistry after the October 2003 solar proton events. <i>Journal of Geophysical Research</i> , 2005 , 110,		49
38	Water vapor distributions measured with the Michelson Interferometer for Passive Atmospheric Sounding on board Envisat (MIPAS/Envisat). <i>Journal of Geophysical Research</i> , 2005 , 110,		53

37	An enhanced HNO ₃ second maximum in the Antarctic midwinter upper stratosphere 2003. <i>Journal of Geophysical Research</i> , 2005 , 110,		50
36	Downward transport of upper atmospheric NO _x into the polar stratosphere and lower mesosphere during the Antarctic 2003 and Arctic 2002/2003 winters. <i>Journal of Geophysical Research</i> , 2005 , 110,		117
35	Spectra calculations in central and wing regions of CO ₂ IR bands between 10 and . III: atmospheric emission spectra. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2005 , 90, 61-76	2.1	26
34	GLOBAL limb Radiance Imager for the Atmosphere (GLORIA): Scientific objectives. <i>Advances in Space Research</i> , 2005 , 36, 989-995	2.4	53
33	Retrieval of stratospheric and mesospheric O ₃ from high resolution MIPAS spectra at 15 and 10 μm. <i>Advances in Space Research</i> , 2005 , 36, 943-951	2.4	20
32	Atmospheric non-local thermodynamic equilibrium emissions as observed by the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). <i>Comptes Rendus Physique</i> , 2005 , 6, 848-863	1.4	18
31	Comparisons of MIPAS/ENVISAT ozone profiles with SMR/ODIN and HALOE/UARS observations. <i>Advances in Space Research</i> , 2005 , 36, 927-931	2.4	7
30	Cross comparisons of O ₃ and NO ₂ measured by the atmospheric ENVISAT instruments GOMOS, MIPAS, and SCIAMACHY. <i>Advances in Space Research</i> , 2005 , 36, 855-867	2.4	30
29	The Geostationary Fourier Imaging Spectrometer (GeoFIS) as part of the Geostationary Tropospheric Pollution Explorer (GeoTroPE) mission: objectives and capabilities. <i>Advances in Space Research</i> , 2004 , 34, 688-693	2.4	10
28	Feasibility of measurements of water vapor and ice clouds in the tropical UT/LS region with MIPAS/Envisat. <i>Advances in Space Research</i> , 2004 , 34, 815-819	2.4	
27	The geostationary tropospheric pollution explorer (GeoTROPE) mission: objectives, requirements and mission concept. <i>Advances in Space Research</i> , 2004 , 34, 682-687	2.4	21
26	The geostationary scanning imaging absorption spectrometer (GeoSCIA) as part of the geostationary tropospheric pollution explorer (GeoTROPE) mission: requirements, concepts and capabilities. <i>Advances in Space Research</i> , 2004 , 34, 694-699	2.4	12
25	Spaceborne ClO observations by the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS) before and during the Antarctic major warming in September/October 2002. <i>Journal of Geophysical Research</i> , 2004 , 109,		37
24	First spaceborne observations of Antarctic stratospheric ClONO ₂ recovery: Austral spring 2002. <i>Journal of Geophysical Research</i> , 2004 , 109,		36
23	Stratospheric N ₂ O ₅ in the austral spring 2002 as retrieved from limb emission spectra recorded by the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). <i>Journal of Geophysical Research</i> , 2004 , 109,		23
22	Cross-validation of MIPAS/ENVISAT and GPS-RO/CHAMP temperature profiles. <i>Journal of Geophysical Research</i> , 2004 , 109,		24
21	Comparisons of MIPAS-observed temperature profiles with other satellite measurements 2004 ,		3
20	Retrievability of Upper Tropospheric Species and Parameters from MIPAS/ENVISAT Data 2004 , 167-180		1

19	Early IMK/IAA MIPAS/ENVISAT results 2003 , 4882, 184		7
18	Remote sensing of the middle atmosphere with MIPAS 2003 ,		30
17	Approach to the Cross-Validation of MIPAS and CHAMP Temperature and Water Vapour Profiles 2003 , 551-556		2
16	State parameter data base for MIPAS data analysis. <i>Advances in Space Research</i> , 2002 , 30, 2387-2392	2.4	11
15	Sensitivity of trace gas abundances retrievals from infrared limb emission spectra to simplifying approximations in radiative transfer modelling. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2002 , 72, 249-280	2.1	124
14	Non-LTE studies for the analysis of MIPAS/ENVISAT data 2002 ,		2
13	New non-LTE retrieval method for atmospheric parameters from MIPAS/ENVISAT emission spectra at 5.3 μm 2002 , 4539, 396		2
12	NO _y partitioning and budget and its correlation with N ₂ O in the Arctic vortex and in summer midlatitudes in 1997. <i>Journal of Geophysical Research</i> , 2002 , 107, ACH 3-1		42
11	A characterization of the warm 1999 Arctic winter by observations and modeling: NO _y partitioning and dynamics. <i>Journal of Geophysical Research</i> , 2002 , 107, ACH 4-1		13
10	Intercomparison of radiative transfer codes under non-local thermodynamic equilibrium conditions. <i>Journal of Geophysical Research</i> , 2002 , 107, ACH 12-1		20
9	Retrieval of PSC properties from MIPAS-ENVISAT measurements 2001 , 4150, 52		
8	Optimized spectral microwindows for midlatitude and polar trace gas retrieval from MIPAS-ENVISAT measurements 2001 ,		2
7	On the role of non-random errors in inverse problems in radiative transfer and other applications. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2001 , 71, 39-46	2.1	30
6	Constrained profile retrieval applied to the observation mode of the michelson interferometer for passive atmospheric sounding. <i>Applied Optics</i> , 2001 , 40, 3559-71	1.7	60
5	Optimized forward model and retrieval scheme for MIPAS near-real-time data processing. <i>Applied Optics</i> , 2000 , 39, 1323-40	1.7	168
4	Optimized spectral microwindows for data analysis of the Michelson Interferometer for Passive Atmospheric Sounding on the Environmental Satellite. <i>Applied Optics</i> , 2000 , 39, 5531-40	1.7	41
3	Intercomparison of the KOPRA and the RFM radiative transfer codes 1999 , 3867, 348		7
2	Selection of optimized microwindows for atmospheric spectroscopy. <i>Applied Optics</i> , 1998 , 37, 7661-9	1.7	68

- 1 Karlsruhe optimized and precise radiative transfer algorithm: II. Interface to retrieval applications
1998,