Hemal H Patel

List of Publications by Citations

Source: https://exaly.com/author-pdf/824373/hemal-h-patel-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 162
 5,678
 42
 71

 papers
 citations
 h-index
 g-index

 186
 6,488
 4.8
 5.56

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
162	Caveolae as organizers of pharmacologically relevant signal transduction molecules. <i>Annual Review of Pharmacology and Toxicology</i> , 2008 , 48, 359-91	17.9	356
161	Interaction of membrane/lipid rafts with the cytoskeleton: impact on signaling and function: membrane/lipid rafts, mediators of cytoskeletal arrangement and cell signaling. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014 , 1838, 532-45	3.8	336
160	The NASA Twins Study: A multidimensional analysis of a year-long human spaceflight. <i>Science</i> , 2019 , 364,	33.3	300
159	Microtubules and actin microfilaments regulate lipid raft/caveolae localization of adenylyl cyclase signaling components. <i>Journal of Biological Chemistry</i> , 2006 , 281, 26391-9	5.4	215
158	G-protein-coupled receptor signaling components localize in both sarcolemmal and intracellular caveolin-3-associated microdomains in adult cardiac myocytes. <i>Journal of Biological Chemistry</i> , 2005 , 280, 31036-44	5.4	173
157	Cardioprotection at a distance: mesenteric artery occlusion protects the myocardium via an opioid sensitive mechanism. <i>Journal of Molecular and Cellular Cardiology</i> , 2002 , 34, 1317-23	5.8	144
156	Lipid-induced toxicity stimulates hepatocytes to release angiogenic microparticles that require Vanin-1 for uptake by endothelial cells. <i>Science Signaling</i> , 2013 , 6, ra88	8.8	127
155	Regulation of intracellular signaling and function by caveolin. FASEB Journal, 2014, 28, 3823-31	0.9	126
154	Hydrogen SulfideMechanisms of Toxicity and Development of an Antidote. <i>Scientific Reports</i> , 2016 , 6, 20831	4.9	120
153	Loss of caveolin-1 accelerates neurodegeneration and aging. <i>PLoS ONE</i> , 2010 , 5, e15697	3.7	120
152	The cyclic AMP effector Epac integrates pro- and anti-fibrotic signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 6386-91	11.5	113
151	Mechanisms of cardiac protection from ischemia/reperfusion injury: a role for caveolae and caveolin-1. <i>FASEB Journal</i> , 2007 , 21, 1565-74	0.9	112
150	Cardiac-specific overexpression of caveolin-3 induces endogenous cardiac protection by mimicking ischemic preconditioning. <i>Circulation</i> , 2008 , 118, 1979-88	16.7	111
149	Increased smooth muscle cell expression of caveolin-1 and caveolae contribute to the pathophysiology of idiopathic pulmonary arterial hypertension. <i>FASEB Journal</i> , 2007 , 21, 2970-9	0.9	111
148	Reactive oxygen species trigger ischemic and pharmacological postconditioning: in vivo and in vitro characterization. <i>Life Sciences</i> , 2007 , 81, 1223-7	6.8	107
147	Caveolae and lipid rafts: G protein-coupled receptor signaling microdomains in cardiac myocytes. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1047, 166-72	6.5	106
146	Lipid rafts and caveolae and their role in compartmentation of redox signaling. <i>Antioxidants and Redox Signaling</i> , 2009 , 11, 1357-72	8.4	94

(2013-2008)

145	Caveolin-3 expression and caveolae are required for isoflurane-induced cardiac protection from hypoxia and ischemia/reperfusion injury. <i>Journal of Molecular and Cellular Cardiology</i> , 2008 , 44, 123-30	5.8	93
144	Protection of adult rat cardiac myocytes from ischemic cell death: role of caveolar microdomains and delta-opioid receptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H344-50	5.2	90
143	Caveolin-1 expression is essential for N-methyl-D-aspartate receptor-mediated Src and extracellular signal-regulated kinase 1/2 activation and protection of primary neurons from ischemic cell death. <i>FASEB Journal</i> , 2008 , 22, 828-40	0.9	86
142	Cardiac-specific overexpression of caveolin-3 attenuates cardiac hypertrophy and increases natriuretic peptide expression and signaling. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2273-83	15.1	76
141	Stress-activated protein kinase phosphorylation during cardioprotection in the ischemic myocardium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H1184-92	5.2	75
140	Mitochondria-localized caveolin in adaptation to cellular stress and injury. FASEB Journal, 2012, 26, 463	7649	72
139	The zinc finger cluster domain of RanBP2 is a specific docking site for the nuclear export factor, exportin-1. <i>Journal of Biological Chemistry</i> , 1999 , 274, 37370-8	5.4	72
138	Neuron-targeted caveolin-1 protein enhances signaling and promotes arborization of primary neurons. <i>Journal of Biological Chemistry</i> , 2011 , 286, 33310-21	5.4	64
137	Ischaemic preconditioning preferentially increases protein S-nitrosylation in subsarcolemmal mitochondria. <i>Cardiovascular Research</i> , 2015 , 106, 227-36	9.9	63
136	Focal adhesions in (myo)fibroblasts scaffold adenylyl cyclase with phosphorylated caveolin. <i>Journal of Biological Chemistry</i> , 2006 , 281, 17173-17179	5.4	59
135	Caveolins and cavins in the trafficking, maturation, and degradation of caveolae: implications for cell physiology. <i>American Journal of Physiology - Cell Physiology</i> , 2017 , 312, C459-C477	5.4	58
134	Membrane rafts and caveolae in cardiovascular signaling. <i>Current Opinion in Nephrology and Hypertension</i> , 2009 , 18, 50-6	3.5	56
133	BW373U86, a delta opioid agonist, partially mediates delayed cardioprotection via a free radical mechanism that is independent of opioid receptor stimulation. <i>Journal of Molecular and Cellular Cardiology</i> , 2001 , 33, 1455-65	5.8	55
132	Sarcolemmal KATP channel triggers delayed ischemic preconditioning in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H445-7	5.2	54
131	Delta opioid agonists and volatile anesthetics facilitate cardioprotection via potentiation of K(ATP) channel opening. <i>FASEB Journal</i> , 2002 , 16, 1468-70	0.9	51
130	Isoflurane produces sustained cardiac protection after ischemia-reperfusion injury in mice. <i>Anesthesiology</i> , 2006 , 104, 495-502	4.3	49
129	Copper influx transporter 1 is required for FGF, PDGF and EGF-induced MAPK signaling. <i>Biochemical Pharmacology</i> , 2012 , 84, 1007-13	6	48
128	Quantitative proteomic and functional analysis of liver mitochondria from high fat diet (HFD) diabetic mice. <i>Molecular and Cellular Proteomics</i> , 2013 , 12, 3744-58	7.6	48

127	Volatile anesthetics protect cancer cells against tumor necrosis factor-related apoptosis-inducing ligand-induced apoptosis via caveolins. <i>Anesthesiology</i> , 2011 , 115, 499-508	4.3	47
126	Dysfunctional survival-signaling and stress-intolerance in aged murine and human myocardium. <i>Experimental Gerontology</i> , 2014 , 50, 72-81	4.5	46
125	Dark chocolate receptors: epicatechin-induced cardiac protection is dependent on delta-opioid receptor stimulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H160	4 ⁵ 9²	46
124	Impairment of TRPC1-STIM1 channel assembly and AQP5 translocation compromise agonist-stimulated fluid secretion in mice lacking caveolin1. <i>Journal of Cell Science</i> , 2013 , 126, 667-75	5.3	46
123	Role of caveolin-3 and glucose transporter-4 in isoflurane-induced delayed cardiac protection. <i>Anesthesiology</i> , 2010 , 112, 1136-45	4.3	46
122	Integrins protect cardiomyocytes from ischemia/reperfusion injury. <i>Journal of Clinical Investigation</i> , 2013 , 123, 4294-308	15.9	44
121	Sarcolemmal K(ATP) channel triggers opioid-induced delayed cardioprotection in the rat. <i>Circulation Research</i> , 2002 , 91, 186-8	15.7	42
120	12-lipoxygenase in opioid-induced delayed cardioprotection: gene array, mass spectrometric, and pharmacological analyses. <i>Circulation Research</i> , 2003 , 92, 676-82	15.7	41
119	Caveolin-3 Overexpression Attenuates Cardiac Hypertrophy via Inhibition of T-type Ca2+ Current Modulated by Protein Kinase Clin Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2015 , 290, 22085-100	ე5·4	39
118	The plasma membrane as a capacitor for energy and metabolism. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C181-92	5.4	39
117	Disruption of protein kinase A localization using a trans-activator of transcription (TAT)-conjugated A-kinase-anchoring peptide reduces cardiac function. <i>Journal of Biological Chemistry</i> , 2010 , 285, 27632-	4ð ^{.4}	37
116	COX-2 and iNOS in opioid-induced delayed cardioprotection in the intact rat. <i>Life Sciences</i> , 2004 , 75, 129	9-48	37
115	Increase in cellular cyclic AMP concentrations reverses the profibrogenic phenotype of cardiac myofibroblasts: a novel therapeutic approach for cardiac fibrosis. <i>Molecular Pharmacology</i> , 2013 , 84, 787-93	4.3	36
114	High-fat diet-induced impairment of skeletal muscle insulin sensitivity is not prevented by SIRT1 overexpression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 307, E764-72	6	34
113	Neuron-Targeted Caveolin-1 Improves Molecular Signaling, Plasticity, and Behavior Dependent on the Hippocampus in Adult and Aged Mice. <i>Biological Psychiatry</i> , 2017 , 81, 101-110	7.9	33
112	Caveolins: targeting pro-survival signaling in the heart and brain. Frontiers in Physiology, 2012, 3, 393	4.6	32
111	Pathway and gene ontology based analysis of gene expression in a rat model of cerebral ischemic tolerance. <i>Brain Research</i> , 2007 , 1177, 103-23	3.7	32
110	Role of 12-lipoxygenase in volatile anesthetic-induced delayed preconditioning in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H979-83	5.2	31

(2015-2003)

Delta-opioid receptor activation mimics ischemic preconditioning in the canine heart. <i>Journal of Cardiovascular Pharmacology</i> , 2003 , 42, 78-81	3.1	31
Opioid-induced preconditioning is dependent on caveolin-3 expression. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1117-21	3.9	30
Genetically Encoded Biosensors Reveal PKA Hyperphosphorylation on the Myofilaments in Rabbit Heart Failure. <i>Circulation Research</i> , 2016 , 119, 931-43	15.7	29
Sarcolemmal cholesterol and caveolin-3 dependence of cardiac function, ischemic tolerance, and opioidergic cardioprotection. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 307, H895-903	5.2	28
Nitrocobinamide, a new cyanide antidote that can be administered by intramuscular injection. Journal of Medicinal Chemistry, 2015 , 58, 1750-9	8.3	27
Role of caveolae in cardiac protection. <i>Pediatric Cardiology</i> , 2011 , 32, 329-33	2.1	27
Thy-1 interaction with Fas in lipid rafts regulates fibroblast apoptosis and lung injury resolution. <i>Laboratory Investigation</i> , 2017 , 97, 256-267	5.9	26
A kinase interacting protein (AKIP1) is a key regulator of cardiac stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E387-96	11.5	26
Hypoxia-inducible factor-1 dectivation improves renal oxygenation and mitochondrial function in early chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F282-F290	4.3	25
Epicatechin regulation of mitochondrial structure and function is opioid receptor dependent. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 1007-14	5.9	25
Caveolin and caveolae in age associated cardiovascular disease. <i>Journal of Geriatric Cardiology</i> , 2013 , 10, 66-74	1.7	25
Caveolin-1 modulates cardiac gap junction homeostasis and arrhythmogenecity by regulating cSrc tyrosine kinase. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 701-10	6.4	24
Caveolins and heart diseases. Advances in Experimental Medicine and Biology, 2012, 729, 145-56	3.6	24
Cardioprotective trafficking of caveolin to mitochondria is Gi-protein dependent. <i>Anesthesiology</i> , 2014 , 121, 538-48	4.3	23
Caveolins in cardioprotection - translatability and mechanisms. <i>British Journal of Pharmacology</i> , 2015 , 172, 2114-25	8.6	21
Caveolin-3 KO disrupts t-tubule structure and decreases t-tubular I density in mouse ventricular myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H1101-H1111	5.2	21
Long-term atorvastatin treatment leads to alterations in behavior, cognition, and hippocampal biochemistry. <i>Behavioural Brain Research</i> , 2014 , 267, 6-11	3.4	21
Caveolin modulates integrin function and mechanical activation in the cardiomyocyte. <i>FASEB Journal</i> , 2015 , 29, 374-84	0.9	20
	Cardiovascular Pharmacology, 2003, 42, 78-81 Opioid-induced preconditioning is dependent on caveolin-3 expression. Anesthesia and Analgesia, 2010, 111, 1117-21 Genetically Encoded Biosensors Reveal PKA Hyperphosphorylation on the Myofilaments in Rabbit Heart Failure. Circulation Research, 2016, 119, 931-43 Sarcolemmal cholesterol and caveolin-3 dependence of cardiac function, ischemic tolerance, and opioidergic cardioprotection. American Journal of Physiology - Heart and Circulatory Physiology, 2014, 307, H895-903 Nitrocobinamide, a new cyanide antidote that can be administered by intramuscular injection. Journal of Medicinal Chemistry, 2015, 58, 1750-9 Role of caveolae in cardiac protection. Pediatric Cardiology, 2011, 32, 329-33 Thy-1 interaction with Fas in lipid rafts regulates fibroblast apoptosis and lung injury resolution. Laboratory Investigation, 2017, 97, 256-267 A kinase interacting protein (AKIP1) is a key regulator of cardiac stress. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E387-96 Hypoxia-inducible factor-1factivation improves renal oxygenation and mitochondrial function in early chronic kidney disease. American Journal of Physiology - Renal Physiology, 2017, 313, F282-F290 Epicatechin regulation of mitochondrial structure and function is opioid receptor dependent. Molecular Nutrition and Food Research, 2013, 57, 1007-14 Caveolin-1 modulates cardiac gap junction homeostasis and arrhythmogenecity by regulating cSrc tyrosine kinase. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 701-10 Caveolins and heart diseases. Advances in Experimental Medicine and Biology, 2012, 729, 145-56 Cardioprotective trafficking of caveolin to mitochondria is Gi-protein dependent. Anesthesiology, 2014, 121, 538-48 Caveolins in cardioprotection - translatability and mechanisms. British Journal of Pharmacology, 2015, 172, 2114-25 Caveolin-3 KO disrupts t-tubule structure and decreases t-tubular I density in mouse ventricular myocytes. American Journa	Opioid-induced preconditioning is dependent on caveolin-3 expression. Anesthesia and Analgesia, 2010, 111, 1117-21 Genetically Encoded Biosensors Reveal PKA Hyperphosphorylation on the Myofilaments in Rabbit Heart Failure. Circulation Research, 2016, 119, 931-43 157 Genetically Encoded Biosensors Reveal PKA Hyperphosphorylation on the Myofilaments in Rabbit Heart Failure. Circulation Research, 2016, 119, 931-43 157 Sarcolemmal cholesterol and caveolin-3 dependence of cardiac function, ischemic tolerance, and opioidergic cardioprotection. American Journal of Physiology - Heart and Circulatory Physiology, 2014, 307, H893-903 Nitrocobinamide, a new cyanide antidote that can be administered by intramuscular injection. Journal of Medicinal Chemistry, 2015, 58, 1750-9 Role of caveolae in cardiac protection. Pediatric Cardiology, 2011, 32, 329-33 2.1 Thy-1 interaction with Fas in lipid rafts regulates fibroblast apoptosis and lung injury resolution. Laboratory Investigation, 2017, 97, 256-267 A kinase interacting protein (AKIP1) is a key regulator of cardiac stress. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E387-96 Hypoxia-inducible factor-1Bactivation improves renal oxygenation and mitochondrial function in early chronic kidney disease. American Journal of Physiology - Renal Physiology, 2017, 313, F282-F290 Epicatechin regulation of mitochondrial structure and function is opioid receptor dependent. Sepicatechin regulation of mitochondrial structure and function is opioid receptor dependent. Caveolin-1 modulates cardiac gap junction homeostasis and arrhythmogenecity by regulating cSrc tyrosine kinase. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 701-10 Caveolin-1 modulates cardiac gap junction homeostasis and arrhythmogenecity by regulating cSrc tyrosine kinase. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 701-10 Caveolin-3 Ko disrupts t-tubule structure and decreases t-tubular I density in mouse ventricular myocytes. American Jour

91	Distinct pathways of cholesterol biosynthesis impact on insulin secretion. <i>Journal of Endocrinology</i> , 2015 , 224, 75-84	4.7	19
90	Myocyte membrane and microdomain modifications in diabetes: determinants of ischemic tolerance and cardioprotection. <i>Cardiovascular Diabetology</i> , 2017 , 16, 155	8.7	19
89	Caveolin isoform switching as a molecular, structural, and metabolic regulator of microglia. <i>Molecular and Cellular Neurosciences</i> , 2013 , 56, 283-97	4.8	18
88	Caveolin-3 plays a critical role in autophagy after ischemia-reperfusion. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 311, C854-C865	5.4	18
87	Caveolin-1 regulation of disrupted-in-schizophrenia-1 as a potential therapeutic target for schizophrenia. <i>Journal of Neurophysiology</i> , 2017 , 117, 436-444	3.2	16
86	Intravenous adeno-associated virus serotype 8 encoding urocortin-2 provides sustained augmentation of left ventricular function in mice. <i>Human Gene Therapy</i> , 2013 , 24, 777-85	4.8	16
85	Neuron-Targeted Caveolin-1 Promotes Ultrastructural and Functional Hippocampal Synaptic Plasticity. <i>Cerebral Cortex</i> , 2018 , 28, 3255-3266	5.1	16
84	Early hyperbaric oxygen therapy improves survival in a model of severe sepsis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019 , 317, R160-R168	3.2	15
83	Phosphorylation of protein kinase A (PKA) regulatory subunit RIIby protein kinase G (PKG) primes PKA for catalytic activity in cells. <i>Journal of Biological Chemistry</i> , 2018 , 293, 4411-4421	5.4	15
82	Aortic pathology from protein kinase G activation is prevented by an antioxidant vitamin B analog. <i>Nature Communications</i> , 2019 , 10, 3533	17.4	15
81	Cardiac ischemia-reperfusion injury induces ROS-dependent loss of PKA regulatory subunit RID <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H1231-H1242	5.2	15
80	AKIP1 expression modulates mitochondrial function in rat neonatal cardiomyocytes. <i>PLoS ONE</i> , 2013 , 8, e80815	3.7	15
79	The disputed role of COX-2 in myocardial infarction, is the jury still out?. <i>Journal of Molecular and Cellular Cardiology</i> , 2002 , 34, 1-3	5.8	15
78	Atorvastatin, but not pravastatin, inhibits cardiac Akt/mTOR signaling and disturbs mitochondrial ultrastructure in cardiac myocytes. <i>FASEB Journal</i> , 2019 , 33, 1209-1225	0.9	15
77	Neuron-specific caveolin-1 overexpression improves motor function and preserves memory in mice subjected to brain trauma. <i>FASEB Journal</i> , 2017 , 31, 3403-3411	0.9	14
76	Attenuation of heat shock-induced cardioprotection by treatment with the opiate receptor antagonist naloxone. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H201	1 ⁵ 7	14
75	Human-like Cmah inactivation in mice increases running endurance and decreases muscle fatigability: implications for human evolution. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018 , 285,	4.4	14
74	Helium postconditioning regulates expression of caveolin-1 and -3 and induces RISK pathway activation after ischaemia/reperfusion in cardiac tissue of rats. <i>European Journal of Pharmacology</i> , 2016 , 791, 718-725	5.3	13

73	Detection of caveolin-3/caveolin-1/P2X7R complexes in mice atrial cardiomyocytes in vivo and in vitro. <i>Histochemistry and Cell Biology</i> , 2012 , 138, 231-41	2.4	13
72	Inducing Mild Traumatic Brain Injury in C. elegans via Cavitation-Free Surface Acoustic Wave-Driven Ultrasonic Irradiation. <i>Scientific Reports</i> , 2019 , 9, 12775	4.9	12
71	Deletion of caveolin scaffolding domain alters cancer cell migration. <i>Cell Cycle</i> , 2019 , 18, 1268-1280	4.7	12
70	Neuron-targeted caveolin-1 improves neuromuscular function and extends survival in SOD1 mice. <i>FASEB Journal</i> , 2019 , 33, 7545-7554	0.9	12
69	The Effects of Aging on the Regulation of T-Tubular ICa by Caveolin in Mouse Ventricular Myocytes. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 711-719	6.4	12
68	Cardiac-directed expression of adenylyl cyclase VI facilitates atrioventricular nodal conduction. Journal of the American College of Cardiology, 2006 , 48, 559-65	15.1	12
67	Electrophysiology and metabolism of caveolin-3-overexpressing mice. <i>Basic Research in Cardiology</i> , 2016 , 111, 28	11.8	12
66	Microliter ultrafast centrifuge platform for size-based particle and cell separation and extraction using novel omnidirectional spiral surface acoustic waves. <i>Lab on A Chip</i> , 2021 , 21, 904-915	7.2	12
65	Delta Opioid Receptors and Cardioprotection. <i>Handbook of Experimental Pharmacology</i> , 2018 , 247, 301	-3324	11
64	Metabolomic analysis of serum and myocardium in compensated heart failure after myocardial infarction. <i>Life Sciences</i> , 2019 , 221, 212-223	6.8	9
63	Helium-Induced Changes in Circulating Caveolin in Mice Suggest a Novel Mechanism of Cardiac Protection. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	9
62	Isoflurane Impacts Murine Melanoma Growth in a Sex-Specific, Immune-Dependent Manner: A Brief Report. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1910-1913	3.9	9
61	Caveolin-1 Phosphorylation Is Essential for Axonal Growth of Human Neurons Derived From iPSCs. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 324	6.1	9
60	Regulation of pulmonary vasoconstriction by agonists and caveolae. <i>Experimental Lung Research</i> , 2008 , 34, 195-208	2.3	9
59	Delayed cardioprotection is mediated via a non-peptide delta opioid agonist, SNC-121, independent of opioid receptor stimulation. <i>Basic Research in Cardiology</i> , 2004 , 99, 38-45	11.8	9
58	Caveolins as Regulators of Stress Adaptation. <i>Molecular Pharmacology</i> , 2018 , 93, 277-285	4.3	8
57	Immunosuppression of Macrophages Underlies the Cardioprotective Effects of CST (Catestatin). <i>Hypertension</i> , 2021 , 77, 1670-1682	8.5	8
56	Chronic 🛘 -adrenoceptor blockade impairs ischaemic tolerance and preconditioning in murine myocardium. <i>European Journal of Pharmacology</i> , 2016 , 789, 1-7	5.3	7

55	Role of decoy molecules in neuronal ischemic preconditioning. <i>Life Sciences</i> , 2011 , 88, 670-4	6.8	7
54	Cardioprotection is strain dependent in rat in response to whole body hyperthermia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 280, H1208-14	5.2	7
53	Modulation of caveolins, integrins and plasma membrane repair proteins in anthracycline-induced heart failure in rabbits. <i>PLoS ONE</i> , 2017 , 12, e0177660	3.7	7
52	Dietary Linolenic Acid Counters Cardioprotective Dysfunction in Diabetic Mice: Unconventional PUFA Protection. <i>Nutrients</i> , 2020 , 12,	6.7	6
51	Cardiac-specific overexpression of caveolin-3 preserves t-tubular I during heart failure in mice. <i>Experimental Physiology</i> , 2019 , 104, 654-666	2.4	6
50	Metformin intervention prevents cardiac dysfunction in a murine model of adult congenital heart disease. <i>Molecular Metabolism</i> , 2019 , 20, 102-114	8.8	6
49	Plasma from Volunteers Breathing Helium Reduces Hypoxia-Induced Cell Damage in Human Endothelial Cells-Mechanisms of Remote Protection Against Hypoxia by Helium. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 297-306	3.9	5
48	Non-canonical roles for caveolin in regulation of membrane repair and mitochondria: implications for stress adaptation with age. <i>Journal of Physiology</i> , 2016 , 594, 4581-9	3.9	5
47	Signaling epicenters: the role of caveolae and caveolins in volatile anesthetic induced cardiac protection. <i>Current Pharmaceutical Design</i> , 2014 , 20, 5681-9	3.3	5
46	The caveolar-mitochondrial interface: regulation of cellular metabolism in physiology and pathophysiology. <i>Biochemical Society Transactions</i> , 2020 , 48, 165-177	5.1	5
45	The Evolution of Cholesterol-Rich Membrane in Oxygen Adaption: The Respiratory System as a Model. <i>Frontiers in Physiology</i> , 2019 , 10, 1340	4.6	5
44	Altered Penile Caveolin Expression in Diabetes: Potential Role in Erectile Dysfunction. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1177-1186	1.1	4
43	1 + 1 = 4? Balanced anaesthesia: A sum that is greater than its parts. <i>British Journal of Pharmacology</i> , 2019 , 176, 4785-4786	8.6	3
42	Mitochondrial KATP channels and cardioprotection. <i>Drug Development Research</i> , 2002 , 55, 17-21	5.1	3
41	Morphine induces physiological, structural, and molecular benefits in the diabetic myocardium. <i>FASEB Journal</i> , 2021 , 35, e21407	0.9	3
40	PTPMT1 Is Required for Embryonic Cardiac Cardiolipin Biosynthesis to Regulate Mitochondrial Morphogenesis and Heart Development. <i>Circulation</i> , 2021 , 144, 403-406	16.7	3
39	Role of caveolin-3 in lymphocyte activation. <i>Life Sciences</i> , 2015 , 121, 35-9	6.8	2
38	A new sense of protection: role of the Ca2+-sensing receptor in ischemic preconditioning. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H1300-1	5.2	2

(2015-2013)

37	Knockout of type VI collagen preserves mitochondrial structure and function following myocardial infarction. <i>FASEB Journal</i> , 2013 , 27, lb674	0.9	2
36	No pain, no gain: balancing central versus peripheral benefits of analgesics in the age of the opioid crisis. <i>British Journal of Pharmacology</i> , 2018 , 175, 855-856	8.6	2
35	Caveolin-1 controls mitochondrial damage and ROS production by regulating fission - fusion dynamics and mitophagy <i>Redox Biology</i> , 2022 , 52, 102304	11.3	2
34	Protective role of cardiac-specific overexpression of caveolin-3 in cirrhotic cardiomyopathy. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, G531-G541	5.1	1
33	Methyl mercaptan gas: mechanisms of toxicity and demonstration of the effectiveness of cobinamide as an antidote in mice and rabbits <i>Clinical Toxicology</i> , 2022 , 1-8	2.9	1
32	Role of caveolin-3 and mitochondria in protecting the aged myocardium. FASEB Journal, 2012, 26, 864.1	6 0.9	1
31	Caveolin-1 overexpression repairs neuronal degradation in the setting of traumatic brain injury. <i>FASEB Journal</i> , 2013 , 27, 693.10	0.9	1
30	Loss of Immunohistochemical Reactivity in Association With Handling-Induced Dark Neurons in Mouse Brains. <i>Toxicologic Pathology</i> , 2020 , 48, 437-445	2.1	1
29	Sleep/wake calcium dynamics, respiratory function, and ROS production in cardiac mitochondria. <i>Journal of Advanced Research</i> , 2021 , 31, 35-47	13	1
28	Benign paroxysmal positional vertigo in the emergency department: An observational study of an Australian regional hospitalß acute clinical practice. <i>EMA - Emergency Medicine Australasia</i> , 2021 , 33, 1082-1087	1.5	O
27	Localization of caveolae and mitochondria in adult cardiac myocytes: implications for reductive signaling. <i>FASEB Journal</i> , 2006 , 20, A691	0.9	
26	Caveolin-1 knockout mice have decreased enrichment of redox-sensitive enzymes in renal caveolar fractions. <i>FASEB Journal</i> , 2007 , 21, A1424	0.9	
25	Cardiac-Specific Overexpression of Caveolin-3 Enhances Akt Phosphorylation. <i>FASEB Journal</i> , 2007 , 21, A794	0.9	
24	Caveolin scaffolding domain plays an important role in cancer cell migration. <i>FASEB Journal</i> , 2019 , 33, 815.12	0.9	
23	Sex Differences in Type-2 Diabetes: Implications for Caveolin-3 Regulated Mitochondrial Function. <i>FASEB Journal</i> , 2019 , 33, 830.4	0.9	
22	Helium Postconditioning Regulates Caveolin-1/-3 Translocation and Gene Expression. <i>FASEB Journal</i> , 2015 , 29, 1025.15	0.9	
21	Novel Roles for Catestatin in Cardiac Metabolism and Physiology. FASEB Journal, 2015, 29, 1025.12	0.9	
20	Ischemic Tolerance and Conventional Preconditioning are Impaired by Chronic 1 -Blockade. <i>FASEB Journal</i> , 2015 , 29, 635.1	0.9	

19	Dynamin and caveolae in cardiac ischemic preconditioning. FASEB Journal, 2009, 23, LB381	0.9
18	Caveolin and the aged myocardium. <i>FASEB Journal</i> , 2010 , 24, 819.2	0.9
17	A role for miR-471 in cardiac ischemia-reperfusion injury. FASEB Journal, 2010, 24, 626.2	0.9
16	Regulation of mitochondrial function by caveolin-3. <i>FASEB Journal</i> , 2010 , 24, 819.1	0.9
15	EFFECT OF EPICATECHIN AND NALOXONE ON CARDIO-PROTECTIVE PHENOTYPE. <i>FASEB Journal</i> , 2010 , 24, 1029.8	0.9
14	Caveolin regulation of microglial activation and proliferation. FASEB Journal, 2011, 25, 1007.1	0.9
13	Effects of noble gas conditioning on Caveolin expression in the rat heart in vivo. <i>FASEB Journal</i> , 2012 , 26, 1114.17	0.9
12	Reversible tetracyline-controlled transactivator (rtTA)- inducible expression of neuron-targeted Cav-1 and recovery after neuronal injury. <i>FASEB Journal</i> , 2012 , 26, 1035.4	0.9
11	Neuron-targeted Cav-1 as a novel therapy for Traumatic Brain Injury. FASEB Journal, 2012, 26, 1035.3	0.9
10	Myocardial cholesterol homeostasis is altered by age and Cav-3 knockdown. <i>FASEB Journal</i> , 2012 , 26, 1117.5	0.9
9	Knockout of type VI collagen improves cardiac function and remodeling following myocardial infarction. <i>FASEB Journal</i> , 2012 , 26, 1060.13	0.9
8	Effect of low-dose epicatechin on mitochondrial function and membrane fluidity. <i>FASEB Journal</i> , 2012 , 26, 852.1	0.9
7	Vasopressin levels in patients undergoing pulmonary thromboendarterectomy (PTE). <i>FASEB Journal</i> , 2012 , 26, 684.11	0.9
6	AKIP1 protects against cardiac injury via enhanced mitochondrial function. FASEB Journal, 2013, 27, 65	7.3 .9
5	Caveolin-1 regulates neuronal regeneration in peripheral nerve crush injury via regulation of Schwann cell function. <i>FASEB Journal</i> , 2013 , 27, 1142.8	0.9
4	Angiotensin-II induced cardiac hypertrophic responses are mediated via PKC and NFAT signaling is attenuated by caveolin-3 in ventricular myocytes. <i>FASEB Journal</i> , 2013 , 27, 1197.2	0.9
3	Dynamic expression and localization of Protein Kinase A regulatory subunit RIIIn cardiac mitochondria controls response to oxidative stress. <i>FASEB Journal</i> , 2013 , 27, 1209.22	0.9
2	Generation of caveolin-2 overexpressing C. elegans and their response to stress. <i>FASEB Journal</i> , 2013 , 27, 1211.4	0.9

Extracellular Vesicles: A New Paradigm for Cellular Communication in Perioperative Medicine, Critical Care, and Pain Management. *Anesthesia and Analgesia*, **2021**, 133, 1162-1179

3.9